



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10004 Kikinda - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-09-01 do 2016-09-30

KOD stanice: **RS10004**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.817 / 20.444**

Nadmorska visina: **81**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-09-01

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	81.19	0.37	0.72	0.11	0.24	0.04								
01:00:00	90.56	0.29	0.77	0.05	0.19	0								
02:00:00	90.18	0.32	0.79	0.04	0.16	0								
03:00:00		0.41	0.77	0.08	0.17	0.04								
04:00:00	67.16	0.51	0.77	0.08	0.2	0.04								
05:00:00	44.99	0.93	0.83	0.26	0.32	0.06								
06:00:00	40.09	0.84	1.52	0.36	0.71	0.16								
07:00:00	56.17	0.8	1.78	0.32	0.63	0.16								
08:00:00	67.7	0.68	1.5	0.18	0.52	0.15								
09:00:00	87.29	0.41	0.95	0.07	0.35	0.05								
10:00:00	99.31	0.38	0.88	0.11	0.22	0.04								
11:00:00	110.04	0.27	0.55	0.06	0.19	0.04								
12:00:00	118.39	0.28	0.5	0.04	0.11	0								
13:00:00	123.19	0.29	0.65	0.08	0.23	0.09								
14:00:00	122.47	0.22	0.46	0.09	0.14	0								
15:00:00	121.78	0.22	0.38	0.04	0.07	0								
16:00:00	121.44	0.19	0.24	0	0.05	0								
17:00:00	126.24	0.28	0.39	0.04	0.15	0								
18:00:00	111.72	0.57	0.79	0.07	0.18	0								
19:00:00	94.39	0.41	1.28	0.2	0.58	0.1								
20:00:00	68	1.44	3.89	0.7	1.55	0.57								
21:00:00	82.5	0.55	1.22	0.24	0.57	0.13								
22:00:00	62.82	1.34	2.61	0.38	1.08	0.33								
23:00:00	61.26	0.83	1.54	0.21	0.67	0.13								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	89.08	0.54	1.07	0.16	0.39	0.09								
C50	88.73	0.41	0.79	0.08	0.23	0.04								
MAX	126.24	1.44	3.89	0.7	1.55	0.57								
MIN	40.09	0.19	0.24	0	0.05	0								
C99.9	126.17	1.44	3.86	0.7	1.54	0.57								
C98	124.84	1.4	3.3	0.56	1.33	0.46								
C95	123.08	1.28	2.48	0.38	1.02	0.31								

Datum: 2016-09-02

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	41.65	0.95	1.39	0.2	0.53	0.16							
01:00:00	32.36	0.85	1.16	0.1	0.48	0.09							
02:00:00	35.44	1.52	1.98	0.37	0.75	0.23							
03:00:00	33.91	1.01	1.48	0.23	0.56	0.12							
04:00:00		1.13	2.09	0.38	0.85	0.22							
05:00:00	13.67	2.33	2.34	0.33	0.78	0.18							
06:00:00	14.61	4.11	5.67	0.98	2.26	0.68							
07:00:00	30.68	5.62	5.94	0.93	2.45	0.68							
08:00:00	68.24	3.52	3.89	0.54	1.49	0.4							
09:00:00	95.16	2.78	2.38	0.41	1.16	0.25							
10:00:00	124.71	0.48	0.66	0.07	0.27	0.04							
11:00:00	134.87	0.33	0.85	0.05	0.19	0.04							
12:00:00	140.88	0.26	0.41	0.04	0.1	0.04							
13:00:00	146.31	0.31	0.43	0.04	0.1	0.04							
14:00:00	151.21	0.25	0.63	0.06	0.21	0.09							
15:00:00	148.49	0.27	0.4	0.04	0.19	0.09							
16:00:00	154.53	0.21	0.29	0.04	0.05	0							
17:00:00	144.64	0.23	0.39	0.04	0.12	0							
18:00:00	126.59	0.32	0.7	0.12	0.35	0.05							
19:00:00	91.11	6.06	4.98	0.95	2.27	0.87							
20:00:00	77.16	5.15	5.78	1.27	3.32	1.13							
21:00:00	55.23	2.18	4.33	0.84	2.01	0.65							
22:00:00	46.44	1.95	3.85	0.74	1.73	0.4							
23:00:00	62.2	1.01	2.68	0.53	1.28	0.33							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	85.66	1.79	2.28	0.39	0.98	0.28							
C50	72.7	1.01	1.73	0.28	0.66	0.17							
MAX	154.53	6.06	5.94	1.27	3.32	1.13							
MIN	13.67	0.21	0.29	0.04	0.05	0							
C99.9	154.46	6.05	5.94	1.26	3.3	1.13							
C98	153.01	5.86	5.87	1.14	2.92	1.01							
C95	150.8	5.55	5.76	0.98	2.42	0.85							

Datum: 2016-09-03

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.05	1.63	4.71	0.64	1.52	0.56								
01:00:00	49.07	1.11	4.09	0.7	1.55	0.46								
02:00:00	54.19	0.68	1.56	0.35	0.7	0.17								
03:00:00	56.6	0.66	0.94	0.17	0.47	0.1								
04:00:00	45.5	1.24	1.4	0.16	0.49	0.09								
05:00:00		5.16	5.24	0.72	2.01	0.46								
06:00:00	31.78	4.79	5.96	0.86	2.6	0.67								
07:00:00	53.35	2.21	3.23	0.37	1.31	0.36								
08:00:00	78.06	1.15	2.01	0.35	0.84	0.29								
09:00:00	105.57	0.65	1.03	0.19	0.42	0.12								
10:00:00	122.64	0.4	0.67	0.09	0.13	0								
11:00:00	137.26	0.24	0.48	0.04	0.1	0.04								
12:00:00	138.58	0.28	0.52	0.09	0.09	0								
13:00:00	140.27	0.23	0.32	0	0.07	0								
14:00:00	138.87	0.2	0.31	0.07	0.07	0								
15:00:00	142.82	0.29	0.64	0.09	0.04	0.04								
16:00:00	139.45	0.31	0.71	0.09	0.2	0								
17:00:00	131.25	0.51	1.64	0.35	0.85	0.22								
18:00:00	120.59	0.47	1.65	0.28	0.62	0.17								
19:00:00	60.36	1.24	5.08	0.88	1.77	0.6								
20:00:00	34.03	5.13	8.21	1.91	3.88	1.25								
21:00:00	22.04	4.33	12.95	2.58	5.3	2.4								
22:00:00	53.68	2.13	6.56	1.4	3.12	1.09								
23:00:00	46.76	2.73	9.16	1.5	2.94	1.1								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	84.21	1.57	3.29	0.58	1.3	0.43								
C50	58.48	0.89	1.64	0.35	0.77	0.2								
MAX	142.82	5.16	12.95	2.58	5.3	2.4								
MIN	22.04	0.2	0.31	0	0.04	0								
C99.9	142.76	5.16	12.86	2.56	5.26	2.38								
C98	141.65	5.15	11.2	2.27	4.65	1.87								
C95	140.14	5.08	9.02	1.84	3.77	1.22								

Datum: 2016-09-04

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	33.67	2.34	6.79	1.35	2.58	0.92							
01:00:00	20.18	4.03	5.15	0.94	2.35	0.66							
02:00:00	24.73	6.38	7.51	1.27	3.23	1.23							
03:00:00	36.78	3.43	4.42	0.8	2.04	0.54							
04:00:00	20.26	4.09	6.53	1.31	3.09	0.8							
05:00:00	33.54	3.18	5.3	1.27	2.81	0.85							
06:00:00		2.2	3.54	0.66	1.52	0.41							
07:00:00	26.47	1.9	2.07	0.29	0.86	0.28							
08:00:00	40.61	1.47	2.2	0.34	0.81	0.17							
09:00:00	80.59	2.01	3.34	0.59	1.2	0.31							
10:00:00	109.56	0.66	1.66	0.1	0.21	0.04							
11:00:00	129.66	0.29	0.45	0.04	0.1	0							
12:00:00	137.49	0.55	0.71	0.04	0.12	0.04							
13:00:00	139.25	0.35	1.11	0.06	0.11	0							
14:00:00	141.23	0.26	0.38	0.08	0.14	0.09							
15:00:00	138.81	0.17	0.19	0.04	0.05	0							
16:00:00	138.85	0.16	0.24	0.04	0.07	0							
17:00:00	133.63	0.19	0.23	0.04	0.04	0.04							
18:00:00	118.23	0.19	0.29	0	0.06	0							
19:00:00	98.71	0.26	0.77	0.11	0.2	0.09							
20:00:00	83.73	0.39	1.36	0.34	0.69	0.18							
21:00:00	74.67	1.69	1.6	0.17	0.63	0.09							
22:00:00	70.08	2.16	2.36	0.21	0.92	0.14							
23:00:00	63.73	1.27	1.72	0.37	1.03	0.16							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	82.37	1.65	2.5	0.44	1.04	0.29							
C50	77.63	1.37	1.69	0.25	0.75	0.15							
MAX	141.23	6.38	7.51	1.35	3.23	1.23							
MIN	20.18	0.16	0.19	0	0.04	0							
C99.9	141.18	6.33	7.49	1.35	3.22	1.22							
C98	140.32	5.33	7.18	1.33	3.16	1.09							
C95	139.19	4.08	6.75	1.3	3.04	0.91							

Datum: 2016-09-05

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	68	0.62	2.47	0.43	1.42	0.17							
01:00:00	72.45	0.3	0.63	0.23	0.65	0.06							
02:00:00	61.63	0.42	0.36	0.09	0.21	0							
03:00:00	49.35	0.82	0.97	0.08	0.35	0.05							
04:00:00	38.77	0.56	0.67	0.07	0.21	0							
05:00:00	29.25	0.65	0.96	0.12	0.36	0.05							
06:00:00	24.26	0.86	2.07	0.3	0.59	0.22							
07:00:00		0.77	1.31	0.19	0.57	0.15							
08:00:00	34.33	0.47	1.02	0.21	0.45	0.07							
09:00:00	47.93	0.56	1.01	0.16	0.4	0.12							
10:00:00	70.76												
11:00:00	61.48	0.25	0.54	0	0.04	0							
12:00:00	63.64	0.22	0.34	0	0	0							
13:00:00	62.75	0.29	0.4	0	0.09	0							
14:00:00	55.24	0.63	0.6	0	0	0							
15:00:00	51.4												
16:00:00	41.57												
17:00:00	42.31												
18:00:00	39.07												
19:00:00	35.01												
20:00:00	33.33												
21:00:00	31.21												
22:00:00	31.51												
23:00:00	28.26												

Ras pod	95.83%	58.33%	58.33%	58.33%	58.33%	58.33%							
AVG	46.67	0.53	0.95	0.13	0.38	0.06							
C50	41.94	0.27	0.38	0	0.02	0							
MAX	72.45	0.86	2.47	0.43	1.42	0.22							
MIN	24.26	0.22	0.34	0	0	0							
C99.9	72.41	0.86	2.47	0.42	1.4	0.22							
C98	71.67	0.84	2.29	0.37	1.06	0.2							
C95	70.35	0.81	1.96	0.29	0.64	0.17							

Datum: 2016-09-06

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	18.89												
01:00:00	12.82												
02:00:00	11.89												
03:00:00	15.97												
04:00:00	13.5												
05:00:00	10.75												
06:00:00	5.84												
07:00:00	4.68												
08:00:00													
09:00:00	31.57												
10:00:00	52.8												
11:00:00	65.67												
12:00:00	63.75												
13:00:00	70.31												
14:00:00	77.52												
15:00:00	84.7												
16:00:00	87.89												
17:00:00	79.66												
18:00:00	68.47												
19:00:00	53.95												
20:00:00	47.74												
21:00:00	41.31												
22:00:00	38.05												
23:00:00	32.57												

Ras pod	95.83%	0%	0%	0%	0%	0%							
AVG	43.06												
C50	39.68	0	0	0	0	0							
MAX	87.89												
MIN	4.68												
C99.9	87.82	0	0	0	0	0							
C98	86.42	0	0	0	0	0							
C95	83.94	0	0	0	0	0							

Datum: 2016-09-07

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	30.56												
01:00:00	28.51												
02:00:00	25.37												
03:00:00	22.14												
04:00:00	19.44												
05:00:00	16.88												
06:00:00	11.46												
07:00:00	16.25												
08:00:00	28.4												
09:00:00													
10:00:00	72.62												
11:00:00	98.55												
12:00:00	109.61												
13:00:00	112.15												
14:00:00	108.83												
15:00:00	110.8												
16:00:00	106.11	0.26	0.66	1.57	2.5	0.88							
17:00:00	104.75	0.32	0.78	0.13	0.16	0.09							
18:00:00	95.85	0.45	1.05	0.1	0.08	0							
19:00:00	74.39	0.35	0.67	0.04	0	0							
20:00:00	45.98	0.96	1.41	0.17	0.05	0							
21:00:00	13.89	1.29	4.97	1.15	0.53	0.04							
22:00:00	4.78	2.18	8.23	1.74	0.91	0.07							
23:00:00	12.87	1.98	6.53	0.68	0.63	0.04							

Ras pod	95.83%	33.33%	33.33%	33.33%	33.33%	33.33%							
AVG	55.22	0.97	3.04	0.7	0.61	0.14							
C50	29.54	0	0	0	0	0							
MAX	112.15	2.18	8.23	1.74	2.5	0.88							
MIN	4.78												
C99.9	112.12	2.18	8.19	1.73	2.47	0.86							
C98	111.53	2.09	7.45	1.66	1.77	0.52							
C95	110.62	1.88	6.29	1.51	0.87	0.08							

Datum: 2016-09-08

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	21.55	1.24	5	0	0.28	0							
01:00:00	10.47	1.41	6.14	1.11	0.38	0.04							
02:00:00	38.66	1.22	4.79	0.93	1.12	0.74							
03:00:00	54.43	2.08	2.39	0.33	0.04	0							
04:00:00	50.01	0.6	1.1	0.16	0	0							
05:00:00	26.13	0.64	1.63	0.59	0.61	0							
06:00:00	19.87	0.53	1.24	0.17	0.56	0.06							
07:00:00	32.57	0.51	0.95	0.12	0.17	0							
08:00:00	50.07	0.61	1.23	0.45	0.13	0							
09:00:00	64.28	0.39	0.67	0.16	0	0							
10:00:00		0.27	0.5	0.04	0.04	0							
11:00:00	113.9	0.19	0.34	0.06	0.04	0							
12:00:00	117.78	0.21	0.34	0.04	0.04	0							
13:00:00	120.06	0.13	0.35	0.04	0.04	0							
14:00:00	117.19	0.31	0.89	0.07	0.04	0							
15:00:00	118.3	0.16	0.43	0.06	0.09	0							
16:00:00	114.81	0.12	0.36	0	0.04	0							
17:00:00	106.78	0.1	0.28	0.04	0.04	0							
18:00:00	94.5	0.18	0.28	0	0.04	0							
19:00:00	83.81	0.15	0.36	0.04	0.04	0							
20:00:00	71.95	0.28	0.77	0.13	0.05	0							
21:00:00	63.2	0.47	3.73	1.06	0.57	0							
22:00:00	53.79	0.82	2.26	0.41	0.2	0							
23:00:00	53.89	1.68	1.96	0	0.25	0.04							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	69.48	0.6	1.58	0.25	0.2	0.04							
C50	58.81	0.43	0.92	0.1	0.05	0							
MAX	120.06	2.08	6.14	1.11	1.12	0.74							
MIN	10.47	0.1	0.28	0	0	0							
C99.9	120.02	2.07	6.12	1.11	1.1	0.72							
C98	119.25	1.9	5.62	1.09	0.88	0.43							
C95	118.22	1.64	4.97	1.04	0.6	0.06							

Datum: 2016-09-09

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	40.99	0.73	1.9	0.35	0.3	0								
01:00:00	24.12	1.15	1.98	0.24	0.17	0.04								
02:00:00	62.7	0.76	1.51	0.13	0.09	0								
03:00:00	55.51	0.66	1.29	0.09	0.12	0								
04:00:00	41.49	0.7	1.19	0.06	0.04	0								
05:00:00	42.71	0.63	1.14	0.06	0.06	0								
06:00:00	38.74	0.57	1.43	0.04	0.07	0								
07:00:00	43.85	0.76	1.32	0.15	0.12	0								
08:00:00	64.85	0.65	1.09	0.04	0.04	0								
09:00:00	78.28	0.53	1.19	0.07	0.1	0.04								
10:00:00	97.86	0.38	1.23	0.13	0.18	0								
11:00:00		0.54	1.17	0.04	0.09	0								
12:00:00	122.66	0.25	0.69	0.04	0.04	0								
13:00:00	125.73	0.21	0.67	0.04	0.09	0								
14:00:00	127.74	0.33	0.86	0.07	0.06	0								
15:00:00	124.51	0.29	0.8	0.04	0.08	0								
16:00:00	127.12	0.36	1.11	0.04	0.05	0								
17:00:00	124.11	0.43	1.17	0.12	0.04	0								
18:00:00	107.51	1.16	4.69	0	0.67	0								
19:00:00	66.13	0.72	2.95	0.88	0.77	0.48								
20:00:00	29.07	1.38	6.62	0	0.8	0.09								
21:00:00	50.88	2.27	8.29	1.84	2.72	0.84								
22:00:00	81.35	0.64	1.86	0.45	0.68	0.13								
23:00:00	74.76	1.09	1.42	0.21	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	76.2	0.72	1.98	0.21	0.31	0.07								
C50	65.49	0.64	1.26	0.07	0.09	0								
MAX	127.74	2.27	8.29	1.84	2.72	0.84								
MIN	24.12	0.21	0.67	0	0.04	0								
C99.9	127.73	2.25	8.25	1.82	2.68	0.83								
C98	127.45	1.86	7.52	1.4	1.84	0.67								
C95	126.91	1.34	6.33	0.82	0.79	0.43								

Datum: 2016-09-10

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	60.79	1.45	1.48	0.12	0.28	0.04								
01:00:00	48.45	0.51	0.88	0.35	0.2	0.04								
02:00:00	43.75	0.81	0.87	0.09	0.29	0.04								
03:00:00	45.94	0.72	1.19	0.12	0.28	0.04								
04:00:00	41.98	0.72	1.13	0.13	0.19	0								
05:00:00	35.73	0.61	1.31	0.09	0.04	0								
06:00:00	29.05	0.77	1.88	0	0.07	0								
07:00:00	35.81	1	3.88	0.13	0.16	0								
08:00:00	51.83	0.65	1.21	0.17	0.09	0								
09:00:00	69.97	0.55	0.91	0.13	0.09	0								
10:00:00	87.84	0.47	0.53	0	0.05	0								
11:00:00	104.11	0.3	0.32	0	0.04	0								
12:00:00		0.33	0.29	0.04	0.04	0								
13:00:00	110.24	0.26	0.35	0	0.04	0								
14:00:00	109.42	0.22	0.26	0.04	0.04	0								
15:00:00	107.94	0.31	0.28	0.04	0.04	0.04								
16:00:00	112.11	0.48	0.88	0.04	0.04	0								
17:00:00	95.02	0.35	0.56	0	0.04	0								
18:00:00	82.34	0.57	1.45	0.09	0.06	0								
19:00:00	16.92	2.43	12.27	1.8	1.82	0.06								
20:00:00	24.15	3.24	15.74	2.5	1.68	0.1								
21:00:00	45.27	2.18	8.53	1.21	0.96	0.18								
22:00:00	69.33	0.85	2.88	0.65	0.41	0.04								
23:00:00	77.62	0.65	1.83	0	0.15	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	65.46	0.85	2.54	0.32	0.3	0.03								
C50	56.31	0.63	1.16	0.09	0.09	0								
MAX	112.11	3.24	15.74	2.5	1.82	0.18								
MIN	16.92	0.22	0.26	0	0.04	0								
C99.9	112.07	3.22	15.66	2.48	1.82	0.18								
C98	111.25	2.87	14.15	2.17	1.76	0.15								
C95	110.12	2.39	11.71	1.71	1.57	0.09								

Datum: 2016-09-11

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	80.52	0.53	1.18	0	0.09	0								
01:00:00	46.46	0.56	1.14	0.09	0.11	0								
02:00:00	26.65	0.89	1.07	0.24	0.13	0								
03:00:00	8.67	0.97	3.34	0.17	0.15	0								
04:00:00	8.06	4.02	5.14	0.91	0.21	0.09								
05:00:00	11.37	2.16	3.34	0.04	0.19	0.04								
06:00:00	21.02	2.58	3.33	0.31	0.22	0.04								
07:00:00	30.94	0.87	1.63	0	0.11	0								
08:00:00	30.72	0.91	1.41	0.13	0.18	0.04								
09:00:00	42.01	0.81	1.08	0.09	0.09	0								
10:00:00	78.21	0.82	0.94	0.07	0.14	0								
11:00:00	119.83	0.51	0.77	0.09	0.11	0								
12:00:00	138.31	0.34	0.56	0.04	0.05	0								
13:00:00		0.29	0.65	0	0.04	0								
14:00:00	142.55	0.34	0.37	0	0.04	0								
15:00:00	110.2	0.36	0.36	0	0.04	0								
16:00:00	93.35	0.37	0.5	0.04	0.04	0								
17:00:00	90.97	0.39	0.85	0	0.08	0								
18:00:00	73.77	0.23	0.42	0.04	0.04	0								
19:00:00	52.7	0.15	0.14	0	0	0								
20:00:00	22.38	0.79	1.41	0.17	0.5	0.17								
21:00:00	9.52	1.13	4.6	0	0.55	0								
22:00:00	12.37	3.42	4.75	0.96	1.25	0.63								
23:00:00	17.63	2.53	2.65	0.35	0.09	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	55.14	1.08	1.74	0.16	0.19	0.04								
C50	36.48	0.8	1.11	0.06	0.11	0								
MAX	142.55	4.02	5.14	0.96	1.25	0.63								
MIN	8.06	0.15	0.14	0	0	0								
C99.9	142.45	4.01	5.13	0.96	1.23	0.62								
C98	140.6	3.75	4.96	0.94	0.93	0.42								
C95	135.54	3.3	4.73	0.83	0.54	0.16								

Datum: 2016-09-12

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	14.05	0.42	0.92	0.07	0.06	0								
01:00:00	3.96	0.6	2.48	0.21	0.16	0								
02:00:00	7.72	1.02	2.89	0.28	0.19	0								
03:00:00	19.45	1.14	2.4	0.3	0.13	0								
04:00:00	27.67	0.86	1.56	0.2	0.33	0.09								
05:00:00	30.15	0.73	1.23	0	0.15	0								
06:00:00	23.74	0.99	1.67	0.39	0.46	0.22								
07:00:00	29.84	0.72	1.01	0	0.13	0								
08:00:00	29.06	0.74	0.92	0	0.12	0.04								
09:00:00	37.17	0.7	7.91	0.35	0.16	0								
10:00:00	59.21	1.15	3.89	0.04	0.07	0								
11:00:00	90.56	0.45	1.08	0.17	0.04	0								
12:00:00	106.72	0.31	0.58	0	0.04	0								
13:00:00	123.9	0.33	0.48	0	0.04	0								
14:00:00		0.31	0.62	0.04	0.06	0								
15:00:00	133.96	0.22	0.26	0	0	0								
16:00:00	128.97	0.43	1.06	0	0.16	0								
17:00:00	125.79	0.17	0.28	0	0	0								
18:00:00	92.13	1.17	1.71	0.13	0.14	0.04								
19:00:00	60.22	1.6	3.44	0.27	0.35	0								
20:00:00	33.56	1.14	3.51	0.39	0.51	0.17								
21:00:00	24.43	0.88	3.1	0.04	0.24	0								
22:00:00	19.14	1.79	23.94	0.73	0.95	0.13								
23:00:00	24.87	1.22	12.2	0	0.35	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	54.18	0.8	3.3	0.15	0.2	0.03								
C50	29.99	0.73	1.61	0.05	0.15	0								
MAX	133.96	1.79	23.94	0.73	0.95	0.22								
MIN	3.96	0.17	0.26	0	0	0								
C99.9	133.85	1.79	23.67	0.72	0.94	0.22								
C98	131.67	1.7	18.54	0.57	0.75	0.2								
C95	128.49	1.55	11.56	0.39	0.5	0.17								

Datum: 2016-09-13

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	6.76	1.36	11.57	0.87	0.53	0.04							
01:00:00	29.46	0.79	3.41	0.09	0.38	0.07							
02:00:00	32.1	0.54	1.14	0.11	0.12	0.04							
03:00:00	23.5	0.51	0.86	0.13	0.08	0							
04:00:00	11.54	2.13	1.98	0.08	0.23	0.04							
05:00:00	5.26	2.55	3.75	0.65	0.55	0.3							
06:00:00	8.26	0.77	1.63	0	0.28	0							
07:00:00	18.97	1.38	3.38	0.95	0.86	0.69							
08:00:00	38.13	0.64	0.91	0.09	0.12	0							
09:00:00	62.35	0.51	0.55	0.04	0.09	0							
10:00:00	85.97	0.43	0.51	0	0.07	0							
11:00:00	103.55	0.39	1.15	0	0.04	0							
12:00:00	121.28	0.37	1.36	0	0.04	0							
13:00:00	127.63	0.38	0.7	0	0.07	0							
14:00:00	93.89	0.5	1.01	0	0.13	0							
15:00:00		0.4	0.55	0	0.06	0							
16:00:00	70.52	0.58	0.67	0	0.04	0							
17:00:00	69.37	0.62	0.68	0	0.06	0							
18:00:00	71.84	0.26	1.62	0	0	0							
19:00:00	58.24	0.21	0.56	0	0.06	0							
20:00:00	34.56	0.39	1.59	0.17	0.28	0.09							
21:00:00	40.46	0.6	1.2	0.2	0.14	0							
22:00:00	20.93	1.26	1.95	0.17	0.49	0.16							
23:00:00	34.43	1.38	2.54	0.26	0.3	0.14							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	50.83	0.79	1.89	0.16	0.21	0.07							
C50	36.35	0.56	1.18	0.06	0.12	0							
MAX	127.63	2.55	11.57	0.95	0.86	0.69							
MIN	5.26	0.21	0.51	0	0	0							
C99.9	127.49	2.54	11.39	0.95	0.85	0.69							
C98	124.71	2.36	7.97	0.91	0.72	0.51							
C95	118.62	2.01	3.69	0.84	0.55	0.28							

Datum: 2016-09-14

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.8	0.67	1.07	0.1	0.34	0								
01:00:00	19.37	0.51	0.9	0.22	0.21	0								
02:00:00	7.8	0.48	0.88	0.15	0.22	0.04								
03:00:00	2.84	3.41	3.21	0.43	0.69	0.35								
04:00:00	1.66	2.38	2.68	0.16	0.26	0								
05:00:00	0.6	2.16	2.91	0.1	0.22	0								
06:00:00	1.11	2.42	3.25	0	0.3	0.04								
07:00:00	2.9	2.43	4.28	0	0.51	0.04								
08:00:00	23.9	0.87	1.78	0	0.26	0								
09:00:00	41.17	0.68	0.94	0.09	0.13	0								
10:00:00	81.23	0.42	0.7	0.26	0.06	0								
11:00:00	100.62	0.35	0.53	0	0.06	0								
12:00:00	115.7	0.27	0.34	0.04	0.04	0								
13:00:00	120.91	0.29	0.6	0	0.04	0								
14:00:00	129.6	0.22	0.47	0	0	0								
15:00:00	127.22	0.22	0.57	0.09	0.06	0								
16:00:00		0.38	1.7	0	0.35	0.26								
17:00:00	106.61	0.36	0.93	0.05	0.1	0.04								
18:00:00	105.65	6.07	4.28	1.83	4.82	3.18								
19:00:00	93.8	0.4	1.3	0.56	0.27	0.17								
20:00:00	46.36	0.72	1.11	0.35	0.19	0.3								
21:00:00	47.19	0.81	1.73	0	0.22	0.3								
22:00:00	50.5	0.81	2.94	0.7	0.43	0								
23:00:00	21.36	0.81	2.42	0.52	0.4	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	55.78	1.17	1.73	0.24	0.42	0.2								
C50	43.76	0.68	1.2	0.09	0.22	0								
MAX	129.6	6.07	4.28	1.83	4.82	3.18								
MIN	0.6	0.22	0.34	0	0	0								
C99.9	129.54	6.01	4.28	1.81	4.72	3.11								
C98	128.51	4.85	4.28	1.31	2.92	1.88								
C95	126.27	3.26	4.12	0.68	0.67	0.34								

Datum: 2016-09-15

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	20.35	0.7	1.73	0.17	0.32	0								
01:00:00	21.53	0.65	1.47	0.28	0.2	0								
02:00:00	17.47	0.75	1.37	0.13	0.14	0								
03:00:00	19.44	4.57	4.52	1.2	1.14	0.3								
04:00:00	29.6	14.88	12.25	5.49	2.03	0.94								
05:00:00	25.24	4.54	5.16	0.73	0.21	0.14								
06:00:00	15.55	3.05	3.51	0.17	0.97	0.05								
07:00:00	34.66	2.2	2.68	0.2	0.09	0								
08:00:00	50.05	1.34	2.03	0.12	0.04	0								
09:00:00	74.11	0.76	1.26	0.04	0.04	0								
10:00:00	109.76	0.4	1.31	0	0.06	0								
11:00:00	125.71	0.28	0.54	0	0.04	0								
12:00:00	125.81	0.31	0.48	0	0	0								
13:00:00	125.88	0.23	0.25	0.04	0.04	0								
14:00:00	130.01	0.24	0.36	0.04	0	0								
15:00:00	136.95	0.31	0.47	0	0.07	0								
16:00:00	137.57	0.24	0.57	0	0.12	0								
17:00:00		0.15	0.17	0.04	0	0.04								
18:00:00	117.71	0.26	0.26	0.04	0.04	0								
19:00:00	103.09	0.69	0.83	0	0.06	0								
20:00:00	59.59	0.7	2.15	0.43	0.53	0								
21:00:00	20.39	1.79	8.93	0	1.68	0.08								
22:00:00	41.4	0.96	3.65	1.39	0.63	0.04								
23:00:00	39.36	0.78	1.88	0.3	0.59	0.17								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	68.75	1.7	2.41	0.45	0.38	0.07								
C50	45.72	0.7	1.42	0.08	0.11	0								
MAX	137.57	14.88	12.25	5.49	2.03	0.94								
MIN	15.55	0.15	0.17	0	0	0								
C99.9	137.56	14.65	12.18	5.4	2.02	0.93								
C98	137.28	10.14	10.73	3.61	1.87	0.65								
C95	135.91	4.57	8.37	1.36	1.6	0.28								

Datum: 2016-09-16

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	53.58	0.75	1.41	0.17	0.4	0.13								
01:00:00	52.1	0.68	1.45	0.26	0.35	0.04								
02:00:00	45.91	0.83	2.95	0	0.21	0								
03:00:00	28.01	0.82	2.96	0.43	0.45	0.39								
04:00:00	25.53	2.48	3.04	0.21	0.12	0								
05:00:00	29.11	1.22	1.53	0.04	0.11	0								
06:00:00	16.62	1.15	1.38	0.22	0.2	0.04								
07:00:00	15.44	1.1	1.19	0	0.1	0								
08:00:00	24.24	1.17	1.3	0.09	0.19	0								
09:00:00	57.15	0.84	1	0.17	0.15	0.09								
10:00:00	92.2	1.03	1.67	0.35	0	0								
11:00:00	115.06	0.57	0.58	0	0.08	0								
12:00:00	122.99	0.38	0.38	0.13	0.04	0								
13:00:00	120.74	0.38	0.45	0.13	0.07	0								
14:00:00	116.08	0.28	0.57	0	0.06	0								
15:00:00	122.78	0.6	0.97	0	0.14	0								
16:00:00	126.3	0.38	0.53	0	0.06	0								
17:00:00	118.9	0.31	0.71	0	0.15	0								
18:00:00		0.29	0.69	0	0.22	0								
19:00:00	71.56	1.43	3.72	0	0.5	0.04								
20:00:00	60.81	0.68	1.38	0.35	0.26	0.22								
21:00:00	51.82	0.59	1.79	0.3	0.15	0								
22:00:00	52.75	0.66	2.62	0.39	0.45	0.13								
23:00:00	49.85	2.96	3.23	0.9	0.33	0.09								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	68.24	0.9	1.56	0.17	0.2	0.05								
C50	53.17	0.71	1.38	0.13	0.15	0								
MAX	126.3	2.96	3.72	0.9	0.5	0.39								
MIN	15.44	0.28	0.38	0	0	0								
C99.9	126.23	2.95	3.7	0.89	0.5	0.39								
C98	124.78	2.74	3.49	0.68	0.48	0.31								
C95	122.95	2.32	3.2	0.43	0.45	0.2								

Datum: 2016-09-17

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	65.84	1.44	1.91	0.09	0.09	0								
01:00:00	43.93	1.4	1.61	0	0.14	0								
02:00:00	36.45	0.89	0.87	0.09	0.06	0								
03:00:00	27.83	0.67	0.68	0	0.07	0								
04:00:00	26.35	0.57	0.61	0	0.04	0								
05:00:00	27.08	0.42	0.52	0.04	0.08	0.04								
06:00:00	24.9	0.35	0.43	0.04	0.04	0								
07:00:00	23.78	0.49	0.41	0.09	0.06	0								
08:00:00	29.07	0.49	0.59	0.13	0.08	0								
09:00:00	47.2	0.72	0.72	0.13	0.09	0								
10:00:00	63.94	0.42	0.44	0.04	0.11	0								
11:00:00	85.64	0.51	0.86	0.04	0.04	0								
12:00:00	97.59	0.43	0.72	0.13	0.13	0								
13:00:00	104.54	0.24	0.32	0	0.04	0								
14:00:00	101.42	0.13	0.18	0	0	0								
15:00:00	94.48	0.18	0.75	0	0.04	0								
16:00:00	85.34	0.21	1.42	0.46	0.43	0.22								
17:00:00	77.14	0.2	0.9	0	0.12	0								
18:00:00	63.43	0.35	0.91	0.3	0.18	0.09								
19:00:00		0.34	0.7	0	0.12	0								
20:00:00	45.43	0.25	0.71	0.17	0.09	0								
21:00:00	36.16	0.64	2.9	0.59	0.13	0								
22:00:00	29.56	0.46	1.94	0.13	0.12	0								
23:00:00	16.68	1.16	5.19	0.78	0.61	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	54.51	0.54	1.1	0.14	0.12	0.01								
C50	44.68	0.45	0.72	0.07	0.09	0								
MAX	104.54	1.44	5.19	0.78	0.61	0.22								
MIN	16.68	0.13	0.18	0	0	0								
C99.9	104.47	1.44	5.14	0.78	0.6	0.21								
C98	103.11	1.42	4.13	0.69	0.52	0.16								
C95	100.84	1.36	2.75	0.57	0.39	0.08								

Datum: 2016-09-18

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	24.33	0.66	2.54	0	0.42	0								
01:00:00	36.28	0.38	0.91	0	0.19	0								
02:00:00	31.17	0.43	0.89	0.09	0.15	0								
03:00:00	21.69	0.35	0.8	0	0.06	0								
04:00:00	11.98	0.48	1.15	0.04	0.18	0								
05:00:00	17.74	0.35	0.72	0	0.05	0								
06:00:00	21.82	2.22	2.55	0.85	0.47	0.11								
07:00:00	20.69	1.66	1.65	0.34	0.26	0.09								
08:00:00	30.68	1.87	2.06	0.22	0.17	0.04								
09:00:00	59.07	1.11	1.06	0.16	0.11	0								
10:00:00	85.15	0.41	0.49	0.04	0.04	0								
11:00:00	93.55	0.14	0.26	0.04	0.04	0								
12:00:00	96.83	0.1	0.25	0.04	0.04	0								
13:00:00	101.33	0.11	0.26	0	0.08	0								
14:00:00	99.82	0.1	0.21	0	0.04	0								
15:00:00	100.32	0.21	0.31	0.04	0.04	0								
16:00:00	97.3	0.11	0.27	0	0.07	0								
17:00:00	92.99	0.78	0.96	0.13	0.18	0								
18:00:00	83.18	0.29	0.6	0.04	0.04	0								
19:00:00	59.58	0.56	1.09	0	0.17	0								
20:00:00		1.14	1.48	0.22	0.16	0								
21:00:00	55.35	0.51	0.94	0.17	0.07	0								
22:00:00	62.86	0.49	0.9	0	0.09	0								
23:00:00	63.77	0.37	0.76	0.04	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	59.46	0.62	0.96	0.1	0.13	0.01								
C50	59.32	0.42	0.89	0.04	0.08	0								
MAX	101.33	2.22	2.55	0.85	0.47	0.11								
MIN	11.98	0.1	0.21	0	0.04	0								
C99.9	101.31	2.22	2.55	0.84	0.47	0.11								
C98	100.87	2.06	2.54	0.61	0.44	0.1								
C95	100.25	1.83	2.46	0.32	0.39	0.08								

Datum: 2016-09-19

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	56.61	0.29	0.4	0	0.04	0							
01:00:00	45.37	0.34	0.76	0.11	0.21	0.04							
02:00:00	40.93	3.89	2.94	0.52	0.78	0.2							
03:00:00	45.53	0.33	0.55	0.04	0.04	0							
04:00:00	44.77	0.74	0.62	0.04	0.04	0							
05:00:00	41.42	0.74	0.73	0.13	0.04	0							
06:00:00	38.58	0.23	0.4	0.13	0.04	0							
07:00:00	38.87	0.22	0.51	0.09	0.12	0							
08:00:00	42.95	0.51	0.5	0.09	0.08	0							
09:00:00	36.36	0.5	0.74	0.13	0.17	0							
10:00:00	44.61	0.81	0.7	0	0.07	0							
11:00:00	50.87	0.66	0.95	0.27	0.06	0							
12:00:00	57.72	0.36	0.42	0	0.04	0							
13:00:00	52.84	0.18	0.31	0	0.04	0							
14:00:00	63.68	0.2	0.45	0.04	0.08	0							
15:00:00	70.89	0.13	0.31	0	0.04	0							
16:00:00	66.87	0.12	0.21	0	0.04	0							
17:00:00	53.87	0.2	0.5	0.04	0.04	0							
18:00:00	39.02	0.47	0.64	0	0.05	0							
19:00:00	47.62	1.1	1.04	0.04	0.08	0							
20:00:00	54.77	0.57	0.59	0	0.04	0							
21:00:00		1.23	0.84	0.13	0.06	0							
22:00:00	43.04	0.61	0.56	0.04	0.04	0							
23:00:00	37.08	0.49	0.42	0	0.04	0							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	48.45	0.62	0.67	0.08	0.1	0.01							
C50	45.07	0.48	0.56	0.04	0.04	0							
MAX	70.89	3.89	2.94	0.52	0.78	0.2							
MIN	36.36	0.12	0.21	0	0.04	0							
C99.9	70.8	3.83	2.9	0.51	0.77	0.2							
C98	69.04	2.66	2.07	0.4	0.52	0.13							
C95	66.39	1.21	1.02	0.25	0.21	0.04							

Datum: 2016-09-20

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	31.98	0.6	0.41	0	0	0								
01:00:00	38.27	0.37	0.26	0	0	0								
02:00:00	39.66	0.34	0.23	0	0	0								
03:00:00	33.15	0.36	0.24	0	0.04	0								
04:00:00	22.36	0.86	0.48	0	0.04	0								
05:00:00	23.59	0.87	0.56	0	0.04	0								
06:00:00	29.05	0.7	0.56	0.09	0	0								
07:00:00	36.09	0.63	0.49	0.04	0.17	0								
08:00:00	44.6	0.56	0.43	0.04	0.06	0								
09:00:00	52.03	0.68	0.47	0.04	0.09	0								
10:00:00	61.89	0.49	0.34	0	0	0								
11:00:00	67.76	0.55	0.29	0	0	0								
12:00:00	77.24	0.49	0.32	0	0.04	0								
13:00:00	78.73	0.49	0.29	0	0	0								
14:00:00	85.17	0.47	0.4	0	0.04	0								
15:00:00	88.19	0.44	0.32	0	0	0								
16:00:00	82.46	0.57	0.4	0	0	0								
17:00:00	79.37	0.55	0.48	0.04	0.07	0								
18:00:00	57.46	0.58	0.71	0.04	0.12	0								
19:00:00	24.56	1.25	1.4	0.09	0.24	0.04								
20:00:00	37.08	1.12	1.2	0.11	0.09	0								
21:00:00	50.71	0.83	0.84	0	0.06	0								
22:00:00		0.66	0.71	0.04	0.04	0								
23:00:00	56.8	0.46	0.56	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	52.1	0.62	0.52	0.02	0.05	0								
C50	47.66	0.56	0.45	0	0.04	0								
MAX	88.19	1.25	1.4	0.11	0.24	0.04								
MIN	22.36	0.34	0.23	0	0	0								
C99.9	88.12	1.25	1.39	0.11	0.24	0.04								
C98	86.8	1.19	1.31	0.1	0.21	0.02								
C95	84.76	1.08	1.15	0.09	0.17	0								

Datum: 2016-09-21

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	49.96	0.45	0.36	0.04	0.07	0								
01:00:00	41.61	0.3	0.29	0.04	0.04	0								
02:00:00	24.73	3.83	2.72	0.46	1.01	0.23								
03:00:00	25.71	1.23	1.1	0.26	0.13	0.17								
04:00:00	27.12	0.51	0.45	0	0.09	0								
05:00:00	14.57	1.56	1.64	0.2	0.1	0								
06:00:00	9.77	2.43	2.95	0.43	0.68	0.35								
07:00:00	15.36	1.09	1.25	0	0.09	0								
08:00:00	39.48	0.63	0.68	0	0.07	0								
09:00:00	52.95	0.3	0.42	0.04	0.09	0								
10:00:00	58.59	0.3	0.44	0.04	0.04	0								
11:00:00	61.56	0.24	0.31	0.04	0.1	0								
12:00:00	67.37	0.29	0.36	0.04	0.16	0								
13:00:00	77.93	0.21	0.25	0	0.04	0								
14:00:00	79.65	0.24	0.35	0.09	0.17	0								
15:00:00	80.17	0.22	0.29	0.09	0.11	0								
16:00:00	76.31	0.28	0.3	0	0.04	0								
17:00:00	68.97	0.57	1.1	0	0.2	0								
18:00:00	59.65	0.39	0.46	0	0.04	0								
19:00:00	46.27	0.33	0.42	0	0.04	0								
20:00:00	38.07	0.32	0.39	0.04	0	0								
21:00:00	34.36	0.41	0.61	0.04	0.08	0								
22:00:00	28.46	0.46	0.63	0.09	0.06	0								
23:00:00		0.36	0.59	0.09	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	46.9	0.71	0.76	0.09	0.15	0.03								
C50	43.94	0.38	0.44	0.04	0.08	0								
MAX	80.17	3.83	2.95	0.46	1.01	0.35								
MIN	9.77	0.21	0.25	0	0	0								
C99.9	80.16	3.8	2.95	0.46	1	0.34								
C98	79.93	3.19	2.85	0.45	0.86	0.29								
C95	79.39	2.3	2.56	0.41	0.61	0.22								

Datum: 2016-09-22

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	41.68	0.27	0.23	0	0	0								
01:00:00	27.74	3.71	9.98	1.04	0.59	0								
02:00:00	35.45	0.61	1.56	0.09	0.09	0								
03:00:00	27.57	0.61	0.67	0.04	0.09	0								
04:00:00	17.32	0.82	0.8	0	0.06	0								
05:00:00	16.21	0.7	0.74	0	0.09	0								
06:00:00	12.05	0.54	0.74	0.09	0.12	0								
07:00:00	14.25	0.51	0.79	0.04	0.08	0								
08:00:00	13.9	0.63	0.74	0.19	0.25	0.07								
09:00:00	34.27	0.76	1.07	0.09	0.15	0.04								
10:00:00	48.04	0.45	0.56	0.13	0.09	0								
11:00:00	57.19	0.5	0.47	0.04	0.07	0								
12:00:00	74.58	0.54	0.55	0	0.04	0								
13:00:00	83.05	0.46	0.57	0	0.04	0								
14:00:00	89.08	0.39	0.53	0	0.04	0								
15:00:00	87.85	0.35	0.39	0	0.04	0								
16:00:00	81.33	0.33	0.47	0	0	0								
17:00:00	74.71	0.27	0.36	0.04	0.04	0								
18:00:00	56.13	0.31	0.7	0	0.1	0								
19:00:00	29.44	3.22	2.68	0.43	0.67	0.26								
20:00:00	20.13	0.98	1.24	0.19	0.24	0.06								
21:00:00	22.51	6.27	6.35	1.35	0.44	0.24								
22:00:00	13.43	2.77	5.36	0.2	0.75	0.04								
23:00:00	8.64	1.44	2.75	0.52	0.39	0								

Ras pod	100%	100%	100%	100%	100%	100%								
AVG	41.11	1.14	1.68	0.19	0.19	0.03								
C50	31.85	0.57	0.74	0.04	0.09	0								
MAX	89.08	6.27	9.98	1.35	0.75	0.26								
MIN	8.64	0.27	0.23	0	0	0								
C99.9	89.05	6.22	9.89	1.34	0.74	0.26								
C98	88.52	5.09	8.31	1.21	0.71	0.25								
C95	87.13	3.64	6.2	0.96	0.66	0.21								

Datum: 2016-09-23

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00		1.54	2.36	0.48	0.33	0.04								
01:00:00	12.37	2.88	2.75	0.55	0.68	0.16								
02:00:00	18.04	0.67	0.83	0	0.1	0								
03:00:00	16.97	0.53	0.6	0.04	0.12	0								
04:00:00	14.94	0.49	0.55	0.1	0.16	0								
05:00:00	12.5	0.77	0.92	0.17	0.33	0.15								
06:00:00	11.38	0.68	0.77	0.22	0.21	0.04								
07:00:00	19.32	0.67	1.01	0.24	0.3	0.22								
08:00:00	38.47	0.48	0.61	0.19	0.2	0.13								
09:00:00	65.77	0.35	0.42	0.09	0.1	0								
10:00:00	83.31	0.24	0.23	0.04	0.09	0								
11:00:00	92.27	0.24	0.24	0	0.04	0								
12:00:00	94.94	0.2	0.19	0	0	0								
13:00:00	93.82	0.22	0.23	0	0	0								
14:00:00	98.78	0.29	0.96	0	0.15	0								
15:00:00	99.37	0.26	0.48	0.22	0.16	0.04								
16:00:00	98.6	0.2	0.17	0.04	0.04	0								
17:00:00	92.96	0.27	0.34	0	0.04	0								
18:00:00	75.72	0.22	0.41	0.04	0.09	0								
19:00:00	51.05	0.58	0.63	0.11	0.04	0								
20:00:00	16.95	1.73	3.52	0	0.53	0.04								
21:00:00	14.53	2.77	5.99	1.03	1.31	0.26								
22:00:00	16.05	2.34	4.76	0.74	0.92	0.46								
23:00:00	27.02	1.73	3.39	0.52	0.36	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	50.66	0.85	1.35	0.2	0.26	0.07								
C50	32.74	0.51	0.62	0.1	0.15	0								
MAX	99.37	2.88	5.99	1.03	1.31	0.46								
MIN		0.2	0.17	0	0	0								
C99.9	99.35	2.88	5.96	1.03	1.3	0.46								
C98	99.1	2.83	5.43	0.9	1.13	0.37								
C95	98.75	2.71	4.58	0.71	0.89	0.25								

Datum: 2016-09-24

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	12.09	1.4	4.53	0.91	0.89	0.82								
01:00:00		1.33	5.33	0.88	0.52	0.04								
02:00:00	2.45	1.44	5.68	0	0.6	0.04								
03:00:00	8.2	1.51	4.44	0	0.3	0.04								
04:00:00	1.51	2.33	4.52	0.48	0.67	0.39								
05:00:00	3.13	3.79	5.55	0.77	1.39	0.49								
06:00:00	7.96	2.1	3	0.29	0.62	0.33								
07:00:00	4.74	1.66	2.85	0.5	0.71	0.13								
08:00:00	14.31	1.46	2.26	0.42	0.43	0.2								
09:00:00	33.47	0.94	1.49	0.22	0.27	0.22								
10:00:00	76.44	0.73	1.41	0.1	0.16	0								
11:00:00	99.96	0.31	0.7	0.07	0.11	0								
12:00:00	102.94	0.24	0.44	0	0	0								
13:00:00	98.74	0.29	0.32	0.04	0.04	0								
14:00:00	107.46	0.29	0.43	0.04	0.09	0.04								
15:00:00	109.23	0.24	0.33	0.04	0.08	0								
16:00:00	108.24	0.22	0.18	0	0	0								
17:00:00	94.74	0.26	0.6	0	0.22	0								
18:00:00	83.25	0.52	1.31	0.3	0.09	0								
19:00:00	51.03	1.42	2.51	0.52	0.8	0.19								
20:00:00	36.29	1.92	2.55	0.43	0.44	0.06								
21:00:00	51.96	1.88	2.09	0	0.19	0.04								
22:00:00	70.24	0.53	0.61	0	0.04	0								
23:00:00	65.04	0.56	1.35	0	0.06	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	54.06	1.14	2.27	0.25	0.36	0.13								
C50	51.49	1.13	1.79	0.08	0.25	0.04								
MAX	109.23	3.79	5.68	0.91	1.39	0.82								
MIN	1.51	0.22	0.18	0	0	0								
C99.9	109.21	3.76	5.68	0.91	1.37	0.82								
C98	108.77	3.12	5.62	0.9	1.16	0.67								
C95	108.12	2.3	5.52	0.86	0.87	0.48								

Datum: 2016-09-25

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	44.09	0.52	1.32	0.04	0.09	0							
01:00:00	39.14	0.45	0.61	0	0.04	0							
02:00:00		0.43	0.48	0.04	0.07	0							
03:00:00	25.95	0.69	1.44	0.13	0.22	0.13							
04:00:00	17.38	0.61	1.01	0.15	0.23	0.06							
05:00:00	6.43	1.6	2.33	0.22	0.45	0.35							
06:00:00	6.78	3.02	4.59	1.1	1.52	0.49							
07:00:00	2.81	3.87	5.55	0.36	0.26	0.04							
08:00:00	16.08	1.89	2.29	0.58	0.91	0.41							
09:00:00	36.06	3.59	3.63	0.34	0.45	0.1							
10:00:00	60.97	1.23	1.8	0	0.22	0							
11:00:00	71.59	0.74	0.73	0	0.09	0							
12:00:00	83.72	0.57	0.58	0	0.04	0							
13:00:00	98.12	0.54	0.55	0.04	0.06	0							
14:00:00	103.63	0.48	0.38	0.04	0.17	0							
15:00:00	98.13	0.39	0.35	0.06	0.06	0							
16:00:00	96.49	0.27	0.32	0.17	0.04	0							
17:00:00	83.92	0.7	0.8	0.09	0.08	0							
18:00:00	65.48	0.44	0.64	0.16	0.17	0.04							
19:00:00	23.64	3.08	2.46	0.17	0.16	0							
20:00:00	23.7	2.98	2.13	0.15	0.25	0.04							
21:00:00	34.31	1.82	1.59	0.17	0.48	0.08							
22:00:00	41.07	1.19	1.5	0.22	0.21	0.13							
23:00:00	36.32	0.86	1.06	0	0.12	0							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	48.51	1.33	1.59	0.18	0.27	0.08							
C50	37.73	0.72	1.19	0.14	0.17	0							
MAX	103.63	3.87	5.55	1.1	1.52	0.49							
MIN	2.81	0.27	0.32	0	0.04	0							
C99.9	103.5	3.86	5.53	1.09	1.51	0.49							
C98	101.1	3.74	5.11	0.86	1.24	0.45							
C95	98.13	3.51	4.44	0.55	0.85	0.4							

Datum: 2016-09-26

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	38.24	0.63	0.63	0	0.06	0							
01:00:00	27.86	1.08	0.96	0	0.07	0							
02:00:00	12.42	3.15	2.35	0.88	0.19	0.09							
03:00:00		2.08	1.64	0.19	0.09	0							
04:00:00	7.81	1.83	1.37	0.13	0.13	0.04							
05:00:00	14.23	4.01	1.9	0.13	0.16	0.15							
06:00:00	6.85	1.28	1.49	0.22	0.16	0.04							
07:00:00	11.31	1.79	1.73	0	0.1	0							
08:00:00	21.88	0.66	1.01	0.13	0.18	0							
09:00:00	34.01	0.58	0.99	0	0.1	0							
10:00:00	56.72	0.53	0.46	0	0.07	0							
11:00:00	73.06	0.59	0.53	0.04	0.07	0							
12:00:00	83.61	0.43	1.05	0	0.06	0							
13:00:00	87.6	0.33	0.48	0.04	0.09	0							
14:00:00	90.58	0.41	0.35	0	0.04	0							
15:00:00	82.12	0.36	0.51	0.06	0.23	0.04							
16:00:00	87.11	0.32	0.37	0.09	0.04	0							
17:00:00	60.94	0.54	1.02	0	0.21	0							
18:00:00	26.98	0.8	2.34	0.13	0.49	0.13							
19:00:00	27.1	2.21	2.77	0	0.54	0.22							
20:00:00	14.74	2.65	4.91	1.26	1.24	0.24							
21:00:00	5.82	5.23	9.9	1.52	0.87	0.3							
22:00:00	1.53	4.81	12.93	2.38	5.85	1.49							
23:00:00	4.8	4.04	8.77	0.7	2.77	0.45							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	38.15	1.68	2.52	0.33	0.57	0.13							
C50	27.04	0.94	1.21	0.07	0.14	0							
MAX	90.58	5.23	12.93	2.38	5.85	1.49							
MIN	1.53	0.32	0.35	0	0.04	0							
C99.9	90.51	5.22	12.86	2.36	5.78	1.47							
C98	89.21	5.03	11.53	1.98	4.43	1.01							
C95	87.53	4.69	9.73	1.48	2.54	0.43							

Datum: 2016-09-27

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	2.38	4.21	10.04	0.31	2.07	0.22								
01:00:00	12.7	2.17	5.61	0.06	1.07	0.09								
02:00:00	14.71	1.56	2.67	0	0.57	0.04								
03:00:00	16.92	1.1	1.15	0	0.23	0								
04:00:00		1.04	0.95	0	0.07	0								
05:00:00	14.65	1.49	1.51	0.09	0.19	0.04								
06:00:00	10.11	0.93	1.27	0.26	0.13	0								
07:00:00	12.54	0.77	0.82	0	0.06	0								
08:00:00	24.31	0.73	0.76	0.04	0.06	0								
09:00:00	49.42	0.49	0.42	0.04	0.09	0								
10:00:00	71.06	0.32	0.28	0	0.05	0								
11:00:00	90.11	0.29	0.25	0	0	0								
12:00:00	93.57	0.26	0.37	0	0	0								
13:00:00	98.08	0.29	0.38	0	0.04	0								
14:00:00	93.68	0.47	1.44	0.09	0.33	0								
15:00:00	89.49	0.34	0.47	0	0.04	0								
16:00:00	93.57	0.39	0.49	0.04	0.11	0.13								
17:00:00	84.96	0.23	0.35	0	0.04	0								
18:00:00	54.73	0.62	1.22	0.23	0.25	0.09								
19:00:00	27.3	0.89	3.33	0	0.38	0								
20:00:00	12.16	2.13	6	0	0.65	0.04								
21:00:00	14.5	1.98	11.98	1.39	1.22	0.56								
22:00:00	11.39	2.24	11.72	0.41	1.28	0.04								
23:00:00	10.22	2.02	9.46	0	0.73	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	43.59	1.12	3.04	0.12	0.4	0.05								
C50	20.61	0.83	1.19	0	0.16	0								
MAX	98.08	4.21	11.98	1.39	2.07	0.56								
MIN	2.38	0.23	0.25	0	0	0								
C99.9	97.98	4.16	11.97	1.37	2.05	0.56								
C98	96.06	3.3	11.86	0.94	1.7	0.4								
C95	93.67	2.23	11.47	0.39	1.27	0.2								

Datum: 2016-09-28

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	4.78	1.82	7.69	0	0.7	0.22								
01:00:00	3.07	8.98	13.74	2.98	1.21	1.33								
02:00:00	7.28	5.95	8.63	1.84	1.41	0.52								
03:00:00	9.76	9.93	12.32	4.46	1.47	0.52								
04:00:00	6.42	7.77	10.79	1.73	4.43	1.74								
05:00:00		4.87	6.97	0.93	1	0.12								
06:00:00	4.47	2.92	4.85	0.67	1.14	0.23								
07:00:00	5.22	1.71	3.05	0	0.34	0								
08:00:00	9.11	1.83	2.8	0.48	0.6	0.35								
09:00:00	38.66	1.46	1.85	0.26	0.16	0								
10:00:00	72.67	1.29	1.73	0.3	0.13	0								
11:00:00	95.24	0.72	0.82	0	0.04	0								
12:00:00	96.01	0.43	0.61	0	0.04	0								
13:00:00	103.67	0.31	0.36	0	0	0								
14:00:00	113.17	0.49	0.55	0.04	0.09	0								
15:00:00	114.55	0.55	0.48	0	0.04	0								
16:00:00	103.19	0.31	0.43	0	0.07	0								
17:00:00	96.68	0.48	1.39	0	0.08	0								
18:00:00	82.89	0.52	6.61	0	0.11	0.04								
19:00:00	53.73	0.86	8.94	0.3	0.27	0								
20:00:00	44.18	0.8	5.51	0	0.27	0								
21:00:00	47.39	0.77	1.75	0.09	0.12	0								
22:00:00	35.17	1	2.56	0.52	0.48	0.22								
23:00:00	50.28	0.85	2.56	0.58	0.2	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	52.07	2.36	4.46	0.63	0.6	0.22								
C50	45.78	0.93	2.68	0.17	0.23	0								
MAX	114.55	9.93	13.74	4.46	4.43	1.74								
MIN	3.07	0.31	0.36	0	0	0								
C99.9	114.52	9.9	13.71	4.43	4.36	1.73								
C98	113.91	9.49	13.09	3.78	3.07	1.55								
C95	111.74	8.8	12.09	2.81	1.46	1.21								

Datum: 2016-09-29

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	53.28	0.7	0.74	0	0.06	0								
01:00:00	51.94	0.62	0.6	0.07	0.22	0								
02:00:00	39.35	0.83	0.89	0.19	0.14	0								
03:00:00	30.23	0.88	1.03	0.24	0.16	0								
04:00:00	36.55	0.87	0.8	0.13	0.2	0								
05:00:00	29.4	0.99	1.89	0.06	0.26	0								
06:00:00		0.94	0.89	0	0.1	0								
07:00:00	33.29	0.78	0.78	0.09	0.08	0								
08:00:00	55.59	0.58	0.51	0.09	0.04	0								
09:00:00	77.02	0.45	0.49	0	0.06	0								
10:00:00	94.52	0.35	0.4	0	0.04	0								
11:00:00	104	0.31	0.25	0	0.04	0								
12:00:00	109.92	0.29	0.19	0	0	0								
13:00:00	111.65	0.26	0.35	0	0	0								
14:00:00	113.86	0.24	0.26	0	0	0								
15:00:00	114.35	0.21	0.27	0	0	0								
16:00:00	114.29	0.17	0.22	0.04	0.11	0								
17:00:00	106.65	0.23	0.26	0	0	0.04								
18:00:00	89.38	0.43	2.25	0	0.36	0								
19:00:00	71.34	0.4	0.94	0.18	0.06	0								
20:00:00	62.03	0.45	0.96	0.15	0.04	0								
21:00:00	57.71	0.5	1.77	0.04	0.12	0								
22:00:00	36.12	0.69	2.12	0	0.33	0								
23:00:00	41.4	0.59	1.06	0	0.31	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	71.04	0.53	0.83	0.05	0.11	0								
C50	59.87	0.48	0.76	0	0.07	0								
MAX	114.35	0.99	2.25	0.24	0.36	0.04								
MIN	29.4	0.17	0.19	0	0	0								
C99.9	114.34	0.99	2.25	0.24	0.36	0.04								
C98	114.32	0.97	2.19	0.22	0.35	0.02								
C95	114.23	0.93	2.08	0.19	0.32	0								

Datum: 2016-09-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	55.39	0.85	1.35	0.64	0.2	0.16								
01:00:00	47.99	0.87	1.49	0	0.36	0.64								
02:00:00	19.69	1.3	1.64	0.35	0.63	0.42								
03:00:00	17.49	1.39	1.65	0.23	0.39	0.04								
04:00:00	26.61	0.93	0.98	0.12	0.23	0.04								
05:00:00	25.15	0.72	0.76	0.14	0.24	0.09								
06:00:00	17.16	0.68	0.8	0	0.14	0								
07:00:00		0.68	0.61	0.04	0.04	0								
08:00:00	31.92	0.74	0.88	0.23	0.04	0								
09:00:00	50.48	1.15	0.97	0	0.04	0								
10:00:00	85.24	0.78	0.9	0.04	0.07	0								
11:00:00	115.79	0.47	0.35	0.07	0.1	0								
12:00:00	125	0.42	0.38	0	0.04	0								
13:00:00	130.55	0.43	0.51	0.11	0.04	0								
14:00:00	135.64	0.5	2.35	0	0.14	0								
15:00:00	130.95	0.39	2.91	0.13	0.3	0.09								
16:00:00	121.73	0.31	3.35	0.04	0.13	0								
17:00:00	113.44	0.43	4.09	0	0.11	0								
18:00:00	88.45	0.53	31.13	0.15	0.29	0.04								
19:00:00	86.52	0.4	3.49	0	0.04	0								
20:00:00	68.44	0.44	1.54	0	0.04	0.04								
21:00:00	63.61	0.76	5.79	0	0.3	0								
22:00:00	51.14	0.84	2.84	0	0.35	0								
23:00:00	41.4	0.73	1.6	0.26	0.45	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	71.73	0.7	3.01	0.11	0.2	0.07								
C50	59.5	0.7	1.51	0.04	0.14	0								
MAX	135.64	1.39	31.13	0.64	0.63	0.64								
MIN	17.16	0.31	0.35	0	0.04	0								
C99.9	135.54	1.39	30.54	0.64	0.62	0.64								
C98	133.48	1.35	19.47	0.51	0.55	0.54								
C95	130.89	1.28	5.54	0.33	0.44	0.38								

Zbirni podaci za period: 2016-09-01 do 2016-09-30[illegible]