



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA  
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE  
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238  
WEB: [www.ekourb.vojvodina.gov.rs](http://www.ekourb.vojvodina.gov.rs), [www.eko.vojvodina.gov.rs](http://www.eko.vojvodina.gov.rs)  
E-mail: [ekolog@vojvodina.gov.rs](mailto:ekolog@vojvodina.gov.rs), [ekourb@vojvodina.gov.rs](mailto:ekourb@vojvodina.gov.rs)

## DNEVNI IZVEŠTAJ ZA STANICU RS10001 Obedska bara - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-07-01 do 2016-07-31

KOD stanice: **RS10001**

EIO klasifikacija: **0/0/0**

Koordinate XY: **44.735 / 19.986**

Nadmorska visina: **75**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

**Datum: 2016-07-01**

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	0.56	3.18		0	0	0	0	0
01:00:00	1.69	2.61		0	0	0	0	0
02:00:00	0.42	2.85		0	0	0	0	0
03:00:00	0.99	3.32		0	0	0	0	0
04:00:00	1.17	3.01		0	0	0	0	0
05:00:00	2.42	3.68		0	0	0	0	0
06:00:00	1.15	2.86		0	0	0	0	0
07:00:00	1.62	3.13		0	0	0	0	0
08:00:00	1.79	2.63		0	0	0	0	0
09:00:00	1.54	2.98		0	0	0	0	0
10:00:00	1.99	2.81		0	0	0	0	0
11:00:00	0.93	2.9		0	0	0	0	0
12:00:00	1.74	2.62		0	0	0	0	0
13:00:00	2.92	2.77		0	0	0	0	0
14:00:00	1.75	2.97		0	0	0	0	0
15:00:00	1.41	2.65		0	0	0	0	0
16:00:00	1	3.01		0	0	0	0	0
17:00:00	1.03	2.86		0	0	0	0	0
18:00:00	1.13	2.93		0	0	0	0	0
19:00:00				0	0	0	0	0
20:00:00	0.81	3.02		0	0	0	0	0
21:00:00	1.51	2.98		0	0	0	0	0
22:00:00	1.54	3.04		0	0	0	0	0
23:00:00	0.83	2.79		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.39	2.94		0	0	0	0	0
C50	1.29	2.92	0	0	0	0	0	0
MAX	2.92	3.68		0	0	0	0	0
MIN	0.42	2.61		0	0	0	0	0
C99.9	2.9	3.67	0	0	0	0	0	0
C98	2.69	3.51	0	0	0	0	0	0
C95	2.36	3.3	0	0	0	0	0	0

Datum: 2016-07-02

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	0.41	3.28		0	0	0	0	0
01:00:00	0.74	3.21		0	0	0	0	0
02:00:00	2.57	2.74		0	0	0	0	0
03:00:00	1.09	3.04		0	0	0	0	0
04:00:00	1.38	3.03		0	0	0	0	0
05:00:00	1.37	3.03		0	0	0	0	0
06:00:00	2.03	3.08		0	0	0	0	0
07:00:00	1.56	2.41		0	0	0	0	0
08:00:00	0.95	2.9		0	0	0	0	0
09:00:00	0.88	2.83		0	0	0	0	0
10:00:00	0.88	2.52		0	0	0	0	0
11:00:00	0.86	2.73		0	0	0	0	0
12:00:00	1.23	2.7		0	0	0	0	0
13:00:00	6.54	2.62		0	0	0	0	0
14:00:00	15.79	2.49		0	0	0	0	0
15:00:00	13.05	3.16		0	0	0	0	0
16:00:00	7.84	2.7		0	0	0	0	0
17:00:00	11.12	2.64		0	0	0	0	0
18:00:00	3.66	2.76		0	0	0	0	0
19:00:00	2.73	2.85		0	0	0	0	0
20:00:00				0	0	0	0	0
21:00:00	1.3	3.18		0	0	0	0	0
22:00:00	0.76	3.36		0	0	0	0	0
23:00:00	1.17	3.21		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.47	2.89		0	0	0	0	0
C50	1.33	2.84	0	0	0	0	0	0
MAX	15.79	3.36		0	0	0	0	0
MIN	0.41	2.41		0	0	0	0	0
C99.9	15.72	3.36	0	0	0	0	0	0
C98	14.53	3.32	0	0	0	0	0	0
C95	12.76	3.27	0	0	0	0	0	0

Datum: 2016-07-03

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.42	3.14		0	0	0	0	0
01:00:00	1.78	2.82		0	0	0	0	0
02:00:00	1.28	3.04		0	0	0	0	0
03:00:00	0.87	3.04		0	0	0	0	0
04:00:00	1.71	3		0	0	0	0	0
05:00:00	1.12	2.92		0	0	0	0	0
06:00:00	0.93	2.88		0	0	0	0	0
07:00:00	2.18	2.91		0	0	0	0	0
08:00:00	1.6	2.75		0	0	0	0	0
09:00:00	1.38	2.8		0	0	0	0	0
10:00:00	1.7	2.74		0	0	0	0	0
11:00:00	1.07	2.64		0	0	0	0	0
12:00:00	1.38	2.68		0	0	0	0	0
13:00:00	0.64	3.27		0	0	0	0	0
14:00:00	1.33	2.95		0	0	0	0	0
15:00:00	1.12	2.61		0	0	0	0	0
16:00:00	1.32	2.36		0	0	0	0	0
17:00:00	1.89	2.77		0	0	0	0	0
18:00:00	2.03	2.73		0	0	0	0	0
19:00:00	1.47	2.59		0	0	0	0	0
20:00:00	1.59	2.94		0	0	0	0	0
21:00:00				0	0	0	0	0
22:00:00	1.34	2.98		0	0	0	0	0
23:00:00	0.44	3.19		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.37	2.86		0	0	0	0	0
C50	1.36	2.85	0	0	0	0	0	0
MAX	2.18	3.27		0	0	0	0	0
MIN	0.44	2.36		0	0	0	0	0
C99.9	2.18	3.27	0	0	0	0	0	0
C98	2.11	3.23	0	0	0	0	0	0
C95	2.01	3.18	0	0	0	0	0	0

Datum: 2016-07-04

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.88	2.89		0	0	0	0	0
01:00:00	1.52	2.93		0	0	0	0	0
02:00:00	0.95	2.9		0	0	0	0	0
03:00:00	1.35	2.47		0	0	0	0	0
04:00:00	0.86	2.97		0	0	0	0	0
05:00:00	3.67	3.27		0	0	0	0	0
06:00:00	0.95	2.57		0	0	0	0	0
07:00:00	1.04	3.18		0	0	0	0	0
08:00:00	1.29	3.05		0	0	0	0	0
09:00:00	1.18	2.99		0	0	0	0	0
10:00:00	1.3	2.88		0	0	0	0	0
11:00:00	1.43	2.98		0	0	0	0	0
12:00:00	0.9	3.15		0	0	0	0	0
13:00:00	1.2	3.03		0	0	0	0	0
14:00:00	1.12	2.63		0	0	0	0	0
15:00:00	0.88	2.9		0	0	0	0	0
16:00:00	0.8	2.69		0	0	0	0	0
17:00:00	1.22	2.78		0	0	0	0	0
18:00:00	1.66	3		0	0	0	0	0
19:00:00	0.63	3.1		0	0	0	0	0
20:00:00	1.26	3.16		0	0	0	0	0
21:00:00	1	2.79		0	0	0	0	0
22:00:00				0	0	0	0	0
23:00:00	2.13	2.63		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.32	2.91		0	0	0	0	0
C50	1.19	2.91	0	0	0	0	0	0
MAX	3.67	3.27		0	0	0	0	0
MIN	0.63	2.47		0	0	0	0	0
C99.9	3.64	3.26	0	0	0	0	0	0
C98	2.97	3.22	0	0	0	0	0	0
C95	2.1	3.18	0	0	0	0	0	0

Datum: 2016-07-05

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.06	3.19		0	0	0	0	0
01:00:00	0.92	3.03		0	0	0	0	0
02:00:00	1.35	2.91		0	0	0	0	0
03:00:00	0.98	2.72		0	0	0	0	0
04:00:00	1.14	3.07		0	0	0	0	0
05:00:00	0.67	3.54		0	0	0	0	0
06:00:00	2.41	3.15		0	0	0	0	0
07:00:00	0.96	2.73		0	0	0	0	0
08:00:00	1.44	3.27		0	0	0	0	0
09:00:00	1.6	3.14		0	0	0	0	0
10:00:00	2.71	2.51		0	0	0	0	0
11:00:00	3.81	2.9		0	0	0	0	0
12:00:00	28.21	3.12		0	0	0	0	0
13:00:00	30.53	2.72		0	0	0	0	0
14:00:00	9.55	2.71		0	0	0	0	0
15:00:00	7.7	2.99		0	0	0	0	0
16:00:00	3.21	2.86		0	0	0	0	0
17:00:00	14.64	2.76		0	0	0	0	0
18:00:00	12.5	2.8		0	0	0	0	0
19:00:00	0.75	2.85		0	0	0	0	0
20:00:00	1.54	2.85		0	0	0	0	0
21:00:00	1.22	2.91		0	0	0	0	0
22:00:00	2.28	3.33		0	0	0	0	0
23:00:00				0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	5.7	2.96		0	0	0	0	0
C50	1.57	2.9	0	0	0	0	0	0
MAX	30.53	3.54		0	0	0	0	0
MIN	0.67	2.51		0	0	0	0	0
C99.9	30.48	3.53	0	0	0	0	0	0
C98	29.46	3.44	0	0	0	0	0	0
C95	26.17	3.32	0	0	0	0	0	0

Datum: 2016-07-06

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.87	2.84		0	0	0	0	0
01:00:00	1.4	2.51		0	0	0	0	0
02:00:00	0.53	3.39		0	0	0	0	0
03:00:00	1.39	2.87		0	0	0	0	0
04:00:00	0.88	3.48		0	0	0	0	0
05:00:00	0.65	3.15		0	0	0	0	0
06:00:00	0.77	2.97		0	0	0	0	0
07:00:00	0.82	2.69		0	0	0	0	0
08:00:00	1.5	3.24		0	0	0	0	0
09:00:00	3.03	2.74		0	0	0	0	0
10:00:00	2.53	2.79		0	0	0	0	0
11:00:00	46.32	3.59		0	0	0	0	0
12:00:00	14.58	2.69		0	0	0	0	0
13:00:00	3.42	2.58		0	0	0	0	0
14:00:00	2.83	3.12		0	0	0	0	0
15:00:00	1.75	2.85		0	0	0	0	0
16:00:00	3.31	2.74		0	0	0	0	0
17:00:00	1.78	2.78		0	0	0	0	0
18:00:00	1.03	2.77		0	0	0	0	0
19:00:00	0.79	2.91		0	0	0	0	0
20:00:00	1.16	2.8		0	0	0	0	0
21:00:00	0.44	2.76		0	0	0	0	0
22:00:00	0.9	2.79		0	0	0	0	0
23:00:00	0.82	2.66		0	0	0	0	0

Ras pod	100%	100%	0%	100%	100%	100%	100%	100%
AVG	3.94	2.9		0	0	0	0	0
C50	1.4	2.8	0	0	0	0	0	0
MAX	46.32	3.59		0	0	0	0	0
MIN	0.44	2.51		0	0	0	0	0
C99.9	45.59	3.59	0	0	0	0	0	0
C98	31.72	3.54	0	0	0	0	0	0
C95	12.91	3.46	0	0	0	0	0	0

Datum: 2016-07-07

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00				0	0	0	0	0
01:00:00	1.2	2.64		0	0	0	0	0
02:00:00	1.03	3.07		0	0	0	0	0
03:00:00	0.52	2.86		0	0	0	0	0
04:00:00	0.95	2.83		0	0	0	0	0
05:00:00	1.19	2.73		0	0	0	0	0
06:00:00	0.78	3.03		0	0	0	0	0
07:00:00	1.19	2.63		0	0	0	0	0
08:00:00	1.02	2.86		0	0	0	0	0
09:00:00	0.75	2.65		0	0	0	0	0
10:00:00	1.56	2.71		0	0	0	0	0
11:00:00	0.58	2.69		0	0	0	0	0
12:00:00	1.1	2.81		0	0	0	0	0
13:00:00	1.1	2.55		0	0	0	0	0
14:00:00	2.01	3.07		0	0	0	0	0
15:00:00	1.87	2.59		0	0	0	0	0
16:00:00	0.37	3.39		0	0	0	0	0
17:00:00	1.16	2.97		0	0	0	0	0
18:00:00	1.17	2.66		0	0	0	0	0
19:00:00	0.51	3.11		0	0	0	0	0
20:00:00	0.91	3.09		0	0	0	0	0
21:00:00	0.97	3.04		0	0	0	0	0
22:00:00	1.26	2.97		0	0	0	0	0
23:00:00	1.66	2.38		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.08	2.84		0	0	0	0	0
C50	1.07	2.82	0	0	0	0	0	0
MAX	2.01	3.39		0	0	0	0	0
MIN				0	0	0	0	0
C99.9	2.01	3.38	0	0	0	0	0	0
C98	1.95	3.26	0	0	0	0	0	0
C95	1.84	3.11	0	0	0	0	0	0



Datum: 2016-07-08

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.04	2.98		0	0	0	0	0
01:00:00				0	0	0	0	0
02:00:00	0.95	3.53		0	0	0	0	0
03:00:00	0.54	2.85		0	0	0	0	0
04:00:00	1.4	2.9		0	0	0	0	0
05:00:00	0.33	2.77		0	0	0	0	0
06:00:00	0.85	3.1		0	0	0	0	0
07:00:00	0.83	2.89		0	0	0	0	0
08:00:00	1.48	2.45		0	0	0	0	0
09:00:00	1.25	2.41		0	0	0	0	0
10:00:00	1.6	2.9		0	0	0	0	0
11:00:00	2.46	2.82		0	0	0	0	0
12:00:00	1.49	2.98		0	0	0	0	0
13:00:00	1.61	2.7		0	0	0	0	0
14:00:00	2.77	2.48		0	0	0	0	0
15:00:00	35.37	3.54		0	0	0	0	0
16:00:00	22.58	3.16		0	0	0	0	0
17:00:00	33.97	3.09		0	0	0	0	0
18:00:00	22.89	2.98		0	0	0	0	0
19:00:00	14.32	2.76		0	0	0	0	0
20:00:00	2.99	2.79		0	0	0	0	0
21:00:00	2.07	3.18		0	0	0	0	0
22:00:00	0.82	3.22		0	0	0	0	0
23:00:00	1.13	3.21		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	6.77	2.94		0	0	0	0	0
C50	1.55	2.9	0	0	0	0	0	0
MAX	35.37	3.54		0	0	0	0	0
MIN	0.33	2.41		0	0	0	0	0
C99.9	35.34	3.54	0	0	0	0	0	0
C98	34.72	3.54	0	0	0	0	0	0
C95	32.3	3.48	0	0	0	0	0	0

Datum: 2016-07-09

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	0.8	2.69		0	0	0	0	0
01:00:00	1.6	2.9		0	0	0	0	0
02:00:00				0	0	0	0	0
03:00:00	1.34	2.84		0	0	0	0	0
04:00:00	1.28	2.91		0	0	0	0	0
05:00:00	0.82	3.02		0	0	0	0	0
06:00:00	1.02	3.03		0	0	0	0	0
07:00:00	1.51	2.7		0	0	0	0	0
08:00:00	1.73	2.86		0	0	0	0	0
09:00:00	1.73	2.91		0	0	0	0	0.04
10:00:00	3.29	3.33		0	0	0.04	0.04	0.11
11:00:00	6.67	3.05		0	0.04	0.04	0.04	0.18
12:00:00	5.42	2.93		0.03	0.04	0.04	0.04	0
13:00:00	2.89	2.65		0.03	0.04	0.05	0.04	0.04
14:00:00	1.21	2.98		0.03	0.04	0.05	0.04	0.04
15:00:00	1.01	2.9		0.03	0.04	0.07	0.04	0
16:00:00	1.09	2.9		0	0	0.06	0.04	0
17:00:00	0.79	2.9		0	0	0.08	0.04	0
18:00:00	0.76	2.96		0	0	0.09	0.04	0
19:00:00	0.9	2.91		0	0	0.08	0.04	0
20:00:00	1.46	3.06		0	0	0.06	0.04	0
21:00:00	1.89	2.86		0.03	0	0.08	0.04	0.2
22:00:00	1.57	3		0	0	0.05	0.04	0.48
23:00:00	0.71	3.14		0	0	0.06	0.04	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.8	2.93		0.01	0.01	0.04	0.03	0.05
C50	1.31	2.91	0	0	0	0.04	0.04	0
MAX	6.67	3.33		0.03	0.04	0.09	0.04	0.48
MIN	0.71	2.65		0	0	0	0	0
C99.9	6.64	3.32	0	0.03	0.04	0.09	0.04	0.47
C98	6.09	3.24	0	0.03	0.04	0.08	0.04	0.35
C95	5.1	3.13	0	0.03	0.04	0.08	0.04	0.2

Datum: 2016-07-10

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.03	2.75		0	0.04	0.11	0.04	0
01:00:00	1.31	3.09		0.03	0	0.05	0.04	0
02:00:00	1.1	2.97		0.03	0.08	0.09	0.04	0
03:00:00				0	0.04	0.06	0.04	0
04:00:00	0.49	3.08		0.03	0	0.04	0.04	0
05:00:00	0.7	2.77		0.06	0	0.04	0.04	0
06:00:00	0.63	3.25		0.06	0	0.04	0.04	0
07:00:00	1.79	2.78		0.03	0.06	0.04	0.04	0.16
08:00:00	0.93	3.01		0	0.04	0.04	0.07	0.38
09:00:00	0.84	2.65		0	0.04	0.04	0	0
10:00:00	0.91	2.83		0.03	0.04	0.07	0.07	0.17
11:00:00	1.31	2.7		0	0	0.08	0.06	0
12:00:00	0.96	2.9		0	0	0.08	0.06	0
13:00:00	0.89	2.65		0	0.04	0.11	0.06	0
14:00:00	0.8	2.9		0	0	0.11	0.06	0
15:00:00	0.8	2.73		0.06	0.04	0.1	0.05	0
16:00:00	1.52	2.85		0	0	0.14	0.08	0.04
17:00:00	1.19	3.04		0.06	0	0.16	0.09	0
18:00:00	1.6	3.04		0.09	0	0.22	0.08	0
19:00:00	1.23	2.92		0.1	0.04	0.2	0.08	0
20:00:00	1.83	2.53		0	0.04	0.17	0.09	0
21:00:00	1.35	3.1		0	0	0.15	0.08	0
22:00:00	2.72	2.79		0	0	0.12	0.07	0
23:00:00	0.59	3.04		0.03	0	0.11	0.04	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.15	2.89		0.03	0.02	0.1	0.06	0.03
C50	0.99	2.88	0	0.02	0	0.1	0.06	0
MAX	2.72	3.25		0.1	0.08	0.22	0.09	0.38
MIN	0.49	2.53		0	0	0.04	0	0
C99.9	2.7	3.25	0	0.1	0.08	0.22	0.09	0.38
C98	2.31	3.18	0	0.09	0.07	0.21	0.09	0.29
C95	1.82	3.1	0	0.09	0.05	0.19	0.09	0.17

**Datum: 2016-07-11**

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.23	2.67		0	0	0.1	0.06	0
01:00:00	1.15	2.66		0	0	0.09	0.05	0
02:00:00	0.92	2.84		0	0.04	0.05	0.04	0
03:00:00	1.11	3.14		0	0.04	0.06	0.04	0
04:00:00				0	0	0.08	0.04	0
05:00:00	1.5	3.24		0	0	0.06	0.05	0
06:00:00	0.88	3.18		0	0	0.07	0.04	0
07:00:00	1.25	2.83		0	0	0.07	0.04	0
08:00:00	2.33	3.12		0	0	0.06	0.04	0
09:00:00	6.13	2.87		0	0	0.04	0.04	0
10:00:00	69.73	3.88		0	0	0.06	0.04	0
11:00:00	69.78	4.19		0	0	0.09	0.04	0
12:00:00	88.64	3.44		0	0	0.09	0.04	0
13:00:00	50.18	3.25		0	0	0.07	0.04	0
14:00:00	77.83	3.83		0	0	0.07	0.06	0
15:00:00	89.11	3.45		0	0	0.1	0.05	0
16:00:00	70.57	3.31		0	0	0.07	0.04	0
17:00:00	48.28	4.3		0	0	0.13	0.04	0
18:00:00	2.34	3.02		0	0	0.12	0.05	0
19:00:00	1.23	2.94		0	0	0.1	0.06	0
20:00:00	0.78	2.77		0	0	0.14	0.06	0
21:00:00	1.81	3.09		0	0	0.11	0.07	0
22:00:00	1.23	3.21		0	0	0.09	0.05	0
23:00:00	1.18	3.16		0	0	0.07	0.04	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	25.66	3.23		0	0	0.08	0.05	0
C50	2.02	3.15	0	0	0	0.08	0.04	0
MAX	89.11	4.3		0	0.04	0.14	0.07	0
MIN	0.78	2.66		0	0	0.04	0.04	0
C99.9	89.1	4.3	0	0	0.04	0.14	0.07	0
C98	88.89	4.25	0	0	0.04	0.13	0.07	0
C95	87.02	4.15	0	0	0.03	0.13	0.06	0

Datum: 2016-07-12

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.33	2.54		0	0	0.04	0.04	0
01:00:00	0.89	2.91		0	0	0.04	0.04	0
02:00:00	1.06	2.92		0	0	0.04	0.04	0.04
03:00:00	2.06	2.76		0	0	0.04	0	0
04:00:00	1.41	3.32		0	0	0.04	0	0
05:00:00				0	0	0.04	0.04	0
06:00:00	1.72	3.29		0	0	0.04	0.04	0
07:00:00	2.25	3.05		0	0	0.04	0.04	0
08:00:00	3.39	3.08		0	0	0.06	0.04	0
09:00:00	5.15	2.86		0	0	0.04	0.04	0
10:00:00	2.04	3.14		0	0	0.07	0.04	0
11:00:00	1.79	2.91		0	0	0.07	0.04	0
12:00:00	6.23	2.98		0	0	0.11	0.04	0
13:00:00	20.83	3.14		0	0	0.12	0.05	0
14:00:00	14.45	2.66		0	0	0.14	0.06	0
15:00:00	13.8	3.09		0	0	0.17	0.05	0
16:00:00	5.41	3.25		0	0	0.19	0.05	0
17:00:00	4.6	2.96		0	0	0.2	0.09	0
18:00:00	6.85	2.51		0	0	0.26	0.13	0
19:00:00	3.45	2.89		0	0	0.24	0.1	0
20:00:00	4.23	3.04		0	0	0.2	0.08	0
21:00:00	3.11	2.68		0	0	0.12	0.06	0
22:00:00	2.07	2.62		0	0	0.13	0.07	0
23:00:00	0.52	2.99		0	0	0.09	0.07	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	4.72	2.94		0	0	0.11	0.05	0
C50	2.68	2.94	0	0	0	0.08	0.04	0
MAX	20.83	3.32		0	0	0.26	0.13	0.04
MIN	0.52	2.51		0	0	0.04	0	0
C99.9	20.68	3.32	0	0	0	0.26	0.13	0.04
C98	17.89	3.3	0	0	0	0.25	0.12	0.02
C95	14.35	3.28	0	0	0	0.23	0.1	0

**Datum: 2016-07-13**

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	0.79	3.24		0	0	0.11	0.04	0
01:00:00	1.23	2.59		0	0	0.07	0.04	0
02:00:00	0.78	3.22		0	0	0.05	0.04	0
03:00:00	1.21	2.58		0	0	0.08	0.04	0
04:00:00	1.12	2.97		0	0	0.06	0.04	0
05:00:00	1.09	3.22		0	0	0.06	0.04	0.04
06:00:00				0	0	0.06	0.04	0.04
07:00:00	8.65	2.69		0	0	0.04	0.04	0
08:00:00	6.09	2.94		0	0	0.06	0.04	0
09:00:00	3.17	3.29		0	0	0.07	0.04	0
10:00:00	7.93	2.67		0	0	0.09	0.06	0
11:00:00	5.37	3.47		0	0	0.12	0.04	0
12:00:00	5.54	3.17		0	0	0.09	0.05	0
13:00:00	2.28	2.83		0	0	0.07	0.07	0
14:00:00	1.89	3.21		0	0	0.14	0.04	0
15:00:00	1.3	2.68		0	0	0.18	0.07	0
16:00:00	1.09	3.03		0	0	0.2	0.08	0
17:00:00	46.91	3.18		0	0	0.21	0.13	0
18:00:00	59.64	2.92		0	0	0.24	0.09	0
19:00:00	22.74	3.14		0	0	0.2	0.1	0
20:00:00	14.45	2.9		0	0	0.18	0.07	0
21:00:00	5.1	2.86		0	0	0.15	0.1	0
22:00:00	2.25	2.66		0	0	0.13	0.05	0
23:00:00	1.43	3.05		0	0	0.1	0.04	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	8.79	2.98		0	0	0.11	0.06	0
C50	2.27	2.95	0	0	0	0.09	0.04	0
MAX	59.64	3.47		0	0	0.24	0.13	0.04
MIN	0.78	2.58		0	0	0.04	0.04	0
C99.9	59.34	3.47	0	0	0	0.24	0.13	0.04
C98	53.78	3.39	0	0	0	0.22	0.12	0.04
C95	43.29	3.29	0	0	0	0.21	0.1	0.04

**Datum: 2016-07-14**

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.19	3.11		0	0	0.07	0.04	0
01:00:00	4.29	2.45		0	0	0.1	0.05	0
02:00:00	4.23	2.83		0	0	0.09	0.05	0
03:00:00	1.4	2.52		0	0	0.05	0.05	0
04:00:00	1.42	3.29		0	0	0.07	0.04	0
05:00:00	1.09	3.33		0	0.04	0.06	0.04	0
06:00:00	1.36	2.6		0	0.04	0.04	0.04	0
07:00:00				0	0	0.05	0.07	0
08:00:00	1.25	3.17		0	0	0.04	0.08	0
09:00:00	1.14	2.9		0	0	0.04	0.04	0
10:00:00	1.4	2.76		0	0	0.04	0.09	0
11:00:00	0.91	3.37		0	0	0.06	0.04	0
12:00:00	0.79	3.13		0	0	0.04	0.04	0.04
13:00:00	0.65	3.1		0	0	0.04	0.04	0
14:00:00	1.12	2.74		0	0	0.04	0.04	0
15:00:00	0.52	3.18		0	0	0.04	0.04	0
16:00:00	1.17	2.92		0	0	0.04	0.04	0
17:00:00	1.11	2.83		0	0	0.04	0	0
18:00:00	0.88	2.99		0	0	0.04	0.04	0
19:00:00	0.94	2.59		0	0	0.04	0.04	0
20:00:00	1.05	2.76		0	0	0.04	0	0.04
21:00:00	1.02	3.09		0	0	0.04	0	0
22:00:00	1.43	2.95		0	0	0.04	0	0
23:00:00	1.09	3.04		0	0	0.04	0	0.04

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.41	2.94		0	0	0.05	0.04	0.01
C50	1.12	2.94	0	0	0	0.04	0.04	0
MAX	4.29	3.37		0	0.04	0.1	0.09	0.04
MIN	0.52	2.45		0	0	0.04	0	0
C99.9	4.28	3.37	0	0	0.04	0.1	0.09	0.04
C98	4.26	3.35	0	0	0.04	0.09	0.09	0.04
C95	3.92	3.33	0	0	0.03	0.09	0.08	0.04

Datum: 2016-07-15

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.83	2.86		0	0	0.04	0	0.04
01:00:00	1.27	2.8		0	0	0.09	0.04	0
02:00:00	1.68	2.79		0	0	0.04	0	0
03:00:00	1.29	3.1		0	0	0.04	0.04	0
04:00:00	3.29	3.3		0	0	0.04	0.04	0
05:00:00	1.03	3.22		0	0	0.04	0	0
06:00:00	0.72	3.21		0	0	0	0.04	0
07:00:00	1.12	2.95		0	0	0	0.04	0
08:00:00				0	0	0	0.04	0
09:00:00	1.31	2.85		0	0	0	0.04	0.04
10:00:00	2.23	3.02		0	0	0	0	0
11:00:00	1.27	2.9		0	0	0	0.04	0
12:00:00	1.33	2.6		0	0	0	0.04	0
13:00:00	0.72	3.12		0	0	0	0.04	0
14:00:00	0.75	2.3		0	0	0	0.04	0
15:00:00	1.29	2.69		0	0	0	0	0
16:00:00	2.18	2.82		0	0	0	0	0
17:00:00	2.11	2.84		0	0	0.04	0	0
18:00:00	1.38	3.18		0	0	0	0	0
19:00:00	1.74	3.24		0	0	0	0	0
20:00:00	2.13	2.57		0	0	0	0.04	0.09
21:00:00	0.94	3.13		0	0	0	0	0
22:00:00	0.54	3.4		0	0	0	0	0
23:00:00	1.13	3.01		0	0	0	0.04	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	1.45	2.95		0	0	0.01	0.02	0.01
C50	1.29	2.93	0	0	0	0	0.04	0
MAX	3.29	3.4		0	0	0.09	0.04	0.09
MIN	0.54	2.3		0	0	0	0	0
C99.9	3.26	3.4	0	0	0	0.09	0.04	0.09
C98	2.8	3.36	0	0	0	0.07	0.04	0.07
C95	2.22	3.29	0	0	0	0.04	0.04	0.04



Datum: 2016-07-16

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	0.71	2.8		0	0	0	0	0
01:00:00	0.96	3.18		0	0	0	0	0
02:00:00	0.85	2.96		0	0	0	0	0
03:00:00	2.17	3.08		0	0	0	0	0
04:00:00	1.59	3.16		0	0	0	0	0
05:00:00	0.53	3.09		0	0	0	0	0
06:00:00	1.07	2.53		0	0	0	0	0
07:00:00	1.46	3.16		0	0	0	0	0
08:00:00	0.76	3.08		0	0	0	0	0
09:00:00				0.26	0.32	0	0.17	0.28
10:00:00				0.18	0.48	0.04	0.13	0.22
11:00:00	1.58	1.71	33.48	0.37	0.91	0.05	0.32	0.3
12:00:00	1.41	1.75	38.6	0.26	0.72	0.07	0.15	0.28
13:00:00	1.12	1.82	43.12	0.23	0.57	0	0.18	0.26
14:00:00	1.55	2.18	43.03	0.13	0.47	0.04	0.13	0.27
15:00:00	1.08	2.07	43.21	0.11	0.38	0.04	0.09	0.26
16:00:00	1.77	2.49	43.53	0.07	0.32	0	0.09	0
17:00:00	2.77	2.04	45.42	0.07	0.27	0	0.05	0.26
18:00:00	4.93	2.01	46.38	0.03	0.21	0	0.04	0
19:00:00	4.64	2.05	45.03	0.05	0.13	0.04	0.06	0.04
20:00:00	1.75	2.23	43.25	0.05	0.11	0	0.04	0.35
21:00:00	2.26	2.07	42.67	0	0.11	0	0.04	0.3
22:00:00	4.19	2.1	44.86	0.03	0.06	0	0	0.15
23:00:00	3.38	2.03	41.93	0.03	0.09	0	0	0.26

Ras pod	91.67%	91.67%	54.17%	100%	100%	100%	100%	100%
AVG	1.93	2.44	42.65	0.08	0.21	0.01	0.06	0.13
C50	1.5	2.14	36.04	0.03	0.11	0	0.04	0.1
MAX	4.93	3.18	46.38	0.37	0.91	0.07	0.32	0.35
MIN	0.53	1.71		0	0	0	0	0
C99.9	4.93	3.18	46.36	0.37	0.91	0.07	0.32	0.35
C98	4.8	3.17	45.94	0.32	0.82	0.06	0.26	0.33
C95	4.57	3.16	45.36	0.26	0.7	0.05	0.18	0.3

Datum: 2016-07-17

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.83	1.56	36.16	0	0.06	0	0	0.3
01:00:00	1.19	2.06	35.43	0	0.04	0	0.04	0.13
02:00:00	1.68	2	35.22	0	0.04	0	0.04	0.26
03:00:00	1.4	2.06	35.76	0	0.04	0	0.04	0.26
04:00:00	1.42	1.92	36.11	0	0.04	0	0	0.13
05:00:00	1.32	1.95	35.69	0	0	0	0.04	0.22
06:00:00	1.11	1.92	34.42	0	0.04	0	0.04	0.26
07:00:00	1.5	1.81	33.17	0	0	0	0	0.22
08:00:00	1.87	2.14	41.44	0	0	0	0.04	0.26
09:00:00	1.3	1.91	44.52	0	0	0	0	0.22
10:00:00			33.72	0	0	0	0.04	0.22
11:00:00	1.7	2.25	35.39	0	0	0	0	0
12:00:00	1.42	1.92	36.53	0	0	0	0	0.22
13:00:00	1.87	1.72	35.52	0	0	0	0	0.3
14:00:00	1.72	2.14	41.62	0	0	0	0	0.26
15:00:00	1.93	2.3	48.35	0	0	0	0	0
16:00:00	1.99	2.09	53.56	0	0	0	0	0
17:00:00	1.82	1.91	53.36	0	0	0	0	0.17
18:00:00	1.92	2.03	51	0	0	0	0	0
19:00:00	2.21	1.63	52.81	0	0	0	0	0.22
20:00:00	1.34	2.02	50.77	0	0	0	0	0.26
21:00:00	1.92	2.22	54.41	0	0	0	0	0.15
22:00:00	1.1	2.18	57.03	0	0	0	0	0
23:00:00	1.46	2.05	63.5	0	0	0	0	0.27

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%	100%
AVG	1.61	1.99	43.15	0	0.01	0	0.01	0.18
C50	1.59	2.01	38.99	0	0	0	0	0.22
MAX	2.21	2.3	63.5	0	0.06	0	0.04	0.3
MIN	1.1	1.56	33.17	0	0	0	0	0
C99.9	2.21	2.29	63.35	0	0.05	0	0.04	0.3
C98	2.11	2.28	60.52	0	0.05	0	0.04	0.3
C95	1.98	2.25	56.63	0	0.04	0	0.04	0.3

Datum: 2016-07-18

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.35	2.37	65.13	0	0	0	0	0.26
01:00:00	2.06	1.98	63.46	0	0	0	0	0.22
02:00:00	1.72	2.13	61.43	0	0	0	0	0.17
03:00:00	1.27	2.1	58.49	0	0	0	0	0
04:00:00	1.27	1.82	59.27	0	0	0	0	0.15
05:00:00	1.51	2.03		0	0	0	0	0
06:00:00	1.15	2.68	53.29	0	0	0	0	0.09
07:00:00	1.98	1.83	51.82	0.03	0	0	0	0.22
08:00:00	2.29	1.9	55.65	0	0	0	0	0.09
09:00:00	1.14	1.95	56.56	0	0	0	0	0.2
10:00:00	1.51	2.13	64.57	0	0	0	0	0.26
11:00:00			76.22	0	0	0	0	0.22
12:00:00	2.04	1.93	74.25	0	0	0	0	0
13:00:00	1.75	1.77	72.66	0	0	0	0	0.26
14:00:00	2.03	1.94	73.55	0	0	0	0	0
15:00:00	1.75	1.87	75.98	0	0	0	0	0
16:00:00	1.77	2.11	81.95	0	0	0	0	0.26
17:00:00	1.18	1.86	82.52	0	0	0	0.04	0.48
18:00:00	2.22	2.3	82.7	0	0	0.04	0	0
19:00:00	1.71	2.28	79.82	0	0	0.04	0	0.54
20:00:00	1.54	2.27	63.15	0	0	0.04	0	0.48
21:00:00	1.69	1.99	46.87	0	0	0	0.04	0
22:00:00	1.63	1.83	49.93	0	0	0	0	0.43
23:00:00	1.4	2.29	43.51	0	0	0.04	0	0.4

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	1.65	2.06	64.9	0	0	0.01	0	0.2
C50	1.66	1.99	63.3	0	0	0	0	0.21
MAX	2.29	2.68	82.7	0.03	0	0.04	0.04	0.54
MIN	1.14	1.77	43.51	0	0	0	0	0
C99.9	2.29	2.68	82.7	0.03	0	0.04	0.04	0.54
C98	2.26	2.54	82.62	0.02	0	0.04	0.04	0.51
C95	2.2	2.36	82.43	0	0	0.04	0.04	0.48

Datum: 2016-07-19

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.36	1.98	48.09	0	0	0	0.04	0
01:00:00	1.78	2.07	46.75	0	0	0	0	0
02:00:00	2.02	2.05	38.06	0	0	0	0	0
03:00:00	1.74	2.06	33.87	0	0	0	0	0.43
04:00:00	1.44	2.21	35.23	0	0	0.04	0	0.3
05:00:00	1.91	2.26	31.52	0	0	0	0.04	0
06:00:00	1.58	2.08		0	0	0	0.04	0.26
07:00:00	1.73	1.83	38.96	0	0	0	0	0
08:00:00	1.52	1.88	39.98	0	0	0	0	0.3
09:00:00	1.95	2.1	52.46	0	0	0	0	0
10:00:00	1.98	1.82	71.26	0	0	0	0	0
11:00:00	1.67	1.73	76.1	0	0	0	0	0
12:00:00			76.08	0	0	0	0	0
13:00:00	1.33	1.84	75.02	0	0	0	0	0.39
14:00:00	1.68	2.11	77.7	0	0	0	0	0.17
15:00:00	1.94	2.03	81.2	0	0	0	0.04	0.35
16:00:00	1.84	1.65	79.91	0	0	0	0	0
17:00:00	1.4	1.94	81.14	0	0	0.04	0	0.56
18:00:00	1.9	1.98	76.69	0	0	0	0	0.39
19:00:00	1.81	1.65	68.44	0	0	0	0	0.52
20:00:00	1.57	1.82	46.82	0	0	0	0	0.39
21:00:00	1.2	2.63	38.36	0	0	0	0.04	0.35
22:00:00	2.22	2.26	26.8	0	0	0	0	0.35
23:00:00	2.3	1.64	13.72	0	0	0	0	0.39

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	1.73	1.98	54.53	0	0	0	0.01	0.22
C50	1.73	1.98	47.46	0	0	0	0	0.28
MAX	2.3	2.63	81.2	0	0	0.04	0.04	0.56
MIN	1.2	1.64	13.72	0	0	0	0	0
C99.9	2.3	2.62	81.2	0	0	0.04	0.04	0.56
C98	2.26	2.46	81.17	0	0	0.04	0.04	0.54
C95	2.19	2.26	80.96	0	0	0.04	0.04	0.51

Datum: 2016-07-20

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.81	1.77	12.33	0	0	0	0	0
01:00:00	1.86	1.74	13.3	0.03	0	0	0	0
02:00:00	1.52	2.5	12.6	0	0	0	0	0.37
03:00:00	1.98	1.93	9.54	0	0	0	0	0
04:00:00	1.77	2.21	8.33	0	0	0	0	0.39
05:00:00	2.36	1.67	9.14	0	0	0	0	0.38
06:00:00	1.6	2.2	13.26	0	0	0	0	0.24
07:00:00	1.72	2.14		0	0	0	0	0.26
08:00:00	3.09	2.05	52.36					
09:00:00	2.71	1.48	69.3					
10:00:00	1.71	1.81	78.65					
11:00:00	2.05	2.07	87.16					
12:00:00	1.85	2.02	87.96	0	0.07	0	0.04	0
13:00:00			78.8	1.71	3.19	0.56	1.03	0.46
14:00:00	1.99	1.83	77.17	2.2	5.75	0.68	1.63	0.74
15:00:00	1.57	1.9	76.25	46.23	30.91	0.74	25.44	44.33
16:00:00	1.72	1.97	77.57	49.75	33.49	0	28.57	51.15
17:00:00	1.44	1.74	76.32	43.56	32.32	41.75	28.72	50.27
18:00:00	1.73	1.88	73.28					
19:00:00	1.63	1.82	60.74	49.12	33.73	42.26	61.66	50.39
20:00:00	1.53	2.16	44.74	18.4	22.34	20.92	34.86	23.28
21:00:00	1.5	1.87	31.21	2.24	13.89	2.37	4.87	2.01
22:00:00	1.32	2.09	25.94	1.96	12.03	1.71	3.73	1.73
23:00:00	2.25	1.72	14.86	1.76	10.57	1.45	3.13	1.45

Ras pod	95.83%	95.83%	95.83%	79.17%	79.17%	79.17%	79.17%	79.17%
AVG	1.86	1.94	47.43	11.42	10.44	5.92	10.19	11.97
C50	1.73	1.89	48.55	0	0	0	0	0.37
MAX	3.09	2.5	87.96	49.75	33.73	42.26	61.66	51.15
MIN	1.32	1.48	8.33	0	0	0	0	0
C99.9	3.08	2.5	87.94	49.73	33.72	42.25	61.05	51.13
C98	2.91	2.37	87.59	49.46	33.62	42.03	49.33	50.8
C95	2.65	2.21	85.9	48.68	33.32	38.63	33.94	50.37

Datum: 2016-07-21

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.9	2.23	5.38	1.81	10.92	1.43	3.13	1.44
01:00:00	1.51	1.94	6.03	1.79	10.95	1.44	3.13	1.43
02:00:00	1.58	2.2	6.11	1.71	9.74	1.29	2.83	1.31
03:00:00	1.38	2.35	5.52	1.74	9.69	1.27	2.84	1.29
04:00:00	1.68	2.81	6.64	1.71	9.06	1.19	2.65	1.21
05:00:00	2.26	1.82	6.45	1.47	8.13	1.11	2.43	1.07
06:00:00	1.29	2.3	7.75	1.47	8.58	1.15	2.52	1.12
07:00:00	2.02	1.89	24.74	1.87	11.32	1.56	3.24	1.42
08:00:00	3.8	1.57						
09:00:00	2.37	2.12	66.71					
10:00:00	2.69	1.98	76.72	1.42	1.68	2.45	0.69	1.26
11:00:00	3	1.98	82.83	0.38	0.66	1.11	0.37	0.82
12:00:00	1.85	2.22	80.76	0.37	0.49	1.48	0.41	0
13:00:00	1.89	1.78	82.97	0.38	0.55	1.87	0	0
14:00:00			88.52	0.4	0.62	2.19	0	0
15:00:00	2.28	1.76	91.15	0.45	0.66	2.63	0	0
16:00:00	1.64	1.87	92.31	0.46	0.68	3.63	0	0
17:00:00	1.38	2.32	88.97	0.46	0.77	4.41	2.43	0
18:00:00	1.26	2.1	87.5	0.45	0.87	5.16	0	0
19:00:00	1.83	2.06	58.09	0.45	0.89	5.21	2.76	0
20:00:00	2.11	1.84	33.65	0.49	0.95	4.87	1.95	0
21:00:00	1.5	1.73	34.25	0.46	0.89	4.37	2.41	0
22:00:00	1.89	1.76	34.85	0.43	0.9	4.32	2.52	0
23:00:00	1.7	2.02	19.91	0.45	0.98	4.04	2.26	0

Ras pod	95.83%	95.83%	95.83%	91.67%	91.67%	91.67%	91.67%	91.67%
AVG	1.95	2.03	47.3	0.94	4.09	2.64	1.75	0.56
C50	1.84	1.98	34.55	0.46	0.9	1.71	2.33	0
MAX	3.8	2.81	92.31	1.87	11.32	5.21	3.24	1.44
MIN	1.26	1.57	5.38	0.37	0.49	1.11	0	0
C99.9	3.78	2.8	92.29	1.86	11.31	5.21	3.24	1.44
C98	3.43	2.6	91.78	1.84	11.15	5.19	3.19	1.44
C95	2.95	2.34	90.83	1.81	10.94	5.12	3.13	1.42

Datum: 2016-07-22

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.57	2.08	18.36	0.4	0.92	3.69	2.26	0
01:00:00	1.68	1.86	12.3	0.44	0.9	3.4	2.09	0
02:00:00	1.59	1.79	15.79	0.41	0.93	3.07	1.91	0
03:00:00	1.36	2.22	12.86	0.42	0.96	2.73	1.76	0.04
04:00:00	1.61	1.62	18.1	0.45	1	2.71	1.81	0
05:00:00	1.88	2.1	16.27	0.47	1.01	2.55	1.73	0
06:00:00	1.78	2.3	24.7	0.53	1.07	2.5	1.83	0
07:00:00	2.08	2.37	37.45	0.54	1.13	2.54	1.87	0
08:00:00	5.92	1.97	55.81	0.59	1.19	2.54	0	0
09:00:00	15.42	2.15		0.56	1.19	3.28	2.27	0
10:00:00	14.94	1.96	94.22	0.59	1.21	3.86	2.47	0
11:00:00	21.01	2.28	99.49	0.58	1.14	4.51	2.78	0
12:00:00	20.39	2.7	99.71	0.62	1.11	4.32	0	0
13:00:00	21.15	2.09	99.38	0.49	1.05	4.45	2.82	0
14:00:00	35.67	2.53	108.22	0.51	1.05	4.51	2.69	0
15:00:00			103.62	0.51	1.09	5.34	0	0
16:00:00	88.29	3.98	106.47	0.56	1.11	6.08	0	0
17:00:00	56.43	2.93	103.49	0.48	1.13	6.73	0	0
18:00:00	24.75	2.15	64.77	0.49	1.13	7.38	0	0
19:00:00	14.82	2.21	49.38	0.46	1.13	7.1	3.85	0
20:00:00	9.82	2.2	45.99	0.46	1.03	6.43	3.43	0.22
21:00:00	3.72	2.6	39.81	0.43	1.15	6.29	3.49	0
22:00:00	2	2.04	34.24	0.53	1.09	5.71	3.13	0
23:00:00	2.03	2.01	21.78	0.51	1.09	5.34	3.08	0.04

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	15.21	2.27	55.75	0.5	1.08	4.46	1.89	0.01
C50	4.82	2.15	42.9	0.5	1.09	4.38	2	0
MAX	88.29	3.98	108.22	0.62	1.21	7.38	3.85	0.22
MIN	1.36	1.62	12.3	0.4	0.9	2.5	0	0
C99.9	87.55	3.96	108.18	0.62	1.21	7.37	3.84	0.21
C98	73.63	3.5	107.42	0.61	1.2	7.25	3.69	0.14
C95	53.32	2.89	106.05	0.59	1.19	7.04	3.48	0.04

**Datum: 2016-07-23**

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3					
00:00:00	1.92	2.22	13.09	0.56	1.21	5.01	2.95	0					
01:00:00	1.7	2.09	20.29	0.59	1.13	4.9	2.97	0					
02:00:00	1.9	1.88	14.89	0.53	1.18	4.42	2.75	0					
03:00:00	1.71	1.92	10.75	0.57	1.11	3.99	2.54	0					
04:00:00	1.88	1.96	10.72	0.65	1.24	3.91	2.58	0					
05:00:00	1.25	2	5.98	0.62	1.24	3.73	2.54	0					
06:00:00	1.97	1.66	6.96	0.59	1.26	3.36	2.34	0					
07:00:00	1.7	2.22	27.2	0.62	1.26	2.97	2.08	0					
08:00:00	2.43	1.88	47.58	0.65	1.47	3.56	2.47	0					
09:00:00	2.03	2.48	62.74	0.49	1.43	4.19	2.86	0					
10:00:00	2.6	1.63		0.65	1.34	4.43	0	0					
11:00:00	3.82	2.14	88.5	0.67	1.41	5.21	3.13	0					
12:00:00	52.68	3.33	113.85	0.65	1.41	5.9	3.56	0					
13:00:00	54.74	3.21	140.12	0.64	1.41	6.47	3.78	0.04					
14:00:00	51.6	2.54	152.33	0.56	1.3	6.23	3.6	0					
15:00:00	42.54	2.53	158.16	0.62	1.24	6.4	3.65	0					
16:00:00			151.62	0.57	1.28	7.07	3.82	0					
17:00:00	15	2.1	133.35	0.54	1.24	7.79	4.25	0					
18:00:00	11.99	1.93	119.46	0.57	1.26	7.84	4.3	0					
19:00:00	3.87	2.66	53.15	0.59	1.19	7.07	0	0					
20:00:00	3.25	1.83	35.83	0.51	1.17	6.86	3.71	0					
21:00:00	2.59	1.82	42.43	0.53	1.19	6.27	3.54	0					
22:00:00	2.15	1.96	25.23	0.49	1.15	6.12	3.49	0					
23:00:00	1.67	2.2	20.93	0.52	1.18	5.43	3.15	0					

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%					
AVG	11.61	2.18	63.27	0.58	1.26	5.38	2.92	0					
C50	2.29	2.05	39.13	0.58	1.24	5.32	3.05	0					
MAX	54.74	3.33	158.16	0.67	1.47	7.84	4.3	0.04					
MIN	1.25	1.63	5.98	0.49	1.11	2.97	0	0					
C99.9	54.7	3.33	158.03	0.67	1.47	7.84	4.3	0.04					
C98	53.79	3.27	155.48	0.66	1.45	7.82	4.28	0.02					
C95	52.52	3.12	152.22	0.65	1.43	7.68	4.19	0					



Datum: 2016-07-24

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.05	2.09	17.45	0.42	1.09	5.03	2.97	0
01:00:00	2.41	2.17	12.82	0.42	1.09	4.93	2.99	0
02:00:00	1.51	2.24	11.6	0.49	1.11	4.73	2.93	0
03:00:00	1.4	2.11	9.28	0.4	1.08	4.41	2.81	0
04:00:00	1.62	1.84	7.71	0.46	1.09	4.2	2.65	0.09
05:00:00	1.74	2.36	6.66	0.52	1.15	3.93	2.45	0
06:00:00	1.8	2.14	9.96	0.45	1.09	3.8	2.45	0
07:00:00	2.32	2.15	26.05	0.43	1.09	3.69	2.47	0
08:00:00	2.33	2.03	49.57	0.54	1.17	4.04	2.7	0
09:00:00	5.38	1.84	80.88	0.42	1.24	4.23	2.84	0
10:00:00	5.46	1.94	94.95	0.57	1.14	4.54	3.04	0
11:00:00	12.36	2.46		0.56	1.17	5.01	0	0
12:00:00	8.23	2.08	117.79	0.54	1.15	5.43	3.17	0
13:00:00	3.85	1.81	112.55	0.53	1.09	5.6	3.21	0
14:00:00	3.39	1.8	120.42	0.46	1.04	6.01	0	0
15:00:00	2.91	2.33	134.06	0.48	1.05	6.14	3.43	0
16:00:00	2.27	2.04	127.31	0.46	1.04	6.05	3.39	0
17:00:00			97.77	0.46	0.96	5.95	0	0.04
18:00:00	2.07	2.1	62.49	0.45	1.02	6.08	3.39	0
19:00:00	2.04	2.1	40	0.38	0.9	5.36	0	0
20:00:00	1.7	2.13	40.22	0.38	0.92	5.45	3.1	0
21:00:00	1.7	2.05	23.05	0.38	0.89	4.69	2.69	0
22:00:00	1.63	1.74	39.63	0.35	0.92	4.64	2.73	0
23:00:00	1.35	2.13	37.92	0.35	0.87	4.23	2.47	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.11	2.07	55.66	0.45	1.06	4.92	2.41	0.01
C50	2.06	2.09	39.82	0.45	1.09	4.83	2.77	0
MAX	12.36	2.46	134.06	0.57	1.24	6.14	3.43	0.09
MIN	1.35	1.74	6.66	0.35	0.87	3.69	0	0
C99.9	12.26	2.46	133.91	0.57	1.24	6.14	3.43	0.09
C98	10.46	2.42	130.96	0.57	1.21	6.11	3.41	0.07
C95	7.81	2.36	126.27	0.56	1.17	6.07	3.39	0.04

Datum: 2016-07-25

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.64	2.29	47.05	0.4	0.92	4.34	2.67	0
01:00:00	1.45	2.15	43.61	0.41	0.89	3.95	2.43	0
02:00:00	1.5	2.02	38.66	0.38	0.87	3.82	2.41	0
03:00:00	2.3	1.94	36.39	0.4	0.92	3.75	2.34	0
04:00:00	1.71	1.87	24.42	0.35	0.94	3.65	2.32	0
05:00:00	2.02	1.97	22.63	0.36	0.96	3.42	2.25	0.04
06:00:00	1.65	2.11	26.84	0.43	0.96	3.21	2.09	0
07:00:00	1.49	1.98	41	0.38	0.96	2.8	1.78	0
08:00:00	1.84	1.77	56.57	0.38	0.87	2.81	1.82	0
09:00:00	1.55	1.7	67.49	0.39	0.92	3.61	2.4	0
10:00:00	1.58	2.05	74.65	0.41	0.92	3.75	2.3	0
11:00:00	1.83	2.37	87.64	0.36	0.96	4.17	2.57	0
12:00:00	2.27	1.78		0.38	0.95	4.42	2.73	0
13:00:00	2.09	1.74	101.24	0.4	0.96	4.54	2.69	0
14:00:00	1.76	1.69	104.65	0.35	0.94	4.73	2.76	0
15:00:00	3.28	1.52	98.54	0.38	0.87	4.77	2.78	0
16:00:00	2.19	2.19	96.34	0.27	0.75	3.45	2.06	0
17:00:00	2.24	1.81	85.73	0.27	0.73	3.3	1.97	0
18:00:00			82.8	0.22	0.7	2.64	1.58	0
19:00:00	1.71	1.97	63.76	0.22	0.64	2.45	1.48	0
20:00:00	2.06	2.25	63.07	0.11	0.57	2.34	1.39	0
21:00:00	1.67	1.98	50.99	0.16	0.64	2.28	1.45	0
22:00:00	1.6	1.89	43.46	0.19	0.6	2.17	1.41	0
23:00:00	2.04	1.76	31.41	0.21	0.62	2.13	0.74	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	1.89	1.95	60.39	0.33	0.84	3.44	2.1	0
C50	1.74	1.95	53.78	0.37	0.91	3.53	2.28	0
MAX	3.28	2.37	104.65	0.43	0.96	4.77	2.78	0.04
MIN	1.45	1.52	22.63	0.11	0.57	2.13	0.74	0
C99.9	3.26	2.37	104.57	0.43	0.96	4.77	2.78	0.04
C98	2.83	2.33	103.08	0.42	0.96	4.76	2.77	0.02
C95	2.3	2.29	100.84	0.41	0.96	4.7	2.75	0

Datum: 2016-07-26

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.97	1.89	26.01	0.16	0.66	2.08	1.37	0
01:00:00	1.35	1.96	32.92	0.19	0.64	2.06	1.39	0
02:00:00	1.63	1.65	29.23	0.18	0.68	2.04	1.41	0
03:00:00	1.73	1.95	25.25	0.22	0.73	2.02	1.43	0
04:00:00	1.82	2.17	16.09	0.16	0.73	2.04	1.35	0
05:00:00	1.68	2.05	19.45	0.16	0.69	1.92	1.35	0
06:00:00	1.84	2.43	24.79	0.21	0.64	1.91	1.37	0
07:00:00	2.25	1.78	30.63	0.22	0.7	1.95	1.43	0
08:00:00	2.02	2.37	41.92	0.21	0.73	1.89	1.26	0
09:00:00	1.69	1.63	55.7	0.14	0.64	1.97	1.32	0
10:00:00	1.64	2.31	64.02	0.16	0.68	1.91	1.34	0
11:00:00	2.46	1.93	67.93	0.22	0.66	1.96	1.31	0
12:00:00	9.94	2.35	73.91	0.21	0.68	2.04	1.37	0
13:00:00	52.92	2.9		0.18	0.66	2.13	1.39	0
14:00:00	69.23	3.02	73.36	0.19	0.68	2.19	1.41	0
15:00:00	73.87	3.11	82.2	0.21	0.64	2.5	1.61	0
16:00:00	87.7	2.32	93.35	0.21	0.64	2.39	1.4	0
17:00:00	64.84	2.7	108.02	0.22	0.6	2.54	1.5	0
18:00:00	51.39	2.31	97.03	0.22	0.57	2.71	1.48	0
19:00:00			46.96	0.15	0.53	2.65	1.51	0
20:00:00	3.86	2	42.35	0.16	0.52	2.58	1.27	0
21:00:00	1.98	2.31	33.68	0.17	0.59	2.45	1.46	0.04
22:00:00	1.65	2	25.93	0.13	0.58	2.39	1.45	0
23:00:00	1.85	2.09	17.71	0.15	0.6	2.21	1.38	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	19.19	2.23	49.06	0.18	0.64	2.19	1.4	0
C50	1.98	2.13	37.8	0.18	0.65	2.07	1.39	0
MAX	87.7	3.11	108.02	0.22	0.73	2.71	1.61	0.04
MIN	1.35	1.63	16.09	0.13	0.52	1.89	1.26	0
C99.9	87.39	3.1	107.77	0.22	0.73	2.71	1.6	0.04
C98	81.34	3.07	102.97	0.22	0.73	2.68	1.56	0.02
C95	73.18	3	96.48	0.22	0.73	2.64	1.5	0

Datum: 2016-07-27

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.85	1.99	16.85	0.15	0.62	2.13	1.39	0
01:00:00	1.79	2	10.45	0.14	0.64	2.12	1.44	0
02:00:00	2	2	8.59	0.26	0.64	1.89	1.3	0
03:00:00	1.92	2.2	5.83	0.26	0.7	1.87	1.26	0
04:00:00	1.98	1.91	5.41	0.25	0.69	1.83	1.29	13.45
05:00:00	2.04	2.01	5.17	0.26	0.72	1.76	1.22	13.02
06:00:00	1.84	1.95	6.71	0.26	0.75	1.76	0.86	2.73
07:00:00	1.68	2.01	20.64	0.28	0.77	1.72	1.26	0
08:00:00	2.59	1.62	54.3	0.31	0.79	1.75	1.3	0
09:00:00	2.29	2.05	84.59	0.29	0.75	1.93	1.37	0
10:00:00	1.46	1.7	90.61	0.35	0.77	2.18	1.4	0
11:00:00	2.11	2.16	95.95	0.31	0.69	2.34	1.43	0
12:00:00	5.05	2.42	100.37	0.24	0.7	2.51	0	0
13:00:00	16.76	2.25	105.13	0.26	0.72	3.28	1.93	0.04
14:00:00	4.99	2.17		0.13	0.62	3.3	1.97	0
15:00:00	35.31	2.8	127.36	0.27	0.67	3.03	1.79	0
16:00:00	9.8	2.82	147.05	0.26	0.66	3.41	2.04	0
17:00:00	3.02	2.21	146.57	0.22	0.58	3.55	2.14	0
18:00:00	1.92	1.88	118.48	0.22	0.57	3.5	2	0
19:00:00	1.66	1.9	86.7	0.26	0.57	2.83	1.52	0
20:00:00			36.24	0.27	0.6	2.63	1.45	0
21:00:00	1.46	1.79	30.15	0.3	0.64	2.63	0.87	0
22:00:00	1.88	1.94	25.16	0.26	0.66	2.43	1.43	0
23:00:00	1.35	1.82	18.95	0.26	0.57	2.3	0.63	0.04

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.64	2.07	58.58	0.25	0.67	2.44	1.39	1.22
C50	1.95	2	33.2	0.26	0.66	2.32	1.39	0
MAX	35.31	2.82	147.05	0.35	0.79	3.55	2.14	13.45
MIN	1.35	1.62	5.17	0.13	0.57	1.72	0	0
C99.9	34.89	2.82	147.04	0.35	0.79	3.54	2.13	13.44
C98	26.78	2.81	146.83	0.33	0.78	3.52	2.09	13.25
C95	15.72	2.74	143.69	0.31	0.77	3.48	2.03	11.48

Datum: 2016-07-28

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.74	1.98	21.1	0.26	0.57	2.17	1.35	0
01:00:00	1.17	2.36	11.34	0.21	0.62	2.13	1.3	0
02:00:00	1.92	2.41	15.34	0.19	0.61	2.06	1.28	0.09
03:00:00	1.57	1.81	10.44	0.19	0.64	1.99	1.31	0
04:00:00	1.56	2.43	9.25	0.24	0.6	1.8	0.61	13.32
05:00:00	1.56	2.07	12.24	0.23	0.68	1.81	1.24	0
06:00:00	1.83	1.97	11.71	0.27	0.68	1.74	1.17	0
07:00:00	2.39	2.26	38.47	0.29	0.7	1.69	1.19	0
08:00:00	2.5	2.54	56.28	0.27	0.7	1.8	1.3	0
09:00:00	1.87	2.29	65.14	0.29	0.66	1.78	0	0
10:00:00	1.71	1.77	77.69	0.27	0.66	1.93	0	0
11:00:00	2.38	2.08	92.73	0.29	0.64	2.39	1.48	0
12:00:00	2.71	2.01	98.51	0.32	0.6	2.32	1.48	0
13:00:00	2.73	2.09	96.74	0.31	0.65	2.29	1.35	0
14:00:00	1.98	2.79	84.23	0.32	0.64	2.24	1.28	0
15:00:00	2.1	2.03		0.32	0.62	2.17	1.26	0
16:00:00	2.58	2.11	75.35	0.34	0.68	2.08	1.22	0
17:00:00	2.31	2.24	69.6	0.32	0.6	2.04	1.19	0
18:00:00	2.22	2.32	63.87	0.3	0.66	2	1.17	0
19:00:00	2.16	2.19	59.12	0.29	0.6	1.91	1.15	0
20:00:00	2.2	1.93	60.44	0.21	0.64	1.87	1.19	0
21:00:00			62.56	0.3	0.69	1.79	1.1	0
22:00:00	2.09	2.07	49.69	0.22	0.66	1.74	0.59	0
23:00:00	1.53	2.28	42.02	0.27	0.62	1.68	1.08	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.04	2.18	51.47	0.27	0.64	1.97	1.1	0.56
C50	2.04	2.1	57.7	0.28	0.64	1.96	1.2	0
MAX	2.73	2.79	98.51	0.34	0.7	2.39	1.48	13.32
MIN	1.17	1.77	9.25	0.19	0.57	1.68	0	0
C99.9	2.73	2.79	98.47	0.33	0.7	2.39	1.48	13.02
C98	2.72	2.68	97.7	0.33	0.7	2.36	1.48	7.24
C95	2.69	2.52	96.14	0.32	0.7	2.32	1.46	0.07

Datum: 2016-07-29

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.81	1.82	37.64	0.26	0.66	1.67	0.59	0.04
01:00:00	1.7	1.66	36.41	0.26	0.6	1.58	1.07	0
02:00:00	1.01	2.54	33.55	0.18	0.62	1.56	1.02	0
03:00:00	1.52	2.03	30.06	0.18	0.66	1.54	1.09	0
04:00:00	2.36	1.8	27.61	0.13	0.57	1.5	1.02	0.04
05:00:00	2.06	2.59	16.09	0.27	0.62	1.5	1.06	0
06:00:00	2.16	1.88	16.56	0.26	0.6	1.46	1.03	0
07:00:00	2.13	1.98	30.39	0.2	0.6	1.46	1.04	0
08:00:00	3.06	1.83	47.94	0.22	0.6	1.45	1	0
09:00:00	2.36	2.27	69.5	0.19	0.57	1.63	1.15	0.04
10:00:00	1.91	2.45	85.45	0.19	0.6	1.71	1.17	0
11:00:00	2.66	1.65	94.28	0.22	0.58	1.89	0	0
12:00:00	2.03	1.65	96.52	0.18	0.58	2.08	1.24	0
13:00:00	1.75	1.9	99.98	0.21	0.58	2.08	0.63	0.04
14:00:00	1.95	2.03	100.9	0.21	0.43	2.21	0.04	0
15:00:00	2.11	2	111.13	0.15	0.59	2.36	1.36	0
16:00:00	1.85	1.93		0.14	0.58	2.6	1.39	0
17:00:00	1.59	1.88	111.96	0.15	0.59	3.19	1.87	0.04
18:00:00	1.88	2.22	120.61	0.12	0.58	3.38	1.82	0
19:00:00	1.72	1.98	70.82	0.13	0.6	3.52	1.97	0
20:00:00	1.98	2.11	76.09	0.18	0.55	2.86	1.58	0
21:00:00	1.73	1.93	60.91	0.18	0.57	2.6	1.43	0
22:00:00			39.82	0.18	0.58	2.47	1.37	0
23:00:00	1.79	1.77	26.95	0.15	0.65	2.24	1.27	0.04

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	1.96	2	62.66	0.19	0.59	2.11	1.13	0.01
C50	1.9	1.93	54.43	0.18	0.59	1.99	1.12	0
MAX	3.06	2.59	120.61	0.27	0.66	3.52	1.97	0.04
MIN	1.01	1.65	16.09	0.12	0.43	1.45	0	0
C99.9	3.05	2.59	120.41	0.27	0.66	3.51	1.97	0.04
C98	2.88	2.56	116.63	0.26	0.66	3.45	1.93	0.04
C95	2.62	2.52	111.83	0.26	0.66	3.35	1.86	0.04

Datum: 2016-07-30

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.16	1.98	17.22	0.18	0.66	2.24	1.3	0
01:00:00	1.36	2.62	16.48	0.17	0.67	2.12	1.3	0
02:00:00	2.26	2.37	19.32	0.14	0.64	2.04	1.28	0
03:00:00	2.22	2.75	12.32	0.22	0.66	1.91	0.63	0
04:00:00	2	2.03	13.72	0.27	0.68	1.87	1.15	0
05:00:00	1.26	2.23	14.18	0.22	0.72	1.79	1.2	13.06
06:00:00	1.67	1.81	23.5	0.26	0.68	1.78	1.19	0
07:00:00	2.69	2.11	38.67	0.27	0.78	1.76	0.8	0.04
08:00:00	2.53	2.01	56.19	0.23	0.73	1.68	1.11	0
09:00:00	2.8	1.63	78.39	0.16	0.68	1.87	0	0
10:00:00	2.73	2.08	92.54	0.16	0.72	2.3	1.37	0
11:00:00	2.22	1.74	96.03	0.21	0.72	2.34	1.39	0
12:00:00	2.21	1.89	95.31	0.14	0.68	2.91	1.67	0
13:00:00	1.68	2.04	96.81	0.16	0.64	3.15	1.78	0
14:00:00	1.24	2.38	95.79	0.19	0.59	3.17	1.73	0
15:00:00	1.9	1.8	98.15	0.1	0.57	3.19	1.71	0
16:00:00	1.75	2.13	101.64	0.14	0.57	3.52	1.95	0
17:00:00	4.39	2.22		0.18	0.64	3.99	2.15	0
18:00:00	2.9	2.18	86.03	0.18	0.6	4.06	2.26	0
19:00:00	2.83	2.07	46.48	0.14	0.6	3.95	0.04	0
20:00:00	2.03	2.12	42.44	0.11	0.58	3.54	1.97	0
21:00:00	2.19	2.2	37.93	0.14	0.49	3.24	1.74	0
22:00:00	2.57	1.98	22.82	0.1	0.55	3.15	1.69	0
23:00:00			13.44	0.11	0.57	2.63	1.45	0.04

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.24	2.1	52.84	0.17	0.64	2.67	1.37	0.55
C50	2.2	2.08	40.56	0.16	0.65	2.48	1.38	0
MAX	4.39	2.75	101.64	0.27	0.78	4.06	2.26	13.06
MIN	1.24	1.63	12.32	0.1	0.49	1.68	0	0
C99.9	4.35	2.74	101.56	0.27	0.78	4.06	2.25	12.76
C98	3.7	2.69	100.03	0.27	0.75	4.03	2.21	7.07
C95	2.89	2.58	97.95	0.27	0.73	3.99	2.12	0.04

**Datum: 2016-07-31**

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.08	2.02	17.82	0.08	0.53	2.43	1.32	0
01:00:00	1.88	1.76	19.73	0.11	0.53	2.3	1.32	0
02:00:00	1.62	2.45	16.36	0.06	0.55	2.17	1.22	0
03:00:00	1.66	1.9	25.96	0.18	0.43	2.08	1.26	0
04:00:00	1.77	2.04	22.69	0.13	0.47	2.19	0.65	14.15
05:00:00	1.39	1.73	24.17	0.11	0.51	1.84	0.65	7.66
06:00:00	0.81	2.13	25.65	0.13	0.49	1.71	0.77	0
07:00:00	1.34	2.33	42.65	0.12	0.48	1.65	0.72	0
08:00:00	1.91	2.18	56.1	0.17	0.5	1.78	0.75	0.04
09:00:00	5.64	2.24	74.34	0.1	0.53	1.91	1.17	0
10:00:00	39.62	3.19	100.47	0.16	0.47	1.91	0.56	0
11:00:00	31.61	1.88	111.76	0.18	0.53	2.3	1.35	0.04
12:00:00	66.45	3.64	104.39	0.05	0.4	2.21	1.19	0
13:00:00	70.29	5.5	107.45	0.05	0.45	2.34	1.3	0
14:00:00	35.82	2.5	121.66	0.08	0.4	2.39	1.3	0.04
15:00:00	34.68	2.85	122.45	0.08	0.43	2.61	1.42	0.04
16:00:00	27.98	2.24	120.41	0.07	0.41	2.93	1.04	0.04
17:00:00	5.95	1.6	109.06	0.07	0.43	3.26	1.65	0
18:00:00	3.26	2.02		0.05	0.43	3.45	1.71	0
19:00:00	2.83	1.79	69.36	0.1	0.47	3.23	1.56	0.04
20:00:00	2.61	1.94	43.98	0.06	0.43	2.81	1.49	0.04
21:00:00	2.87	1.72	47.27	0.05	0.47	2.47	1.19	0.04
22:00:00	1.6	2.04	37.43	0.05	0.32	2.13	1.15	0.04
23:00:00	1.98	2.27	42.67	0.06	0.42	2.12	1.09	16.75

Ras pod	100%	100%	95.83%	100%	100%	100%	100%	100%
AVG	14.48	2.33	63.64	0.1	0.46	2.34	1.16	1.62
C50	2.72	2.09	45.63	0.08	0.47	2.26	1.2	0.02
MAX	70.29	5.5	122.45	0.18	0.55	3.45	1.71	16.75
MIN	0.81	1.6	16.36	0.05	0.32	1.65	0.56	0
C99.9	70.2	5.46	122.43	0.18	0.55	3.45	1.71	16.69
C98	68.52	4.65	122.09	0.18	0.54	3.36	1.68	15.56
C95	62.42	3.57	121.48	0.17	0.53	3.25	1.64	13.18



