



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10003 Novi Sad - Šangaj - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-07-01 do 2016-07-31

KOD stanice: **RS10003**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.272 / 19.873**

Nadmorska visina: **80**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-07-01

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.33	7.1												
01:00:00	4.01	8.39												
02:00:00	3.61	7.09												
03:00:00	4.04	3.04												
04:00:00	3.48	10.76												
05:00:00	3.94	13.32												
06:00:00	3.87	3.79												
07:00:00	4.45	2.42												
08:00:00	4.23	2.02												
09:00:00	4.05	1.67												
10:00:00	4.03	1.78												
11:00:00	3.4	1.7												
12:00:00	3.57	2.21												
13:00:00														
14:00:00	3.37	3.74												
15:00:00	4.04	5.03												
16:00:00	4.01	3.51												
17:00:00	3.6	3.04												
18:00:00	4.09	2.73												
19:00:00	4.62	2.33												
20:00:00	4.43	6.8												
21:00:00	4.58	4.44												
22:00:00	5.17	3.77												
23:00:00	4.75	9.46												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.07	4.79												
C50	4.03	3.63	0	0	0	0	0	0						
MAX	5.17	13.32												
MIN	3.37	1.67												
C99.9	5.16	13.26	0	0	0	0	0	0						
C98	4.98	12.14	0	0	0	0	0	0						
C95	4.73	10.57	0	0	0	0	0	0						

Datum: 2016-07-02

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.49	13.77												
01:00:00	5.49	39.84												
02:00:00	4.71	8.03												
03:00:00	3.94	7.64												
04:00:00	4.37	12.69												
05:00:00	6.82	7.89												
06:00:00	4.02	3.21												
07:00:00	4.42	4.9												
08:00:00	5.13	3.41												
09:00:00	4.37	2.85												
10:00:00	4.43	2.05												
11:00:00	3.5	3.02												
12:00:00	4.29	2.58												
13:00:00	3.48	1.68												
14:00:00														
15:00:00	4.31	2.09												
16:00:00	3.26	2.51												
17:00:00	4.39	2.25												
18:00:00	4.78	2.1												
19:00:00	6.08	1.83												
20:00:00	6.07	2.75												
21:00:00	4.78	11.45												
22:00:00	4.84	9.49												
23:00:00	5.75	44.95												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.68	8.39												
C50	4.42	3.11	0	0	0	0	0	0						
MAX	6.82	44.95												
MIN	3.26	1.68												
C99.9	6.8	44.83	0	0	0	0	0	0						
C98	6.48	42.6	0	0	0	0	0	0						
C95	6.08	35.93	0	0	0	0	0	0						

Datum: 2016-07-03

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	3.84	4.75												
01:00:00	4.02	27.76												
02:00:00	4.25	16.85												
03:00:00	3.89	10.81												
04:00:00	4.4	28.94												
05:00:00	4.31	3.7												
06:00:00	5.44	3.71												
07:00:00	5.09	4.29												
08:00:00	5.05	3.9												
09:00:00	4.01	3.18												
10:00:00	3.69	3.79												
11:00:00	3.56	5.57												
12:00:00	3.86	4.17												
13:00:00	4.36	5.57												
14:00:00	3.61	6.1												
15:00:00														
16:00:00	4.11	4.81												
17:00:00	3.54	3.31												
18:00:00	2.46	4.42												
19:00:00	4.15	4.35												
20:00:00	3.78	4.82												
21:00:00	3.24	18.2												
22:00:00	4.73	13.44												
23:00:00	4.16	17.55												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.07	8.87												
C50	4.01	4.78	0	0	0	0	0	0						
MAX	5.44	28.94												
MIN	2.46	3.18												
C99.9	5.44	28.91	0	0	0	0	0	0						
C98	5.28	28.39	0	0	0	0	0	0						
C95	5.08	26.32	0	0	0	0	0	0						

Datum: 2016-07-04

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	3.05	16.63												
01:00:00	3.93	14.14												
02:00:00	3.32	14.28												
03:00:00	4.36	4.79												
04:00:00	4.6	5.11												
05:00:00	5.13	4.72												
06:00:00	4.77	3.91												
07:00:00	4.75	4.75												
08:00:00	4.47	3.61												
09:00:00	4.47	3.44												
10:00:00	4.33	2.69												
11:00:00	4.2	3.3												
12:00:00	3.58	2.64												
13:00:00	3.99	2.25												
14:00:00	3.87	2.1												
15:00:00	4.45	2.56												
16:00:00														
17:00:00	3.86	1.82												
18:00:00	4.59	2.46												
19:00:00	4.32	12.54												
20:00:00	5.67	41.23												
21:00:00	6.01	8.5												
22:00:00	5.31	6.56												
23:00:00	4.31	37.99												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.41	8.78												
C50	4.35	4.32	0	0	0	0	0	0						
MAX	6.01	41.23												
MIN	3.05	1.82												
C99.9	6.01	41.16	0	0	0	0	0	0						
C98	5.85	39.74	0	0	0	0	0	0						
C95	5.61	34.79	0	0	0	0	0	0						

Datum: 2016-07-05

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	5.88	15.85											
01:00:00	6.42	7.51											
02:00:00	6.99	24.79											
03:00:00	7.68	29.05											
04:00:00	7.73	43.52											
05:00:00	7.91	25.03											
06:00:00	7.07	8.44											
07:00:00	7.75	4.94											
08:00:00	5.9	3.67											
09:00:00	4.96	5.81											
10:00:00	5.04	2.14											
11:00:00	3.55	1.61											
12:00:00	3.72	2.15											
13:00:00	3.61	2.47											
14:00:00	3.55	2.45											
15:00:00	4.23	2.23											
16:00:00	3.47	2.19											
17:00:00													
18:00:00	3.91	2.56											
19:00:00	4.99	2.42											
20:00:00	9.83	2.51											
21:00:00	19.95	2.88											
22:00:00	19.07	2.79											
23:00:00	16.22	9.19											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	7.37	8.96											
C50	5.89	2.84	0	0	0	0	0	0					
MAX	19.95	43.52											
MIN	3.47	1.61											
C99.9	19.93	43.19	0	0	0	0	0	0					
C98	19.55	36.86	0	0	0	0	0	0					
C95	18.64	28.45	0	0	0	0	0	0					

Datum: 2016-07-06

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	13.71	2.94											
01:00:00	10.85	4.37											
02:00:00	8.61	2.45											
03:00:00	6.45	2.66											
04:00:00	5.95	2.7											
05:00:00	4.94	2.22											
06:00:00	4.25	2.77											
07:00:00	5.78	2.81											
08:00:00	5.45	1.74											
09:00:00	4.3	2.45											
10:00:00	4.5	2.19											
11:00:00	5.49	3.22											
12:00:00	4.6	2.39											
13:00:00	9.02	2.72											
14:00:00	10.48	3.53											
15:00:00	4.32	2.99											
16:00:00	4.14	2.23											
17:00:00	3.81	4.99											
18:00:00													
19:00:00	4.9	17.23											
20:00:00	4.88	17.91											
21:00:00	7.42	5.77											
22:00:00	8.61	13.9											
23:00:00	7.52	11.72											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	6.52	5.13											
C50	5.47	2.79	0	0	0	0	0	0					
MAX	13.71	17.91											
MIN	3.81	1.74											
C99.9	13.65	17.9	0	0	0	0	0	0					
C98	12.4	17.6	0	0	0	0	0	0					
C95	10.8	16.73	0	0	0	0	0	0					

Datum: 2016-07-07

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.63	26.51												
01:00:00	5.24	6.43												
02:00:00	5.29	23.72												
03:00:00	5.2	30.77												
04:00:00	3.91	15.04												
05:00:00	4.02	10												
06:00:00	4.65	5.9												
07:00:00	4.25	4.52												
08:00:00	3.94	3.98												
09:00:00	3.38	3.1												
10:00:00	3.67	3.14												
11:00:00	4.68	3.98												
12:00:00	3.57	4.3												
13:00:00	4.01	3.34												
14:00:00	3.27	5.39												
15:00:00	3.89	5.12												
16:00:00	3.33	4.99												
17:00:00	3.54	5.16												
18:00:00	4.11	4.98												
19:00:00														
20:00:00	4.68	19.53												
21:00:00	4.61	17.02												
22:00:00	4.98	44.73												
23:00:00	5.69	42.02												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.28	12.77												
C50	4.07	5.27	0	0	0	0	0	0						
MAX	5.69	44.73												
MIN	3.27	3.1												
C99.9	5.68	44.67	0	0	0	0	0	0						
C98	5.51	43.48	0	0	0	0	0	0						
C95	5.28	40.33	0	0	0	0	0	0						

Datum: 2016-07-08

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	5.78	16.48												
01:00:00	5.8	14.47												
02:00:00	5.25	5.7												
03:00:00	4.24	6.38												
04:00:00	4.58	12.08												
05:00:00	5.04	7.43												
06:00:00	3.51	2.92												
07:00:00	4.08	3.39												
08:00:00	4.45	2.39												
09:00:00	3.73	2.07												
10:00:00	3.84	1.86												
11:00:00	3.61	2.06												
12:00:00	4.33	1.86												
13:00:00	3.52	1.77												
14:00:00	4.39	2.22												
15:00:00	3.26	2.74												
16:00:00	4.24	1.86												
17:00:00	4.81	2.3												
18:00:00	4.92	3.04												
19:00:00	4.1	1.88												
20:00:00														
21:00:00	3.51	18.92												
22:00:00	2.92	4.44												
23:00:00	3.05	2.14												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.22	5.23												
C50	4.17	2.56	0	0	0	0	0	0						
MAX	5.8	18.92												
MIN	2.92	1.77												
C99.9	5.8	18.86	0	0	0	0	0	0						
C98	5.79	17.8	0	0	0	0	0	0						
C95	5.7	16.18	0	0	0	0	0	0						

Datum: 2016-07-09

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	3.18	2.18											
01:00:00	3.26	2.14											
02:00:00	4.31	2.49											
03:00:00	3.03	2.27											
04:00:00	4.27	2.7											
05:00:00	4.72	2.83											
06:00:00	5.45	2.97											
07:00:00	8.25	2.8											
08:00:00	21.38	4.09											
09:00:00	33.8	5.46											
10:00:00	23.97	6.26											
11:00:00	15.15	5.81											
12:00:00	6.9	4.63											
13:00:00	5.21	3.57											
14:00:00	3.9	6.09											
15:00:00	4.67	3.3											
16:00:00	5.06	7.72											
17:00:00	3.97	4.3											
18:00:00	5.87	3.24											
19:00:00	4.08	3.29											
20:00:00	3.93	19.08											
21:00:00													
22:00:00	5.9	2.39											
23:00:00	5.91	2.91											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	8.09	4.46											
C50	4.89	3.26	0	0	0	0	0	0					
MAX	33.8	19.08											
MIN	3.03	2.14											
C99.9	33.57	18.82	0	0	0	0	0	0					
C98	29.28	13.85	0	0	0	0	0	0					
C95	23.58	7.5	0	0	0	0	0	0					

Datum: 2016-07-10

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.73	7.64					
01:00:00	5.31	11.48					
02:00:00	5.38	23.98					
03:00:00	5.12	5.6					
04:00:00	4.39	7.43					
05:00:00	4.85	24.24					
06:00:00	7.23	14.06					
07:00:00	5.13	3.96					
08:00:00	3.45	3.17					
09:00:00	3.54	3.67					
10:00:00	4.5	3.12					
11:00:00	4.14	2.64					
12:00:00	3.22	3.17					
13:00:00	3.32	5.17					
14:00:00	4.37	2.51					
15:00:00	4.39	1.82					
16:00:00	3.94	1.98					
17:00:00	3.99	2.02					
18:00:00	2.84	2.54					
19:00:00	3.74	3.18					
20:00:00	6.5	8.78					
21:00:00	5.18	16.18					
22:00:00							
23:00:00	3.82	43.3					

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%
AVG	4.53	8.77					
C50	4.38	3.82	0	0	0	0	0
MAX	7.23	43.3					
MIN	2.84	1.82					
C99.9	7.22	42.86	0	0	0	0	0
C98	6.9	34.53	0	0	0	0	0
C95	6.38	24.2	0	0	0	0	0

Datum: 2016-07-11

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	4.85	9.92											
01:00:00	3.05	7.27											
02:00:00	3.97	2.67											
03:00:00	2.86	2.8											
04:00:00	3.91	2.93											
05:00:00	3.6	2.41											
06:00:00	4.08	2.66											
07:00:00	6.08	2.59											
08:00:00	25.52	3.87											
09:00:00	32.38	1.74											
10:00:00	27.41	2.16											
11:00:00	16.86	3.41											
12:00:00	6.57	2.1											
13:00:00	6.89	2.62											
14:00:00	6.85	1.78											
15:00:00	12.24	2.41											
16:00:00	12.71	2.8											
17:00:00	20.82	2.38											
18:00:00	19.2	2.8											
19:00:00	10.79	2.4											
20:00:00	8.12	17.25											
21:00:00	8.41	17.04											
22:00:00	5.75	8.71											
23:00:00													

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	11	4.64											
C50	6.87	2.67	0	0	0	0	0	0					
MAX	32.38	17.25											
MIN	2.86	1.74											
C99.9	32.27	17.25	0	0	0	0	0	0					
C98	30.1	17.15	0	0	0	0	0	0					
C95	27.13	15.97	0	0	0	0	0	0					

Datum: 2016-07-12

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	5.75	2.65											
01:00:00	4.81	2.39											
02:00:00	4.23	2.2											
03:00:00	3.7	3.18											
04:00:00	4.88	2.61											
05:00:00	4.66	2.36											
06:00:00	6.06	2.92											
07:00:00	7.73	2.74											
08:00:00	6.72	1.71											
09:00:00	6.56	2.64											
10:00:00	6.91	3.68											
11:00:00	7.5	2.99											
12:00:00	30.7	3.2											
13:00:00	53.48	3.94											
14:00:00	41.78	2.62											
15:00:00	46.05	3.24											
16:00:00	48.17	2.39											
17:00:00	32.21	3.2											
18:00:00	18.94	2.78											
19:00:00	10.84	5.99											
20:00:00	7.42	4.18											
21:00:00	4.55	7.81											
22:00:00	4.37	2.56											
23:00:00	5.72	2.37											

Ras pod	100%	100%	0%	0%	0%	0%	0%	0%					
AVG	15.57	3.18											
C50	6.82	2.76	0	0	0	0	0	0					
MAX	53.48	7.81											
MIN	3.7	1.71											
C99.9	53.36	7.77	0	0	0	0	0	0					
C98	51.04	6.97	0	0	0	0	0	0					
C95	47.85	5.72	0	0	0	0	0	0					

Datum: 2016-07-13

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00							
01:00:00	5.51	2.33					
02:00:00	4.15	3.13					
03:00:00	5.22	2.41					
04:00:00	4.61	2.36					
05:00:00	3.69	2.59					
06:00:00	5.02	3.11					
07:00:00	3.79	2.51					
08:00:00	4.38	1.8					
09:00:00	6.35	1.99					
10:00:00	8	2.5					
11:00:00	4.67	2.23					
12:00:00	3.96	3.67					
13:00:00	4.36	2.25					
14:00:00	3.72	2.64					
15:00:00	4.73	2.18					
16:00:00	2.82	2.58					
17:00:00	2.74	2.18					
18:00:00	3.45	2.79					
19:00:00	3.76	4.09					
20:00:00	4.38	3.5					
21:00:00	3.71	3.18					
22:00:00	3.27	2.51					
23:00:00	3.79	2.3					

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%
AVG	4.35	2.64					
C50	4.06	2.5	0	0	0	0	0
MAX	8	4.09					
MIN							
C99.9	7.97	4.08	0	0	0	0	0
C98	7.24	3.9	0	0	0	0	0
C95	6.23	3.65	0	0	0	0	0

Datum: 2016-07-14

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	3.06	2.29												
01:00:00														
02:00:00	3.34	8.73												
03:00:00	3.66	8.75												
04:00:00	4.11	13.2												
05:00:00	4.03	6.45												
06:00:00	4.17	2.99												
07:00:00	3.18	2.59												
08:00:00	3.6	3.61												
09:00:00	2.92	3.14												
10:00:00	3.83	3.38												
11:00:00	5.24	6.96												
12:00:00	3.39	5.69												
13:00:00	3.46	8.52												
14:00:00	3.71	9.8												
15:00:00	3.58	6.8												
16:00:00	3.68	3.85												
17:00:00	2.91	3.78												
18:00:00	2.81	3.56												
19:00:00	3.61	2.31												
20:00:00	3.6	2.28												
21:00:00	3.49	1.69												
22:00:00	3.32	2.9												
23:00:00	3.8	3												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	3.59	5.05												
C50	3.59	3.58	0	0	0	0	0	0						
MAX	5.24	13.2												
MIN	2.81	1.69												
C99.9	5.21	13.12	0	0	0	0	0	0						
C98	4.74	11.64	0	0	0	0	0	0						
C95	4.16	9.64	0	0	0	0	0	0						

Datum: 2016-07-15

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	3.32	2.98											
01:00:00	3.92	4.57											
02:00:00													
03:00:00	4.18	4.55											
04:00:00	2.7	11.57											
05:00:00	3.34	10.81											
06:00:00	3.61	6.92											
07:00:00	3.87	3.64											
08:00:00	3.97	2.62											
09:00:00	3.82	2.83											
10:00:00	4.35	3.06											
11:00:00	4.33	3.12											
12:00:00	4.03	2.45											
13:00:00	4.62	1.94											
14:00:00	4.55	2.41											
15:00:00	3.52	8.73											
16:00:00	3.76	5.25											
17:00:00	3.75	3.16											
18:00:00	3.58	4.06											
19:00:00	3.98	3.55											
20:00:00	3.07	3											
21:00:00	3.49	2.72											
22:00:00	3.14	2.22											
23:00:00	3.5	2.7											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	3.76	4.3											
C50	3.75	3.09	0	0	0	0	0	0					
MAX	4.62	11.57											
MIN	2.7	1.94											
C99.9	4.62	11.55	0	0	0	0	0	0					
C98	4.59	11.22	0	0	0	0	0	0					
C95	4.52	10.5	0	0	0	0	0	0					

Datum: 2016-07-16

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	2.53	2.77												
01:00:00	3.68	2.13												
02:00:00	3.47	2.97												
03:00:00														
04:00:00	3.57	2.75												
05:00:00	3.97	2.74												
06:00:00	3.42	3.79												
07:00:00	3.74	3.12												
08:00:00	3.8	3.11												
09:00:00	4.03	2.44												
10:00:00	4.03	2.22												
11:00:00	4.09	2.22												
12:00:00	3.12	2.1												
13:00:00	2.94	2.14												
14:00:00	3.58	2.57												
15:00:00	4	2.04												
16:00:00	2.62	2.78												
17:00:00	2.72	2.29												
18:00:00	4.02	2.97												
19:00:00	2.93	2.44												
20:00:00	2.45	2.71												
21:00:00	3.59	2.39												
22:00:00	3.53	1.91												
23:00:00	5.13	1.88												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	3.52	2.54												
C50	3.58	2.44	0	0	0	0	0	0						
MAX	5.13	3.79												
MIN	2.45	1.88												
C99.9	5.1	3.77	0	0	0	0	0	0						
C98	4.65	3.48	0	0	0	0	0	0						
C95	4.08	3.12	0	0	0	0	0	0						

Datum: 2016-07-17

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	3.56	1.98											
01:00:00	2.62	5.38											
02:00:00	3.07	6.97											
03:00:00	3.8	9.18											
04:00:00													
05:00:00	3.32	6.24											
06:00:00	4.78	4.76											
07:00:00	2.98	3.75											
08:00:00	3.94	4.31											
09:00:00	3.29	3.78											
10:00:00	3.78	4.37											
11:00:00	3.51	5.01											
12:00:00	3.5	5.42											
13:00:00	3.7	6.1											
14:00:00	4.25	2.99											
15:00:00	3.72	3.83											
16:00:00	3.47	3.55											
17:00:00	3.02	4.03											
18:00:00	3.5	6.16											
19:00:00	4.55	3.24											
20:00:00	3.52	3.28											
21:00:00	4.62	2.78											
22:00:00	3.86	4.35											
23:00:00	3.57	4.86											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	3.65	4.62											
C50	3.54	4.33	0	0	0	0	0	0					
MAX	4.78	9.18											
MIN	2.62	1.98											
C99.9	4.77	9.12	0	0	0	0	0	0					
C98	4.7	8.16	0	0	0	0	0	0					
C95	4.61	6.86	0	0	0	0	0	0					

Datum: 2016-07-18

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	4.26	5.21											
01:00:00	3.47	7.58											
02:00:00	3.85	5.02											
03:00:00	3.32	5.34											
04:00:00	3.53	4.7											
05:00:00													
06:00:00	4.47	4.52											
07:00:00	3.47	3.04											
08:00:00	4.43	3.48											
09:00:00	2.84	4.57											
10:00:00	4.19	4.45											
11:00:00	4.41	3.82											
12:00:00	4.97	3.8											
13:00:00	3.43	4.65											
14:00:00	3.83	4.51											
15:00:00	2.97	3.19											
16:00:00	3.34	2.8											
17:00:00	4.35	2.73											
18:00:00	3.99	2.94											
19:00:00	3.48	11.18											
20:00:00	4.48	14.77											
21:00:00	3.67	5.56											
22:00:00	5.29	2.42											
23:00:00	4.77	3.72											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	3.95	4.96											
C50	3.84	4.48	0	0	0	0	0	0					
MAX	5.29	14.77											
MIN	2.84	2.42											
C99.9	5.29	14.69	0	0	0	0	0	0					
C98	5.14	13.12	0	0	0	0	0	0					
C95	4.94	10.64	0	0	0	0	0	0					

Datum: 2016-07-19

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.99	3.64												
01:00:00	5.39	11.72												
02:00:00	4.06	8.44												
03:00:00	4.51	5.79												
04:00:00	4.62	7.04												
05:00:00	3.85	5.85												
06:00:00														
07:00:00	4.06	5.96												
08:00:00	3.7	2.55												
09:00:00	4.75	3.21												
10:00:00	2.99	2.8												
11:00:00	4.21	2.52												
12:00:00	3.9	2.93												
13:00:00	3.62	2.94												
14:00:00	3.57	2.56												
15:00:00	3.93	1.78												
16:00:00	4.02	4.06												
17:00:00	3.65	4.41												
18:00:00	3.58	3.37												
19:00:00	3.78	3.13												
20:00:00	3.12	6.29												
21:00:00	3.48	6.36												
22:00:00	3.86	19.48												
23:00:00	5.34	28.61												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.04	6.32												
C50	3.88	3.85	0	0	0	0	0	0						
MAX	5.39	28.61												
MIN	2.99	1.78												
C99.9	5.39	28.4	0	0	0	0	0	0						
C98	5.37	24.41	0	0	0	0	0	0						
C95	5.28	18.32	0	0	0	0	0	0						

Datum: 2016-07-20

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.24	13.32					
01:00:00	5.23	15.9					
02:00:00	5.71	19.17					
03:00:00	6.05	16.66					
04:00:00	4.34	7.5					
05:00:00	5.01	5.5					
06:00:00	4.2	4.59					
07:00:00							
08:00:00	4.34	4.07					
09:00:00	4.29	5.56					
10:00:00	4.66	3.4					
11:00:00	3.61	2.83					
12:00:00	4	2.38					
13:00:00	3.21	3.35					
14:00:00	3.43	3.15					
15:00:00	3.57	2.54					
16:00:00	4.48	2.12					
17:00:00	3.61	2.33					
18:00:00	3.89	2.34					
19:00:00	3	2.21					
20:00:00	4.15	6.71					
21:00:00	3.87	7.88					
22:00:00	4.59	7.31					
23:00:00	4.43	27.03					

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%
AVG	4.3	7.3					
C50	4.24	4.33	0	0	0	0	0
MAX	6.05	27.03					
MIN	3	2.12					
C99.9	6.04	26.85	0	0	0	0	0
C98	5.89	23.41	0	0	0	0	0
C95	5.64	18.79	0	0	0	0	0

Datum: 2016-07-21

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.83	6.95												
01:00:00	3.75	7.49												
02:00:00	4.1	16.74												
03:00:00	5.84	64.7												
04:00:00	4.19	3.58												
05:00:00	3.08	2.88												
06:00:00	3.53	6.32												
07:00:00	4.39	4.73												
08:00:00														
09:00:00	3.8	3.42												
10:00:00	3.77	3.66												
11:00:00	3.61	4.4												
12:00:00	4.55	2.96												
13:00:00	2.79	3.88												
14:00:00	4.68	2.47												
15:00:00	4.28	3.49												
16:00:00	4.08	2.75												
17:00:00	3.43	3.65												
18:00:00	4.38	7.57												
19:00:00	4.26	5.39												
20:00:00	4.48	5.83												
21:00:00	4.84	6.55												
22:00:00	4.21	12.91												
23:00:00	3.74	25.08												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.11	9.02												
C50	4.15	4.57	0	0	0	0	0	0						
MAX	5.84	64.7												
MIN	2.79	2.47												
C99.9	5.82	63.79	0	0	0	0	0	0						
C98	5.38	46.48	0	0	0	0	0	0						
C95	4.84	23.83	0	0	0	0	0	0						

Datum: 2016-07-22

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.25	8.05												
01:00:00	4.23	8.51												
02:00:00	4.69	2.56												
03:00:00	3	6.85												
04:00:00	4.38	28.74												
05:00:00	4.21	8.31												
06:00:00	3.47	2.29												
07:00:00	3.64	2.23												
08:00:00	9.71	2.66												
09:00:00														
10:00:00	16.27	3.06												
11:00:00	9.53	1.29												
12:00:00	5.49	2.29												
13:00:00	5.2	2.18												
14:00:00	5.53	2.07												
15:00:00	4.9	2.83												
16:00:00	4.42	2.3												
17:00:00	3.88	2.77												
18:00:00	3.65	1.6												
19:00:00	3.42	1.93												
20:00:00	5.39	15.13												
21:00:00	4.26	22.84												
22:00:00	4.17	18.27												
23:00:00	4.52	33.94												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	5.31	7.94												
C50	4.32	2.72	0	0	0	0	0	0						
MAX	16.27	33.94												
MIN	3	1.29												
C99.9	16.12	33.82	0	0	0	0	0	0						
C98	13.25	31.55	0	0	0	0	0	0						
C95	9.68	27.86	0	0	0	0	0	0						

Datum: 2016-07-23

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	3.96	15.43											
01:00:00	3.98	9.56											
02:00:00	3.18	3.68											
03:00:00	3.48	8.01											
04:00:00	3.51	5.83											
05:00:00	3.98	17.93											
06:00:00	4.05	4.48											
07:00:00	9.06	2.72											
08:00:00	10.18	2.42											
09:00:00	18.1	2.89											
10:00:00													
11:00:00	49.57	3.56											
12:00:00	27.15	3.41											
13:00:00	28.24	3.2											
14:00:00	24.69	2.12											
15:00:00	22.56	3.15											
16:00:00	17.87	2.35											
17:00:00	11.38	2.97											
18:00:00	10.21	3.76											
19:00:00	8.23	3.72											
20:00:00	4.95	13.45											
21:00:00	4.49	10.5											
22:00:00	5.7	15.31											
23:00:00	5.12	7.34											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	12.33	6.43											
C50	6.96	3.7	0	0	0	0	0	0					
MAX	49.57	17.93											
MIN	3.18	2.12											
C99.9	49.08	17.88	0	0	0	0	0	0					
C98	39.76	16.78	0	0	0	0	0	0					
C95	28.08	15.41	0	0	0	0	0	0					

Datum: 2016-07-24

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	5.41	17.63											
01:00:00	4.51	9.51											
02:00:00	3.43	11.05											
03:00:00	3.69	23.1											
04:00:00	4.41	9.92											
05:00:00	3.82	16.27											
06:00:00	3.52	4.38											
07:00:00	5.05	2.75											
08:00:00	4.68	1.21											
09:00:00	3.15	2.75											
10:00:00	3.17	2.48											
11:00:00													
12:00:00	4.28	1.77											
13:00:00	2.71	2.23											
14:00:00	3.79	2.13											
15:00:00	2.79	2.24											
16:00:00	4.23	2.2											
17:00:00	3.14	2.27											
18:00:00	3.65	2.1											
19:00:00	4.02	10.63											
20:00:00	3.3	10.94											
21:00:00	3.97	8.3											
22:00:00	3.68	25.87											
23:00:00	3.94	5.79											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	3.84	7.72											
C50	3.74	3.57	0	0	0	0	0	0					
MAX	5.41	25.87											
MIN	2.71	1.21											
C99.9	5.4	25.81	0	0	0	0	0	0					
C98	5.24	24.6	0	0	0	0	0	0					
C95	4.99	22.28	0	0	0	0	0	0					

Datum: 2016-07-25

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.57	3.16												
01:00:00	3.63	2.8												
02:00:00	4.05	7.1												
03:00:00	4.29	14.67												
04:00:00	4.09	6.67												
05:00:00	4.04	8.86												
06:00:00	4.1	3.53												
07:00:00	4.58	2.51												
08:00:00	4.39	3.15												
09:00:00	2.93	2.73												
10:00:00	3.68	2.75												
11:00:00	2.82	2.37												
12:00:00														
13:00:00	3.78	2.58												
14:00:00	4.09	2.39												
15:00:00	3.97	4.1												
16:00:00	3.92	6.48												
17:00:00	3.56	5.06												
18:00:00	3.91	3.8												
19:00:00	5.1	3.53												
20:00:00	5.09	3.69												
21:00:00	4.62	9.12												
22:00:00	4.02	6.54												
23:00:00	8.43	6												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.25	4.94												
C50	4.04	3.61	0	0	0	0	0	0						
MAX	8.43	14.67												
MIN	2.82	2.37												
C99.9	8.36	14.54	0	0	0	0	0	0						
C98	6.9	12.12	0	0	0	0	0	0						
C95	5.1	9.08	0	0	0	0	0	0						

Datum: 2016-07-26

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	6.62	8.53											
01:00:00	5.87	6.55											
02:00:00	4.32	7.88											
03:00:00	4.74	5.85											
04:00:00	5.63	6.45											
05:00:00	4.43	4.81											
06:00:00	4.45	3.34											
07:00:00	4.75	3.87											
08:00:00	4.4	2.36											
09:00:00	4.55	2.42											
10:00:00	3.62	2.43											
11:00:00	3.54	1.76											
12:00:00	4.69	2.12											
13:00:00													
14:00:00	3.64	3.69											
15:00:00	3.97	3.05											
16:00:00	4.58	2.36											
17:00:00	4.13	2.63											
18:00:00	3.36	2.28											
19:00:00	2.84	3.05											
20:00:00	3.82	7.75											
21:00:00	5.18	4.47											
22:00:00	3.32	12.04											
23:00:00	3.67	5.99											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	4.35	4.59											
C50	4.36	3.52	0	0	0	0	0	0					
MAX	6.62	12.04											
MIN	2.84	1.76											
C99.9	6.61	11.96	0	0	0	0	0	0					
C98	6.28	10.42	0	0	0	0	0	0					
C95	5.84	8.43	0	0	0	0	0	0					

Datum: 2016-07-27

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	3.79	10.76												
01:00:00	4.15	6.54												
02:00:00	3.88	5.04												
03:00:00	4.31	13.84												
04:00:00	4.26	11.7												
05:00:00	3.97	14.28												
06:00:00	5.45	13.31												
07:00:00	4.74	3.15												
08:00:00	3.14	2.08												
09:00:00	4.02	1.75												
10:00:00	3.27	2.11												
11:00:00	4.23	2.3												
12:00:00	4.37	2.23												
13:00:00	2.98	2.16												
14:00:00														
15:00:00	2.85	2.87												
16:00:00	4.21	2.34												
17:00:00	3.14	1.82												
18:00:00	4.33	1.77												
19:00:00	2.92	2.8												
20:00:00	3.51	23.69												
21:00:00	4.27	17.24												
22:00:00	3.33	3.38												
23:00:00	3.17	28.72												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	3.84	7.65												
C50	3.93	3.01	0	0	0	0	0	0						
MAX	5.45	28.72												
MIN	2.85	1.75												
C99.9	5.43	28.61	0	0	0	0	0	0						
C98	5.12	26.41	0	0	0	0	0	0						
C95	4.69	22.72	0	0	0	0	0	0						

Datum: 2016-07-28

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	3.69	29.45											
01:00:00	4.58	4.26											
02:00:00	4	2.39											
03:00:00	3.56	4.06											
04:00:00	3.61	3.43											
05:00:00	2.9	3.02											
06:00:00	3.46	2.19											
07:00:00	5.13	2.83											
08:00:00	3.49	2.64											
09:00:00	3.04	2.1											
10:00:00	3.63	2.07											
11:00:00	4.7	2.24											
12:00:00	4.28	2.26											
13:00:00	3.81	2.58											
14:00:00	4.01	2.46											
15:00:00													
16:00:00	4.04	2.7											
17:00:00	3.99	2.92											
18:00:00	4.04	7.39											
19:00:00	3.96	16.55											
20:00:00	4.95	17.81											
21:00:00	4.33	10.1											
22:00:00	4.79	8.67											
23:00:00	4.37	4.25											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	4.02	6.02											
C50	3.99	2.87	0	0	0	0	0	0					
MAX	5.13	29.45											
MIN	2.9	2.07											
C99.9	5.13	29.18	0	0	0	0	0	0					
C98	5.05	24.09	0	0	0	0	0	0					
C95	4.93	17.62	0	0	0	0	0	0					

Datum: 2016-07-29

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.41	4.8												
01:00:00	4.96	5.73												
02:00:00	4.7	4.45												
03:00:00	5.09	13.41												
04:00:00	5.75	3.46												
05:00:00	5.9	4.66												
06:00:00	6.91	4.35												
07:00:00	4.83	3.73												
08:00:00	4.66	3.17												
09:00:00	4.4	4.27												
10:00:00	3.58	2.86												
11:00:00	3.7	2.19												
12:00:00	3.32	4.03												
13:00:00	3	1.89												
14:00:00	3.19	3.4												
15:00:00	3.8	3.08												
16:00:00														
17:00:00	3.86	2.26												
18:00:00	4.07	3.87												
19:00:00	3.21	2.52												
20:00:00	3.27	25.16												
21:00:00	3.94	9.17												
22:00:00	4.08	5.56												
23:00:00	5.16	15.46												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	4.34	5.8												
C50	4.07	3.95	0	0	0	0	0	0						
MAX	6.91	25.16												
MIN	3	1.89												
C99.9	6.89	24.94	0	0	0	0	0	0						
C98	6.44	20.7	0	0	0	0	0	0						
C95	5.87	15.15	0	0	0	0	0	0						

Datum: 2016-07-30

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	4.68	10.85												
01:00:00	5.8	29.23												
02:00:00	7.08	35.62												
03:00:00	9.9	65.03												
04:00:00	8.28	11.69												
05:00:00	7.56	6.79												
06:00:00	8.41	5.82												
07:00:00	7.64	5.17												
08:00:00	4.57	3.96												
09:00:00	4.76	3.56												
10:00:00	4.26	2.73												
11:00:00	3.56	3.26												
12:00:00	4.67	2.45												
13:00:00	4.65	2.19												
14:00:00	3.12	2.78												
15:00:00	3.88	2.13												
16:00:00	3.37	2.9												
17:00:00														
18:00:00	3.21	2.21												
19:00:00	2.7	3.43												
20:00:00	3.44	7.11												
21:00:00	6.67	6.96												
22:00:00	9.24	4.02												
23:00:00	8.88	5.76												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	5.67	9.81												
C50	4.68	3.99	0	0	0	0	0	0						
MAX	9.9	65.03												
MIN	2.7	2.13												
C99.9	9.88	64.35	0	0	0	0	0	0						
C98	9.59	51.5	0	0	0	0	0	0						
C95	9.18	34.66	0	0	0	0	0	0						

Datum: 2016-07-31

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	8.63	3.26												
01:00:00	8.67	4.51												
02:00:00	7.89	8.21												
03:00:00	7.35	2.98												
04:00:00	6.3	4.07												
05:00:00	6.46	2.18												
06:00:00	5.29	2.47												
07:00:00	4.13	2.82												
08:00:00	4.92	3.04												
09:00:00	13.3	2.49												
10:00:00	16.92	2.29												
11:00:00	13.5	2.53												
12:00:00	10.43	1.81												
13:00:00	15.22	3.08												
14:00:00	10.79	2.1												
15:00:00	17.05	1.67												
16:00:00	12.54	2.16												
17:00:00	9.58	2.44												
18:00:00														
19:00:00	5.67	2.18												
20:00:00	13.21	3.88												
21:00:00	4.01	3.01												
22:00:00	22.7	2.06												
23:00:00	28.84	2.18												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	11.02	2.93												
C50	9.12	2.48	0	0	0	0	0	0						
MAX	28.84	8.21												
MIN	4.01	1.67												
C99.9	28.7	8.12	0	0	0	0	0	0						
C98	26.01	6.51	0	0	0	0	0	0						
C95	21.85	4.44	0	0	0	0	0	0						

