



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10003 Novi Sad - Šangaj - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-11-01 do 2016-11-30

KOD stanice: **RS10003**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.272 / 19.873**

Nadmorska visina: **80**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-11-01

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.7	2.97	0.4	0.44	0	0	0.28
01:00:00	6.68	2.44	0.23	0.22	0	0	0.08
02:00:00	6.82	2.54	0.18	0.12	0	0	0.09
03:00:00	8.36	2.5	0.18	0.17	0	0	0
04:00:00	8.61	2.73	0.19	0.16	0	0	0
05:00:00	7.48	3.08	0.18	0.11	0	0	0.06
06:00:00	6.69	2.68	0.21	0.14	0	0	0.06
07:00:00	8.43	2.08	0.25	0.25	0	0	0.13
08:00:00	8.3	3.11	0.25	0.28	0	0	0.08
09:00:00	7.77	4.43	0.22	0.32	0	0	0.17
10:00:00			0.24	0.35	0	0	0.13
11:00:00	8.16	2.65	0.19	0.31	0	0	0.05
12:00:00	6.58	3.28	0.17	0.19	0	0	0
13:00:00	6.68	3.54	0.16	0.17	0	0	0
14:00:00	6.37	2.69	0.18	0.25	0	0	0.09
15:00:00	6.55	12.28	0.17	0.23	0	0	0
16:00:00	7.51	9.07	0.17	0.5	0	0	0
17:00:00	17.28	12.1	1.42	2.54	0	0	1.18
18:00:00	29.32	6.42	6.37	6.05	0	0	2.19
19:00:00	21.16	5.25	7.49	3.92	0	0	1.75
20:00:00	15.9	3.53	4.19	2.2	0	0	0.89
21:00:00	15.35	5.15	2.26	1.16	0	0	0.51
22:00:00	13.37	3.73	3.06	1.32	0	0	0.56
23:00:00	11.56	3.02	1.62	1.14	0	0	0.36

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.5	4.4	1.25	0.94	0	0	0.36
C50	7.96	3.1	0.23	0.3	0	0	0.09
MAX	29.32	12.28	7.49	6.05	0	0	2.19
MIN	6.37	2.08	0.16	0.11	0	0	0
C99.9	29.13	12.28	7.46	6	0	0	2.18
C98	25.57	12.2	6.97	5.07	0	0	1.98
C95	20.58	11.64	6.04	3.71	0	0	1.66

Datum: 2016-11-02

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	13.63	2.07	0.69	0.56	0	0	0.2
01:00:00	11.52	2.5	0.45	0.36	0	0	0.18
02:00:00	8.82	8.06	0.28	0.21	0	0	0
03:00:00	9.63	10.63	0.27	0.29	0.17	0	0.13
04:00:00	7.5	31.6	0.41	0.83	0.17	0	0.33
05:00:00	11.01	23.06	0.56	1.19	0.12	0.04	0.37
06:00:00	9.7	42.37	1.18	1.7	0.08	0.04	0.69
07:00:00	17.44	17.59	1.37	4.7	0.56	0.41	1.54
08:00:00	33.06	7.4	5.46	6.46	0.38	0.25	2.93
09:00:00	24.03	4.43	3.35	2.64	0.17	0	1.42
10:00:00	20.15	2.41	0.45	0.79	0	0	0.6
11:00:00			0.2	0.34	0	0	0.25
12:00:00	18.76	8.01	0.17	0.26	0	0	0.19
13:00:00	21.36	16.54	0.22	0.25	0	0	0.09
14:00:00	18.49	4.7	0.29	0.61	0	0	0.37
15:00:00	29.43	8.43	0.34	0.72	0	0	0.51
16:00:00	31.9	7.06	1.92	2.82	0	0	1.88
17:00:00	26.28	10.76	4.47	4.47	0	0	2.13
18:00:00	17.17	9.4	1.59	1.91	0.13	0	1.48
19:00:00	11.55	3.27	0.68	1.21	0.13	0.04	0.78
20:00:00	9.17	4	0.51	0.67	0.04	0	0.52
21:00:00	9.19	2.4	0.51	0.79	0	0	0.43
22:00:00	7.8	4.42	0.32	0.54	0	0	0.27
23:00:00	6.4	3.6	0.34	0.39	0	0	0.23

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	16.26	10.2	1.09	1.45	0.08	0.03	0.73
C50	12.59	7.23	0.48	0.75	0	0	0.4
MAX	33.06	42.37	5.46	6.46	0.56	0.41	2.93
MIN	6.4	2.07	0.17	0.21	0	0	0
C99.9	33.03	42.13	5.44	6.42	0.55	0.41	2.92
C98	32.52	37.42	5.01	5.65	0.48	0.34	2.56
C95	31.53	30.32	4.3	4.67	0.35	0.22	2.09

Datum: 2016-11-03

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.68	9.21	0.17	0.2	0	0	0
01:00:00	6.58	3.09	0.38	0.86	0.44	0.61	0.51
02:00:00	6.6	3.49	0.21	0.47	0.26	0	0.44
03:00:00	7.1	3.27	0.17	0.32	0	0	0.18
04:00:00	6.82	1.61	0.23	0.65	0.25	0.07	0.45
05:00:00	6.45	2.96	0.17	0.39	0.17	0.04	0.29
06:00:00	7.17	2.93	0.22	0.49	0.08	0.04	0.31
07:00:00	7.36	2.09	0.15	0.38	0.17	0.04	0.22
08:00:00	7.71	3.17	0.26	0.63	0	0	0.38
09:00:00	10.72	2.34	0.19	0.49	0	0	0.31
10:00:00	6.94	2.15	0.24	0.59	0	0	0.3
11:00:00	5.78	2.75	0.13	0.3	0	0	0.16
12:00:00			0.13	0.25	0	0	0.07
13:00:00	5.91	2.29	0.15	0.28	0	0	0.13
14:00:00	6.2	2.76	0.13	0.24	0	0	0.08
15:00:00	6.74	2.54	0.15	0.3	0	0	0.13
16:00:00	6.63	2.23	0.16	0.29	0	0	0.09
17:00:00	6.74	2.17	0.2	0.29	0	0	0.14
18:00:00	7.65	2.18	0.36	0.44	0	0	0.3
19:00:00	8.03	2.18	0.46	0.55	0	0	0.25
20:00:00	6.78	3.87	0.5	0.42	0	0	0.28
21:00:00	6.92	11.73	0.49	0.49	0	0	0.25
22:00:00	6.62	2.49	0.51	0.61	0	0	0.47
23:00:00	7.13	4.53	0.42	0.53	0	0	0.35

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.06	3.39	0.26	0.44	0.06	0.03	0.25
C50	6.8	2.65	0.2	0.43	0	0	0.27
MAX	10.72	11.73	0.51	0.86	0.44	0.61	0.51
MIN	5.78	1.61	0.13	0.2	0	0	0
C99.9	10.66	11.68	0.51	0.86	0.43	0.6	0.51
C98	9.49	10.57	0.51	0.76	0.36	0.36	0.49
C95	7.99	8.51	0.5	0.64	0.26	0.06	0.47

Datum: 2016-11-04

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.68	7.76	0.55	0.99	0.04	0	0.47
01:00:00	8.9	16.35	0.68	1.19	0.13	0.04	0.89
02:00:00	8.44	8.87	0.98	1.96	0.36	0.23	1.36
03:00:00	7.92	5.8	0.72	1.63	0.15	0.13	1.24
04:00:00	8.05	4.81	0.74	1.31	0	0	0.77
05:00:00	7.58	3.6	0.97	1.31	0	0	0.68
06:00:00	6.96	3.13	0.77	0.83	0	0	0.31
07:00:00	9.73	5.66	0.66	0.85	0	0	0.43
08:00:00	10.36	2.79	1.12	1.38	0	0	0.4
09:00:00	10.18	2.98	1.14	0.82	0	0	0.19
10:00:00	10.76	2.87	0.84	0.44	0	0	0.12
11:00:00	9.59	2.19	0.63	0.34	0	0	0.08
12:00:00	8.67	3.01	0.58	0.31	0	0	0.04
13:00:00			0.48	0.28	0	0	0
14:00:00	13.49	3.23	0.66	0.32	0	0	0
15:00:00	17.02	2.7	1.09	0.4	0	0	0.09
16:00:00	13.13	2.53	1.55	0.6	0	0	0.13
17:00:00	9.96	2.37	1.22	0.72	0	0	0.25
18:00:00	11.34	3.49	1.35	0.76	0	0	0.27
19:00:00	11.66	3	2.26	1	0	0	0.41
20:00:00	11.17	3.32	2	0.68	0	0	0.15
21:00:00	11.31	2.78	1.64	0.66	0	0	0.15
22:00:00	12.3	3.41	1.53	0.55	0	0	0.17
23:00:00	9.61	2.28	1.38	0.5	0	0	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.25	4.3	1.06	0.83	0.03	0.02	0.36
C50	9.85	3.07	0.98	0.74	0	0	0.22
MAX	17.02	16.35	2.26	1.96	0.36	0.23	1.36
MIN	6.96	2.19	0.48	0.28	0	0	0
C99.9	16.94	16.18	2.26	1.95	0.35	0.23	1.36
C98	15.39	12.91	2.14	1.81	0.26	0.18	1.31
C95	13.44	8.7	1.95	1.59	0.15	0.11	1.19

Datum: 2016-11-05

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.97	3.07	1.03	0.43	0	0	0
01:00:00	11.97	2.28	1.22	0.47	0	0	0
02:00:00	10.96	3.11	1.18	0.48	0	0	0.1
03:00:00	10.43	3.04	0.81	0.44	0	0	0.06
04:00:00	10.99	2.73	0.57	0.34	0	0	0
05:00:00	12.99	2.82	0.55	0.36	0	0	0.07
06:00:00	12.77	3.68	0.71	0.56	0	0	0.27
07:00:00	15.8	4.02	0.76	0.64	0	0	0.21
08:00:00	17.64	2.26	1.45	0.62	0	0	0.2
09:00:00	21.5	3.03	1.1	0.6	0	0	0.11
10:00:00	28.42	3.52	2.2	0.85	0	0	0.24
11:00:00	28.52	4.81	2.14	0.73	0	0	0.13
12:00:00	24.4	3.48	1.59	1.09	0	0	0.25
13:00:00	23.53	3.77	1.84	1.37	0	0	0.73
14:00:00			1.55	1.31	0	0	0.75
15:00:00	24.95	3.81	2.23	2.25	0	0	1.26
16:00:00	31.06	4.74	1.58	1.58	0	0	0.94
17:00:00	26.38	4.05	3.68	3.3	0	0	1.61
18:00:00	26.7	4.51	1.86	1.01	0	0	0.46
19:00:00	28.41	4.86	1.87	1.16	0	0	0.6
20:00:00	28.68	4.11	2.24	1.28	0	0	0.6
21:00:00	26.21	3.83	1.49	0.93	0	0	0.37
22:00:00	20.43	2.81	1.55	0.88	0	0	0.24
23:00:00	19.52	3.65	1.29	0.74	0	0	0.29

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	20.49	3.56	1.52	0.98	0	0	0.4
C50	20.97	3.58	1.52	0.79	0	0	0.25
MAX	31.06	4.86	3.68	3.3	0	0	1.61
MIN	8.97	2.26	0.55	0.34	0	0	0
C99.9	31	4.86	3.64	3.28	0	0	1.6
C98	29.96	4.84	3.02	2.82	0	0	1.45
C95	28.66	4.8	2.24	2.15	0	0	1.21

Datum: 2016-11-06

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	17.45	2.68	0.98	0.56	0	0	0.19
01:00:00	15.15	2.83	0.6	0.46	0	0	0.13
02:00:00	11.38	3.04	0.66	0.41	0	0	0.07
03:00:00	11.68	2.55	0.5	0.33	0	0	0.08
04:00:00	9.24	2.87	0.29	0.25	0	0	0.09
05:00:00	9.48	3.17	0.29	0.22	0	0	0.13
06:00:00	12.5	2.5	0.29	0.23	0	0	0
07:00:00	14.79	3.26	0.46	0.24	0	0	0
08:00:00	16.8	2.91	0.44	0.22	0	0	0.04
09:00:00	20.4	2.28	1.17	0.32	0	0	0
10:00:00	13.34	2.78	0.79	0.38	0	0	0.04
11:00:00	9.74	2.51	0.2	0.18	0	0	0
12:00:00	9.06	2.28	0.11	0.15	0	0	0
13:00:00	8.36	2.18	0.2	0.16	0	0	0
14:00:00	28.3	5.15	0.39	0.24	0	0	0
15:00:00			2.03	1	0	0	0.27
16:00:00	31.17	4.67	1.19	0.68	0	0	0.14
17:00:00	26.91	3.11	3.6	2.22	0	0	1.5
18:00:00	26.73	4.17	2.43	1.38	0	0	0.72
19:00:00	22.51	4.08	2.54	1.11	0	0	0.21
20:00:00	23.86	3.49	1.6	0.76	0	0	0.24
21:00:00	31.75	2.36	0.98	0.49	0	0	0.16
22:00:00	19.78	2.41	0.44	0.22	0	0	0
23:00:00	16.64	2.5	0.36	0.19	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	17.7	3.03	0.94	0.52	0	0	0.17
C50	15.89	2.8	0.55	0.33	0	0	0.07
MAX	31.75	5.15	3.6	2.22	0	0	1.5
MIN	8.36	2.18	0.11	0.15	0	0	0
C99.9	31.74	5.13	3.58	2.2	0	0	1.49
C98	31.48	4.93	3.12	1.83	0	0	1.15
C95	30.74	4.6	2.53	1.34	0	0	0.66

Datum: 2016-11-07

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	13.71	2.17	0.23	0.13	0	0	0
01:00:00	11.57	2.44	0.1	0.07	0	0	0
02:00:00	8.26	4.16	0.13	0.09	0	0	0
03:00:00	6.92	2.48	0.08	0.08	0	0	0
04:00:00	6.91	3.21	0.1	0.11	0	0	0
05:00:00	6.3	2.77	0.12	0.17	0	0	0
06:00:00	5.33	4.66	0.12	0.17	0	0	0.07
07:00:00	4.34	6.13	0.14	0.15	0	0	0
08:00:00	6.69	3.19	0.18	0.24	0	0	0
09:00:00	5.3	2.69	0.15	0.19	0	0	0.09
10:00:00	5.29	3.4	0.17	0.27	0	0	0
11:00:00	6.52	2.95	0.15	0.28	0	0	0.04
12:00:00	6.43	2.44	0.16	0.21	0	0	0.11
13:00:00	6.68	2.2	0.18	0.28	0	0	0.09
14:00:00	4.95	2.83	0.17	0.31	0	0	0
15:00:00	6.35	2.1	0.19	0.3	0	0	0.07
16:00:00			0.14	0.29	0	0	0.09
17:00:00	6.31	2.86	0.21	0.32	0	0	0.2
18:00:00	11.8	3.52	0.79	0.41	0	0	0.09
19:00:00	8.97	2.65	2.07	1.03	0	0	0.4
20:00:00	9.28	2.66	0.35	0.42	0	0	0.15
21:00:00	9.53	2.81	1.36	0.83	0	0	0.47
22:00:00	8.49	2.63	0.8	0.55	0	0	0.37
23:00:00	7.81	2.62	0.61	0.35	0	0	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.55	3.02	0.36	0.3	0	0	0.1
C50	6.69	2.73	0.17	0.28	0	0	0.07
MAX	13.71	6.13	2.07	1.03	0	0	0.47
MIN	4.34	2.1	0.08	0.07	0	0	0
C99.9	13.66	6.09	2.05	1.03	0	0	0.47
C98	12.83	5.45	1.74	0.94	0	0	0.44
C95	11.77	4.59	1.27	0.79	0	0	0.39

Datum: 2016-11-08

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.41	1.82	0.49	0.28	0	0	0.13
01:00:00	6.33	3.41	0.32	0.21	0	0	0
02:00:00	6.59	2.36	0.39	0.25	0	0	0
03:00:00	5.85	2.94	0.31	0.2	0	0	0
04:00:00	5.23	2.37	0.23	0.15	0	0	0
05:00:00	4.81	2.25	0.16	0.15	0	0	0
06:00:00	6.47	2.18	0.25	0.18	0	0	0
07:00:00	6.46	3.36	0.39	0.25	0	0	0
08:00:00	7.43	2.15	0.81	0.35	0	0	0.11
09:00:00	5.76	3.07	0.45	0.3	0	0	0.13
10:00:00	5.79	2.81	0.32	0.4	0	0	0.12
11:00:00	5.28	2.54	0.4	0.38	0	0	0.21
12:00:00	5.35	2.03	0.22	0.17	0	0	0.13
13:00:00	6.31	2.09	0.21	0.15	0	0	0
14:00:00	8.2	2.44	0.36	0.19	0	0	0
15:00:00	6.51	2.41	0.57	0.28	0	0	0
16:00:00	5.72	4.06	0.14	0.11	0	0	0
17:00:00			0.17	0.32	0	0	0.11
18:00:00	5.1	2.89	0.19	0.23	0	0	0.09
19:00:00	6.01	2.01	0.19	0.17	0	0	0
20:00:00	5.31	2.18	0.29	0.18	0	0	0
21:00:00	4.99	2.21	0.21	0.14	0	0	0
22:00:00	5.56	2.37	0.27	0.16	0	0	0
23:00:00	6.12	8.25	0.25	0.19	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.03	2.79	0.32	0.22	0	0	0.04
C50	5.82	2.37	0.28	0.19	0	0	0
MAX	8.2	8.25	0.81	0.4	0	0	0.21
MIN	4.81	1.82	0.14	0.11	0	0	0
C99.9	8.18	8.15	0.81	0.4	0	0	0.21
C98	7.84	6.32	0.7	0.39	0	0	0.17
C95	7.43	3.97	0.55	0.37	0	0	0.13

Datum: 2016-11-09

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.26	3.67	0.27	0.29	0	0	0
01:00:00	5.41	4.76	0.36	0.29	0	0	0
02:00:00	4.73	2.74	0.27	0.37	0	0	0
03:00:00	5.63	2.53	0.27	0.22	0	0	0
04:00:00	5.69	3.1	0.29	0.3	0	0	0
05:00:00	6.41	2.66	0.27	0.25	0	0	0.13
06:00:00	5.68	2.7	0.27	0.36	0	0	0.13
07:00:00	5.66	3.59	0.22	0.29	0	0	0
08:00:00	5.81	3.13	0.31	0.24	0	0	0.04
09:00:00	5.78	2.66	0.3	0.19	0	0	0
10:00:00	6	2.72	0.3	0.26	0	0	0
11:00:00	5.52	2.94	0.31	0.24	0	0	0
12:00:00	6.19	2.6	0.24	0.34	0	0	0.11
13:00:00	6.4	2.33	0.25	0.46	0	0	0.13
14:00:00	5.82	2.38	0.29	0.38	0	0	0.19
15:00:00	5.48	2.94	0.24	0.29	0	0	0.13
16:00:00	5.19	2.24	0.22	0.34	0	0	0.14
17:00:00	5.95	2.03	0.25	0.37	0	0	0.21
18:00:00			0.27	0.38	0	0	0.11
19:00:00	7.38	2.43	0.38	0.41	0	0	0.27
20:00:00	7.49	2.51	0.47	0.45	0	0	0.25
21:00:00	7.27	1.95	0.47	0.48	0	0	0.25
22:00:00	5.69	3.1	0.39	0.36	0	0	0.11
23:00:00	6.67	2.61	0.38	0.32	0	0	0.21

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.96	2.8	0.3	0.33	0	0	0.1
C50	5.74	2.66	0.28	0.33	0	0	0.11
MAX	7.49	4.76	0.47	0.48	0	0	0.27
MIN	4.73	1.95	0.22	0.19	0	0	0
C99.9	7.48	4.74	0.47	0.48	0	0	0.27
C98	7.44	4.26	0.47	0.47	0	0	0.26
C95	7.36	3.66	0.46	0.46	0	0	0.25

Datum: 2016-11-10

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.34	4.31	0.35	0.35	0	0	0.18
01:00:00	6.77	2.8	0.4	0.52	0.13	0.11	0.26
02:00:00	6.64	2.96	0.48	1.21	0.52	0.35	0.81
03:00:00	5.97	3.34	0.36	0.8	0.33	0.26	0.7
04:00:00	6.27	3.91	0.36	0.91	0.17	0.04	0.42
05:00:00	7.62	3.84	0.59	1.91	0.37	0.31	1.01
06:00:00	9.09	4.01	0.97	1.34	0.23	0.09	0.71
07:00:00	11.37	3.03	1.53	1.2	0.22	0.09	0.62
08:00:00	13.64	3.8	1.46	0.95	0.18	0.09	0.59
09:00:00	17.02	2.64	2.73	0.93	0	0	0.27
10:00:00	13.66	3.15	1.66	0.68	0	0	0.25
11:00:00	8.39	2.24	0.74	0.33	0	0	0.13
12:00:00	9.71	3.25	0.48	0.25	0	0	0
13:00:00	18.69	2.61	0.32	0.22	0	0	0
14:00:00	14.15	2.36	0.27	0.2	0	0	0
15:00:00	7.66	2.51	0.22	0.13	0	0	0
16:00:00	7.18	3.95	0.19	0.14	0	0	0
17:00:00	11.4	4.19	0.64	0.68	0.13	0	0.2
18:00:00	34.39	6.84	6.15	4.64	0.27	0.11	1.48
19:00:00			10.14	4.23	0.13	0	1.57
20:00:00	26.37	5.52	7.21	2.33	0	0	0.89
21:00:00	17.84	5.36	6.84	2.33	0	0	0.89
22:00:00	18.14	4.31	4	1.56	0	0	0.53
23:00:00	16.2	6.02	2.83	1.67	0	0	0.98

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	12.76	3.78	2.12	1.23	0.11	0.06	0.52
C50	10.54	3.57	0.69	0.92	0	0	0.47
MAX	34.39	6.84	10.14	4.64	0.52	0.35	1.57
MIN	5.34	2.24	0.19	0.13	0	0	0
C99.9	34.2	6.82	10.07	4.63	0.52	0.35	1.57
C98	30.7	6.47	8.79	4.45	0.45	0.33	1.53
C95	25.22	5.95	7.15	3.95	0.36	0.3	1.41

Datum: 2016-11-11

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	16.32	4.19	3.55	1.64	0	0	0.94
01:00:00	12.02	2.87	2.43	1.23	0	0	0.72
02:00:00	11.24	2.85	1.8	1.09	0	0	0.47
03:00:00	8.64	3.33	1.4	1.09	0	0	0.37
04:00:00	10.35	2.05	1.23	0.67	0	0	0.22
05:00:00	8.55	9.43	0.78	0.51	0	0	0.12
06:00:00	10.04	3.8	0.91	0.57	0	0	0.15
07:00:00	15.33	4.22	1.17	0.71	0	0	0.19
08:00:00	23.48	3.59	2.94	1.58	0	0	0.78
09:00:00	54.46	3.13	2.19	0.83	0	0	0.32
10:00:00	37.84	3.74	1.72	0.66	0	0	0.22
11:00:00	55.46	3.82	1.05	0.51	0	0	0.13
12:00:00	28.19	2.51	1.12	0.51	0	0	0.09
13:00:00	20.96	3.22	1.02	0.45	0	0	0
14:00:00	27.36	4.08	1.58	0.8	0	0	0.25
15:00:00	33.35	4.45	3.16	1.19	0	0	0.44
16:00:00	21.98	3.19	3.51	1.62	0	0	0.73
17:00:00	26.17	4.44	2.41	1.61	0	0	0.58
18:00:00	29.44	3.74	3.37	1.45	0	0	0.58
19:00:00	26.36	3.95	3.72	1.56	0	0	0.58
20:00:00			2.75	1.04	0	0	0.36
21:00:00	28.15	3.49	1.91	0.84	0	0	0.2
22:00:00	19.55	2.89	1.53	0.53	0	0	0.09
23:00:00	15.28	3.54	0.89	0.36	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	23.5	3.76	2	0.96	0	0	0.35
C50	21.47	3.56	1.76	0.84	0	0	0.28
MAX	55.46	9.43	3.72	1.64	0	0	0.94
MIN	8.55	2.05	0.78	0.36	0	0	0
C99.9	55.43	9.32	3.72	1.64	0	0	0.93
C98	55	7.14	3.64	1.63	0	0	0.86
C95	51.97	4.45	3.55	1.62	0	0	0.77

Datum: 2016-11-12

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	11.4	2.51	0.44	0.26	0	0	0
01:00:00	12.47	2.61	0.38	0.21	0	0	0
02:00:00	22.5	2.46	0.28	0.14	0	0	0
03:00:00	16.34	2.8	0.21	0.1	0	0	0
04:00:00	9.87	2.97	0.22	0.13	0	0	0
05:00:00	9.46	2.7	0.27	0.17	0	0	0
06:00:00	7.11	3.07	0.32	0.17	0	0	0
07:00:00	8.75	3.2	0.17	0.15	0	0	0
08:00:00	12.83	3.35	0.46	0.22	0	0	0
09:00:00	14.35	2.84	1.1	0.41	0	0	0.04
10:00:00	12.09	3.2	1.24	0.44	0	0	0
11:00:00	17.35	2.82	1.03	0.44	0	0	0.09
12:00:00	20.53	2.01	1.59	0.62	0	0	0.14
13:00:00	17.06	3.87	2.12	0.77	0	0	0.2
14:00:00	9.51	3.3	1.3	0.68	0	0	0.24
15:00:00	6.77	2.79	0.35	0.34	0	0	0.18
16:00:00	6.43	2.3	0.34	0.29	0	0	0.16
17:00:00	6.1	2.86	0.35	0.27	0	0	0.08
18:00:00	5.69	2.34	0.32	0.26	0	0	0.09
19:00:00	4.93	2.6	0.27	0.2	0	0	0.09
20:00:00	5.06	2.56	0.29	0.22	0	0	0.09
21:00:00			0.48	0.26	0	0	0.04
22:00:00	5.92	2.89	0.43	0.2	0	0	0
23:00:00	6.18	2.7	0.6	0.32	0	0	0.07

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.81	2.82	0.61	0.3	0	0	0.06
C50	9.49	2.8	0.36	0.26	0	0	0.04
MAX	22.5	3.87	2.12	0.77	0	0	0.24
MIN	4.93	2.01	0.17	0.1	0	0	0
C99.9	22.45	3.86	2.11	0.77	0	0	0.24
C98	21.59	3.63	1.88	0.73	0	0	0.22
C95	20.05	3.34	1.55	0.67	0	0	0.19

Datum: 2016-11-13

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.21	2.56	0.59	0.34	0	0	0.09
01:00:00	5.51	3.36	0.55	0.29	0	0	0.05
02:00:00	5.19	2.81	0.57	0.29	0	0	0
03:00:00	5.65	2.17	0.43	0.25	0	0	0
04:00:00	4.94	2.56	0.36	0.22	0	0	0
05:00:00	5.01	2.31	0.29	0.18	0.04	0	0
06:00:00	5.46	2.1	0.25	0.14	0	0	0.04
07:00:00	4.95	4.17	0.25	0.13	0	0	0
08:00:00	4.9	3.64	0.26	0.22	0	0	0
09:00:00	5.39	2.32	0.29	0.22	0	0	0.04
10:00:00	5.41	2.44	0.31	0.23	0	0	0.04
11:00:00	5.28	2.28	0.47	0.25	0	0	0.09
12:00:00	5.91	2.15	0.48	0.21	0	0	0
13:00:00	5.14	2.13	0.49	0.25	0	0	0
14:00:00	4.48	2.78	0.43	0.19	0	0	0
15:00:00	5.31	3.21	0.48	0.22	0	0	0
16:00:00	6.28	6.4	0.47	0.19	0	0	0
17:00:00	7.3	7.02	0.71	0.25	0	0	0
18:00:00	7.34	10.55	0.78	0.33	0	0	0.04
19:00:00	7.77	9.41	0.8	0.43	0.19	0.04	0.19
20:00:00	7.85	8.77	0.91	0.52	0.14	0.04	0.25
21:00:00	7.65	10.05	0.84	0.54	0.06	0	0.28
22:00:00			0.84	0.48	0.15	0.09	0.3
23:00:00	6.58	2.38	0.73	0.42	0	0	0.26

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.85	4.24	0.52	0.28	0.02	0.01	0.07
C50	5.4	2.67	0.48	0.25	0	0	0.02
MAX	7.85	10.55	0.91	0.54	0.19	0.09	0.3
MIN	4.48	2.1	0.25	0.13	0	0	0
C99.9	7.85	10.54	0.9	0.54	0.19	0.09	0.3
C98	7.81	10.32	0.88	0.53	0.17	0.07	0.29
C95	7.76	9.96	0.84	0.51	0.15	0.04	0.28

Datum: 2016-11-14

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.68	2.52	0.63	0.33	0	0	0.12
01:00:00	6.58	2.87	0.51	0.24	0	0	0
02:00:00	7.47	2.44	0.4	0.21	0	0	0
03:00:00	6.09	1.86	0.35	0.19	0	0	0
04:00:00	6.61	2.07	0.34	0.22	0	0	0.09
05:00:00	5.67	2.52	0.49	0.32	0.07	0	0.1
06:00:00	5.04	2.97	0.69	0.4	0.12	0.04	0.15
07:00:00	6.4	3.61	0.75	0.62	0.29	0.45	0.28
08:00:00	8.81	2.52	0.97	1.19	0.12	0.48	0.5
09:00:00	8.75	2.17	1.03	0.9	0	0	0.44
10:00:00	8.23	1.89	0.64	0.48	0	0	0.18
11:00:00	8.2	2.4	0.44	0.39	0	0	0.11
12:00:00	8.65	2.52	0.33	0.15	0	0	0.09
13:00:00	6.38	2.24	0.34	0.18	0	0	0
14:00:00	5.91	2.3	0.3	0.13	0	0	0
15:00:00	6.97	1.96	0.28	0.09	0	0	0
16:00:00	6.21	2.93	0.35	0.23	0	0	0.09
17:00:00	5.77	2.35	0.4	0.23	0	0	0.62
18:00:00	5.56	2.33	0.32	0.14	0	0	0.52
19:00:00	5.73	7.51	0.34	0.26	0	0	0.27
20:00:00	6.9	4.23	0.38	0.41	0	0	0.06
21:00:00	6.29	2.94	0.59	1.03	0	0	0.23
22:00:00	6.81	3.51	0.53	0.59	0	0	0.13
23:00:00			0.65	0.65	0	0	0.12

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.81	2.81	0.5	0.4	0.02	0.04	0.17
C50	6.49	2.48	0.42	0.29	0	0	0.11
MAX	8.81	7.51	1.03	1.19	0.29	0.48	0.62
MIN	5.04	1.86	0.28	0.09	0	0	0
C99.9	8.81	7.43	1.03	1.19	0.29	0.48	0.62
C98	8.78	6	1	1.12	0.21	0.46	0.58
C95	8.74	4.13	0.94	1.01	0.12	0.39	0.52

Datum: 2016-11-15

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.11	5.03	0.62	0.47	0	0	0.1
01:00:00	6.04	11.06	0.61	0.73	0.04	0	0.1
02:00:00	5.83	7.82	0.64	0.68	0	0	0.18
03:00:00	6.44	2.69	0.59	0.41	0	0	0.15
04:00:00	5.64	3.26	0.47	0.25	0	0	0.09
05:00:00	5.78	6.38	0.45	0.22	0	0	0
06:00:00	5.52	5.53	0.5	0.28	0	0	0.13
07:00:00	7.87	6.59	0.83	1.44	0.24	0.04	0.9
08:00:00	9.04	2.89	1.27	1.68	0.1	0.04	1.08
09:00:00	11.68	1.96	0.88	0.4	0	0	0.17
10:00:00	7.17	3.03	1.05	0.35	0	0	0.12
11:00:00	5.64	2.36	0.37	0.18	0	0	0.17
12:00:00	5.1	1.74	0.3	0.12	0	0	0.17
13:00:00	6.1	1.94	0.25	0.11	0	0	0
14:00:00	6.05	2.41	0.23	0.09	0	0	0
15:00:00	6.21	1.78	0.23	0.07	0	0	0
16:00:00	5.13	2.36	0.35	0.11	0	0	0
17:00:00	10.42	2.35	0.4	0.16	0	0	0
18:00:00	15.31	3.15	2.22	0.6	0	0	0.15
19:00:00	20.38	2.57	2.69	0.67	0	0	0.11
20:00:00	21.47	5.36	3.2	0.94	0	0	0.28
21:00:00	24.71	7.13	6.01	1.52	0	0	0.45
22:00:00	29.69	5.47	4.76	1.49	0	0	0.42
23:00:00	15.27	4.59	3.26	1.01	0	0	0.33

Ras pod	100%	100%	100%	100%	100%	100%	100%
AVG	10.36	4.14	1.34	0.58	0.02	0	0.21
C50	6.33	3.09	0.61	0.4	0	0	0.14
MAX	29.69	11.06	6.01	1.68	0.24	0.04	1.08
MIN	5.1	1.74	0.23	0.07	0	0	0
C99.9	29.57	10.99	5.98	1.67	0.24	0.04	1.07
C98	27.4	9.57	5.44	1.61	0.18	0.04	1
C95	24.23	7.72	4.54	1.52	0.09	0.04	0.83

Datum: 2016-11-16

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00													
01:00:00	11.15	2.79											
02:00:00	8.76	2.89											
03:00:00	6.38	2.82											
04:00:00	5.75	2.89											
05:00:00	7.24	2.82											
06:00:00	10.45	4.38											
07:00:00	17.25	3.61											
08:00:00	20.35	3.63											
09:00:00	26.15	3.06											
10:00:00	30.64	4.69											
11:00:00	61.46	4.17											
12:00:00	46.68	4.17											
13:00:00	77.43	5.09											
14:00:00	93.66	5.36											
15:00:00	69.19	4.86											
16:00:00	82	5.06											
17:00:00	65.78	3.8											
18:00:00	50.77	4.7											
19:00:00	46.28	5.38											
20:00:00	38.77	4.18											
21:00:00	40.32	7.3											
22:00:00	33.61	4.69											
23:00:00	39.49	5.92											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	38.68	4.27											
C50	36.19	4.17	0	0	0	0	0	0					
MAX	93.66	7.3											
MIN													
C99.9	93.4	7.27	0	0	0	0	0	0					
C98	88.3	6.66	0	0	0	0	0	0					
C95	81.31	5.83	0	0	0	0	0	0					

Datum: 2016-11-17

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	27.71	3.53											
01:00:00													
02:00:00	18.64	3.24											
03:00:00	17.98	3.15											
04:00:00	15.78	2.47											
05:00:00	17.03	3.72											
06:00:00	19.91	2.71											
07:00:00	32.17	3.24											
08:00:00	34.85	4.06											
09:00:00	39.38	4.23											
10:00:00	43.25	3.16											
11:00:00	43.17	4.04											
12:00:00	45.2	4.1											
13:00:00	41.27	5.31											
14:00:00	37.46	5.26											
15:00:00	40.38	3.54											
16:00:00	36.39	3.69											
17:00:00	28.68	3.34											
18:00:00	24.93	3.31											
19:00:00	17.66	3.1											
20:00:00	21.69	8.54											
21:00:00	27.02	9.03											
22:00:00	43.06	11.61											
23:00:00	36.49	17.62											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	30.87	5.04											
C50	30.43	3.62	0	0	0	0	0	0					
MAX	45.2	17.62											
MIN	15.78	2.47											
C99.9	45.15	17.48	0	0	0	0	0	0					
C98	44.3	14.85	0	0	0	0	0	0					
C95	43.24	11.22	0	0	0	0	0	0					

Datum: 2016-11-18

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	31.51	6.54												
01:00:00	20.79	4.43												
02:00:00														
03:00:00	18.46	2.86												
04:00:00	13.6	3.21												
05:00:00	13.66	7.64												
06:00:00	15.77	5.01												
07:00:00	16.1	5.92												
08:00:00	30.66	4.37												
09:00:00	45	4.45												
10:00:00	88.97	4.02												
11:00:00	101.89	5.23												
12:00:00	124.76	4.25												
13:00:00	112.85	4.59												
14:00:00	175.47	6.18												
15:00:00	136.25	6.28												
16:00:00	69.5	3.79												
17:00:00	41.75	5.24												
18:00:00	32.78	3.96												
19:00:00	36.36	4.68												
20:00:00	38.26	4.05												
21:00:00	34.39	4.13												
22:00:00	29.27	3.97												
23:00:00	32.62	4.57												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	54.81	4.76												
C50	33.58	4.44	0	0	0	0	0	0						
MAX	175.47	7.64												
MIN	13.6	2.86												
C99.9	174.56	7.61	0	0	0	0	0	0						
C98	157.43	7.13	0	0	0	0	0	0						
C95	134.52	6.5	0	0	0	0	0	0						

Datum: 2016-11-19

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	26.54	5.37												
01:00:00	21.37	4.76												
02:00:00	20.62	3.04												
03:00:00														
04:00:00	16.14	3.23												
05:00:00	15.44	2.92												
06:00:00	15.82	2.99												
07:00:00	16.8	3.37												
08:00:00	19.83	2.39												
09:00:00	18.64	3.2												
10:00:00	19.05	2.73												
11:00:00	21.3	2.79												
12:00:00	22.77	3.29												
13:00:00	21.08	2.24												
14:00:00	24.7	2.71												
15:00:00	26.65	4.07												
16:00:00	29.14	3.33												
17:00:00	29.43	4.24												
18:00:00	34.04	4.03												
19:00:00	31.86	4.05												
20:00:00	29.48	3.63												
21:00:00	26.7	3.71												
22:00:00	23.33	3.41												
23:00:00	21.52	3.77												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	23.14	3.45												
C50	21.45	3.31	0	0	0	0	0	0						
MAX	34.04	5.37												
MIN	15.44	2.24												
C99.9	33.99	5.35	0	0	0	0	0	0						
C98	33.04	5.09	0	0	0	0	0	0						
C95	31.5	4.68	0	0	0	0	0	0						

Datum: 2016-11-20

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	18.37	3.39											
01:00:00	16.52	3.65											
02:00:00	15.37	2.23											
03:00:00	13.98	2.66											
04:00:00													
05:00:00	11.57	3.13											
06:00:00	13.17	3.01											
07:00:00	15.25	2.56											
08:00:00	16.37	2.87											
09:00:00	20.94	2.12											
10:00:00	19.59	2.82											
11:00:00	22.67	3.58											
12:00:00	21.48	2.91											
13:00:00	19.48	3.08											
14:00:00	19.71	2.71											
15:00:00	20.42	3.14											
16:00:00	21.19	3.66											
17:00:00	19.34	3.72											
18:00:00	20.65	2.71											
19:00:00	23.05	3.82											
20:00:00	17.76	3.41											
21:00:00	21.61	3.72											
22:00:00	15.99	3.05											
23:00:00	14.99	3.12											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	18.24	3.09											
C50	18.85	3.07	0	0	0	0	0	0					
MAX	23.05	3.82											
MIN	11.57	2.12											
C99.9	23.04	3.82	0	0	0	0	0	0					
C98	22.88	3.78	0	0	0	0	0	0					
C95	22.51	3.72	0	0	0	0	0	0					

Datum: 2016-11-21

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	10.94	3.22												
01:00:00	8.42	2.76												
02:00:00	9.03	1.96												
03:00:00	7.67	2.63												
04:00:00	8.48	2.41												
05:00:00														
06:00:00	10.18	2.07												
07:00:00	11.51	2.55												
08:00:00	14.21	2.25												
09:00:00	11.98	3.81												
10:00:00	12.87	3.1												
11:00:00	13.65	2.15												
12:00:00	13.69	3.27												
13:00:00	16.97	2.9												
14:00:00	15.98	3.13												
15:00:00	19.47	3.26												
16:00:00	17.43	3.27												
17:00:00	17.38	2.71												
18:00:00	18.28	3.73												
19:00:00	20.32	3.86												
20:00:00	16.5	2.36												
21:00:00	17.82	3.36												
22:00:00	14.64	3.05												
23:00:00	14.95	3.04												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	14.02	2.91												
C50	13.95	2.97	0	0	0	0	0	0						
MAX	20.32	3.86												
MIN	7.67	1.96												
C99.9	20.3	3.86	0	0	0	0	0	0						
C98	19.93	3.83	0	0	0	0	0	0						
C95	19.29	3.79	0	0	0	0	0	0						

Datum: 2016-11-22

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	12.84	2.74											
01:00:00	10.44	3.35											
02:00:00	9.29	2.59											
03:00:00	7.84	2.39											
04:00:00	8.22	2.3											
05:00:00	7.83	2.34											
06:00:00													
07:00:00	10.82	2.07											
08:00:00	12.73	2.7											
09:00:00	13.95	2.68											
10:00:00	15.43	3.62											
11:00:00	17.17	2.61											
12:00:00	15.82	2.77											
13:00:00	17.1	2.79											
14:00:00	18.35	3.61											
15:00:00	19.71	3.57											
16:00:00	28.4	3.31											
17:00:00	28.1	3.9											
18:00:00	26.19	3.46											
19:00:00	20.28	3.7											
20:00:00	16.81	3.71											
21:00:00	15.66	3.64											
22:00:00	15.28	4.06											
23:00:00	16.42	2.98											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	15.86	3.08											
C50	15.54	2.89	0	0	0	0	0	0					
MAX	28.4	4.06											
MIN	7.83	2.07											
C99.9	28.4	4.06	0	0	0	0	0	0					
C98	28.26	3.99	0	0	0	0	0	0					
C95	27.81	3.87	0	0	0	0	0	0					

Datum: 2016-11-23

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	13.82	3.03												
01:00:00	10.66	2.43												
02:00:00	9.04	2.39												
03:00:00	8.54	2.61												
04:00:00	7.26	2.48												
05:00:00	7.87	2.57												
06:00:00	8.92	2.07												
07:00:00														
08:00:00	12.63	1.96												
09:00:00	14.64	2.68												
10:00:00	17.85	2.58												
11:00:00	25.5	3.5												
12:00:00	25.74	2.78												
13:00:00	21.92	3.21												
14:00:00	23.06	3.38												
15:00:00	25.69	3.36												
16:00:00	26.22	3.54												
17:00:00	30.59	4.74												
18:00:00	29.7	3.11												
19:00:00	25.91	4.35												
20:00:00	27.33	3.32												
21:00:00	25.46	2.91												
22:00:00	21.74	4.31												
23:00:00	16.35	2.73												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	18.98	3.05												
C50	19.8	2.84	0	0	0	0	0	0						
MAX	30.59	4.74												
MIN	7.26	1.96												
C99.9	30.57	4.73	0	0	0	0	0	0						
C98	30.18	4.56	0	0	0	0	0	0						
C95	29.34	4.35	0	0	0	0	0	0						

Datum: 2016-11-24

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	12.19	3.76											
01:00:00	12.38	3.12											
02:00:00	12.23	2.4											
03:00:00	12.95	2.6											
04:00:00	10.99	3.17											
05:00:00	11.99	3.43											
06:00:00	9.15	3.27											
07:00:00	14.58	3.77											
08:00:00													
09:00:00	24.67	2.99											
10:00:00	28.45	3.38											
11:00:00	33.53	3.06											
12:00:00	43.21	3.79											
13:00:00	50.72	3.55											
14:00:00	72.25	5.4											
15:00:00	74.4	4.87											
16:00:00	43.47	4.34											
17:00:00	30.85	5.49											
18:00:00	36.31	3.31											
19:00:00	37.76	5.34											
20:00:00	34.23	4.79											
21:00:00	27.51	4.25											
22:00:00	20.47	3.94											
23:00:00	20.27	3.53											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	29.33	3.81											
C50	26.09	3.54	0	0	0	0	0	0					
MAX	74.4	5.49											
MIN	9.15	2.4											
C99.9	74.35	5.49	0	0	0	0	0	0					
C98	73.41	5.45	0	0	0	0	0	0					
C95	69.02	5.39	0	0	0	0	0	0					

Datum: 2016-11-25

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	20.89	3.1											
01:00:00	16.52	2.54											
02:00:00	15.87	3.02											
03:00:00	15.67	4.29											
04:00:00	14.33	2.98											
05:00:00	12.7	2.97											
06:00:00	11.06	2.23											
07:00:00	13.02	3.06											
08:00:00	17.65	3.92											
09:00:00													
10:00:00	28.44	4.36											
11:00:00	31.12	3.77											
12:00:00	35.01	3.55											
13:00:00	29.41	3.39											
14:00:00	22.77	3.89											
15:00:00	33.38	5.66											
16:00:00	22.18	3.6											
17:00:00	19.31	4.21											
18:00:00	25.93	5.45											
19:00:00	22.4	4.21											
20:00:00	28.88	6.57											
21:00:00	22.94	6.8											
22:00:00	20.23	3.54											
23:00:00	16.66	3.93											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	21.58	3.96											
C50	20.56	3.68	0	0	0	0	0	0					
MAX	35.01	6.8											
MIN	11.06	2.23											
C99.9	34.97	6.8	0	0	0	0	0	0					
C98	34.26	6.69	0	0	0	0	0	0					
C95	33.04	6.43	0	0	0	0	0	0					

Datum: 2016-11-26

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	18.68	5.99											
01:00:00	15.57	5.02											
02:00:00	12.15	3.92											
03:00:00	11.63	2.42											
04:00:00	11	3											
05:00:00	10.6	1.92											
06:00:00	11.94	2.67											
07:00:00	12.51	2.96											
08:00:00	16.42	3.99											
09:00:00	24.87	3.44											
10:00:00													
11:00:00	35.71	4.21											
12:00:00	37.13	3.56											
13:00:00	34.51	3.27											
14:00:00	36.39	3.21											
15:00:00	31.64	5.26											
16:00:00	36.01	5.45											
17:00:00	35.37	4.6											
18:00:00	27.57	4.3											
19:00:00	26.45	3.91											
20:00:00	26.23	4.04											
21:00:00	26.91	4											
22:00:00	28.74	4.88											
23:00:00	21.86	4.76											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	23.91	3.95											
C50	25.55	3.96	0	0	0	0	0	0					
MAX	37.13	5.99											
MIN	10.6	1.92											
C99.9	37.11	5.98	0	0	0	0	0	0					
C98	36.79	5.74	0	0	0	0	0	0					
C95	36.34	5.42	0	0	0	0	0	0					

Datum: 2016-11-27

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	15.22	3.47											
01:00:00	12.03	2.44											
02:00:00	12.41	3.04											
03:00:00	13.59	3.47											
04:00:00	10.04	3.04											
05:00:00	11.01	3.9											
06:00:00	12.57	4.54											
07:00:00	14.21	3.34											
08:00:00	12.64	3.09											
09:00:00	11.65	2.82											
10:00:00	13.44	2.49											
11:00:00													
12:00:00	11.29	2.23											
13:00:00	11.04	2.21											
14:00:00	9.21	2.81											
15:00:00	9.07	2.01											
16:00:00	8.56	2.88											
17:00:00	8.52	3.31											
18:00:00	9.56	2.48											
19:00:00	9.16	2.4											
20:00:00	9.04	3.2											
21:00:00	9.26	1.92											
22:00:00	8.87	1.98											
23:00:00	8.24	2.14											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	10.9	2.84											
C50	10.53	2.82	0	0	0	0	0	0					
MAX	15.22	4.54											
MIN	8.24	1.92											
C99.9	15.2	4.52	0	0	0	0	0	0					
C98	14.76	4.24	0	0	0	0	0	0					
C95	14.12	3.84	0	0	0	0	0	0					

Datum: 2016-11-28

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	5.53	2.93												
01:00:00	6.35	3.08												
02:00:00	4.81	2.61												
03:00:00	4.99	2.21												
04:00:00	5.26	2.86												
05:00:00	6	2.36												
06:00:00	4.52	3.23												
07:00:00	5.77	3.71												
08:00:00	6.07	1.91												
09:00:00	4.9	2.85												
10:00:00	5.95	2.31												
11:00:00	7.66	2.97												
12:00:00														
13:00:00	6.05	2.54												
14:00:00	5.41	3.03												
15:00:00	7.04	2.91												
16:00:00	8.22	18.63												
17:00:00	8.23	3.77												
18:00:00	11.8	11.78												
19:00:00	12.91	6.71												
20:00:00	10.39	7.99												
21:00:00	9.77	52.88												
22:00:00	6.04	64.16												
23:00:00	6.44	14.93												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	6.96	9.67												
C50	6.05	3	0	0	0	0	0	0						
MAX	12.91	64.16												
MIN	4.52	1.91												
C99.9	12.88	63.9	0	0	0	0	0	0						
C98	12.4	58.97	0	0	0	0	0	0						
C95	11.59	47.74	0	0	0	0	0	0						

Datum: 2016-11-29

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	6.15	4.36											
01:00:00	7.85	2.7											
02:00:00	6.54	3.51											
03:00:00	6.55	17.43											
04:00:00	6.15	6.73											
05:00:00	6.14	3.03											
06:00:00	5.13	2.96											
07:00:00	6.57	8.17											
08:00:00	5.93	2.63											
09:00:00	6.04	2.68											
10:00:00	5.88	1.73											
11:00:00	6.17	2.03											
12:00:00	4.9	2.64											
13:00:00													
14:00:00	5.82	2.21											
15:00:00	5.48	2.55											
16:00:00	6.34	3.77											
17:00:00	8.31	4.62											
18:00:00	12.79	4.27											
19:00:00	16.13	14.86											
20:00:00	14.86	3.38											
21:00:00	11.29	2.98											
22:00:00	9.69	2.97											
23:00:00	10.36	2.67											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	7.87	4.56											
C50	6.26	2.97	0	0	0	0	0	0					
MAX	16.13	17.43											
MIN	4.9	1.73											
C99.9	16.1	17.37	0	0	0	0	0	0					
C98	15.54	16.24	0	0	0	0	0	0					
C95	14.55	13.85	0	0	0	0	0	0					

Datum: 2016-11-30

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00	9.88	2.08											
01:00:00	7.39	2.75											
02:00:00	6.59	3											
03:00:00	6.61	2.66											
04:00:00	6.17	3.42											
05:00:00	6.72	2.82											
06:00:00	7.21	3.19											
07:00:00	9.11	2.59											
08:00:00	8.58	2.69											
09:00:00	8.63	2.7											
10:00:00	10.23	1.98											
11:00:00	10.02	2.05											
12:00:00	10.14	2.32											
13:00:00	8.64	2.1											
14:00:00													
15:00:00	8.83	2.31											
16:00:00	10.43	2.19											
17:00:00	11.61	2.51											
18:00:00	10.44	2.77											
19:00:00	9.15	3											
20:00:00	9.25	3.04											
21:00:00	9.04	3.8											
22:00:00	9.9	2.95											
23:00:00	8.91	2.91											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	8.85	2.69											
C50	8.97	2.7	0	0	0	0	0	0					
MAX	11.61	3.8											
MIN	6.17	1.98											
C99.9	11.59	3.79	0	0	0	0	0	0					
C98	11.07	3.62	0	0	0	0	0	0					
C95	10.44	3.38	0	0	0	0	0	0					

