



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA  
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE  
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238  
WEB: [www.ekourb.vojvodina.gov.rs](http://www.ekourb.vojvodina.gov.rs), [www.eko.vojvodina.gov.rs](http://www.eko.vojvodina.gov.rs)  
E-mail: [ekolog@vojvodina.gov.rs](mailto:ekolog@vojvodina.gov.rs), [ekourb@vojvodina.gov.rs](mailto:ekourb@vojvodina.gov.rs)

## DNEVNI IZVEŠTAJ ZA STANICU RS10003 Novi Sad - Šangaj - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-09-01 do 2016-09-30

KOD stanice: **RS10003**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.272 / 19.873**

Nadmorska visina: **80**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

**Datum: 2016-09-01**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00			0.47	1.28	0.27	0.39	0.19
01:00:00	6.67	34.16	0.7	0.8	0.3	0.23	0.29
02:00:00	4.08	18.4	0.37	0.43	0.22	0.12	0.22
03:00:00	4.15	3.96	0.03	0.15	0	0.09	0.04
04:00:00	4.72	4.8	0.9	0.69	0.27	0.14	0.2
05:00:00	6.4	4.65	2.62	1.49	0.51	0.22	0.35
06:00:00	5.19	4.33	1.17	1	0.49	0.17	0.36
07:00:00	4.4	3.33	0.13	0.36	0.09	0.12	0.07
08:00:00	5.28	2.16	0.14	0.26	0.04	0.09	0.04
09:00:00	4.7	2.4	0.07	0.16	0	0.04	0
10:00:00	4.15	1.8	0.03	0.06	0	0	0
11:00:00	4.7	1.89	0.15	0.25	0.22	0.27	0.17
12:00:00	4.07	1.71	0	0.08	0	0.04	0
13:00:00	4.12	2.11	0	0.04	0	0	0
14:00:00	7.49	1.75	0.03	0.11	0	0.09	0
15:00:00	7.01	1.72	0	0.04	0	0	0
16:00:00	6.01	2.25	0	0.04	0	0	0
17:00:00	5.67	2.06	0	0.04	0	0	0
18:00:00	5.29	2.51	0	0.11	0	0	0
19:00:00	4.71	19.87	0.18	0.3	0.09	0.11	0
20:00:00	5.61	21.67	0.61	0.68	0.26	0.2	0.11
21:00:00	4.67	20.77	0.9	0.78	0.22	0.26	0.09
22:00:00	5.06	21.77	0.53	1.05	0.26	0.43	0.12
23:00:00	4.84	33.38	0.42	1.09	0.23	0.54	0.12

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.17	9.28	0.39	0.47	0.14	0.15	0.1
C50	4.78	2.92	0.14	0.28	0.09	0.11	0.05
MAX	7.49	34.16	2.62	1.49	0.51	0.54	0.36
MIN			0	0.04	0	0	0
C99.9	7.48	34.15	2.59	1.49	0.51	0.53	0.36
C98	7.27	33.8	1.95	1.4	0.5	0.49	0.36
C95	6.96	31.64	1.13	1.25	0.46	0.43	0.34

Datum: 2016-09-02

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.86	61.32	0.29	0.77	0.17	0.41	0.09
01:00:00			0.28	0.73	0.16	0.35	0.07
02:00:00	5.46	9.48	0.19	0.92	0.2	0.42	0.07
03:00:00	4.61	30.89	0.32	1.67	0.25	0.61	0.13
04:00:00	5.69	35.44	0.48	2.12	0.36	0.94	0.2
05:00:00	6.52	42.37	0.69	3.16	0.58	1.32	0.39
06:00:00	8.33	36	0.77	3.87	1	1.72	0.56
07:00:00	8.27	6.17	0.3	2.25	0.54	1.43	0.38
08:00:00	6.76	4.31	0.14	0.87	0.2	0.59	0.12
09:00:00	7.73	3.22	0.13	0.9	0.17	0.49	0.09
10:00:00	6.42	2.47	0.11	0.72	0.12	0.36	0.07
11:00:00	5.56	3.08	0	0.15	0	0.12	0
12:00:00	5.72	3	0	0.09	0	0.04	0
13:00:00	8.28	4.33	0	0.08	0	0.07	0
14:00:00	9.44	2.38	0.03	0.08	0	0.09	0
15:00:00	6.25	2.51	0	0.09	0	0	0
16:00:00	6.98	2.53	0	0.04	0	0	0
17:00:00	6.96	2.42	0.03	0.04	0	0	0
18:00:00	4.91	23.86	0.03	0.14	0	0.04	0
19:00:00	5.81	61.7	0.22	0.84	0.12	0.3	0.07
20:00:00	5.38	63.74	0.21	0.83	0.36	0.78	0.14
21:00:00	5	7.03	0.27	1.24	0.35	0.84	0.17
22:00:00	4	14.42	0.27	1.27	0.32	0.77	0.19
23:00:00	6.07	92.08	0.2	1.16	0.22	0.62	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.35	22.38	0.21	1	0.21	0.51	0.12
C50	5.96	6.6	0.2	0.84	0.17	0.41	0.08
MAX	9.44	92.08	0.77	3.87	1	1.72	0.56
MIN	4	2.38	0	0.04	0	0	0
C99.9	9.41	91.43	0.76	3.85	0.99	1.72	0.56
C98	8.93	79.04	0.73	3.54	0.81	1.59	0.48
C95	8.32	63.43	0.66	3.03	0.57	1.42	0.39

Datum: 2016-09-03

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.02	39.51	0.34	2.24	0.46	1.5	0.45
01:00:00	5.53	51.34	0.21	1.37	0.33	0.93	0.19
02:00:00			0.16	1.28	0.22	0.79	0.14
03:00:00	5.31	5.18	0.15	0.89	0.17	0.82	0.12
04:00:00	5.42	20.24	0.18	0.89	0.19	0.72	0.09
05:00:00	5.36	5.08	0.11	0.7	0.1	0.51	0.06
06:00:00	6.33	5	0.23	1.91	0.2	0.77	0.14
07:00:00	6.11	4.17	0.31	1.34	0.23	0.77	0.17
08:00:00	6.82	5.36	0.23	1.03	0.26	0.78	0.14
09:00:00	5.93	2.43	0.22	0.62	0.29	0.78	0.12
10:00:00	5.64	2.7	0.1	0.34	0.1	0.35	0.04
11:00:00	4.84	2.68	0.03	0.08	0	0.1	0
12:00:00	4.95	1.74	0	0.06	0	0.06	0
13:00:00	3.58	2.48	0.03	0.05	0	0.04	0
14:00:00	4.7	2.42	0	0	0	0.04	0
15:00:00	5.26	1.9	0	0.04	0	0.07	0
16:00:00	4.37	2.21	0	0	0	0.09	0
17:00:00	4.36	2.75	0	0.04	0	0.04	0
18:00:00	4.76	9.99	0.06	0.13	0	0.07	0
19:00:00	3.51	16	0.18	0.54	0.17	0.3	0.09
20:00:00	4.92	37.69	0.32	0.55	0.12	0.32	0.09
21:00:00	5.39	40.99	0.32	1.43	0.27	0.71	0.19
22:00:00	5.46	10.89	0.32	1.52	0.27	0.81	0.22
23:00:00	5.29	44.72	0.5	1.44	0.32	0.75	0.2

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.3	13.8	0.17	0.77	0.15	0.51	0.1
C50	5.3	5.04	0.17	0.66	0.17	0.61	0.09
MAX	8.02	51.34	0.5	2.24	0.46	1.5	0.45
MIN	3.51	1.74	0	0	0	0.04	0
C99.9	7.99	51.19	0.5	2.23	0.46	1.49	0.44
C98	7.47	48.29	0.43	2.08	0.4	1.24	0.34
C95	6.75	44.16	0.34	1.85	0.33	0.91	0.21

**Datum: 2016-09-04**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.6	148.76	0.36	1.57	0.48	1.59	0.35
01:00:00	7.68	23.67	0.5	2.79	0.81	3.13	0.94
02:00:00	6.95	49.41	0.5	2.42	0.61	1.84	0.45
03:00:00			0.3	1.44	0.33	1.07	0.25
04:00:00	5.12	7.47	0.22	1.18	0.29	0.75	0.16
05:00:00	4.32	3.78	0.15	0.84	0.22	0.55	0.09
06:00:00	3.92	4.32	0.13	0.55	0.12	0.38	0.07
07:00:00	5.65	8.42	0.24	1.12	0.13	0.71	0.1
08:00:00	7.05	6.86	0.19	0.93	0.16	0.71	0.14
09:00:00	9.03	1.93	0.12	0.6	0.09	0.42	0.07
10:00:00	8.25	2.87	0.1	0.46	0.07	0.26	0.04
11:00:00	10.18	2.49	0.04	0.19	0	0.13	0
12:00:00	8.52	2.41	0	0.1	0	0.09	0
13:00:00	8.24	4.85	0.03	0.09	0	0.04	0
14:00:00	8.46	3.06	0.03	0.11	0	0.04	0
15:00:00	9	2.24	0.03	0.09	0	0.04	0
16:00:00	15.96	2.41	0.03	0.1	0	0	0
17:00:00	33.67	2.63	0.04	0.14	0	0.04	0
18:00:00	16.21	32.75	0.1	0.46	0.07	0.19	0
19:00:00	8.6	68.84	0.13	0.79	0.16	0.45	0.09
20:00:00	7.3	74.76	0.18	0.82	0.12	0.38	0.07
21:00:00	5.82	11.86	0.19	0.83	0.23	0.65	0.13
22:00:00	5.05	9.97	0.24	1.13	0.39	1.01	0.17
23:00:00	4.74	3.74	0.18	0.68	0.39	1.1	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	8.97	20.85	0.17	0.81	0.19	0.65	0.13
C50	7.49	4.58	0.14	0.73	0.12	0.43	0.08
MAX	33.67	148.76	0.5	2.79	0.81	3.13	0.94
MIN	3.92	1.93	0	0.09	0	0	0
C99.9	33.27	147.05	0.5	2.78	0.81	3.1	0.93
C98	25.64	114.72	0.5	2.62	0.72	2.53	0.71
C95	16.18	73.88	0.48	2.3	0.59	1.8	0.43

Datum: 2016-09-05

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.67	4.29	0.15	0.55	0.27	0.78	0.13
01:00:00	4.51	5.99	0.13	0.35	0.2	0.49	0.06
02:00:00	4.59	10.37	0.1	0.35	0.09	0.29	0
03:00:00	4.79	2.36	0.11	0.93	0.07	0.26	0
04:00:00			0.14	0.9	0.07	0.32	0.04
05:00:00	5.93	20.74	0.21	1.29	0.13	0.69	0.07
06:00:00	5.92	10.81	0.33	2.08	0.23	0.93	0.16
07:00:00	8.49	7.64	0.35	1.59	0.29	0.94	0.23
08:00:00	10.13	4.61	0.3	0.89	0.26	0.93	0.17
09:00:00	8.61	3.96	0.14	0.46	0.09	0.43	0.09
10:00:00	8.44	5.46	0.16	0.64	0.13	0.46	0.04
11:00:00	5.83	3.19	0.03	0.2	0	0.17	0
12:00:00	4.42	2.78	0	0.13	0	0.14	0
13:00:00	3.58	2.38	0	0.09	0	0.07	0
14:00:00	3.99	4.7	0.03	0.23	0	0.13	0
15:00:00	3.74	3.37	0.03	0.18	0	0.13	0
16:00:00	3.87	5.05	0.03	0.13	0	0.1	0
17:00:00	2.65	5.54	0	0.11	0	0.04	0
18:00:00	4.49	1.72	0.06	0.24	0	0.26	0
19:00:00	4.37	2.18	0.04	0.28	0.07	0.39	0
20:00:00	3.82	1.94	0.03	0.21	0.09	0.35	0.04
21:00:00	4.25	2.28	0.03	0.15	0	0.17	0
22:00:00	4.3	2.01	0.03	0.18	0	0.2	0
23:00:00	4.73	2.36	0.03	0.11	0	0.25	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.22	5.03	0.1	0.51	0.08	0.37	0.04
C50	4.5	3.67	0.05	0.26	0.07	0.27	0
MAX	10.13	20.74	0.35	2.08	0.29	0.94	0.23
MIN	2.65	1.72	0	0.09	0	0.04	0
C99.9	10.09	20.51	0.35	2.07	0.29	0.94	0.23
C98	9.43	16.17	0.34	1.86	0.28	0.93	0.2
C95	8.59	10.74	0.33	1.55	0.27	0.93	0.17

Datum: 2016-09-06

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.41	1.86	0	0.13	0.04	0.25	0.04
01:00:00	4.36	2.85	0	0.09	0	0.14	0
02:00:00	4.9	2.61	0	0.09	0	0.14	0
03:00:00	3.91	2.66	0	0.08	0	0.13	0
04:00:00	4.14	1.98	0	0.11	0	0.22	0
05:00:00			0	0.14	0	0.29	0
06:00:00	3.94	2.45	0	0.19	0.04	0.33	0
07:00:00	4.01	2.48	0.05	0.29	0.04	0.41	0
08:00:00	4.66	2.64	0.05	0.35	0.09	0.42	0
09:00:00	4.54	2.1	0.06	0.3	0	0.25	0
10:00:00	3.89	2.43	0.07	0.45	0.04	0.22	0
11:00:00	5.1	2.78	0.19	0.74	0.09	0.3	0
12:00:00	4.93	2.36	0	0.3	0	0.04	0
13:00:00	5.79	1.62	0	0.25	0	0.09	0
14:00:00	3.85	2.22	0	0.06	0	0	0
15:00:00	4.26	1.58	0	0.04	0	0	0
16:00:00	3.53	2.32	0	0.04	0	0	0
17:00:00	4.21	2.01	0	0.08	0	0	0
18:00:00	4.12	1.69	0	0.05	0	0	0
19:00:00	4.17	3.28	0.06	0.25	0.09	0.14	0
20:00:00	3.1	2.63	0.05	0.16	0	0.12	0
21:00:00	3.82	3.38	0.05	0.16	0	0.07	0
22:00:00	3.57	2.24	0.03	0.09	0	0	0
23:00:00	4.44	29.87	0.1	0.24	0	0.13	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.25	3.57	0.03	0.19	0.02	0.15	0
C50	4.16	2.39	0	0.15	0	0.14	0
MAX	5.79	29.87	0.19	0.74	0.09	0.42	0.04
MIN	3.1	1.58	0	0.04	0	0	0
C99.9	5.77	29.26	0.19	0.73	0.09	0.42	0.04
C98	5.47	17.68	0.15	0.61	0.09	0.41	0.02
C95	5.07	3.36	0.09	0.44	0.09	0.39	0

Datum: 2016-09-07

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.38	29.3	0.03	0.16	0	0	0
01:00:00	3.16	40.67	0.09	0.35	0	0.1	0
02:00:00	4.81	33.92	0.07	0.33	0	0.19	0
03:00:00	3.68	3.77	0.06	0.2	0	0.07	0
04:00:00	3.37	16.69	0.04	0.15	0	0.04	0
05:00:00	3.94	13.18	0.1	0.31	0	0.09	0
06:00:00			0.09	0.34	0	0.13	0
07:00:00	3.63	2.86	0.12	0.38	0.09	0.14	0
08:00:00	3.76	2.5	0.11	0.25	0	0.06	0
09:00:00	4.77	3.01	0.1	0.39	0.09	0.14	0
10:00:00	4.16	2.76	0.07	0.26	0	0.13	0
11:00:00	6.25	2.32	0.05	0.43	0	0.12	0
12:00:00	5.6	2.74	0.14	0.13	0	0.04	0
13:00:00	5.77	2.14	0.04	0.09	0	0	0
14:00:00	6.2	2.08	0.06	0.08	0	0	0
15:00:00	13.38	2.26	0	0.09	0	0.04	0
16:00:00	17.95	3.13	0.03	0.09	0.09	0.13	0
17:00:00	18.25	2.72	0.05	0.36	0.09	0.29	0.09
18:00:00	9.56	3.84	0.09	0.21	0	0.14	0
19:00:00	4.92	3.27	0.15	1.31	0.07	0.17	0
20:00:00	4.14	2.65	0.14	0.67	0.09	0.22	0
21:00:00	3.53	6.37	0.12	0.38	0.09	0.2	0
22:00:00	4.03	6.55	0.07	0.4	0.17	0.29	0.04
23:00:00	3.69	22.91	0.1	0.34	0.1	0.3	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.17	9.2	0.08	0.32	0.04	0.13	0.01
C50	4.15	3.07	0.08	0.32	0	0.13	0
MAX	18.25	40.67	0.15	1.31	0.17	0.3	0.09
MIN	3.16	2.08	0	0.08	0	0	0
C99.9	18.24	40.51	0.15	1.29	0.17	0.3	0.09
C98	18.11	37.56	0.14	1.01	0.14	0.3	0.07
C95	17.27	33.22	0.14	0.63	0.1	0.29	0.04



**Datum: 2016-09-08**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.08	5.87	0.14	0.33	0.07	0.25	0
01:00:00	4.3	17.77	0.13	0.21	0	0.14	0
02:00:00	3.85	4.05	0.13	0.38	0.12	0.35	0
03:00:00	4.57	11.1	0.14	0.49	0.11	0.32	0.04
04:00:00	4.29	6.13	0.12	0.85	0.09	0.32	0
05:00:00	6.6	2.71	0.07	0.39	0.04	0.14	0
06:00:00	4.99	1.72	0.1	0.57	0	0.22	0
07:00:00			0.1	0.36	0.04	0.14	0
08:00:00	10.18	3.47	0.07	0.15	0	0.04	0
09:00:00	38.53	3.08	0.07	0.14	0	0.04	0
10:00:00	84.72	4.08	0.09	0.1	0	0	0
11:00:00	62.41	3.21	0.03	0.13	0	0	0
12:00:00	9.21	2.06	0.03	0.08	0	0.04	0
13:00:00	9.57	2.59	0	0.11	0	0.04	0
14:00:00	24.18	2.8	0	0.13	0	0.09	0
15:00:00	39.6	2.07	0	0.26	0	0	0
16:00:00	20.89	2.74	0	0.16	0	0	0
17:00:00	9.74	1.43	0.03	0.16	0.13	0.11	0.26
18:00:00	5.56	2.38	0.03	0.19	0	0.04	0
19:00:00	5.61	21.89	0.06	0.2	0	0.13	0
20:00:00	5.75	30.75	0.1	0.36	0	0.13	0.04
21:00:00	5.61	26.19	0.05	0.29	0	0.14	0
22:00:00	4.52	9.88	0.07	0.38	0.09	0.14	0
23:00:00	5.41	11.86	0.13	0.41	0.09	0.19	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	16.31	7.82	0.07	0.28	0.03	0.13	0.01
C50	5.68	3.34	0.07	0.24	0	0.13	0
MAX	84.72	30.75	0.14	0.85	0.13	0.35	0.26
MIN	3.85	1.43	0	0.08	0	0	0
C99.9	84.2	30.64	0.14	0.85	0.13	0.35	0.26
C98	74.46	28.65	0.14	0.72	0.12	0.33	0.16
C95	58.99	25.54	0.14	0.55	0.11	0.32	0.04

Datum: 2016-09-09

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.96	19	0.11	0.43	0.04	0.14	0
01:00:00	4.02	19.79	0.07	0.41	0	0.14	0
02:00:00	3.48	9.02	0.09	0.3	0	0.12	0
03:00:00	4.76	21.43	0.1	0.28	0	0.09	0
04:00:00	3.68	6.74	0.09	0.35	0	0.14	0
05:00:00	4.65	5.78	0.14	0.7	0.04	0.19	0
06:00:00	3.8	8.35	0.19	0.7	0.09	0.26	0.04
07:00:00	4.23	5.7	0.17	0.75	0.1	0.3	0.09
08:00:00			0.1	0.29	0	0.13	0
09:00:00	5.18	2.67	0.09	0.14	0	0.04	0
10:00:00	6.56	2.78	0.05	0.13	0	0.04	0
11:00:00	6.11	2.04	0.03	0.14	0	0.04	0
12:00:00	4.41	1.46	0	0.04	0	0	0
13:00:00	4.4	2.46	0.03	0.08	0	0.04	0
14:00:00	6.12	2.22	0.03	0.1	0	0	0
15:00:00	5.08	2.06	0	0.08	0	0.04	0
16:00:00	3.93	2.21	0	0.04	0	0	0
17:00:00	3.63	2.63	0.03	0.14	0	0.09	0
18:00:00	4.75	2.74	0.11	0.7	0.14	0.3	0.13
19:00:00	5.86	3.14	0.8	1.14	0.2	0.23	0.93
20:00:00	7.23	10.29	1.34	1.56	0.43	0.52	1.4
21:00:00	8.08	5.04	1.31	1.9	0.87	0.61	3.5
22:00:00	7.15	9.24	1.17	2.03	0.97	0.68	4.51
23:00:00	6.28	9.62	0.61	1.36	0.67	0.58	2.46

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.1	6.8	0.28	0.57	0.15	0.2	0.54
C50	4.7	4.09	0.09	0.33	0	0.14	0
MAX	8.08	21.43	1.34	2.03	0.97	0.68	4.51
MIN	3.48	1.46	0	0.04	0	0	0
C99.9	8.06	21.4	1.34	2.03	0.97	0.68	4.49
C98	7.69	20.68	1.33	1.97	0.92	0.65	4.05
C95	7.22	19.67	1.29	1.85	0.84	0.6	3.34

Datum: 2016-09-10

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.71	8.12	0.29	0.87	0.23	0.43	0.71
01:00:00	5.04	5.11	0.16	0.5	0.16	0.26	0.33
02:00:00	3.81	12.97	0.21	0.83	0.13	0.32	0.23
03:00:00	5	29.44	0.27	1.21	0.17	0.49	0.22
04:00:00	6.22	26.01	0.21	1	0.14	0.46	0.16
05:00:00	4.81	11.57	0.17	0.64	0.09	0.33	0.13
06:00:00	5.52	6.9	0.24	1.37	0.36	0.56	0.2
07:00:00	5.67	2.77	0.21	0.6	0.22	0.2	0.25
08:00:00	5.1	3.23	0.21	0.58	0.23	0.14	0.41
09:00:00			0.1	0.25	0	0.12	0.1
10:00:00	8.55	2.21	0.14	0.35	0.1	0.16	0.09
11:00:00	16.61	2.72	0.16	0.21	0	0.07	0.09
12:00:00	13.58	3.28	0.17	0.2	0	0.09	0.07
13:00:00	9.25	2.94	0.19	0.35	0.04	0.09	0.07
14:00:00	8.75	3.12	0.16	0.39	0.04	0.13	0
15:00:00	40.78	4.04	0.07	0.25	0.04	0.1	0.04
16:00:00	48.49	4.34	0.07	0.21	0	0.09	0.04
17:00:00	20.41	2.76	0.07	0.18	0.09	0.07	0.07
18:00:00	7.78	5.16	0.06	0.18	0	0.07	0.04
19:00:00	6.66	20.17	0.21	0.48	0.15	0.17	0.13
20:00:00	5.02	9.38	0.2	0.51	0.15	0.2	0.07
21:00:00	5.47	42.21	0.28	0.88	0.38	0.42	0.22
22:00:00	4.74	6.57	0.38	0.63	0.13	0.32	0.11
23:00:00	5.29	4.43	0.29	0.46	0.19	0.2	0.14

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.79	9.54	0.19	0.55	0.13	0.23	0.16
C50	5.69	4.77	0.2	0.49	0.13	0.19	0.12
MAX	48.49	42.21	0.38	1.37	0.38	0.56	0.71
MIN	3.81	2.21	0.06	0.18	0	0.07	0
C99.9	48.31	41.92	0.38	1.36	0.38	0.56	0.7
C98	44.95	36.34	0.34	1.29	0.37	0.53	0.57
C95	37.73	28.92	0.29	1.18	0.34	0.49	0.39

**Datum: 2016-09-11**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.74	5.82	0.24	0.55	0.14	0.22	0.09
01:00:00	5.09	4.77	0.23	0.58	0.13	0.26	0.07
02:00:00	4.59	5.48	0.3	0.9	0.42	0.27	0.27
03:00:00	4.57	4.06	0.27	0.88	0.55	0.26	0.39
04:00:00	4.51	3.39	0.19	0.58	0.3	0.16	0.27
05:00:00	3.6	3.07	0.2	0.5	0.36	0.12	0.35
06:00:00	3.46	3.15	0.17	0.44	0.17	0.14	0.17
07:00:00	3.19	3.19	0.15	0.29	0.13	0.07	0.13
08:00:00	4.43	3	0.21	0.36	0.1	0.1	0.12
09:00:00	8.07	2.29	0.2	0.34	0.07	0.12	0.09
10:00:00			0.19	0.23	0.04	0.09	0
11:00:00	43.37	3.29	0.12	0.16	0	0.07	0
12:00:00	103.89	5.27	0.09	0.1	0	0	0
13:00:00	73.46	4.08	0.04	0.05	0	0	0.04
14:00:00	52.42	3.23	0.05	0.08	0	0	0
15:00:00	37.64	3.32	0.16	0.08	0	0	0.04
16:00:00	18.96	2.9	0.09	0.1	0	0.07	0
17:00:00	7.57	2.39	0	0.08	0	0	0
18:00:00	7.28	6.04	0.24	0.68	0.3	1.24	0.24
19:00:00	6.79	3.02	0.34	1.13	0.22	0.65	0.14
20:00:00	7.38	2.89	0.36	0.54	0.12	0.26	0.09
21:00:00	4.83	3.02	0.1	0.33	0.06	0.19	0
22:00:00	4.89	3.5	0.2	1.24	0.17	0.48	0.1
23:00:00	4.31	3.9	0.19	1.07	0.14	0.45	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	18.22	3.7	0.18	0.47	0.14	0.22	0.11
C50	4.99	3.26	0.19	0.4	0.12	0.13	0.09
MAX	103.89	6.04	0.36	1.24	0.55	1.24	0.39
MIN	3.19	2.29	0	0.05	0	0	0
C99.9	103.19	6.04	0.36	1.24	0.55	1.22	0.39
C98	89.89	5.94	0.35	1.19	0.49	0.97	0.37
C95	70.3	5.77	0.33	1.12	0.41	0.63	0.34

Datum: 2016-09-12

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.18	5.63	0.18	0.92	0.13	0.51	0.14
01:00:00	6.4	6.8	0.28	0.93	0.13	0.8	0.2
02:00:00	5.61	3.87	0.22	0.9	0.13	0.64	0.14
03:00:00	4.97	3.35	0.17	0.75	0.1	0.43	0.06
04:00:00	4.5	2.82	0.09	0.57	0.1	0.27	0.07
05:00:00	3.64	4.48	0.05	0.49	0.09	0.23	0.07
06:00:00	4.19	4.56	0.11	0.48	0.09	0.23	0
07:00:00	5.13	6.33	0.34	1.92	0.23	0.8	0.17
08:00:00	5.81	3.56	0.3	1.87	0.36	1.04	0.27
09:00:00	5.4	3.12	0.1	0.38	0.04	0.23	0.04
10:00:00	4.63	2.41	0.09	0.21	0	0.12	0
11:00:00			0.09	0.13	0	0.12	0
12:00:00	26.95	2.73	0.1	0.11	0	0.04	0
13:00:00	18.1	2.2	0.06	0.06	0	0.07	0.04
14:00:00	12.9	2.28	0.06	0.09	0	0.04	0
15:00:00	52.88	4.54	0.03	0.06	0	0	0
16:00:00	30.14	2.79	0.04	0.06	0	0	0.04
17:00:00	11.18	2.96	0.06	0.1	0	0.04	0.04
18:00:00	5.55	20.88	0.07	0.25	0	0.11	0
19:00:00	6.4	23.04	0.3	1.02	0.17	0.43	0.26
20:00:00	5.46	15.42	0.2	0.84	0.16	0.51	0.12
21:00:00	5.4	15.38	0.32	1.39	0.29	0.74	0.19
22:00:00	5.79	20.8	0.33	1.61	0.39	1.04	0.29
23:00:00	5.86	19.56	0.3	1.53	0.3	0.82	0.19

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.52	7.81	0.16	0.69	0.11	0.39	0.1
C50	5.58	4.17	0.1	0.53	0.09	0.25	0.06
MAX	52.88	23.04	0.34	1.92	0.39	1.04	0.29
MIN	3.64	2.2	0.03	0.06	0	0	0
C99.9	52.35	22.99	0.34	1.92	0.39	1.04	0.29
C98	42.42	22.05	0.34	1.9	0.38	1.04	0.28
C95	29.66	20.87	0.33	1.83	0.35	1.01	0.27

**Datum: 2016-09-13**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.39	26.88	0.39	2.08	0.32	0.93	0.2
01:00:00	6.97	31.27	0.45	2.22	0.35	1.13	0.2
02:00:00	7.3	34.82	0.39	1.58	0.3	1.03	0.2
03:00:00	6.47	62.65	0.32	1.42	0.23	0.85	0.19
04:00:00	5.02	14.67	0.22	1.19	0.22	0.64	0.1
05:00:00	5.94	29.62	0.16	0.84	0.12	0.41	0.09
06:00:00	5.83	29.33	0.22	1.33	0.2	0.61	0.13
07:00:00	4.42	7.8	0.23	1.41	0.3	0.74	0.17
08:00:00	6.48	5.65	0.28	1.44	0.26	0.71	0.19
09:00:00	13.39	4.84	0.4	2.27	0.52	1.24	0.3
10:00:00	12.41	5.47	0.52	2.51	0.51	1.24	0.33
11:00:00	15.54	2.51	0.11	0.59	0.17	0.43	0.09
12:00:00			0.07	0.3	0	0.14	0
13:00:00	38.88	2.26	0.05	0.24	0	0.13	0
14:00:00	26.39	5.32	0.06	0.28	0	0.17	0
15:00:00	10.66	3.76	0.09	0.4	0.07	0.26	0
16:00:00	9.32	2.65	0.07	0.23	0.04	0.09	0
17:00:00	8.6	1.86	0.09	0.15	0	0.07	0
18:00:00	6.05	2.52	0.05	0.15	0	0.04	0
19:00:00	4.94	2.89	0.26	0.28	0	0.13	0.04
20:00:00	5.06	2.15	0.1	0.48	0.17	0.13	0.09
21:00:00	5.61	2.89	0.05	0.13	0	0.06	0
22:00:00	3.76	2.32	0.03	0.09	0	0.04	0
23:00:00	4.83	2.49	0.06	0.14	0	0.06	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	9.53	12.46	0.2	0.91	0.16	0.47	0.1
C50	6.26	4.3	0.13	0.53	0.14	0.33	0.09
MAX	38.88	62.65	0.52	2.51	0.52	1.24	0.33
MIN	3.76	1.86	0.03	0.09	0	0.04	0
C99.9	38.59	62.01	0.52	2.51	0.52	1.24	0.33
C98	33.14	49.85	0.49	2.4	0.51	1.24	0.32
C95	24.76	34.29	0.44	2.27	0.48	1.23	0.29

Datum: 2016-09-14

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.34	2.41	0.04	0.14	0	0.04	0
01:00:00	3.61	2.86	0.05	0.09	0	0.04	0
02:00:00	3.85	19.08	0.09	0.19	0.09	0.22	0
03:00:00	4.2	5.49	0.1	0.35	0.04	0.2	0
04:00:00	3.53	8.15	0.24	0.67	0.1	0.38	0
05:00:00	4.07	4.84	0.12	1.03	0.17	0.39	0.12
06:00:00	4.72	3.38	0.11	0.59	0.09	0.3	0.09
07:00:00	5.22	5.83	0.26	0.98	0.16	0.45	0.09
08:00:00	5.18	3.98	0.13	0.64	0.14	0.51	0.09
09:00:00	6.26	3.19	0.07	0.5	0.13	0.48	0.09
10:00:00	5.77	3.94	0.05	0.28	0.09	0.2	0
11:00:00	6.4	3.8	0.05	0.99	0	0.1	0
12:00:00	9.95	2.66	0.04	0.25	0	0.09	0
13:00:00			0.03	0.21	0	0.1	0
14:00:00	10.9	3.16	0.05	0.24	0.04	0.1	0
15:00:00	16.2	3.74	0.03	0.13	0	0.07	0
16:00:00	16.07	4.06	0.03	0.08	0	0.04	0
17:00:00	15.36	7.1	0.04	0.1	0	0	0
18:00:00	8.26	13.82	0.1	0.41	0.04	0.17	0
19:00:00	5.89	19.64	0.81	0.74	0.1	0.23	0.07
20:00:00	6.64	11.45	1.49	2.05	0.48	1.06	0.3
21:00:00	6.58	14.06	1.97	1.91	0.36	0.81	0.22
22:00:00	5.86	17.06	1.42	1.85	0.36	0.77	0.2
23:00:00	6.22	66.27	0.61	1.73	0.32	0.82	0.2

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.18	10	0.33	0.67	0.11	0.32	0.06
C50	5.88	4.45	0.09	0.46	0.09	0.21	0
MAX	16.2	66.27	1.97	2.05	0.48	1.06	0.3
MIN	3.53	2.41	0.03	0.08	0	0	0
C99.9	16.2	65.19	1.96	2.04	0.47	1.05	0.3
C98	16.14	44.82	1.75	1.98	0.42	0.95	0.26
C95	15.96	19.55	1.48	1.9	0.36	0.82	0.21

**Datum: 2016-09-15**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.01	117.44	0.55	2.34	0.48	1.56	0.41
01:00:00	7.34	24.6	0.28	1.46	0.23	0.78	0.14
02:00:00	5.88	30.79	0.47	1.31	0.25	0.69	0.14
03:00:00	5.09	10.72	0.27	1.31	0.22	0.65	0.16
04:00:00	4	5.01	0.3	0.94	0.17	0.42	0.17
05:00:00	3.28	7.27	0.32	0.92	0.19	0.41	0.1
06:00:00	4.98	3.81	0.07	0.45	0.09	0.22	0.04
07:00:00	5.73	6.95	0.24	1.29	0.16	0.48	0.06
08:00:00	6.78	7.42	0.52	2.7	0.48	1.24	0.3
09:00:00	7.61	5.02	0.23	1.34	0.27	0.81	0.19
10:00:00	11.36	2.38	0.09	0.29	0.07	0.19	0.04
11:00:00	23.01	2.92	0.06	0.11	0.04	0.07	0
12:00:00	33.48	3.31	0.07	0.14	0	0.06	0
13:00:00	58.51	3.15	0.05	0.1	0	0.04	0
14:00:00			0.07	0.28	0	0.11	0
15:00:00	27.4	2.93	0.07	0.43	0	0.12	0
16:00:00	26.46	3.12	0.14	0.15	0	0.09	0
17:00:00	25.64	3.65	0.1	0.18	0	0.09	0
18:00:00	15.33	28.37	0.14	0.43	0.56	1.14	0.35
19:00:00	8.21	85.02	0.37	0.87	0.16	0.56	0.07
20:00:00	6.86	20	0.28	1.17	0.2	0.54	0.09
21:00:00	6.67	11.9	0.37	1.59	0.32	0.87	0.23
22:00:00	5.62	21.64	0.27	1.17	0.19	0.55	0.14
23:00:00	6.24	75.61	0.3	1.39	0.19	0.59	0.11

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	13.63	21	0.24	0.93	0.18	0.51	0.11
C50	7.1	7.11	0.26	0.93	0.18	0.51	0.09
MAX	58.51	117.44	0.55	2.7	0.56	1.56	0.41
MIN	3.28	2.38	0.05	0.1	0	0.04	0
C99.9	57.93	116.7	0.55	2.69	0.56	1.56	0.4
C98	46.99	102.53	0.54	2.53	0.52	1.42	0.38
C95	32.56	83.61	0.51	2.22	0.48	1.23	0.34



Datum: 2016-09-16

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.55	5.12	0.28	1.07	0.16	0.45	0.09
01:00:00	4.84	61.3	0.18	0.7	0.09	0.29	0.04
02:00:00	3.78	8.3	0.15	0.54	0.04	0.23	0
03:00:00	3.76	6.09	0.14	0.51	0.13	0.23	0.04
04:00:00	3.82	20.03	0.13	0.51	0.09	0.17	0.04
05:00:00	4.52	36.55	0.22	1.31	0.13	0.52	0.04
06:00:00	4.95	33.42	0.87	4.77	0.49	1.32	0.45
07:00:00	7.67	6.42	1.43	8.78	1.11	2.55	0.87
08:00:00	7.61	4.94	0.43	2.39	0.48	1.32	0.35
09:00:00	16.08	3.02	0.17	0.64	0.12	0.39	0.13
10:00:00	19.04	2.03	0.11	0.63	0.07	0.29	0
11:00:00	13.66	2.71	0.05	0.36	0	0.25	0
12:00:00	11.18	2.85	0.06	0.19	0	0.1	0
13:00:00	14.42	2.78	0.03	0.49	0.09	0.38	0.04
14:00:00	13.37	3.13	0.03	0.18	0	0.13	0
15:00:00			0	0.15	0.09	0.12	0
16:00:00	22.37	3.49	0.03	0.11	0	0.09	0
17:00:00	12.58	6.51	0.06	0.34	0.09	0.23	0
18:00:00	8.68	14.99	0.49	3.6	0.56	1.26	0.42
19:00:00	5.86	12.78	0.32	1.39	0.27	0.77	0.2
20:00:00	6.41	15.76	0.33	2.13	0.42	1	0.32
21:00:00	5.7	14.27	0.42	1.98	0.36	0.9	0.23
22:00:00	5.55	16.43	0.33	1.18	0.23	0.56	0.16
23:00:00	4.33	4.92	0.21	0.87	0.17	0.51	0.1

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	8.9	12.51	0.27	1.45	0.22	0.58	0.15
C50	6.13	6.26	0.18	0.67	0.12	0.38	0.04
MAX	22.37	61.3	1.43	8.78	1.11	2.55	0.87
MIN	3.76	2.03	0	0.11	0	0.09	0
C99.9	22.29	60.73	1.41	8.68	1.1	2.52	0.86
C98	20.83	49.91	1.17	6.93	0.86	1.98	0.68
C95	18.59	36.08	0.82	4.6	0.55	1.32	0.44

**Datum: 2016-09-17**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.02	2.69	0.11	0.39	0	0.22	0
01:00:00	4.24	3.49	0.07	0.33	0.09	0.2	0
02:00:00	3.63	10.13	0.1	0.41	0.09	0.2	0
03:00:00	4.67	46.61	0.16	0.54	0.09	0.35	0
04:00:00	5.41	11.2	0.22	0.6	0.09	0.26	0.09
05:00:00	4.31	3.18	0.21	0.55	0.09	0.25	0
06:00:00	4.76	2.99	0.2	0.62	0.09	0.27	0.07
07:00:00	5.82	2.01	0.19	0.5	0.07	0.22	0.04
08:00:00	6.11	3.01	0.17	0.44	0.09	0.17	0
09:00:00	6.75	2.44	0.48	4.97	0.8	1.88	0.95
10:00:00	11.36	2	0.14	0.67	0.14	0.45	0.11
11:00:00	48.12	3.96	0.05	0.48	0.13	0.38	0.13
12:00:00	34.84	5.46	0.09	0.62	0.13	0.33	0.09
13:00:00	34.65	7.68	0.06	0.67	0.16	0.42	0.09
14:00:00	19.97	7.52	0.05	0.2	0.09	0.23	0
15:00:00	9.41	3.37	0	0.16	0	0.2	0
16:00:00			0.03	0.13	0	0.13	0
17:00:00	6.64	5.76	0.03	0.18	0	0.14	0
18:00:00	6.54	22.59	0.06	0.3	0.1	0.46	0.04
19:00:00	5.9	9.48	0.13	0.63	0.35	0.85	0.14
20:00:00	6.01	15.73	0.23	0.7	0.23	0.55	0.12
21:00:00	5.07	22.92	0.24	0.87	0.16	0.46	0.09
22:00:00	5.85	141.54	0.3	1.09	0.2	0.61	0.16
23:00:00	6.02	82.26	0.24	1.02	0.16	0.62	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.87	18.18	0.15	0.71	0.14	0.41	0.09
C50	5.96	5.61	0.13	0.55	0.09	0.3	0.05
MAX	48.12	141.54	0.48	4.97	0.8	1.88	0.95
MIN	3.63	2	0	0.13	0	0.13	0
C99.9	47.82	140.18	0.47	4.88	0.79	1.86	0.94
C98	42.01	114.27	0.4	3.19	0.59	1.41	0.59
C95	34.81	76.92	0.29	1.08	0.33	0.82	0.16

**Datum: 2016-09-18**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.2	13.97	0.2	0.98	0.16	0.54	0.12
01:00:00	6.24	72.87	0.09	0.5	0.12	0.45	0.13
02:00:00	5.25	13.92	0.05	0.2	0	0.26	0
03:00:00	4.82	14.4	0.05	0.21	0	0.2	0
04:00:00	5.7	9.1	0.05	0.28	0.04	0.32	0
05:00:00	5.31	5.04	0.05	0.45	0.06	0.48	0.17
06:00:00	5.48	4.4	0.06	0.38	0.09	0.48	0.04
07:00:00	5.65	3.06	0.11	0.7	0.09	0.46	0.09
08:00:00	5.53	4.2	0.09	0.48	0.06	0.36	0
09:00:00	6.38	3.12	0.06	0.28	0.04	0.22	0
10:00:00	5.37	2.8	0.05	0.24	0.04	0.19	0
11:00:00	4.37	1.84	0.03	0.08	0	0.07	0
12:00:00	3.6	3.98	0	0.08	0	0.04	0
13:00:00	4.91	1.78	0	0.1	0	0.04	0
14:00:00	3.98	2.4	0.06	0.06	0	0	0
15:00:00	3.87	1.73	0	0.09	0	0.04	0
16:00:00	3.07	5.64	0.03	0.28	0.04	0.13	0
17:00:00			0.09	0.45	0.07	0.14	0
18:00:00	5.13	14	0.29	1.57	0.22	0.33	0.09
19:00:00	5.71	20.54	0.34	3.98	0.13	0.32	0.1
20:00:00	4.32	8.94	0.24	1.61	0.26	0.65	0.16
21:00:00	4.95	16.02	0.17	0.97	0.16	0.49	0.11
22:00:00	4.54	3.5	0.03	0.31	0.04	0.13	0
23:00:00	4.94	2.51	0.03	0.29	0.04	0.12	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.97	9.99	0.09	0.61	0.07	0.27	0.04
C50	5.04	4.3	0.06	0.3	0.04	0.24	0
MAX	6.38	72.87	0.34	3.98	0.26	0.65	0.17
MIN	3.07	1.73	0	0.06	0	0	0
C99.9	6.37	71.66	0.34	3.93	0.26	0.65	0.17
C98	6.31	48.79	0.32	2.89	0.24	0.6	0.17
C95	6.16	19.86	0.28	1.6	0.21	0.53	0.15

Datum: 2016-09-19

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.47	3.16	0.06	0.33	0	0.07	0
01:00:00	4.18	4.01	0.06	0.31	0	0.1	0
02:00:00	4.46	17.84	0.07	0.3	0	0.2	0
03:00:00	5.31	6	0.1	0.48	0	0.25	0
04:00:00	7.15	4.3	0.04	0.2	0	0.13	0
05:00:00	5.05	3.24	0	0.09	0	0	0
06:00:00	3.81	3.82	0	0.13	0	0.07	0
07:00:00	4.68	4.1	0.05	0.23	0	0.06	0
08:00:00	4.28	3.62	0.1	0.34	0	0.12	0
09:00:00	4.55	3.66	0.03	0.11	0	0	0
10:00:00	4.69	2.64	0.03	0.2	0.07	0.13	0
11:00:00	4.73	2.64	0.03	0.19	0	0.04	0
12:00:00	3.88	2.04	0.03	0.13	0	0.04	0
13:00:00	4.22	1.92	0.03	0.09	0	0	0
14:00:00	4	2.44	0	0.06	0	0	0
15:00:00	4.73	9.47	0.07	0.6	0.07	0.26	0.07
16:00:00	4.32	8.4	0.09	0.5	0.11	0.32	0
17:00:00	4.14	6.48	0.04	0.29	0	0.09	0
18:00:00			0.03	0.26	0	0.09	0
19:00:00	3.99	32.16	0.03	0.13	0	0.1	0
20:00:00	4.65	14.81	0.05	0.16	0.04	0.2	0
21:00:00	4.01	9.9	0	0.14	0	0.17	0
22:00:00	4.45	15.16	0.03	0.14	0	0.09	0
23:00:00	3.85	12.07	0.03	0.08	0	0.1	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.46	7.56	0.04	0.23	0.01	0.11	0
C50	4.3	4.05	0.03	0.19	0	0.09	0
MAX	7.15	32.16	0.1	0.6	0.11	0.32	0.07
MIN	3.47	1.92	0	0.06	0	0	0
C99.9	7.11	31.83	0.1	0.6	0.11	0.32	0.06
C98	6.3	25.57	0.1	0.56	0.09	0.29	0.04
C95	5.27	17.44	0.09	0.5	0.07	0.26	0

Datum: 2016-09-20

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.38	3.97	0	0.34	0	0	0
01:00:00	3.92	4.06	0.04	0.39	0	0	0
02:00:00	3.5	3.27	0.06	0.77	0	0	0
03:00:00	3.85	2.68	0.07	0.98	0	0	0
04:00:00	3.32	3.07	0.07	0.8	0	0	0
05:00:00	2.82	3.52	0.09	0.65	0	0	0
06:00:00	3.74	2.34	0.11	0.73	0	0.04	0
07:00:00	4.17	2.62	0.11	0.88	0	0.04	0
08:00:00	3.54	2.72	0.15	0.77	0	0.07	0
09:00:00	3.95	3.08	0.14	0.83	0	0.07	0
10:00:00	4.33	2.8	0.11	0.62	0	0.04	0
11:00:00	5.08	2.68	0.12	0.44	0	0.04	0
12:00:00	5.61	2.61	0.11	0.21	0	0	0
13:00:00	4.66	1.69	0.12	0.23	0	0.04	0
14:00:00	4.02	2.7	0.11	3.96	0.48	1.22	0.39
15:00:00	3.78	2.99	0.14	0.64	0.07	0.2	0.04
16:00:00	3.65	2.63	0.11	0.3	0	0.09	0
17:00:00	3.45	5.6	0.1	0.19	0	0.04	0.04
18:00:00	4.08	10.8	0.15	0.31	0	0.12	0
19:00:00			0.15	0.24	0	0.13	0.04
20:00:00	4.87	10.25	0.18	0.29	0	0.22	0
21:00:00	4.39	10.66	0.13	0.24	0.04	0.23	0
22:00:00	4.64	10.46	0.14	0.24	0.04	0.26	0.04
23:00:00	5.59	14.99	0.13	0.19	0	0.17	0.04

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.15	4.88	0.11	0.63	0.03	0.13	0.03
C50	3.99	3.03	0.11	0.41	0	0.04	0
MAX	5.61	14.99	0.18	3.96	0.48	1.22	0.39
MIN	2.82	1.69	0	0.19	0	0	0
C99.9	5.61	14.89	0.18	3.89	0.47	1.19	0.38
C98	5.6	13.06	0.17	2.59	0.29	0.78	0.23
C95	5.51	10.78	0.15	0.96	0.06	0.26	0.04

**Datum: 2016-09-21**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.9	20.77	0.18	0.5	0	0.09	0.09
01:00:00	5.03	14.26	0.13	0.25	0	0.13	0
02:00:00	5.07	20.2	0.12	0.19	0	0.2	0
03:00:00	4.72	19.87	0.11	0.19	0	0.22	0
04:00:00	4.56	18.59	0.11	0.23	0	0.16	0
05:00:00	3.77	8.19	0.09	0.23	0.04	0.2	0
06:00:00	4.61	10.23	0.14	0.5	0.09	0.33	0
07:00:00	5.86	4.35	0.17	0.55	0.09	0.43	0.07
08:00:00	4.85	3.95	0.19	0.65	0.13	0.43	0.13
09:00:00	3.75	3.35	0.09	0.2	0	0.09	0
10:00:00	4.37	3.4	0.07	0.14	0	0.04	0
11:00:00	3.74	2.89	0.05	0.1	0	0.04	0
12:00:00	4.08	2.6	0.05	0.08	0	0	0
13:00:00	4.31	4.27	0.03	0.13	0	0.04	0
14:00:00	4.23	3.62	0.05	0.16	0	0	0
15:00:00	4.48	3.27	0.03	0.14	0	0.04	0
16:00:00	5.42	5.97	0.06	0.24	0	0.09	0
17:00:00	4.76	10.55	0.12	0.35	0	0.13	0
18:00:00	5.71	11.37	0.1	0.25	0.07	0.41	0.04
19:00:00	8.03	10.02	0.35	0.38	0.07	0.45	0.09
20:00:00			0.12	0.36	0.14	0.52	0.04
21:00:00	6.93	29.83	0.36	0.59	0.12	0.61	0.12
22:00:00	5.76	33.23	0.31	1.64	0.19	0.64	0.12
23:00:00	5.65	30.07	0.54	0.9	0.17	0.58	0.09

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.02	11.95	0.15	0.37	0.05	0.24	0.03
C50	4.74	9.1	0.11	0.24	0	0.18	0
MAX	8.03	33.23	0.54	1.64	0.19	0.64	0.13
MIN	3.74	2.6	0.03	0.08	0	0	0
C99.9	8.01	33.16	0.54	1.63	0.19	0.64	0.13
C98	7.52	31.78	0.46	1.3	0.18	0.62	0.12
C95	6.77	30.03	0.36	0.87	0.17	0.6	0.12

Datum: 2016-09-22

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.75	16.96	0.2	0.55	0.07	0.43	0.07
01:00:00	5.21	4.43	0.26	2.45	0.23	0.72	0.16
02:00:00	6.29	11.73	0.31	1.19	0.27	0.86	0.14
03:00:00	4.32	5.37	0.11	0.58	0.12	0.52	0.09
04:00:00	6.08	5.01	0.11	0.58	0.07	0.48	0.13
05:00:00	6.01	2.85	0.09	0.46	0.07	0.42	0.09
06:00:00	6.05	4.09	0.13	0.62	0.07	0.41	0.04
07:00:00	5.12	3.92	0.15	0.62	0.09	0.35	0
08:00:00	6.08	2.85	0.14	0.46	0.07	0.36	0.04
09:00:00	4.64	3.84	0.1	0.39	0.13	0.27	0
10:00:00	4.56	4.78	0.1	0.58	0.07	0.27	0.09
11:00:00	5.07	3.47	0.04	0.24	0	0.12	0
12:00:00	4.31	5.45	0.05	0.15	0	0.14	0
13:00:00	3.87	5.3	0.05	0.11	0	0.09	0
14:00:00	4.57	4	0.13	0.16	0	0.09	0
15:00:00	4.67	2.55	0.06	0.19	0	0.09	0
16:00:00	4.26	3.62	0.1	0.33	0.04	0.14	0
17:00:00	4.2	2.83	0.05	0.14	0	0.04	0
18:00:00	4.9	97.56	0.16	0.5	0.09	0.19	0
19:00:00	5.55	90.92	0.21	0.6	0.12	0.45	0.09
20:00:00	6.74	67.65	0.46	1.33	0.35	1.36	0.24
21:00:00			0.39	1.72	0.33	1.13	0.26
22:00:00	6.37	47.55	0.31	1.41	0.33	1.3	0.29
23:00:00	5.46	9.96	0.34	2.02	0.29	1.07	0.29

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.18	17.68	0.17	0.72	0.12	0.47	0.08
C50	4.98	4.61	0.13	0.57	0.07	0.38	0.05
MAX	6.74	97.56	0.46	2.45	0.35	1.36	0.29
MIN	3.87	2.55	0.04	0.11	0	0.04	0
C99.9	6.73	97.41	0.46	2.44	0.35	1.36	0.29
C98	6.57	94.5	0.43	2.25	0.34	1.33	0.29
C95	6.36	87.42	0.39	1.98	0.33	1.28	0.29

Datum: 2016-09-23

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.16	10.45	0.66	5.89	0.55	1.66	0.52
01:00:00	6.86	4.87	0.62	8.64	0.85	2.21	0.93
02:00:00	7.57	5.5	0.46	5.04	0.64	2.18	0.67
03:00:00	6.81	4.82	0.42	3.97	0.62	2.1	0.67
04:00:00	5.67	7.38	0.29	4.31	0.35	1.26	0.3
05:00:00	6.63	3.38	0.22	2.25	0.27	0.98	0.1
06:00:00	5.99	3.53	0.53	2.71	0.41	1.22	0.35
07:00:00	7.43	7.41	0.82	3.93	0.59	1.79	0.54
08:00:00	8.29	5.06	0.79	5.16	0.95	2.31	0.82
09:00:00	5.79	3.74	0.17	0.94	0.19	0.67	0.13
10:00:00	5.12	3.46	0.13	0.93	0.09	0.42	0.04
11:00:00	4.73	3.19	0.07	0.26	0.04	0.17	0
12:00:00	4.72	2.94	0.05	0.16	0.04	0.13	0
13:00:00	4.71	1.52	0.06	0.21	0	0.13	0
14:00:00	4.71	2.68	0.06	0.15	0	0.09	0
15:00:00	3.87	2.52	0.03	0.13	0	0.06	0
16:00:00	4.36	4.3	0.09	0.31	0	0.17	0
17:00:00	4.78	5.41	0.1	0.19	0	0.07	0
18:00:00	4.23	30.35	0.18	0.55	0.09	0.23	0.04
19:00:00	5.65	18.46	0.37	0.65	0.12	0.43	0.07
20:00:00	6.51	3.28	0.48	0.94	0.17	0.56	0.12
21:00:00	5.35	48.67	0.38	0.93	0.14	0.45	0.08
22:00:00			0.73	1.34	0.14	0.68	0.13
23:00:00	7.31	61.06	0.62	1.34	0.19	0.71	0.14

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.84	10.61	0.35	2.12	0.27	0.86	0.24
C50	5.66	4.56	0.33	0.94	0.16	0.62	0.11
MAX	8.29	61.06	0.82	8.64	0.95	2.31	0.93
MIN	3.87	1.52	0.03	0.13	0	0.06	0
C99.9	8.27	60.78	0.82	8.58	0.95	2.31	0.92
C98	7.96	55.36	0.8	7.37	0.91	2.27	0.88
C95	7.55	45.92	0.78	5.78	0.82	2.21	0.8



Datum: 2016-09-24

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.75	33.68	0.37	1.09	0.17	0.59	0.1
01:00:00	5.4	14.54	0.35	1.27	0.16	0.65	0.1
02:00:00	5.64	14.02	0.32	1.17	0.13	0.64	0.12
03:00:00	5.13	11.78	0.28	0.88	0.12	0.51	0.09
04:00:00	5.57	5.32	0.21	0.84	0.12	0.45	0.09
05:00:00	5.51	10.23	0.21	0.93	0.13	0.48	0.1
06:00:00	4.83	8.15	0.23	1.73	0.17	0.75	0.13
07:00:00	7.61	3.4	0.51	4.63	0.54	1.61	0.49
08:00:00	7.74	2.42	0.37	2	0.42	1.19	0.27
09:00:00	7.52	2.98	0.2	1.05	0.23	0.71	0.14
10:00:00	8.31	2.8	0.12	0.58	0.13	0.42	0.07
11:00:00	4.9	3.94	0.06	0.33	0	0.22	0
12:00:00	6.99	4.43	0.03	0.11	0	0.09	0
13:00:00	7.89	3.81	0.06	0.13	0	0.04	0
14:00:00	5.86	2.82	0.03	0.11	0	0.04	0
15:00:00	5.13	3.89	0.03	0.06	0	0	0
16:00:00	4.36	13.15	0.03	0.06	0	0.04	0
17:00:00	4.75	17.38	0.14	0.14	0	0.07	0
18:00:00	6	32.21	0.21	0.45	0.09	0.16	0.04
19:00:00	6.96	20.63	0.66	1	0.17	0.46	0.13
20:00:00	8.71	13.62	1.34	1.7	0.27	0.72	0.19
21:00:00	8.61	89.68	1.05	3.05	0.51	1.29	0.38
22:00:00	8.29	106.67	0.46	1.43	0.23	0.87	0.18
23:00:00			0.28	1.17	0.17	0.68	0.17

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.45	18.33	0.32	1.08	0.16	0.53	0.12
C50	5.93	9.19	0.22	0.97	0.13	0.5	0.1
MAX	8.71	106.67	1.34	4.63	0.54	1.61	0.49
MIN	4.36	2.42	0.03	0.06	0	0	0
C99.9	8.7	106.28	1.33	4.6	0.53	1.6	0.49
C98	8.66	98.85	1.21	3.91	0.52	1.46	0.44
C95	8.57	81.28	0.99	2.89	0.49	1.27	0.36

Datum: 2016-09-25

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.45	93.07	0.27	1.32	0.14	0.71	0.1
01:00:00	6.26	8.84	0.13	0.62	0.1	0.51	0.07
02:00:00	6.08	17.46	0.12	0.85	0.09	0.48	0.07
03:00:00	5.95	30.54	0.1	0.45	0.09	0.35	0.04
04:00:00	6.34	26.26	0.1	0.35	0.06	0.32	0
05:00:00	6.87	8.65	0.1	0.28	0.09	0.28	0
06:00:00	6.42	5.3	0.09	0.25	0.04	0.27	0
07:00:00	5.45	4.96	0.07	0.29	0.09	0.29	0
08:00:00	5.42	4.11	0.12	0.31	0.07	0.22	0.04
09:00:00	5.83	3.83	0.13	0.29	0.04	0.27	0
10:00:00	4.55	4.85	0.14	0.28	0.1	0.32	0
11:00:00	5.63	3.11	0.12	0.2	0	0.13	0
12:00:00	5.64	2.99	0.1	0.11	0	0	0
13:00:00	4.83	2.2	0.04	0.08	0	0	0
14:00:00	5.26	3.3	0.03	0.08	0	0	0
15:00:00	4.34	1.58					
16:00:00	4.46	2.29					
17:00:00	4.79	2.89					
18:00:00	5.13	2.72					
19:00:00	5.06	43.57					
20:00:00	5	8.32					
21:00:00	4.69	3.01					
22:00:00	6.01	15.83					
23:00:00	5.51	18.37					

Ras pod	100%	100%	62.5%	62.5%	62.5%	62.5%	62.5%
AVG	5.54	13.25	0.11	0.38	0.06	0.28	0.02
C50	5.48	4.9	0.08	0.16	0	0.07	0
MAX	7.45	93.07	0.27	1.32	0.14	0.71	0.1
MIN	4.34	1.58	0.03	0.08	0	0	0
C99.9	7.44	91.93	0.26	1.31	0.14	0.7	0.1
C98	7.18	70.3	0.21	1.1	0.12	0.62	0.09
C95	6.8	41.61	0.14	0.82	0.1	0.5	0.07

**Datum: 2016-09-26**

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3						
00:00:00													
01:00:00	5.03	42.58											
02:00:00	4.92	78.9											
03:00:00	4.71	41.26											
04:00:00	6.65	18.55											
05:00:00	5.97	7.04											
06:00:00	7.77	20.52											
07:00:00	6.25	3.17											
08:00:00	5.22	3.86											
09:00:00	5.46	5.53											
10:00:00	6.71	4.24											
11:00:00	7.67	2.34											
12:00:00	8.19	2.53											
13:00:00	7.5	2.09											
14:00:00	6.08	1.9											
15:00:00	4.83	2.08											
16:00:00	3.95	2.21											
17:00:00	4.57	14.54											
18:00:00	5.21	10.17											
19:00:00	7.63	13.77											
20:00:00	8.35	9.19											
21:00:00	8.5	43.41											
22:00:00	7.96	55.91											
23:00:00	7.48	15.67											

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%					
AVG	6.37	17.45											
C50	6.17	8.11	0	0	0	0	0	0					
MAX	8.5	78.9											
MIN													
C99.9	8.49	78.37	0	0	0	0	0	0					
C98	8.43	68.33	0	0	0	0	0	0					
C95	8.32	54.04	0	0	0	0	0	0					

Datum: 2016-09-27

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	7.89	77.05												
01:00:00														
02:00:00	7.21	16.76												
03:00:00	6.77	4.61												
04:00:00	5.45	13.49												
05:00:00	5.8	15.16												
06:00:00	5.88	3.63												
07:00:00	5.51	2.75												
08:00:00	4.8	3.64												
09:00:00	6.16	2.8												
10:00:00	6.88	2.18												
11:00:00	16.86	3.03												
12:00:00	23.93	3.08												
13:00:00	15.04	2.47												
14:00:00	10.24	2.57												
15:00:00	7.98	3.26												
16:00:00	8.71	3.66												
17:00:00	12.15	3.1												
18:00:00	6.56	6.47												
19:00:00	7.38	9.05												
20:00:00	8.51	12.42												
21:00:00	7.12	13.25												
22:00:00	9.16	14.04												
23:00:00	9.51	43.75												

Ras pod	95.83%	95.83%	0%	0%	0%	0%	0%	0%						
AVG	8.94	11.4												
C50	7.29	3.65	0	0	0	0	0	0						
MAX	23.93	77.05												
MIN	4.8	2.18												
C99.9	23.77	76.28	0	0	0	0	0	0						
C98	20.68	61.73	0	0	0	0	0	0						
C95	16.58	39.7	0	0	0	0	0	0						

Datum: 2016-09-28

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.1	26.44					
01:00:00	7	20.43					
02:00:00							
03:00:00	8.02	33.24					
04:00:00	8.51	13.14					
05:00:00	7.13	16.17					
06:00:00	8.33	7.22					
07:00:00	8.45	6.07					
08:00:00	7.17	4.64					
09:00:00	8.57	3.29					
10:00:00	9	2.73					
11:00:00	7.27	2.35					
12:00:00	7.37	1.84					
13:00:00	7.36	2.63					
14:00:00	8.37	2.06				2.3	0.39
15:00:00	13.49	3.05	0.1	0.16	0	0	1.27
16:00:00	12.92	6.5	0.1	0.19	0	0	0
17:00:00	8.52	47.13	0.09	0.24	0	0	0.25
18:00:00	8.21	33.11	0.18	0.57	0	0	0.38
19:00:00	6.43	22.74	0.2	0.83	0	0	0.46
20:00:00	5.93	33.13	0.29	1.08	0	0	0.33
21:00:00	6.06	28.4	0.35	1.16	0	0	0.71
22:00:00	5.74	20.47	0.55	1.23	0	0	0.95
23:00:00	7.21	16.51	0.78	1.53	0	0	0.51

Ras pod	95.83%	95.83%	37.5%	37.5%	37.5%	41.67%	41.67%
AVG	8.05	15.36	0.29	0.78	0	0.23	0.53
C50	7.69	10.18	0	0	0	0	0
MAX	13.49	47.13	0.78	1.53	0	2.3	1.27
MIN	5.74	1.84					
C99.9	13.48	46.81	0.77	1.52	0	2.25	1.27
C98	13.23	40.74	0.67	1.39	0	1.24	1.13
C95	12.33	33.23	0.52	1.22	0	0	0.92

Datum: 2016-09-29

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.87	64.2	1.03	1.96	0	0	1.26
01:00:00	6.63	21.39	0.65	1.78	0	0	0.75
02:00:00	6.35	87.07	0.55	2.29	0.13	0	0.76
03:00:00			0.43	2.77	0.13	0	1.03
04:00:00	6.33	36.34	0.31	2.24	0.04	0	1.32
05:00:00	4.98	18.14	0.29	1.77	0	0	0.73
06:00:00	7.25	19.9	0.77	5.96	0.25	0.11	2.18
07:00:00	8	9.68	0.49	3.05	0.09	0	1.43
08:00:00	16.19	7.8	0.64	3.43	0.09	0	1.27
09:00:00	12.97	4.98	0.15	0.6	0	0	0.48
10:00:00	10.65	5.58	0.1	0.34	0	0	0.3
11:00:00	7.87	6.67	0.07	0.29	0	0	0.14
12:00:00	12.14	5.81	0.07	0.28	0	0	0
13:00:00	16.82	5.95	0.1	0.24	0	0	0.13
14:00:00	15.86	4.67	0.1	0.25	0	0	0
15:00:00	15.82	3.68	0.07	0.2	0	0	0.04
16:00:00	13.59	7.94	0.07	0.15	0	0	0.04
17:00:00	11.05	10.5	0.39	0.23	0	0	0.22
18:00:00	6.77	11.22	0.21	1.05	0	0	0.8
19:00:00	7.33	16.01	0.38	1.62	0	0	0.52
20:00:00	7.07	6.94	0.85	3.03	0	0	2.23
21:00:00	8.36	6.06	1.38	4.27	0	0	1.36
22:00:00	7.92	5.06	1	2.49	0	0	1.21
23:00:00	6.39	23.45	0.47	0.89	0	0	0.87

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	9.71	16.91	0.44	1.72	0.03	0	0.8
C50	7.9	7.87	0.39	1.7	0	0	0.75
MAX	16.82	87.07	1.38	5.96	0.25	0.11	2.23
MIN	4.98	3.68	0.07	0.15	0	0	0
C99.9	16.81	86.55	1.38	5.93	0.24	0.11	2.23
C98	16.53	76.55	1.22	5.18	0.19	0.06	2.21
C95	16.14	60.02	1.03	4.14	0.13	0	2.07

Datum: 2016-09-30

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.03	5.7	0.19	0.46	0	0	0.39
01:00:00	5.63	3.8	0.15	0.38	0	0	0.25
02:00:00	4.52	3.58	0.16	0.51	0	0	0.25
03:00:00	4.79	1.86	0.13	0.3	0	0	0.15
04:00:00			0.12	0.25	0	0	0.09
05:00:00	4.75	2.05	0.26	0.34	0	0	0.09
06:00:00	4.38	2.97	0.23	0.46	0	0	0.3
07:00:00	6.24	3.27	0.35	0.58	0	0	0.32
08:00:00	10	2.37	0.3	0.39	0	0	0.11
09:00:00	18.38	4.01	0.46	1.66	0	0	0.32
10:00:00	28.02	6.74	0.42	2.29	0	0	1.65
11:00:00	51	3.82	0.17	0.57	0	0	0.43
12:00:00	100.78	6.63	0.15	0.53	0	0	0.28
13:00:00	192.2	7.03	0.12	0.35	0	0	0.17
14:00:00	108.16	4.01	0.13	0.3	0	0	0.09
15:00:00	71.43	3.83	0.12	0.3	0	0	0.07
16:00:00	53.27	6.97	0.1	0.16	0	0	0.04
17:00:00	20.59	26.74	0.09	0.24	0	0	0
18:00:00	10.3	21.22	0.14	0.6	0	0	0.55
19:00:00	8.73	9.35	0.26	0.99	0	0	0.82
20:00:00	7.11	16.7	0.29	1.19	0	0	0.52
21:00:00	6.23	14.53	0.48	1.44	0	0	0.55
22:00:00	5.27	12.09	0.5	1.48	0	0	0.95
23:00:00	6.37	5.5	0.4	1.34	0	0	0.85

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	31.83	7.6	0.24	0.71	0	0	0.39
C50	7.92	4.76	0.18	0.49	0	0	0.29
MAX	192.2	26.74	0.5	2.29	0	0	1.65
MIN	4.03	1.86	0.09	0.16	0	0	0
C99.9	190.27	26.61	0.5	2.27	0	0	1.63
C98	153.54	24.2	0.49	2	0	0	1.33
C95	107.05	20.54	0.48	1.63	0	0	0.94

