



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10001 Obedska bara - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-08-01 do 2016-08-31

KOD stanice: **RS10001**

EIO klasifikacija: **0/0/0**

Koordinate XY: **44.735 / 19.986**

Nadmorska visina: **75**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-08-01

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | | | 54.73 | 0.03 | 0.43 | 2.04 | 1.11 | 0 |
| 01:00:00 | 2.34 | 2.48 | 56.64 | 0.05 | 0.47 | 1.93 | 1.15 | 0 |
| 02:00:00 | 2.14 | 2.34 | 46.56 | 0.08 | 0.44 | 1.86 | 1.13 | 15.06 |
| 03:00:00 | 2.53 | 2.26 | 46.56 | 0.12 | 0.4 | 1.76 | 0.71 | 13.93 |
| 04:00:00 | 2.05 | 2.32 | 32.54 | 0.13 | 0.46 | 1.72 | 1.06 | 6.84 |
| 05:00:00 | 3.07 | 1.75 | 41.09 | 0.11 | 0.47 | 1.65 | 0.95 | 0 |
| 06:00:00 | 3.55 | 1.86 | 40.87 | 0.09 | 0.46 | 1.63 | 1.01 | 0 |
| 07:00:00 | 2.88 | 1.91 | 54.99 | 0.11 | 0.45 | 1.43 | 0.93 | 0.04 |
| 08:00:00 | 2.06 | 2.27 | 71.76 | 0.1 | 0.47 | 1.41 | 0.91 | 11.85 |
| 09:00:00 | 2.32 | 1.93 | 84.92 | 0.1 | 0.41 | 1.35 | 0 | 0.04 |
| 10:00:00 | 2.27 | 1.82 | 103.8 | 0.03 | 0.4 | 1.35 | 0 | 0.04 |
| 11:00:00 | 2.6 | 2.18 | 102.36 | 0.08 | 0.36 | 1.43 | 0.85 | 0 |
| 12:00:00 | 2.3 | 1.96 | 102.07 | 0.05 | 0.32 | 1.35 | 0.76 | 0 |
| 13:00:00 | 1.75 | 2.04 | 105.18 | 0.05 | 0.35 | 1.52 | 0.85 | 0.09 |
| 14:00:00 | 2.08 | 2.02 | 115.77 | 0.06 | 0.36 | 1.58 | 0.82 | 0 |
| 15:00:00 | 2.7 | 1.78 | 112.92 | 0.03 | 0.38 | 1.8 | 1 | 0.04 |
| 16:00:00 | 2.9 | 1.79 | 91.44 | 0.03 | 0.24 | 1.58 | 0.46 | 0.09 |
| 17:00:00 | 2.33 | 2.23 | 93.49 | 0.04 | 0.35 | 1.41 | 0.56 | 0.04 |
| 18:00:00 | 3.23 | 1.9 | 90.59 | 0.05 | 0.26 | 1.35 | 0.74 | 0 |
| 19:00:00 | 5.22 | 1.96 | | 0.03 | 0.35 | 1.35 | 0.81 | 0 |
| 20:00:00 | 3.9 | 2.07 | 49.68 | 0.03 | 0.32 | 1.26 | 0.74 | 0 |
| 21:00:00 | 3.02 | 1.96 | 42.86 | 0.05 | 0.36 | 1.24 | 0.76 | 0 |
| 22:00:00 | 3.27 | 2.1 | 49.96 | 0.03 | 0.34 | 1.13 | 0.69 | 0 |
| 23:00:00 | 2.36 | 2.04 | 33.45 | 0.06 | 0.24 | 1.15 | 0.69 | 0 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|-------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.73 | 2.04 | 70.62 | 0.06 | 0.38 | 1.51 | 0.78 | 2 |
| C50 | 2.45 | 1.99 | 55.82 | 0.05 | 0.37 | 1.43 | 0.82 | 0 |
| MAX | 5.22 | 2.48 | 115.77 | 0.13 | 0.47 | 2.04 | 1.15 | 15.06 |
| MIN | | | 32.54 | 0.03 | 0.24 | 1.13 | 0 | 0 |
| C99.9 | 5.19 | 2.48 | 115.7 | 0.13 | 0.47 | 2.04 | 1.15 | 15.03 |
| C98 | 4.62 | 2.42 | 114.46 | 0.12 | 0.47 | 1.99 | 1.14 | 14.54 |
| C95 | 3.85 | 2.34 | 111.76 | 0.11 | 0.47 | 1.92 | 1.12 | 13.62 |

Datum: 2016-08-02

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.17 | 1.97 | 35.47 | 0.05 | 0.32 | 1.06 | 0.67 | 0.04 |
| 01:00:00 | | | 48.88 | 0.03 | 0.38 | 1.11 | 0.74 | 0 |
| 02:00:00 | 2.19 | 2.2 | 58.82 | 0.05 | 0.38 | 1.06 | 0.35 | 0 |
| 03:00:00 | 2.13 | 1.82 | 66.04 | 0.03 | 0.33 | 1.03 | 0.69 | 8.38 |
| 04:00:00 | 1.59 | 2.22 | 64.7 | 0.04 | 0.33 | 0.97 | 0.67 | 7.64 |
| 05:00:00 | 1.58 | 1.97 | 58.72 | 0.03 | 0.24 | 0.89 | 0.61 | 7.2 |
| 06:00:00 | 1.87 | 2.42 | 58.15 | 0.03 | 0.23 | 0.93 | 0.63 | 0 |
| 07:00:00 | 1.83 | 2.26 | 52.01 | 0.03 | 0.28 | 0.87 | 0.65 | 6.47 |
| 08:00:00 | 2.46 | 1.94 | 43.51 | 0.03 | 0.28 | 0.82 | 0.63 | 6.99 |
| 09:00:00 | 2.3 | 1.89 | 48.86 | 0.03 | 0.34 | 0.82 | 0.61 | 0 |
| 10:00:00 | 1.44 | 2.23 | 58.51 | 0.03 | 0.24 | 0.87 | 0.61 | 3.65 |
| 11:00:00 | 1.79 | 1.71 | 69.89 | 0.04 | 0.28 | 0.87 | 0.59 | 0 |
| 12:00:00 | 1.72 | 2.01 | 79.45 | 0.06 | 0.26 | 0.91 | 0.61 | 0 |
| 13:00:00 | 2.14 | 1.93 | 85.22 | 0.03 | 0.23 | 0.98 | 0.35 | 0 |
| 14:00:00 | 2.29 | 1.89 | 83.54 | 0.05 | 0.26 | 0.98 | 0.35 | 0 |
| 15:00:00 | 1.54 | 2.07 | 81.87 | 0.05 | 0.29 | 0.99 | 0.6 | 0 |
| 16:00:00 | 2.16 | 1.69 | 86.86 | 0.03 | 0.3 | 1.02 | 0.63 | 0 |
| 17:00:00 | 1.78 | 2 | 91.75 | 0.03 | 0.24 | 1.1 | 0.65 | 0 |
| 18:00:00 | 1.37 | 2.1 | 90.92 | 0.03 | 0.32 | 1.18 | 0.71 | 0 |
| 19:00:00 | 1.5 | 2.07 | 83.36 | 0.03 | 0.34 | 1.22 | 0.67 | 0 |
| 20:00:00 | 1.56 | 2.1 | | 0.03 | 0.3 | 1.24 | 0.72 | 0 |
| 21:00:00 | 1.21 | 2.14 | 71.49 | 0.03 | 0.32 | 1.17 | 0.69 | 0 |
| 22:00:00 | 1.24 | 1.9 | 48.12 | 0.03 | 0.28 | 1.13 | 0.67 | 0 |
| 23:00:00 | 1.28 | 1.92 | 41.02 | 0 | 0.21 | 1.06 | 0.67 | 7.86 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.79 | 2.02 | 65.53 | 0.04 | 0.29 | 1.01 | 0.62 | 2.01 |
| C50 | 1.75 | 1.98 | 61.76 | 0.03 | 0.28 | 1 | 0.64 | 0 |
| MAX | 2.46 | 2.42 | 91.75 | 0.06 | 0.38 | 1.24 | 0.74 | 8.38 |
| MIN | 1.21 | 1.69 | 35.47 | 0 | 0.21 | 0.82 | 0.35 | 0 |
| C99.9 | 2.45 | 2.42 | 91.73 | 0.06 | 0.38 | 1.24 | 0.74 | 8.36 |
| C98 | 2.39 | 2.35 | 91.37 | 0.06 | 0.38 | 1.23 | 0.73 | 8.14 |
| C95 | 2.3 | 2.26 | 90.31 | 0.05 | 0.37 | 1.21 | 0.72 | 7.82 |

Datum: 2016-08-03

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.5 | 1.82 | 40.79 | 0.03 | 0.3 | 1.02 | 0.04 | 7.99 |
| 01:00:00 | 1.71 | 2.02 | 35.39 | 0.05 | 0.32 | 0.98 | 0.65 | 0 |
| 02:00:00 | | | 40.09 | 0.05 | 0.35 | 0.95 | 0.68 | 0 |
| 03:00:00 | 1.22 | 2.27 | 44.35 | 0.03 | 0.33 | 0.9 | 0.64 | 6.12 |
| 04:00:00 | 1.64 | 2.3 | 41.19 | 0.05 | 0.38 | 0.89 | 0.63 | 6.38 |
| 05:00:00 | 1.39 | 1.8 | 35.72 | 0.03 | 0.36 | 0.85 | 0.63 | 0 |
| 06:00:00 | 1.81 | 1.88 | 34.6 | 0.05 | 0.32 | 0.82 | 0.59 | 0 |
| 07:00:00 | 1.56 | 2.02 | 54.95 | 0.05 | 0.34 | 0.85 | 0.69 | 0 |
| 08:00:00 | 1.9 | 1.95 | 65.23 | 0.05 | 0.36 | 0.84 | 0.65 | 0 |
| 09:00:00 | 1.41 | 1.84 | 82.66 | 0.05 | 0.37 | 0.88 | 0.61 | 0 |
| 10:00:00 | 1.6 | 2.05 | 95.51 | 0.05 | 0.38 | 1.06 | 0.69 | 0 |
| 11:00:00 | 2.05 | 2.04 | 109.66 | 0.08 | 0.4 | 1.35 | 0.82 | 0.09 |
| 12:00:00 | 1.21 | 2.3 | 111.91 | 0.06 | 0.32 | 1.41 | 0.43 | 0 |
| 13:00:00 | 1.43 | 1.73 | 115.83 | 0.06 | 0.4 | 1.5 | 0.81 | 0 |
| 14:00:00 | 1.53 | 1.96 | 118.77 | 0.06 | 0.33 | 1.5 | 0.84 | 0 |
| 15:00:00 | 1.33 | 1.68 | 117.16 | 0.05 | 0.38 | 1.54 | 0.82 | 0 |
| 16:00:00 | 1.36 | 2 | 104.13 | 0.03 | 0.4 | 1.78 | 0.5 | 0 |
| 17:00:00 | 1.22 | 2.11 | 101.78 | 0.06 | 0.38 | 1.63 | 0.04 | 0 |
| 18:00:00 | 1.76 | 2.38 | 59.1 | 0.06 | 0.36 | 1.58 | 0.89 | 0 |
| 19:00:00 | 2.41 | 1.87 | 54.9 | 0.03 | 0.36 | 1.5 | 0.82 | 10.59 |
| 20:00:00 | 2.51 | 1.44 | 49.81 | 0.03 | 0.36 | 1.5 | 0.85 | 5.27 |
| 21:00:00 | 1.61 | 1.75 | | 0.05 | 0.36 | 1.45 | 0.85 | 0 |
| 22:00:00 | 1.47 | 1.74 | 24.67 | 0.05 | 0.36 | 1.39 | 0.82 | 9.77 |
| 23:00:00 | 1.08 | 1.85 | 15.56 | 0.03 | 0.28 | 1.26 | 0.74 | 0.04 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|-------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.6 | 1.95 | 67.56 | 0.05 | 0.35 | 1.23 | 0.66 | 1.93 |
| C50 | 1.51 | 1.91 | 54.93 | 0.05 | 0.36 | 1.3 | 0.69 | 0 |
| MAX | 2.51 | 2.38 | 118.77 | 0.08 | 0.4 | 1.78 | 0.89 | 10.59 |
| MIN | 1.08 | 1.44 | 15.56 | 0.03 | 0.28 | 0.82 | 0.04 | 0 |
| C99.9 | 2.51 | 2.38 | 118.74 | 0.08 | 0.4 | 1.78 | 0.89 | 10.57 |
| C98 | 2.46 | 2.35 | 118.03 | 0.07 | 0.4 | 1.71 | 0.87 | 10.21 |
| C95 | 2.35 | 2.3 | 116.96 | 0.06 | 0.4 | 1.62 | 0.85 | 9.5 |

Datum: 2016-08-04

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.6 | 2.11 | 8.33 | 0.05 | 0.32 | 1.13 | 0.72 | 7.64 |
| 01:00:00 | 1.59 | 1.68 | 6.69 | 0.05 | 0.41 | 1.13 | 0.74 | 0 |
| 02:00:00 | 1.54 | 2.28 | 6.57 | 0.05 | 0.43 | 1.09 | 0.74 | 0.04 |
| 03:00:00 | | | 5.22 | 0.07 | 0.41 | 1.04 | 0.48 | 0 |
| 04:00:00 | 1.88 | 1.64 | 6 | 0.05 | 0.45 | 1 | 0.74 | 0 |
| 05:00:00 | 1.54 | 2.21 | 11.6 | 0.07 | 0.45 | 0.93 | 0.67 | 0 |
| 06:00:00 | 1.84 | 1.67 | 15.07 | 0.06 | 0.45 | 0.91 | 0.69 | 0 |
| 07:00:00 | 1.65 | 1.98 | 29.52 | 0.05 | 0.44 | 0.94 | 0.68 | 6.86 |
| 08:00:00 | 3.16 | 1.92 | 50.32 | 0.05 | 0.45 | 1 | 0.74 | 0.04 |
| 09:00:00 | 6.86 | 2.64 | 79.88 | 0.11 | 0.4 | 1.04 | 0.76 | 0 |
| 10:00:00 | 3.94 | 2.17 | 89.68 | 0.06 | 0.41 | 1.24 | 0.78 | 0 |
| 11:00:00 | 1.8 | 2.12 | 102.2 | 0.06 | 0.4 | 1.32 | 0.74 | 0 |
| 12:00:00 | 3.14 | 1.57 | 119.84 | 0.04 | 0.41 | 1.55 | 0.93 | 0 |
| 13:00:00 | 19.8 | 2.19 | 119.09 | 0.1 | 0.36 | 1.43 | 0.78 | 0 |
| 14:00:00 | 39.5 | 3.45 | 118.01 | 0.05 | 0.35 | 1.56 | 0.87 | 0 |
| 15:00:00 | 74.38 | 2.91 | 120.06 | 0.03 | 0.34 | 1.45 | 0.85 | 0 |
| 16:00:00 | 57.67 | 1.68 | 125.57 | 0.05 | 0.32 | 1.56 | 0.8 | 0 |
| 17:00:00 | 42.59 | 2.38 | 116.17 | 0.05 | 0.35 | 1.81 | 0.91 | 0 |
| 18:00:00 | 3.75 | 2.19 | 99.47 | 0.05 | 0.32 | 1.93 | 1.02 | 0 |
| 19:00:00 | 2.7 | 1.97 | 52.57 | 0.03 | 0.34 | 1.87 | 0.95 | 0 |
| 20:00:00 | 1.83 | 2.07 | 43.27 | 0.03 | 0.35 | 1.79 | 0.91 | 6.34 |
| 21:00:00 | 1.32 | 2.18 | 39.44 | 0.09 | 0.24 | 1.61 | 0.85 | 0.04 |
| 22:00:00 | 1.65 | 2.05 | | 0.05 | 0.32 | 1.54 | 0.87 | 11.67 |
| 23:00:00 | 1.57 | 2.31 | 26.06 | 0.03 | 0.32 | 1.5 | 0.82 | 10.22 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|-------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 12.06 | 2.15 | 60.46 | 0.06 | 0.38 | 1.35 | 0.79 | 1.79 |
| C50 | 1.86 | 2.11 | 46.8 | 0.05 | 0.38 | 1.38 | 0.78 | 0 |
| MAX | 74.38 | 3.45 | 125.57 | 0.11 | 0.45 | 1.93 | 1.02 | 11.67 |
| MIN | 1.32 | 1.57 | 5.22 | 0.03 | 0.24 | 0.91 | 0.48 | 0 |
| C99.9 | 73.99 | 3.44 | 125.44 | 0.11 | 0.45 | 1.93 | 1.02 | 11.64 |
| C98 | 66.69 | 3.2 | 123.03 | 0.1 | 0.45 | 1.9 | 0.99 | 11.01 |
| C95 | 55.41 | 2.87 | 120.02 | 0.09 | 0.45 | 1.86 | 0.95 | 9.83 |

Datum: 2016-08-05

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.64 | 2.18 | 14.62 | 0.05 | 0.32 | 1.41 | 0.41 | 11.02 |
| 01:00:00 | 1.18 | 2.44 | 13.9 | 0.03 | 0.3 | 1.3 | 0.8 | 9.81 |
| 02:00:00 | 1.34 | 2.22 | 12.81 | 0.03 | 0.3 | 1.26 | 0.78 | 0.09 |
| 03:00:00 | 1.51 | 2.2 | 10.9 | 0.03 | 0.34 | 1.16 | 0.75 | 8.29 |
| 04:00:00 | | | 9.85 | 0.05 | 0.38 | 1.13 | 0.72 | 8.12 |
| 05:00:00 | 0.85 | 2.41 | 8.66 | 0.05 | 0.26 | 1.04 | 0.67 | 7.68 |
| 06:00:00 | 1.57 | 1.56 | 7.08 | 0.04 | 0.33 | 1.07 | 0.71 | 7.77 |
| 07:00:00 | 1.8 | 1.54 | 36.83 | 0.07 | 0.39 | 1.06 | 0.69 | 8.12 |
| 08:00:00 | 4.49 | 2.07 | 65.43 | 0.08 | 0.41 | 1.11 | 0.74 | 0.04 |
| 09:00:00 | 5.96 | 2.09 | 84.91 | 0.06 | 0.34 | 1.02 | 0.67 | 0 |
| 10:00:00 | 7.35 | 2.13 | 97.5 | 0.06 | 0.34 | 1.17 | 0.76 | 0 |
| 11:00:00 | 9.11 | 2.04 | 107.77 | 0.05 | 0.33 | 1.36 | 0.77 | 0 |
| 12:00:00 | 7.09 | 1.87 | 113.74 | 0.03 | 0.28 | 1.41 | 0.41 | 0 |
| 13:00:00 | 6.25 | 2.04 | 114.66 | 0.04 | 0.18 | 1.39 | 0.49 | 0 |
| 14:00:00 | 5.78 | 1.85 | 113.87 | 0.05 | 0.3 | 1.45 | 0.78 | 0 |
| 15:00:00 | 5.24 | 2 | 117.79 | 0.05 | 0.26 | 1.48 | 0.78 | 0 |
| 16:00:00 | 4.82 | 1.94 | 117.34 | 0.05 | 0.21 | 1.75 | 0.88 | 0.04 |
| 17:00:00 | 38.54 | 1.62 | 114.05 | 0.06 | 0.31 | 1.94 | 0.95 | 0 |
| 18:00:00 | 21.5 | 2.44 | 92.23 | 0.04 | 0.19 | 2.36 | 1.23 | 0 |
| 19:00:00 | 3.82 | 2.01 | 68.97 | 0.06 | 0.26 | 1.95 | 1.02 | 0.04 |
| 20:00:00 | 2.7 | 1.93 | 40.01 | 0.05 | 0.25 | 1.69 | 0.85 | 0 |
| 21:00:00 | 2.1 | 1.85 | 60.24 | 0.05 | 0.24 | 1.56 | 0.82 | 0 |
| 22:00:00 | 2.74 | 1.75 | 57.54 | 0.04 | 0.23 | 1.37 | 0.74 | 10.42 |
| 23:00:00 | 2 | 2.18 | | 0.04 | 0.25 | 1.29 | 0.62 | 0.33 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|-------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 6.06 | 2.02 | 64.38 | 0.05 | 0.29 | 1.41 | 0.75 | 2.99 |
| C50 | 3.28 | 2.02 | 62.84 | 0.05 | 0.3 | 1.37 | 0.76 | 0.04 |
| MAX | 38.54 | 2.44 | 117.79 | 0.08 | 0.41 | 2.36 | 1.23 | 11.02 |
| MIN | 0.85 | 1.54 | 7.08 | 0.03 | 0.18 | 1.02 | 0.41 | 0 |
| C99.9 | 38.15 | 2.44 | 117.78 | 0.08 | 0.41 | 2.35 | 1.22 | 11.01 |
| C98 | 30.7 | 2.44 | 117.58 | 0.08 | 0.4 | 2.17 | 1.13 | 10.74 |
| C95 | 19.64 | 2.43 | 116.94 | 0.07 | 0.39 | 1.95 | 1.01 | 10.33 |

Datum: 2016-08-06

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.18 | 2.28 | 53.23 | 0.1 | 0.21 | 0.56 | 0.74 | 0.11 |
| 01:00:00 | 1.09 | 2.23 | 33 | 0.06 | 0.24 | 1.1 | 0.46 | 0.43 |
| 02:00:00 | 1.45 | 1.76 | 37.22 | 0.05 | 0.26 | 1.13 | 0.69 | 8.22 |
| 03:00:00 | 1.65 | 2.02 | 41.45 | 0.07 | 0.23 | 1.1 | 0.65 | 4.64 |
| 04:00:00 | 1.59 | 2.43 | 45.27 | 0.12 | 0.21 | 0.95 | 0.12 | 1.9 |
| 05:00:00 | | | 59.33 | 0.06 | 0.26 | 0.87 | 0.48 | 6.58 |
| 06:00:00 | 1.42 | 2.5 | 59.05 | 0.27 | 0.45 | 0.59 | 0.26 | 4.12 |
| 07:00:00 | 1.03 | 1.94 | 52.36 | 0.03 | 0.25 | 0.81 | 0.54 | 6.6 |
| 08:00:00 | 1.69 | 2.16 | 50.48 | 0.03 | 0.23 | 0.8 | 0.52 | 0 |
| 09:00:00 | 1.83 | 1.96 | 54.12 | 0.03 | 0.24 | 0.8 | 0.51 | 0 |
| 10:00:00 | 1.41 | 2.03 | 51.3 | 0.03 | 0.21 | 0.78 | 0.52 | 5.92 |
| 11:00:00 | 0.94 | 2.28 | 41 | 0.03 | 0.19 | 0.67 | 0.43 | 5.6 |
| 12:00:00 | 1.75 | 2.29 | 42.12 | 0.03 | 0.13 | 0.65 | 0.42 | 5.34 |
| 13:00:00 | 1.82 | 2.36 | 44.66 | 0.03 | 0.21 | 0.65 | 0.43 | 5.25 |
| 14:00:00 | 1.9 | 2.07 | 48.59 | 0.03 | 0.23 | 0.59 | 0.43 | 0 |
| 15:00:00 | 1.8 | 2.17 | 52.23 | 0.03 | 0.19 | 0.62 | 0.42 | 0 |
| 16:00:00 | 1.41 | 2.08 | 55.15 | 0.03 | 0.23 | 0.65 | 0.41 | 5.08 |
| 17:00:00 | 1.51 | 2.07 | 54.4 | 0.03 | 0.19 | 0.72 | 0.42 | 5.51 |
| 18:00:00 | 1.42 | 1.81 | 53.96 | 0.04 | 0.24 | 0.71 | 0.49 | 5.56 |
| 19:00:00 | 1.42 | 2.54 | 50.13 | 0.03 | 0.24 | 0.68 | 0.46 | 5.43 |
| 20:00:00 | 1.99 | 1.91 | 48.12 | 0.03 | 0.23 | 0.68 | 0.32 | 0 |
| 21:00:00 | 1.57 | 1.91 | 45.73 | 0.03 | 0.23 | 0.63 | 0.48 | 0 |
| 22:00:00 | 2.05 | 1.63 | 44.03 | 0.03 | 0.24 | 0.64 | 0.49 | 5.38 |
| 23:00:00 | 1.7 | 2.14 | 42.57 | 0.05 | 0.24 | 0.67 | 0.39 | 5.56 |

| | | | | | | | | |
|---------|--------|--------|-------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.59 | 2.11 | 48.31 | 0.05 | 0.23 | 0.75 | 0.46 | 3.63 |
| C50 | 1.58 | 2.07 | 49.36 | 0.03 | 0.23 | 0.68 | 0.46 | 5.16 |
| MAX | 2.18 | 2.54 | 59.33 | 0.27 | 0.45 | 1.13 | 0.74 | 8.22 |
| MIN | 0.94 | 1.63 | 33 | 0.03 | 0.13 | 0.56 | 0.12 | 0 |
| C99.9 | 2.17 | 2.54 | 59.32 | 0.26 | 0.45 | 1.13 | 0.74 | 8.19 |
| C98 | 2.12 | 2.52 | 59.2 | 0.2 | 0.37 | 1.12 | 0.72 | 7.48 |
| C95 | 2.04 | 2.49 | 58.47 | 0.11 | 0.26 | 1.1 | 0.69 | 6.59 |

Datum: 2016-08-07

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.42 | 2.42 | | 0.03 | 0.3 | 0.67 | 0.5 | 5.29 |
| 01:00:00 | 2.62 | 1.73 | 47.62 | 0.05 | 0.28 | 0.67 | 0.49 | 5.47 |
| 02:00:00 | 1.83 | 2.28 | 44.86 | 0.03 | 0.15 | 0.63 | 0.5 | 5.34 |
| 03:00:00 | 1.77 | 1.98 | 46.98 | 0.03 | 0.26 | 0.59 | 0.42 | 4.95 |
| 04:00:00 | 1.24 | 2.2 | 54.01 | 0 | 0.17 | 0.43 | 0.35 | 5.12 |
| 05:00:00 | 1.32 | 1.93 | 54.13 | 0.03 | 0.23 | 0.54 | 0.43 | 3.99 |
| 06:00:00 | | | 50.72 | 0.03 | 0.18 | 0.52 | 0.27 | 0 |
| 07:00:00 | 1.43 | 1.82 | 45.13 | 0.03 | 0.19 | 0.49 | 0.42 | 4.6 |
| 08:00:00 | 1.9 | 2.09 | 39.93 | 0.03 | 0.19 | 0.52 | 0.39 | 4.47 |
| 09:00:00 | 1.45 | 2.08 | 34.62 | 0.03 | 0.2 | 0.54 | 0.39 | 4.38 |
| 10:00:00 | 1.85 | 2.01 | 34.27 | 0.03 | 0.19 | 0.51 | 0.38 | 0 |
| 11:00:00 | 1.99 | 2.32 | 38.11 | 0.03 | 0.2 | 0.46 | 0.41 | 0 |
| 12:00:00 | 2.26 | 1.92 | 41.48 | 0.03 | 0.15 | 0.51 | 0.39 | 3.82 |
| 13:00:00 | 1.4 | 2.19 | 45.09 | 0.03 | 0.2 | 0.49 | 0.33 | 0 |
| 14:00:00 | 2.35 | 2.22 | 52.39 | 0.03 | 0.23 | 0.48 | 0.35 | 0 |
| 15:00:00 | 2.01 | 1.62 | 59.15 | 0.04 | 0.14 | 0.49 | 0.38 | 0 |
| 16:00:00 | 2.05 | 2.09 | 61.95 | 0.04 | 0.18 | 0.43 | 0.36 | 0 |
| 17:00:00 | 2.21 | 2.03 | 61.56 | 0.04 | 0.19 | 0.51 | 0.34 | 0 |
| 18:00:00 | 1.73 | 1.95 | 59.51 | 0.03 | 0.19 | 0.56 | 0.39 | 0.04 |
| 19:00:00 | 1.67 | 1.99 | | 0.05 | 0.16 | 0.54 | 0.37 | 3.91 |
| 20:00:00 | 1.59 | 2.01 | | 0.03 | 0.2 | 0.54 | 0.38 | 4.25 |
| 21:00:00 | 1.65 | 2.06 | | 0.03 | 0.15 | 0.51 | 0.39 | 0 |
| 22:00:00 | 2.06 | 1.99 | | 0.1 | 0.17 | 0.54 | 0.39 | 0.04 |
| 23:00:00 | 2.14 | 2.17 | | 0.06 | 0.23 | 0.52 | 0.32 | 0 |

| | | | | | | | | |
|---------|--------|--------|-------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 75% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.82 | 2.05 | 48.42 | 0.04 | 0.2 | 0.53 | 0.39 | 2.32 |
| C50 | 1.8 | 2.02 | 44.98 | 0.03 | 0.19 | 0.52 | 0.39 | 1.93 |
| MAX | 2.62 | 2.42 | 61.95 | 0.1 | 0.3 | 0.67 | 0.5 | 5.47 |
| MIN | 1.24 | 1.62 | | 0 | 0.14 | 0.43 | 0.27 | 0 |
| C99.9 | 2.61 | 2.41 | 61.94 | 0.1 | 0.3 | 0.67 | 0.5 | 5.47 |
| C98 | 2.49 | 2.37 | 61.77 | 0.08 | 0.29 | 0.67 | 0.5 | 5.41 |
| C95 | 2.34 | 2.31 | 61.25 | 0.06 | 0.27 | 0.66 | 0.5 | 5.33 |

Datum: 2016-08-08

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.81 | 2.22 | | 0.04 | 0.13 | 0.52 | 0.41 | 4.17 |
| 01:00:00 | 1.95 | 2.12 | | 0.03 | 0.21 | 0.48 | 0.35 | 3.78 |
| 02:00:00 | 1.65 | 2.57 | | 0.04 | 0.16 | 0.45 | 0.43 | 0 |
| 03:00:00 | 1.89 | 1.84 | | 0.03 | 0.21 | 0.45 | 0.36 | 0 |
| 04:00:00 | 1.82 | 1.48 | | 0.03 | 0.28 | 0.49 | 0.41 | 0 |
| 05:00:00 | 1.42 | 2.06 | | 0.03 | 0.25 | 0.42 | 0.36 | 0 |
| 06:00:00 | 1.67 | 2.06 | | 0.03 | 0.24 | 0.43 | 0.38 | 0 |
| 07:00:00 | | | | 0.04 | 0.25 | 0.45 | 0.39 | 0 |
| 08:00:00 | 2.24 | 2.57 | | 0.04 | 0.29 | 0.46 | 0.39 | 0 |
| 09:00:00 | 1.93 | 1.62 | | 0.05 | 0.28 | 0.54 | 0.26 | 0 |
| 10:00:00 | 1.64 | 2.1 | | 0.05 | 0.29 | 0.75 | 0.49 | 0 |
| 11:00:00 | 1.67 | 2.41 | | 0.04 | 0.25 | 0.81 | 0.35 | 0.09 |
| 12:00:00 | 1.77 | 1.91 | | 0.03 | 0.23 | 0.91 | 0.49 | 0 |
| 13:00:00 | 1.66 | 1.97 | | 0.03 | 0.31 | 1.06 | 0.61 | 0.04 |
| 14:00:00 | 1.72 | 2.05 | | 0.05 | 0.29 | 1.04 | 0.58 | 0 |
| 15:00:00 | 2.43 | 1.87 | | 0.03 | 0.23 | 1.14 | 0.61 | 7.94 |
| 16:00:00 | 5.41 | 1.9 | | 0.03 | 0.25 | 1.01 | 0.58 | 0 |
| 17:00:00 | 17.06 | 2.2 | | 0.04 | 0.21 | 0.91 | 0.54 | 0 |
| 18:00:00 | 7.8 | 2.03 | | 0.03 | 0.26 | 0.95 | 0.52 | 6.81 |
| 19:00:00 | 5.17 | 1.65 | | 0.03 | 0.25 | 0.8 | 0.49 | 0 |
| 20:00:00 | 2.74 | 1.59 | | 0.03 | 0.18 | 0.82 | 0.51 | 6.47 |
| 21:00:00 | 2.25 | 2.11 | | 0.03 | 0.24 | 0.81 | 0.48 | 6.08 |
| 22:00:00 | 2.35 | 2.13 | | 0.04 | 0.26 | 0.77 | 0.51 | 5.95 |
| 23:00:00 | 1.76 | 1.99 | | 0.05 | 0.3 | 0.65 | 0.35 | 0.22 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 3.12 | 2.02 | | 0.04 | 0.24 | 0.71 | 0.45 | 1.73 |
| C50 | 1.86 | 2.04 | 0 | 0.03 | 0.25 | 0.76 | 0.46 | 0 |
| MAX | 17.06 | 2.57 | | 0.05 | 0.31 | 1.14 | 0.61 | 7.94 |
| MIN | 1.42 | 1.48 | | 0.03 | 0.13 | 0.42 | 0.26 | 0 |
| C99.9 | 16.84 | 2.57 | 0 | 0.05 | 0.31 | 1.14 | 0.61 | 7.92 |
| C98 | 12.8 | 2.57 | 0 | 0.05 | 0.31 | 1.1 | 0.61 | 7.42 |
| C95 | 7.44 | 2.55 | 0 | 0.05 | 0.3 | 1.05 | 0.6 | 6.76 |

Datum: 2016-08-09

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.98 | 2.36 | | 0.03 | 0.3 | 0.69 | 0.29 | 0 |
| 01:00:00 | 1.79 | 2.07 | | 0.05 | 0.3 | 0.67 | 0.46 | 2.69 |
| 02:00:00 | 1.69 | 2 | | 0.04 | 0.24 | 0.62 | 0.46 | 5.16 |
| 03:00:00 | 2.21 | 1.83 | | 0.05 | 0.24 | 0.64 | 0.45 | 0 |
| 04:00:00 | 1.7 | 2 | | 0.04 | 0.28 | 0.67 | 0.45 | 2.89 |
| 05:00:00 | 2.36 | 1.91 | | 0.06 | 0.34 | 0.59 | 0.25 | 0 |
| 06:00:00 | 1.76 | 2.13 | | 0.04 | 0.24 | 0.62 | 0.33 | 0 |
| 07:00:00 | 1.9 | 2.28 | | 0.06 | 0.25 | 0.52 | 0.36 | 4.04 |
| 08:00:00 | | | | 0.07 | 0.34 | 0.65 | 0.32 | 0.09 |
| 09:00:00 | 14.25 | 2.37 | | 0.07 | 0.33 | 0.67 | 0.48 | 4.34 |
| 10:00:00 | 21.47 | 1.93 | | 0.17 | 0.28 | 0.77 | 0.35 | 0.74 |
| 11:00:00 | 25.27 | 2 | | 0.1 | 0.33 | 0.82 | 0.51 | 4.64 |
| 12:00:00 | 50.45 | 2.92 | | 0.11 | 0.25 | 1.03 | 0.55 | 0.04 |
| 13:00:00 | 89.33 | 3.22 | | 0.09 | 0.2 | 1.16 | 0.68 | 0.13 |
| 14:00:00 | 84.66 | 3 | | 0.06 | 0.28 | 1.19 | 0.62 | 0.04 |
| 15:00:00 | 58.01 | 2.88 | | 0.05 | 0.28 | 1.27 | 0.48 | 0 |
| 16:00:00 | 52.2 | 2.18 | | 0.04 | 0.3 | 1.29 | 0.65 | 9.11 |
| 17:00:00 | 81.98 | 3.24 | | 0.09 | 0.26 | 1.29 | 0.67 | 0 |
| 18:00:00 | 29.16 | 2.27 | | 0.05 | 0.3 | 1.39 | 0.71 | 0 |
| 19:00:00 | 9.01 | 1.82 | | 0.06 | 0.21 | 1.3 | 0.67 | 0 |
| 20:00:00 | 3.03 | 2.12 | | 0.06 | 0.24 | 1.2 | 0.67 | 9.5 |
| 21:00:00 | 2.75 | 1.96 | | 0.04 | 0.14 | 1.11 | 0.59 | 8.33 |
| 22:00:00 | 2.38 | 2.13 | | 0.04 | 0.23 | 1.07 | 0.59 | 7.2 |
| 23:00:00 | 1.81 | 1.87 | | 0.04 | 0.25 | 1.01 | 0.56 | 7.47 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 23.53 | 2.28 | | 0.06 | 0.27 | 0.93 | 0.51 | 2.77 |
| C50 | 2.89 | 2.12 | 0 | 0.06 | 0.27 | 0.92 | 0.49 | 0.43 |
| MAX | 89.33 | 3.24 | | 0.17 | 0.34 | 1.39 | 0.71 | 9.5 |
| MIN | 1.69 | 1.82 | | 0.03 | 0.14 | 0.52 | 0.25 | 0 |
| C99.9 | 89.22 | 3.24 | 0 | 0.17 | 0.34 | 1.39 | 0.71 | 9.5 |
| C98 | 87.18 | 3.23 | 0 | 0.14 | 0.34 | 1.35 | 0.7 | 9.33 |
| C95 | 84.26 | 3.19 | 0 | 0.1 | 0.34 | 1.3 | 0.68 | 9 |

Datum: 2016-08-10

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.86 | 2.1 | | 0.05 | 0.28 | 0.98 | 0.56 | 0 |
| 01:00:00 | 1.68 | 2.1 | | 0.03 | 0.25 | 0.9 | 0.52 | 6.42 |
| 02:00:00 | 2.17 | 1.87 | | 0.06 | 0.23 | 0.85 | 0.54 | 0 |
| 03:00:00 | 2.22 | 1.93 | | 0.07 | 0.26 | 0.82 | 0.39 | 5.95 |
| 04:00:00 | 2.22 | 2.12 | | 0.06 | 0.25 | 0.77 | 0.49 | 5.34 |
| 05:00:00 | 1.31 | 2.1 | | 0.05 | 0.25 | 0.71 | 0.46 | 5.03 |
| 06:00:00 | 2.08 | 1.59 | | 0.06 | 0.26 | 0.74 | 0.49 | 0 |
| 07:00:00 | 2.55 | 1.74 | | 0.06 | 0.29 | 0.75 | 0.56 | 5.6 |
| 08:00:00 | 3.38 | 1.75 | | 0.05 | 0.85 | 0.77 | 0.45 | 0 |
| 09:00:00 | | | | 0.09 | 1.17 | 0.85 | 0.56 | 0 |
| 10:00:00 | 9.05 | 2.25 | | 0.06 | 1.12 | 0.91 | 0.45 | 0.04 |
| 11:00:00 | 15.09 | 2.17 | | 0.09 | 1.08 | 1.11 | 0.67 | 0 |
| 12:00:00 | 8.91 | 2.09 | | 0.07 | 0.92 | 1.24 | 0.72 | 4.64 |
| 13:00:00 | 12.85 | 2.23 | | 0.1 | 0.87 | 1.35 | 0.74 | 0 |
| 14:00:00 | 61.42 | 3.78 | | 0.05 | 0.69 | 1.4 | 0.8 | 0 |
| 15:00:00 | 81.39 | 3.44 | | 0.06 | 0.57 | 1.4 | 0.74 | 9.5 |
| 16:00:00 | 78.74 | 2.94 | | 0.04 | 0.65 | 1.59 | 0.87 | 0.04 |
| 17:00:00 | 27.48 | 2.19 | | 0.04 | 0.6 | 1.68 | 0.87 | 0 |
| 18:00:00 | 5.58 | 2.12 | | 0.05 | 0.51 | 1.68 | 0.88 | 0 |
| 19:00:00 | 5.36 | 2.09 | | 0.03 | 0.48 | 1.43 | 0.78 | 10.46 |
| 20:00:00 | 2.57 | 2.02 | | 0.05 | 0.43 | 1.22 | 0.64 | 0 |
| 21:00:00 | 1.77 | 1.72 | | 0.05 | 0.35 | 0.97 | 0.54 | 0 |
| 22:00:00 | 1.77 | 2.22 | | 0.03 | 0.31 | 0.88 | 0.52 | 0 |
| 23:00:00 | 2.17 | 1.85 | | 0.03 | 0.23 | 0.78 | 0.49 | 5.51 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|-------|
| Ras pod | 95.83% | 95.83% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 14.5 | 2.19 | | 0.06 | 0.54 | 1.07 | 0.61 | 2.44 |
| C50 | 2.56 | 2.1 | 0 | 0.05 | 0.45 | 0.94 | 0.56 | 0 |
| MAX | 81.39 | 3.78 | | 0.1 | 1.17 | 1.68 | 0.88 | 10.46 |
| MIN | 1.31 | 1.59 | | 0.03 | 0.23 | 0.71 | 0.39 | 0 |
| C99.9 | 81.33 | 3.77 | 0 | 0.1 | 1.17 | 1.68 | 0.88 | 10.44 |
| C98 | 80.17 | 3.62 | 0 | 0.09 | 1.14 | 1.68 | 0.88 | 10.02 |
| C95 | 76.14 | 3.37 | 0 | 0.09 | 1.11 | 1.67 | 0.87 | 9.04 |

Datum: 2016-08-11

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.6 | 2.06 | | 0.03 | 0.23 | 0.72 | 0.42 | 0.04 |
| 01:00:00 | 1.36 | 2.31 | | 0 | 0.21 | 0.64 | 0.41 | 0 |
| 02:00:00 | 1.06 | 1.96 | | 0.03 | 0.2 | 0.54 | 0.38 | 5.25 |
| 03:00:00 | 1.06 | 2 | | 0 | 0.21 | 0.56 | 0.38 | 2.19 |
| 04:00:00 | 2.03 | 1.91 | | 0.03 | 0.15 | 0.51 | 0.33 | 3.86 |
| 05:00:00 | 1.87 | 1.78 | | 0 | 0.18 | 0.41 | 0.35 | 4.21 |
| 06:00:00 | 2.1 | 1.88 | | 0 | 0.11 | 0.43 | 0.35 | 3.52 |
| 07:00:00 | 1.91 | 1.55 | | 0 | 0.18 | 0.45 | 0.37 | 3.52 |
| 08:00:00 | 1.11 | 2.12 | | 0 | 0.18 | 0.45 | 0.35 | 0.04 |
| 09:00:00 | 2.24 | 2.03 | | 0.03 | 0.34 | 0.41 | 0.33 | 0 |
| 10:00:00 | | | | 0 | 0.39 | 0.35 | 0.32 | 0 |
| 11:00:00 | 1.5 | 2.18 | | 0.03 | 0.35 | 0.41 | 0.33 | 0.09 |
| 12:00:00 | 1.11 | 1.88 | | 0 | 0.29 | 0.41 | 0.32 | 0 |
| 13:00:00 | 1.22 | 1.87 | | 0.03 | 0.31 | 0.42 | 0.27 | 0 |
| 14:00:00 | 2.07 | 1.99 | | 0.03 | 0.28 | 0.38 | 0.33 | 0 |
| 15:00:00 | 1.48 | 2.38 | | 0.03 | 0.24 | 0.41 | 0.32 | 0 |
| 16:00:00 | 1.43 | 2.04 | | 0.03 | 0.19 | 0.39 | 0.3 | 0.04 |
| 17:00:00 | 1.56 | 1.78 | | 0 | 0.21 | 0.35 | 0.33 | 1.45 |
| 18:00:00 | 1.34 | 2.12 | | 0.03 | 0.13 | 0.35 | 0.3 | 3.04 |
| 19:00:00 | 1.34 | 2.05 | | 0.03 | 0.19 | 0.3 | 0.24 | 0.43 |
| 20:00:00 | 1.8 | 1.65 | | 0.05 | 0.16 | 0.32 | 0.07 | 2.78 |
| 21:00:00 | 2.22 | 1.95 | | 0.03 | 0.14 | 0.27 | 0.26 | 2.65 |
| 22:00:00 | 1.82 | 2.19 | | 0.04 | 0.16 | 0.29 | 0.29 | 0 |
| 23:00:00 | 1.87 | 1.41 | | 0.03 | 0.24 | 0.3 | 0.27 | 2.56 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.61 | 1.96 | | 0.02 | 0.22 | 0.42 | 0.32 | 1.49 |
| C50 | 1.53 | 1.98 | 0 | 0.03 | 0.21 | 0.41 | 0.33 | 0.26 |
| MAX | 2.24 | 2.38 | | 0.05 | 0.39 | 0.72 | 0.42 | 5.25 |
| MIN | 1.06 | 1.41 | | 0 | 0.11 | 0.27 | 0.07 | 0 |
| C99.9 | 2.24 | 2.38 | 0 | 0.05 | 0.39 | 0.72 | 0.42 | 5.23 |
| C98 | 2.23 | 2.35 | 0 | 0.05 | 0.37 | 0.68 | 0.41 | 4.77 |
| C95 | 2.21 | 2.29 | 0 | 0.04 | 0.35 | 0.63 | 0.4 | 4.16 |

Datum: 2016-08-12

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.52 | 1.72 | | 0.03 | 0.16 | 0.13 | 0.19 | 0.09 |
| 01:00:00 | 2.08 | 2.02 | | 0.03 | 0.16 | 0.29 | 0.22 | 0.04 |
| 02:00:00 | 1.87 | 1.71 | | 0.03 | 0.2 | 0.33 | 0.22 | 0 |
| 03:00:00 | 1.88 | 1.83 | | 0.03 | 0.13 | 0.29 | 0.27 | 0 |
| 04:00:00 | 1.5 | 2.22 | | 0 | 0.18 | 0.29 | 0.26 | 0.04 |
| 05:00:00 | 1.84 | 2.36 | | 0 | 0.16 | 0.3 | 0.16 | 0 |
| 06:00:00 | 1.8 | 1.88 | | 0.03 | 0.18 | 0.27 | 0.23 | 0 |
| 07:00:00 | 1.62 | 1.78 | | 0.03 | 0.18 | 0.26 | 0.27 | 0 |
| 08:00:00 | 1.72 | 1.59 | | 0.03 | 0.14 | 0.27 | 0.23 | 0 |
| 09:00:00 | 1.21 | 2.26 | | 0.03 | 0.19 | 0.32 | 0.22 | 2.78 |
| 10:00:00 | 1.28 | 2.1 | | 0.03 | 0.09 | 0.43 | 0.32 | 0.39 |
| 11:00:00 | | | | 0.03 | 0.16 | 0.51 | 0.36 | 3.6 |
| 12:00:00 | 2.2 | 1.6 | | 0 | 0.16 | 0.46 | 0.35 | 0 |
| 13:00:00 | 1.62 | 1.97 | | 0.03 | 0.1 | 0.54 | 0.35 | 0 |
| 14:00:00 | 2.2 | 1.81 | | 0.03 | 0.14 | 0.49 | 0.23 | 0 |
| 15:00:00 | 2.21 | 1.95 | | 0.03 | 0.13 | 0.51 | 0.35 | 0 |
| 16:00:00 | 2.25 | 1.81 | | 0.03 | 0.11 | 0.56 | 0.33 | 0 |
| 17:00:00 | 1.91 | 2.11 | | 0.03 | 0.08 | 0.58 | 0.26 | 0.04 |
| 18:00:00 | 1.9 | 1.91 | | 0.03 | 0.13 | 0.61 | 0.35 | 0 |
| 19:00:00 | 1.85 | 1.97 | | 0.03 | 0.13 | 0.59 | 0.36 | 4.04 |
| 20:00:00 | 1.29 | 2.08 | | 0.03 | 0.14 | 0.54 | 0.38 | 0 |
| 21:00:00 | 1.74 | 1.85 | | 0 | 0.11 | 0.55 | 0.32 | 3.34 |
| 22:00:00 | 1.22 | 2.38 | | 0 | 0.13 | 0.48 | 0.32 | 0.04 |
| 23:00:00 | 1.32 | 2.12 | | 0.03 | 0.13 | 0.41 | 0.29 | 0 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.78 | 1.96 | | 0.03 | 0.14 | 0.42 | 0.28 | 0.6 |
| C50 | 1.82 | 1.93 | 0 | 0.03 | 0.14 | 0.45 | 0.28 | 0 |
| MAX | 2.52 | 2.38 | | 0.03 | 0.2 | 0.61 | 0.38 | 4.04 |
| MIN | 1.21 | 1.59 | | 0 | 0.08 | 0.13 | 0.16 | 0 |
| C99.9 | 2.51 | 2.38 | 0 | 0.03 | 0.2 | 0.61 | 0.38 | 4.03 |
| C98 | 2.39 | 2.37 | 0 | 0.03 | 0.2 | 0.6 | 0.37 | 3.84 |
| C95 | 2.24 | 2.34 | 0 | 0.03 | 0.19 | 0.59 | 0.36 | 3.56 |

Datum: 2016-08-13

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.82 | 1.74 | | 0.03 | 0.16 | 0.43 | 0.29 | 0 |
| 01:00:00 | 1.64 | 2.07 | | 0.03 | 0.19 | 0.3 | 0.27 | 0 |
| 02:00:00 | 1.9 | 1.8 | | 0.03 | 0.19 | 0.38 | 0.26 | 0 |
| 03:00:00 | 1.79 | 2.23 | | 0.03 | 0.16 | 0.29 | 0.2 | 0 |
| 04:00:00 | 1.56 | 1.99 | | 0.03 | 0.15 | 0.33 | 0.3 | 0 |
| 05:00:00 | 1.38 | 1.96 | | 0.03 | 0.13 | 0.29 | 0.27 | 2.34 |
| 06:00:00 | 1.09 | 2.05 | | 0.03 | 0.2 | 0.26 | 0.2 | 1.3 |
| 07:00:00 | 1.16 | 2.31 | | 0.03 | 0.16 | 0.22 | 0.23 | 0.04 |
| 08:00:00 | 1.99 | 1.52 | | 0.03 | 0.13 | 0.3 | 0.26 | 0.13 |
| 09:00:00 | 1.68 | 2.04 | | 0.03 | 0.19 | 0.39 | 0.27 | 0 |
| 10:00:00 | 2.17 | 1.77 | | 0.03 | 0.11 | 0.43 | 0.32 | 3.39 |
| 11:00:00 | 1.34 | 1.87 | | 0.06 | 0.15 | 0.57 | 0.35 | 0 |
| 12:00:00 | | | | 0.03 | 0.13 | 0.48 | 0.32 | 0.04 |
| 13:00:00 | 1.54 | 1.65 | | 0.03 | 0.18 | 0.67 | 0.41 | 0 |
| 14:00:00 | 1.5 | 1.71 | | 0.03 | 0.13 | 0.72 | 0.41 | 0 |
| 15:00:00 | 1.55 | 2.06 | | 0 | 0.18 | 0.75 | 0.29 | 0.04 |
| 16:00:00 | 1.92 | 1.93 | | 0.03 | 0.18 | 0.72 | 0.39 | 4.69 |
| 17:00:00 | 2.19 | 1.94 | | 0.03 | 0.15 | 0.74 | 0.42 | 0 |
| 18:00:00 | 1.77 | 2.31 | | 0.03 | 0.16 | 0.8 | 0.45 | 5.03 |
| 19:00:00 | 1.65 | 1.94 | | 0.03 | 0.14 | 0.71 | 0.35 | 0.04 |
| 20:00:00 | 1.52 | 1.81 | | 0.03 | 0.15 | 0.65 | 0.41 | 0 |
| 21:00:00 | 1.95 | 2.03 | | 0.03 | 0.11 | 0.61 | 0.39 | 0 |
| 22:00:00 | 1.25 | 2.04 | | 0.03 | 0.11 | 0.52 | 0.38 | 0 |
| 23:00:00 | 1.87 | 2.13 | | 0.04 | 0.15 | 0.48 | 0.29 | 0 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 1.66 | 1.95 | | 0.03 | 0.15 | 0.5 | 0.32 | 0.71 |
| C50 | 1.65 | 1.95 | 0 | 0.03 | 0.15 | 0.48 | 0.31 | 0 |
| MAX | 2.19 | 2.31 | | 0.06 | 0.2 | 0.8 | 0.45 | 5.03 |
| MIN | 1.09 | 1.52 | | 0 | 0.11 | 0.22 | 0.2 | 0 |
| C99.9 | 2.19 | 2.31 | 0 | 0.06 | 0.2 | 0.79 | 0.45 | 5.03 |
| C98 | 2.18 | 2.31 | 0 | 0.05 | 0.2 | 0.78 | 0.44 | 4.87 |
| C95 | 2.14 | 2.3 | 0 | 0.04 | 0.19 | 0.75 | 0.42 | 4.49 |

Datum: 2016-08-14

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|--------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.18 | 1.83 | | 0.03 | 0.11 | 0.48 | 0.23 | 0.22 |
| 01:00:00 | 1.39 | 2.04 | | 0.03 | 0.09 | 0.39 | 0.33 | 0 |
| 02:00:00 | 0.9 | 2.36 | | 0.03 | 0.14 | 0.43 | 0.27 | 3.17 |
| 03:00:00 | 1.5 | 1.8 | | 0.03 | 0.09 | 0.39 | 0.3 | 0 |
| 04:00:00 | 1.47 | 1.97 | | 0.03 | 0.11 | 0.39 | 0.19 | 0.12 |
| 05:00:00 | 1.12 | 2.03 | | 0.13 | 0.13 | 0.29 | 0.24 | 0 |
| 06:00:00 | 1.87 | 1.9 | | 0.03 | 0.14 | 0.32 | 0.2 | 0.33 |
| 07:00:00 | 1.31 | 2 | | 0.05 | 0.14 | 0.3 | 0.26 | 0 |
| 08:00:00 | 1.78 | 1.96 | | 0.03 | 0.1 | 0.32 | 0.22 | 0.09 |
| 09:00:00 | 2.35 | 1.89 | | 0.03 | 0.15 | 0.45 | 0.29 | 0 |
| 10:00:00 | 1.27 | 1.98 | | 0.03 | 0.1 | 0.62 | 0.38 | 3.99 |
| 11:00:00 | 33.81 | 2.44 | | 0.03 | 0.16 | 0.61 | 0.36 | 0 |
| 12:00:00 | 216.76 | | | 0.03 | 0.14 | 0.74 | 0.39 | 0 |
| 13:00:00 | | | | 0.03 | 0.13 | 0.84 | 0.49 | 5.38 |
| 14:00:00 | 162.79 | 3.65 | | 0.03 | 0.11 | 0.85 | 0.41 | 0.22 |
| 15:00:00 | 121.85 | 2.75 | | 0.03 | 0.14 | 0.9 | 0.46 | 0 |
| 16:00:00 | 112.99 | 2.92 | | 0.03 | 0.1 | 1 | 0.55 | 0.04 |
| 17:00:00 | 97.49 | 2.29 | | 0.03 | 0.13 | 1.01 | 0.51 | 0 |
| 18:00:00 | 64.7 | 2.73 | | 0.03 | 0.1 | 1.11 | 0.56 | 7.42 |
| 19:00:00 | 29.99 | 3.44 | | 0 | 0.13 | 0.94 | 0.48 | 0 |
| 20:00:00 | 24.97 | 2.33 | | 0 | 0.09 | 0.93 | 0.51 | 5.9 |
| 21:00:00 | 9.32 | 1.76 | | 0.03 | 0.1 | 0.85 | 0.49 | 6.34 |
| 22:00:00 | 3.64 | 2.07 | | 0.03 | 0.15 | 0.8 | 0.29 | 5.19 |
| 23:00:00 | 2.41 | 1.78 | | 0.03 | 0.13 | 0.69 | 0.13 | 4.56 |

| | | | | | | | | |
|---------|--------|--------|----|------|------|------|------|------|
| Ras pod | 95.83% | 91.67% | 0% | 100% | 100% | 100% | 100% | 100% |
| AVG | 38.99 | 2.27 | | 0.03 | 0.12 | 0.65 | 0.36 | 1.79 |
| C50 | 2.38 | 2.02 | 0 | 0.03 | 0.13 | 0.66 | 0.35 | 0.1 |
| MAX | 216.76 | 3.65 | | 0.13 | 0.16 | 1.11 | 0.56 | 7.42 |
| MIN | 0.9 | 1.76 | | 0 | 0.09 | 0.29 | 0.13 | 0 |
| C99.9 | 215.52 | 3.65 | 0 | 0.13 | 0.16 | 1.11 | 0.56 | 7.4 |
| C98 | 191.93 | 3.55 | 0 | 0.09 | 0.16 | 1.07 | 0.56 | 6.92 |
| C95 | 156.65 | 3.36 | 0 | 0.05 | 0.15 | 1.01 | 0.54 | 6.27 |

Datum: 2016-08-15

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.56 | 2.34 | | 0.03 | 0.11 | 0.62 | 0.42 | 4.12 |
| 01:00:00 | 2.05 | 2.09 | | 0.03 | 0.1 | 0.61 | 0.36 | 0 |
| 02:00:00 | 2.6 | 1.93 | | 0 | 0.1 | 0.56 | 0.35 | 0 |
| 03:00:00 | 1.87 | 1.91 | | 0.03 | 0.11 | 0.49 | 0.32 | 0 |
| 04:00:00 | 2.13 | 2.28 | | 0.03 | 0.08 | 0.45 | 0.25 | 1.36 |
| 05:00:00 | 1.7 | 2.27 | | 0.03 | 0.11 | 0.3 | 0.25 | 0.04 |
| 06:00:00 | 1.87 | 1.7 | | 0.03 | 0.09 | 0.38 | 0.25 | 0 |
| 07:00:00 | 2.24 | 2.22 | | 0.03 | 0.1 | 0.45 | 0.29 | 0 |
| 08:00:00 | 6.42 | 2.09 | | 0.06 | 0.13 | 0.39 | 0.28 | 0 |
| 09:00:00 | 20.9 | 2.01 | | 0.03 | 0.14 | 0.51 | 0.32 | 1.91 |
| 10:00:00 | 19.04 | 2.24 | 82.75 | 0.09 | 0.34 | 0.12 | 0.19 | 1.43 |
| 11:00:00 | 23.85 | 2.3 | 77.11 | 0.03 | 0.05 | 0.12 | 0.11 | 0.98 |
| 12:00:00 | 7.13 | 2.33 | 88.15 | 0.03 | 0.04 | 0.39 | 0.19 | 0 |
| 13:00:00 | 9.63 | 1.97 | 96.73 | 0.03 | 0.04 | 0.56 | 0.22 | 0 |
| 14:00:00 | | | 99.18 | 0.03 | 0.08 | 0.68 | 0.33 | 0 |
| 15:00:00 | 23.85 | 2 | 105.39 | 0.03 | 0.1 | 0.81 | 0.38 | 0 |
| 16:00:00 | 55.58 | 2.79 | 107.61 | 0.03 | 0.11 | 0.9 | 0.42 | 0 |
| 17:00:00 | 76.58 | 3.21 | 105.57 | 0.04 | 0.13 | 1.03 | 0.49 | 0.15 |
| 18:00:00 | 53.39 | 2.72 | 94.07 | 0.03 | 0.08 | 1.07 | 0.48 | 0 |
| 19:00:00 | 22.93 | 2.54 | 60.75 | 0.03 | 0.1 | 0.98 | 0.49 | 0 |
| 20:00:00 | 15.14 | 2.62 | 47.95 | 0.03 | 0.14 | 0.93 | 0.42 | 6.86 |
| 21:00:00 | 7.3 | 2.2 | 41.63 | 0.03 | 0.1 | 0.91 | 0.39 | 6.21 |
| 22:00:00 | 2.94 | 1.91 | 18.76 | 0.03 | 0.1 | 0.82 | 0.46 | 2.97 |
| 23:00:00 | 3.58 | 1.98 | 20.7 | 0.03 | 0.14 | 0.81 | 0.42 | 5.51 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 58.33% | 100% | 100% | 100% | 100% | 100% |
| AVG | 15.84 | 2.25 | 74.74 | 0.03 | 0.11 | 0.62 | 0.34 | 1.31 |
| C50 | 6.77 | 2.21 | 31.17 | 0.03 | 0.1 | 0.59 | 0.34 | 0 |
| MAX | 76.58 | 3.21 | 107.61 | 0.09 | 0.34 | 1.07 | 0.49 | 6.86 |
| MIN | 1.56 | 1.7 | | 0 | 0.04 | 0.12 | 0.11 | 0 |
| C99.9 | 76.1 | 3.2 | 107.57 | 0.08 | 0.33 | 1.07 | 0.49 | 6.84 |
| C98 | 66.92 | 3.02 | 106.67 | 0.08 | 0.25 | 1.05 | 0.49 | 6.56 |
| C95 | 55.25 | 2.78 | 105.54 | 0.06 | 0.14 | 1.02 | 0.49 | 6.1 |

Datum: 2016-08-16

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 3.07 | 1.75 | 13.45 | 0.03 | 0.16 | 0.67 | 0.3 | 4.9 |
| 01:00:00 | 2.02 | 2.07 | 9.13 | 0.03 | 0.19 | 0.68 | 0.38 | 0 |
| 02:00:00 | 2.52 | 2.06 | 8 | 0.03 | 0.13 | 0.58 | 0.27 | 0.04 |
| 03:00:00 | 2.72 | 2.17 | 15.86 | 0.03 | 0.16 | 0.61 | 0.32 | 2.6 |
| 04:00:00 | 2.53 | 2.51 | 17.82 | 0.03 | 0.14 | 0.56 | 0.35 | 4.25 |
| 05:00:00 | 3.4 | 1.48 | | 0.03 | 0.21 | 0.54 | 0.33 | 0 |
| 06:00:00 | 2.38 | 2.04 | 22 | 0.03 | 0.18 | 0.55 | 0.35 | 0 |
| 07:00:00 | 2.81 | 2.24 | 32.02 | 0.03 | 0.16 | 0.46 | 0.38 | 4.08 |
| 08:00:00 | 3.09 | 1.79 | 46.45 | 0.03 | 0.15 | 0.49 | 0.29 | 0.52 |
| 09:00:00 | 2.92 | 2.1 | 65.99 | 0.03 | 0.19 | 0.64 | 0.32 | 0.04 |
| 10:00:00 | 2.84 | 1.57 | 77.32 | 0.03 | 0.18 | 0.71 | 0.3 | 2.5 |
| 11:00:00 | 2.37 | 1.99 | 87.06 | 0.1 | 0.13 | 0.75 | 0.45 | 0 |
| 12:00:00 | 2.76 | 1.86 | 94.61 | 0.03 | 0.19 | 0.91 | 0.49 | 0 |
| 13:00:00 | 4.6 | 2.03 | 103.42 | 0.03 | 0.14 | 1.03 | 0.56 | 0.04 |
| 14:00:00 | 5.46 | 2.47 | 107.19 | 0.1 | 0.16 | 0.87 | 0.38 | 0.59 |
| 15:00:00 | | | 110.94 | 0.03 | 0.16 | 1.06 | 0.54 | 0 |
| 16:00:00 | 6.97 | 2.08 | 110.41 | 0 | 0.11 | 1.16 | 0.59 | 0 |
| 17:00:00 | 3.3 | 1.76 | 83.91 | 0.08 | 0.1 | 1.17 | 0.23 | 0.04 |
| 18:00:00 | 2.23 | 2.1 | 59.43 | 0.03 | 0.1 | 1.1 | 0.48 | 0.07 |
| 19:00:00 | 2.08 | 1.91 | 54.79 | 0.03 | 0.18 | 1.24 | 0.67 | 0.22 |
| 20:00:00 | 2.51 | 1.97 | 58.53 | 0.03 | 0.13 | 0.93 | 0.51 | 0.04 |
| 21:00:00 | 2.05 | 2.08 | 40.86 | 0.03 | 0.1 | 0.93 | 0.48 | 0 |
| 22:00:00 | 2.16 | 1.98 | 32.75 | 0.03 | 0.15 | 0.91 | 0.04 | 2.82 |
| 23:00:00 | 1.64 | 2.38 | 28.69 | 0 | 0.14 | 0.84 | 0.48 | 0 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.97 | 2.02 | 55.68 | 0.04 | 0.15 | 0.81 | 0.39 | 0.95 |
| C50 | 2.62 | 2.04 | 50.62 | 0.03 | 0.16 | 0.8 | 0.38 | 0.04 |
| MAX | 6.97 | 2.51 | 110.94 | 0.1 | 0.21 | 1.24 | 0.67 | 4.9 |
| MIN | 1.64 | 1.48 | 8 | 0 | 0.1 | 0.46 | 0.04 | 0 |
| C99.9 | 6.94 | 2.51 | 110.93 | 0.1 | 0.21 | 1.24 | 0.66 | 4.89 |
| C98 | 6.28 | 2.49 | 110.69 | 0.1 | 0.2 | 1.21 | 0.63 | 4.6 |
| C95 | 5.33 | 2.45 | 109.92 | 0.09 | 0.19 | 1.17 | 0.59 | 4.23 |

Datum: 2016-08-17

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.11 | 2.2 | 20.15 | 0 | 0.09 | 0.81 | 0.45 | 0 |
| 01:00:00 | 1.92 | 2.03 | 15.26 | 0.03 | 0.09 | 0.69 | 0.35 | 5.6 |
| 02:00:00 | 1.89 | 1.92 | 16.63 | 0.03 | 0.06 | 0.67 | 0.36 | 0.04 |
| 03:00:00 | 1.66 | 2.33 | 11.4 | 0.03 | 0.16 | 0.61 | 0.38 | 0 |
| 04:00:00 | 2.05 | 2.02 | 14.74 | 0.03 | 0.13 | 0.67 | 0.29 | 0.11 |
| 05:00:00 | 2.02 | 1.73 | 10.72 | 0.04 | 0.13 | 0.52 | 0.25 | 0.04 |
| 06:00:00 | 1.69 | 2.45 | | 0.05 | 0.13 | 0.51 | 0.2 | 0.17 |
| 07:00:00 | 2.88 | 1.66 | 23.27 | 0.04 | 0.13 | 0.58 | 0.32 | 0 |
| 08:00:00 | 2.95 | 1.64 | 51.44 | 0.03 | 0.18 | 0.61 | 0.38 | 0 |
| 09:00:00 | 2.89 | 1.89 | 68.36 | 0.04 | 0.18 | 0.65 | 0.46 | 0 |
| 10:00:00 | 5.65 | 2.05 | 84.09 | 0.03 | 0.18 | 0.72 | 0.43 | 0.04 |
| 11:00:00 | 14.11 | 2.03 | 105.58 | 0.03 | 0.18 | 0.67 | 0.36 | 0.33 |
| 12:00:00 | 11.83 | 2.05 | 107.82 | 0.05 | 0.15 | 0.82 | 0.06 | 0.2 |
| 13:00:00 | 8.73 | 2.41 | 105.65 | 0.04 | 0.24 | 0.48 | 0.2 | 0.82 |
| 14:00:00 | 5.9 | 2.55 | 102.24 | 0.11 | 0.13 | 0.88 | 0.46 | 0.04 |
| 15:00:00 | 3.92 | 1.69 | 94.06 | 0.05 | 0.18 | 0.75 | 0.43 | 0.95 |
| 16:00:00 | | | 56.97 | 0.09 | 0.21 | 1.03 | 0.52 | 0 |
| 17:00:00 | 2.01 | 2.14 | 53.18 | 0.1 | 0.24 | 0.67 | 0.3 | 2.26 |
| 18:00:00 | 2.05 | 1.96 | 60.99 | 0.08 | 0.13 | 0.54 | 0.35 | 3.36 |
| 19:00:00 | 2.53 | 1.98 | 48.98 | 0.03 | 0.16 | 0.69 | 0.35 | 0.04 |
| 20:00:00 | 1.87 | 2.05 | 23.03 | 0.03 | 0.19 | 0.66 | 0.24 | 2.5 |
| 21:00:00 | 1.88 | 1.86 | 21.99 | 0.12 | 0.29 | 0.39 | 0.19 | 1.43 |
| 22:00:00 | 2.33 | 1.85 | 10.98 | 0.13 | 0.15 | 0.49 | 0.33 | 1.53 |
| 23:00:00 | 1.47 | 2.27 | 10.72 | 0.04 | 0.24 | 0.29 | 0.14 | 2.49 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 3.75 | 2.03 | 48.62 | 0.05 | 0.16 | 0.64 | 0.33 | 0.92 |
| C50 | 2.08 | 2.03 | 36.13 | 0.04 | 0.16 | 0.66 | 0.35 | 0.14 |
| MAX | 14.11 | 2.55 | 107.82 | 0.13 | 0.29 | 1.03 | 0.52 | 5.6 |
| MIN | 1.47 | 1.64 | 10.72 | 0 | 0.06 | 0.29 | 0.06 | 0 |
| C99.9 | 14.06 | 2.55 | 107.77 | 0.13 | 0.29 | 1.02 | 0.52 | 5.55 |
| C98 | 13.07 | 2.5 | 106.82 | 0.12 | 0.27 | 0.96 | 0.49 | 4.57 |
| C95 | 11.37 | 2.44 | 105.64 | 0.12 | 0.24 | 0.87 | 0.46 | 3.23 |

Datum: 2016-08-18

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.68 | 2 | 7.9 | 0.13 | 0.24 | 0.55 | 0.36 | 0.85 |
| 01:00:00 | 1.93 | 2.08 | 6.64 | 0.03 | 0.19 | 0.62 | 0.07 | 2.45 |
| 02:00:00 | 1.58 | 1.9 | 7.95 | 0.16 | 0.16 | 0.49 | 0.36 | 0.24 |
| 03:00:00 | 1.89 | 2.4 | 7.01 | 0.08 | 0.13 | 0.42 | 0.29 | 1.55 |
| 04:00:00 | 1.98 | 2.28 | 14.06 | 0.14 | 0.46 | 0.74 | 0.27 | 0.35 |
| 05:00:00 | 2.23 | 2.06 | 9.18 | 0.09 | 0.35 | 0.3 | 0.19 | 1.76 |
| 06:00:00 | 2.15 | 2.06 | 14.64 | 0.03 | 0.28 | 0.27 | 0.13 | 0.17 |
| 07:00:00 | 2.01 | 2.18 | | 0.13 | 0.34 | 0.2 | 0.07 | 0.37 |
| 08:00:00 | 2.19 | 2 | 43.29 | 0.13 | 0.2 | 0.75 | 0.39 | 1.04 |
| 09:00:00 | 2.65 | 1.86 | 55.69 | 0.19 | 0.48 | 0.9 | 0.22 | 0.24 |
| 10:00:00 | 6.8 | 2.37 | 69.55 | 0.11 | 0.16 | 0.93 | 0.12 | 0.13 |
| 11:00:00 | 44.79 | 2.42 | 85.7 | 0.09 | 0.19 | 0.59 | 0.36 | 0.23 |
| 12:00:00 | 44.73 | 2.58 | 100.64 | 0.11 | 0.48 | 0.29 | 0.1 | 1.78 |
| 13:00:00 | 11.36 | 2.12 | 106.62 | 0.11 | 0.33 | 0.69 | 0.04 | 0.29 |
| 14:00:00 | 7.14 | 1.83 | 110.92 | 0.05 | 0.16 | 0.75 | 0.29 | 0 |
| 15:00:00 | 12.15 | 2.21 | 111.91 | 0 | 0.09 | 0.69 | 0.42 | 0 |
| 16:00:00 | 4.49 | 1.94 | 115.49 | 0.18 | 0.11 | 0.82 | 0.43 | 0.24 |
| 17:00:00 | | | 90.08 | 0.05 | 0.13 | 0.41 | 0.07 | 1.07 |
| 18:00:00 | 4.37 | 1.99 | 79.52 | 0.16 | 0.26 | 0.55 | 0.04 | 0.65 |
| 19:00:00 | 3.29 | 1.61 | 64.64 | 0.16 | 0.13 | 1.06 | 0.19 | 1.78 |
| 20:00:00 | 2.95 | 2.05 | 43.48 | 0.06 | 0.11 | 0.14 | 0.07 | 1.85 |
| 21:00:00 | 2.15 | 2.16 | 29.62 | 0.13 | 0.19 | 0.36 | 0.38 | 3.08 |
| 22:00:00 | 1.57 | 2.12 | 23.82 | 0.12 | 0.26 | 0.35 | 0.04 | 2.49 |
| 23:00:00 | 2.81 | 1.78 | 20.4 | 0.07 | 0.09 | 0.87 | 0.22 | 2.43 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 7.34 | 2.09 | 52.99 | 0.1 | 0.23 | 0.57 | 0.21 | 1.04 |
| C50 | 2.44 | 2.06 | 43.38 | 0.11 | 0.19 | 0.57 | 0.2 | 0.75 |
| MAX | 44.79 | 2.58 | 115.49 | 0.19 | 0.48 | 1.06 | 0.43 | 3.08 |
| MIN | 1.57 | 1.61 | 6.64 | 0 | 0.09 | 0.14 | 0.04 | 0 |
| C99.9 | 44.79 | 2.57 | 115.41 | 0.19 | 0.48 | 1.05 | 0.43 | 3.07 |
| C98 | 44.76 | 2.51 | 113.84 | 0.18 | 0.48 | 1 | 0.43 | 2.81 |
| C95 | 39.84 | 2.42 | 111.76 | 0.17 | 0.48 | 0.92 | 0.42 | 2.48 |

Datum: 2016-08-19

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.94 | 2.14 | 18.81 | 0.15 | 0.18 | 0.48 | 0.1 | 0.71 |
| 01:00:00 | 2.27 | 1.9 | 24.35 | 0.11 | 0.19 | 0.39 | 0.16 | 0.13 |
| 02:00:00 | 1.64 | 2.28 | 14.24 | 0.1 | 0.15 | 0.51 | 0.19 | 0.95 |
| 03:00:00 | 2.34 | 2.09 | 8.4 | 0.03 | 0.13 | 0.41 | 0.25 | 1.97 |
| 04:00:00 | 2.02 | 1.9 | 7.85 | 0.03 | 0.14 | 0.54 | 0.25 | 3.52 |
| 05:00:00 | 2.21 | 1.73 | 6.34 | 0.13 | 0.36 | 0.49 | 0.06 | 0.64 |
| 06:00:00 | 1.83 | 1.79 | 6.38 | 0.13 | 0.15 | 0.3 | 0.09 | 1.1 |
| 07:00:00 | 2.01 | 1.95 | 20.79 | 0 | 0.11 | 0.36 | 0.32 | 0 |
| 08:00:00 | 2.56 | 2.09 | | 0.03 | 0.11 | 0.43 | 0.3 | 0 |
| 09:00:00 | 3.8 | 1.92 | 67.79 | 0.03 | 0.13 | 0.54 | 0.36 | 3.82 |
| 10:00:00 | 9.67 | 1.35 | 84.74 | 0.03 | 0.13 | 0.65 | 0.29 | 0 |
| 11:00:00 | 26.82 | 2.35 | 95.91 | 0.03 | 0.14 | 0.72 | 0.41 | 0 |
| 12:00:00 | 5.02 | 2.5 | 99.16 | 0.03 | 0.14 | 0.84 | 0.45 | 0 |
| 13:00:00 | 8.29 | 2.3 | 100.61 | 0.03 | 0.1 | 0.85 | 0.49 | 0 |
| 14:00:00 | 11.39 | 2.18 | 105.99 | 0.04 | 0.09 | 0.84 | 0.33 | 0.04 |
| 15:00:00 | 14.89 | 2.09 | 110.14 | 0.03 | 0.1 | 0.88 | 0.48 | 0.04 |
| 16:00:00 | 22.58 | 1.51 | 107.86 | 0.03 | 0.11 | 0.97 | 0.54 | 0 |
| 17:00:00 | 12.27 | 1.76 | 106.69 | 0.03 | 0.11 | 1.06 | 0.52 | 0 |
| 18:00:00 | | | 107.33 | 0 | 0.1 | 0.98 | 0.55 | 0 |
| 19:00:00 | 3.96 | 2.19 | 89.5 | 0 | 0.1 | 0.97 | 0.52 | 6.49 |
| 20:00:00 | 3.56 | 2.07 | 80.1 | 0 | 0.09 | 0.87 | 0.45 | 0 |
| 21:00:00 | 2.71 | 1.94 | 63.82 | 0.03 | 0.09 | 0.81 | 0.43 | 6.25 |
| 22:00:00 | 2.72 | 2.22 | 58.6 | 0 | 0.06 | 0.8 | 0.41 | 5.9 |
| 23:00:00 | 3.51 | 2.16 | 56.46 | 0.03 | 0.09 | 0.74 | 0.41 | 5.77 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 6.52 | 2.02 | 62.69 | 0.04 | 0.13 | 0.68 | 0.35 | 1.56 |
| C50 | 3.11 | 2.08 | 65.8 | 0.03 | 0.11 | 0.73 | 0.38 | 0.09 |
| MAX | 26.82 | 2.5 | 110.14 | 0.15 | 0.36 | 1.06 | 0.55 | 6.49 |
| MIN | 1.64 | 1.35 | 6.34 | 0 | 0.06 | 0.3 | 0.06 | 0 |
| C99.9 | 26.72 | 2.5 | 110.08 | 0.15 | 0.36 | 1.05 | 0.55 | 6.48 |
| C98 | 24.87 | 2.43 | 109.09 | 0.14 | 0.28 | 1.02 | 0.54 | 6.38 |
| C95 | 21.43 | 2.34 | 107.78 | 0.13 | 0.19 | 0.98 | 0.53 | 6.2 |

Datum: 2016-08-20

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.4 | 2.01 | 33.68 | 0 | 0.14 | 0.71 | 0.39 | 0.04 |
| 01:00:00 | 2.64 | 2.06 | 39.23 | 0 | 0.08 | 0.56 | 0.37 | 2.54 |
| 02:00:00 | 2.29 | 2.12 | 24.69 | 0 | 0.06 | 0.59 | 0.36 | 0 |
| 03:00:00 | 1.55 | 2.33 | 30.27 | 0.03 | 0.08 | 0.59 | 0.38 | 4.47 |
| 04:00:00 | 2.39 | 1.84 | 22.65 | 0 | 0.06 | 0.56 | 0.23 | 4.38 |
| 05:00:00 | 1.85 | 1.93 | 19.42 | 0 | 0.09 | 0.55 | 0.25 | 4.34 |
| 06:00:00 | 1.56 | 2.15 | 16.68 | 0 | 0.09 | 0.51 | 0.19 | 0 |
| 07:00:00 | 1.96 | 2.39 | 18.72 | 0.03 | 0.08 | 0.49 | 0.3 | 0 |
| 08:00:00 | 2.21 | 2.14 | 39.43 | 0 | 0.06 | 0.49 | 0.36 | 4.08 |
| 09:00:00 | 2.13 | 1.77 | | 0 | 0.15 | 0.55 | 0.36 | 4.17 |
| 10:00:00 | 2.08 | 2.12 | 59.62 | 0.03 | 0.08 | 0.52 | 0.2 | 0 |
| 11:00:00 | 7.29 | 2.5 | 82.16 | 0 | 0.14 | 0.74 | 0.39 | 0 |
| 12:00:00 | 13.26 | 2.02 | 91.65 | 0 | 0.09 | 0.65 | 0.38 | 0 |
| 13:00:00 | 27.68 | 2.62 | 99.55 | 0 | 0.13 | 0.75 | 0.42 | 0.04 |
| 14:00:00 | 60.92 | 2.61 | 98.76 | 0 | 0.11 | 0.77 | 0.39 | 0 |
| 15:00:00 | 23.2 | 2.26 | 106.23 | 0 | 0.09 | 0.81 | 0.43 | 0 |
| 16:00:00 | 6.07 | 2.01 | 105.94 | 0 | 0.1 | 0.84 | 0.46 | 0 |
| 17:00:00 | 6.8 | 1.63 | 111.2 | 0 | 0.13 | 0.87 | 0.46 | 0 |
| 18:00:00 | 5.99 | 1.55 | 84.21 | 0 | 0.13 | 0.91 | 0.48 | 3.26 |
| 19:00:00 | | | 55.68 | 0.03 | 0.06 | 0.8 | 0.46 | 0 |
| 20:00:00 | 2.49 | 1.78 | 43.07 | 0 | 0.09 | 0.78 | 0.42 | 5.69 |
| 21:00:00 | 2.27 | 2 | 31.45 | 0 | 0.1 | 0.62 | 0.39 | 0 |
| 22:00:00 | 2.07 | 2.11 | 18.56 | 0 | 0.09 | 0.71 | 0.36 | 2.89 |
| 23:00:00 | 1.77 | 2.25 | 18.28 | 0 | 0.11 | 0.69 | 0.39 | 5.25 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 7.95 | 2.1 | 54.4 | 0.01 | 0.1 | 0.67 | 0.37 | 1.71 |
| C50 | 2.34 | 2.08 | 39.33 | 0 | 0.09 | 0.67 | 0.38 | 0.02 |
| MAX | 60.92 | 2.62 | 111.2 | 0.03 | 0.15 | 0.91 | 0.48 | 5.69 |
| MIN | 1.55 | 1.55 | 16.68 | 0 | 0.06 | 0.49 | 0.19 | 0 |
| C99.9 | 60.16 | 2.62 | 111.09 | 0.03 | 0.15 | 0.91 | 0.48 | 5.68 |
| C98 | 45.63 | 2.62 | 108.92 | 0.03 | 0.14 | 0.89 | 0.47 | 5.49 |
| C95 | 27.01 | 2.6 | 106.19 | 0.03 | 0.14 | 0.86 | 0.46 | 5.13 |

Datum: 2016-08-21

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.04 | 2.27 | 20.03 | 0 | 0.08 | 0.65 | 0.32 | 4.73 |
| 01:00:00 | 2.31 | 1.93 | 8.45 | 0 | 0.06 | 0.58 | 0.29 | 4.6 |
| 02:00:00 | 1.72 | 2.13 | 7 | 0.03 | 0.06 | 0.46 | 0.35 | 0 |
| 03:00:00 | 1.53 | 2.39 | 5.99 | 0.03 | 0.11 | 0.55 | 0.29 | 2.28 |
| 04:00:00 | 1.83 | 2.11 | 6.4 | 0 | 0.09 | 0.56 | 0.25 | 0 |
| 05:00:00 | 2.63 | 1.94 | 7.93 | 0 | 0.09 | 0.51 | 0.29 | 0 |
| 06:00:00 | 2.19 | 1.94 | 9.35 | 0.03 | 0.09 | 0.51 | 0.23 | 3.99 |
| 07:00:00 | 1.72 | 2.23 | 25.45 | 0 | 0.1 | 0.43 | 0.29 | 4.08 |
| 08:00:00 | 2.35 | 2.07 | 49.38 | 0.03 | 0.13 | 0.46 | 0.35 | 0 |
| 09:00:00 | 2.16 | 2.14 | 66.56 | 0 | 0.08 | 0.52 | 0.33 | 0 |
| 10:00:00 | 2.31 | 2.12 | | 0.03 | 0.09 | 0.62 | 0.33 | 5.03 |
| 11:00:00 | 3.5 | 1.9 | 90.12 | 0.03 | 0.1 | 0.62 | 0.38 | 0 |
| 12:00:00 | 16.05 | 1.91 | 91.05 | 0 | 0.09 | 0.74 | 0.22 | 0.04 |
| 13:00:00 | 34.76 | 2.63 | 92.09 | 0 | 0.09 | 0.74 | 0.43 | 0.04 |
| 14:00:00 | 7.15 | 2.11 | 98.17 | 0 | 0.08 | 0.85 | 0.49 | 0.04 |
| 15:00:00 | 3.26 | 1.88 | 94.87 | 0.03 | 0.06 | 0.84 | 0.41 | 0 |
| 16:00:00 | 2.45 | 2.03 | 104.71 | 0.03 | 0.06 | 0.9 | 0.51 | 0 |
| 17:00:00 | 2.43 | 1.82 | 93.09 | 0 | 0.11 | 0.95 | 0.49 | 0.04 |
| 18:00:00 | 2.27 | 2.15 | 69.81 | 0 | 0.06 | 0.97 | 0.46 | 0.04 |
| 19:00:00 | 2.43 | 1.59 | 43.41 | 0 | 0.11 | 0.9 | 0.46 | 0.04 |
| 20:00:00 | | | 43.17 | 0 | 0.06 | 0.87 | 0.45 | 6.51 |
| 21:00:00 | 3.2 | 2.61 | 46.83 | 0.03 | 0.1 | 0.78 | 0.43 | 6.08 |
| 22:00:00 | 7.12 | 1.91 | 43.64 | 0.09 | 0.11 | 0.48 | 0.19 | 1.95 |
| 23:00:00 | 5.08 | 2.44 | 40.66 | 0.11 | 0.08 | 0.26 | 0.09 | 0.74 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 4.89 | 2.1 | 50.35 | 0.02 | 0.09 | 0.66 | 0.35 | 1.68 |
| C50 | 2.39 | 2.09 | 43.52 | 0 | 0.09 | 0.62 | 0.34 | 0.04 |
| MAX | 34.76 | 2.63 | 104.71 | 0.11 | 0.13 | 0.97 | 0.51 | 6.51 |
| MIN | 1.53 | 1.59 | 5.99 | 0 | 0.06 | 0.26 | 0.09 | 0 |
| C99.9 | 34.33 | 2.63 | 104.56 | 0.11 | 0.13 | 0.97 | 0.51 | 6.5 |
| C98 | 26.15 | 2.62 | 101.7 | 0.1 | 0.12 | 0.96 | 0.5 | 6.31 |
| C95 | 14.71 | 2.59 | 97.68 | 0.08 | 0.11 | 0.95 | 0.49 | 5.92 |

Datum: 2016-08-22

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 3.33 | 1.82 | 48.51 | 0.07 | 0.18 | 0.43 | 0.04 | 0.68 |
| 01:00:00 | 2.25 | 2.12 | 51.82 | 0.07 | 0.13 | 0.19 | 0.25 | 1.39 |
| 02:00:00 | 2.67 | 2.3 | 51.38 | 0.12 | 0.13 | 0.16 | 0.09 | 0.69 |
| 03:00:00 | 1.53 | 1.95 | 52.46 | 0.13 | 0.33 | 0.59 | 0.22 | 3.32 |
| 04:00:00 | 2.07 | 2.19 | 45.57 | 0.14 | 0.17 | 0.11 | 0.07 | 0.74 |
| 05:00:00 | | | | | | | | |
| 06:00:00 | | | | | | | | |
| 07:00:00 | | | 47.1 | 0.48 | 0.6 | 0.1 | 0.09 | 1.43 |
| 08:00:00 | 1.74 | 2.25 | 47.49 | 0.34 | 0.68 | 0.26 | 0.07 | 4.69 |
| 09:00:00 | 2.04 | 2.02 | 50.25 | 0.38 | 0.55 | 0.15 | 0.52 | 1.11 |
| 10:00:00 | 2.46 | 1.88 | 50.51 | 0.59 | 0.57 | 0.09 | 0.59 | 1.28 |
| 11:00:00 | 2.17 | 1.75 | | 0.66 | 0.6 | 0.43 | 0.48 | 1.14 |
| 12:00:00 | 1.71 | 1.97 | 51.99 | 0.19 | 0.64 | 0.26 | 0.09 | 0.67 |
| 13:00:00 | 1.87 | 2.24 | 57.92 | 0.27 | 0.11 | 0.15 | 0.07 | 1.41 |
| 14:00:00 | 2.11 | 1.86 | 58.6 | 0.42 | 0.63 | 0.45 | 0.12 | 0.85 |
| 15:00:00 | 2.16 | 1.8 | 59.02 | 0.3 | 0.96 | 0.04 | 0.13 | 1.26 |
| 16:00:00 | 1.96 | 1.99 | 71.43 | 0.27 | 0.43 | 0.12 | 0.2 | 0.9 |
| 17:00:00 | 2.09 | 1.79 | 67.08 | 0.24 | 0.13 | 0.3 | 0.35 | 0.93 |
| 18:00:00 | 2.48 | 1.76 | 64.18 | 0.51 | 0.62 | 0.41 | 0.26 | 2.26 |
| 19:00:00 | 1.76 | 1.99 | 60.87 | 0.22 | 0.41 | 0.17 | 0.37 | 0.63 |
| 20:00:00 | 1.51 | 2.24 | 60.2 | 0.05 | 0.38 | 0.04 | 0.09 | 0.89 |
| 21:00:00 | | | 61.79 | 0.13 | 0.4 | 0.46 | 0.07 | 0.65 |
| 22:00:00 | 1.92 | 2.14 | 54.64 | 0.11 | 0.38 | 0.07 | 0.07 | 1.5 |
| 23:00:00 | 2.66 | 1.91 | 48.84 | 0.16 | 0.68 | 0.09 | 0.24 | 0.75 |

| | | | | | | | | |
|---------|--------|--------|-------|--------|--------|--------|--------|--------|
| Ras pod | 83.33% | 83.33% | 87.5% | 91.67% | 91.67% | 91.67% | 91.67% | 91.67% |
| AVG | 2.12 | 2 | 55.32 | 0.27 | 0.44 | 0.23 | 0.2 | 1.33 |
| C50 | 2 | 1.93 | 51.91 | 0.21 | 0.4 | 0.16 | 0.1 | 0.92 |
| MAX | 3.33 | 2.3 | 71.43 | 0.66 | 0.96 | 0.59 | 0.59 | 4.69 |
| MIN | 1.51 | 1.75 | 45.57 | 0.05 | 0.11 | 0.04 | 0.04 | 0.63 |
| C99.9 | 3.32 | 2.3 | 71.33 | 0.66 | 0.95 | 0.59 | 0.58 | 4.66 |
| C98 | 3.03 | 2.28 | 69.43 | 0.63 | 0.83 | 0.53 | 0.56 | 4.06 |
| C95 | 2.67 | 2.25 | 66.64 | 0.58 | 0.68 | 0.45 | 0.51 | 3.16 |

Datum: 2016-08-23

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 1.92 | 1.77 | 39.49 | 0.06 | 0.3 | 0.07 | 0.26 | 0.43 |
| 01:00:00 | 2.14 | 1.97 | 44.29 | 0.27 | 0.57 | 0.35 | 0.26 | 1 |
| 02:00:00 | 1.59 | 2.29 | 41.75 | 0.35 | 0.74 | 0.21 | 0.16 | 0.71 |
| 03:00:00 | 1.23 | 1.95 | 35.35 | 0.56 | 0.18 | 0.07 | 0.66 | 0.65 |
| 04:00:00 | 2.27 | 1.98 | 33.66 | 0.54 | 0.04 | 0.07 | 0.04 | 0.8 |
| 05:00:00 | 2.05 | 2.04 | 29.33 | 0 | 0.04 | 0.04 | 0.04 | 0.8 |
| 06:00:00 | 1.7 | 2.38 | 26.24 | 0 | 0.15 | 0.04 | 0.04 | 0.8 |
| 07:00:00 | 2.48 | 1.96 | 28.51 | 0 | 0.04 | 0.04 | 0.04 | 0.95 |
| 08:00:00 | 1.69 | 1.88 | 30.53 | 0.03 | 0.04 | 0.09 | 0.06 | 0.8 |
| 09:00:00 | 1.62 | 2.18 | 37.73 | 0 | 0.04 | 0.04 | 0.07 | 0.8 |
| 10:00:00 | 1.6 | 1.9 | 38.63 | 0.03 | 0.04 | 0.04 | 0.04 | 1.39 |
| 11:00:00 | 1.96 | 2.24 | 37.56 | 0 | 0.04 | 0.07 | 0.04 | 0.8 |
| 12:00:00 | 2.29 | 1.85 | | 0 | 0.04 | 0.22 | 0.09 | 0.84 |
| 13:00:00 | 2.34 | 2.19 | 33.41 | 0 | 0 | 0.07 | 0.04 | 0.78 |
| 14:00:00 | 2.55 | 2.12 | 37.47 | 0 | 0.26 | 0.1 | 0.13 | 0.85 |
| 15:00:00 | 2.4 | 2.01 | 36.9 | 0.06 | 0.04 | 0.04 | 0.04 | 0.67 |
| 16:00:00 | 2.33 | 1.98 | 42.16 | 0 | 0.04 | 0.04 | 0.12 | 1.2 |
| 17:00:00 | 2.89 | 1.66 | 49.35 | 0.22 | 0.41 | 0.3 | 0.29 | 2.36 |
| 18:00:00 | 2.43 | 1.81 | 49.36 | 0.03 | 0.17 | 0.09 | 0.24 | 0.98 |
| 19:00:00 | 2.02 | 1.73 | 48.9 | 0.16 | 0.29 | 0.3 | 0.09 | 0.98 |
| 20:00:00 | 2.7 | 1.36 | 42.67 | 0.51 | 0.32 | 0.04 | 0.11 | 1.11 |
| 21:00:00 | 2.57 | 1.77 | 39.8 | 0.54 | 0.09 | 0.04 | 0.07 | 0.78 |
| 22:00:00 | | | 36.75 | 0.42 | 0.41 | 0.22 | 0.06 | 0.71 |
| 23:00:00 | 2.45 | 1.68 | 29.74 | 0.2 | 0.24 | 0.06 | 0.04 | 0.82 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.14 | 1.94 | 37.81 | 0.17 | 0.19 | 0.11 | 0.13 | 0.92 |
| C50 | 2.21 | 1.96 | 37.51 | 0.05 | 0.12 | 0.07 | 0.07 | 0.8 |
| MAX | 2.89 | 2.38 | 49.36 | 0.56 | 0.74 | 0.35 | 0.66 | 2.36 |
| MIN | 1.23 | 1.36 | 26.24 | 0 | 0 | 0.04 | 0.04 | 0.43 |
| C99.9 | 2.89 | 2.38 | 49.36 | 0.56 | 0.73 | 0.35 | 0.65 | 2.34 |
| C98 | 2.81 | 2.34 | 49.35 | 0.55 | 0.66 | 0.33 | 0.49 | 1.91 |
| C95 | 2.68 | 2.29 | 49.28 | 0.54 | 0.54 | 0.3 | 0.29 | 1.36 |

Datum: 2016-08-24

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.22 | 1.7 | 31.12 | 0.35 | 0.25 | 0.07 | 0.1 | 0.62 |
| 01:00:00 | 2.16 | 2 | 29.41 | 0.19 | 0.19 | 0.22 | 0.07 | 0.87 |
| 02:00:00 | 1.66 | 2.04 | 36.15 | 0.14 | 0.28 | 0.26 | 0.26 | 1.56 |
| 03:00:00 | 2.11 | 1.98 | 38.68 | 0.16 | 0.25 | 0.09 | 0.09 | 0.78 |
| 04:00:00 | 1.97 | 2.01 | 41.97 | 0.19 | 0.4 | 0.3 | 0.09 | 1.43 |
| 05:00:00 | 2.2 | 2.27 | 43.89 | 0.35 | 0.62 | 0.33 | 0.07 | 1 |
| 06:00:00 | 2.06 | 2.06 | 44.39 | 0.85 | 0.36 | 0.37 | 0.35 | 1.48 |
| 07:00:00 | 1.85 | 1.96 | 45.45 | 0.45 | 0.5 | 0.35 | 1.01 | 0.65 |
| 08:00:00 | 2 | 2.17 | 47.29 | 0.34 | 0.41 | 0.13 | 0.13 | 0.95 |
| 09:00:00 | 2.04 | 2.17 | 53.19 | 0.73 | 0.53 | 0.04 | 0.2 | 1.39 |
| 10:00:00 | 2.16 | 2.07 | 64.09 | 0.75 | 0.94 | 0.52 | 0.95 | 2.13 |
| 11:00:00 | 2.72 | 1.99 | 77.18 | 0.61 | 0.66 | 0.13 | 0.07 | 0.98 |
| 12:00:00 | 2.54 | 1.81 | 85.94 | 0.49 | 0.72 | 0.24 | 0.04 | 0.59 |
| 13:00:00 | 2.23 | 2.31 | | 0.57 | 0.88 | 0.56 | 0.1 | 1.46 |
| 14:00:00 | 2.57 | 1.74 | 99 | 0.38 | 0.11 | 0.17 | 0.04 | 0.61 |
| 15:00:00 | 1.96 | 2.26 | 101.51 | 0.48 | 0.45 | 0.11 | 0.13 | 3.41 |
| 16:00:00 | 2.16 | 1.88 | 99.28 | 0.08 | 0.17 | 0.28 | 0.12 | 2.3 |
| 17:00:00 | 2.31 | 2.41 | 83.9 | 0.39 | 0.75 | 0.23 | 0.12 | 0.97 |
| 18:00:00 | 2.46 | 1.97 | 74.19 | 0.13 | 0.51 | 0.04 | 0.28 | 0.91 |
| 19:00:00 | 2.19 | 2.23 | 65.64 | 1.58 | 1.68 | 0.04 | 0.09 | 1.22 |
| 20:00:00 | 2.11 | 1.99 | 52.65 | 1.31 | 0.7 | 0.13 | 0.56 | 2.93 |
| 21:00:00 | 2.37 | 2.03 | 61.12 | 0.46 | 0.32 | 0.37 | 0.24 | 1.15 |
| 22:00:00 | 2.6 | 1.91 | 57.52 | 0.32 | 0.53 | 0.09 | 0.07 | 0.85 |
| 23:00:00 | | | 58.04 | 1.07 | 0.9 | 0.28 | 0.2 | 1.69 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.2 | 2.04 | 60.5 | 0.52 | 0.55 | 0.22 | 0.22 | 1.33 |
| C50 | 2.16 | 2.01 | 55.35 | 0.42 | 0.51 | 0.22 | 0.12 | 1.07 |
| MAX | 2.72 | 2.41 | 101.51 | 1.58 | 1.68 | 0.56 | 1.01 | 3.41 |
| MIN | 1.66 | 1.7 | 29.41 | 0.08 | 0.11 | 0.04 | 0.04 | 0.59 |
| C99.9 | 2.72 | 2.41 | 101.46 | 1.57 | 1.66 | 0.56 | 1.01 | 3.4 |
| C98 | 2.66 | 2.36 | 100.49 | 1.46 | 1.34 | 0.54 | 0.99 | 3.19 |
| C95 | 2.59 | 2.31 | 99.24 | 1.27 | 0.94 | 0.5 | 0.9 | 2.83 |

Datum: 2016-08-25

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 3.63 | 1.71 | 47.76 | 0.56 | 0.89 | 0.17 | 0.3 | 0.98 |
| 01:00:00 | 2.46 | 2.05 | 44.91 | 0.58 | 1.27 | 0.91 | 0.39 | 1.56 |
| 02:00:00 | 2.14 | 1.97 | 39.6 | 1.17 | 1.32 | 0.59 | 0.07 | 1.61 |
| 03:00:00 | 1.9 | 2.24 | 31.78 | 0.42 | 1.26 | 0.15 | 0.15 | 0.82 |
| 04:00:00 | 1.64 | 1.96 | 23.26 | 0.46 | 0.79 | 0.54 | 0.87 | 3.78 |
| 05:00:00 | 1.26 | 2.12 | 18.64 | 0.34 | 1.11 | 0.07 | 0.13 | 2.76 |
| 06:00:00 | 2.55 | 1.87 | 19.79 | 0.32 | 0.21 | 0.11 | 0.28 | 2.67 |
| 07:00:00 | 2.45 | 2.02 | 29.08 | 0.88 | 0.6 | 0.69 | 0.95 | 1.24 |
| 08:00:00 | 2.1 | 2.26 | 46 | 1.23 | 0.78 | 0.14 | 1.63 | 2.16 |
| 09:00:00 | 2.23 | 2.03 | 60.66 | 0.8 | 0.73 | 0.25 | 0.09 | 3.73 |
| 10:00:00 | 2.06 | 2.23 | 67.69 | 0.34 | 0.89 | 0.43 | 0.13 | 0.81 |
| 11:00:00 | 2.98 | 1.89 | 73.86 | 0.22 | 0.17 | 0.5 | 0.11 | 1 |
| 12:00:00 | 3.05 | 2.27 | 80.63 | 0.23 | 0.31 | 0.28 | 0.04 | 1.7 |
| 13:00:00 | 3.8 | 1.86 | 93.03 | 0.62 | 1.62 | 0.06 | 0.13 | 0.97 |
| 14:00:00 | 4.01 | 1.95 | | 0.08 | 0.4 | 0.06 | 0.07 | 1.72 |
| 15:00:00 | 3.47 | 1.71 | 97.02 | 0.16 | 0.68 | 0.11 | 0.09 | 1.84 |
| 16:00:00 | 2.34 | 2.15 | 89.47 | 0.03 | 0.06 | 0.27 | 0.1 | 1.9 |
| 17:00:00 | 2.76 | 1.95 | 71.58 | 0.1 | 0.09 | 0.39 | 0.14 | 5.61 |
| 18:00:00 | 1.72 | 2.08 | 56.5 | 0.14 | 0.49 | 0.04 | 0.24 | 2.24 |
| 19:00:00 | 1.68 | 2.04 | 40.92 | 0.77 | 1.6 | 0.13 | 0.13 | 1.93 |
| 20:00:00 | 1.52 | 2.19 | 35.24 | 0.28 | 0.58 | 0.48 | 0.06 | 1.33 |
| 21:00:00 | 1.82 | 2.21 | 27.6 | 0.19 | 0.09 | 0.13 | 0.36 | 1.76 |
| 22:00:00 | 1.34 | 2.43 | 23.44 | 0.24 | 0.51 | 0.12 | 0.16 | 1.3 |
| 23:00:00 | 1.99 | 1.87 | 26.36 | 0.26 | 0.3 | 0.06 | 0.04 | 0.95 |

| | | | | | | | | |
|---------|------|------|--------|------|------|------|------|------|
| Ras pod | 100% | 100% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.37 | 2.04 | 49.77 | 0.43 | 0.7 | 0.28 | 0.28 | 1.93 |
| C50 | 2.18 | 2.03 | 42.91 | 0.33 | 0.64 | 0.16 | 0.13 | 1.71 |
| MAX | 4.01 | 2.43 | 97.02 | 1.23 | 1.62 | 0.91 | 1.63 | 5.61 |
| MIN | 1.26 | 1.71 | 18.64 | 0.03 | 0.06 | 0.04 | 0.04 | 0.81 |
| C99.9 | 4.01 | 2.42 | 96.93 | 1.23 | 1.62 | 0.91 | 1.62 | 5.57 |
| C98 | 3.91 | 2.35 | 95.19 | 1.2 | 1.61 | 0.81 | 1.32 | 4.77 |
| C95 | 3.77 | 2.27 | 92.5 | 1.12 | 1.56 | 0.68 | 0.94 | 3.77 |

Datum: 2016-08-26

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|--------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | | | 23.05 | 0.26 | 0.09 | 0.13 | 0.04 | 0.98 |
| 01:00:00 | 1.5 | 2.47 | 17.37 | 0.67 | 0.32 | 0.28 | 0.15 | 1.09 |
| 02:00:00 | 1.97 | 2.46 | 12.97 | 0.35 | 0.21 | 0.2 | 0.09 | 1.2 |
| 03:00:00 | 2.17 | 2.08 | 10.18 | 0.05 | 1.11 | 0.52 | 0.07 | 1.5 |
| 04:00:00 | 1.82 | 1.85 | 13.29 | 0.29 | 0.38 | 0.21 | 0.2 | 1.52 |
| 05:00:00 | 1.82 | 2.21 | 13.08 | 0.03 | 0.24 | 0.33 | 0.61 | 1.56 |
| 06:00:00 | 1.94 | 1.65 | 8.28 | 0 | 0.04 | 0.07 | 0.07 | 1.06 |
| 07:00:00 | 2.03 | 2.05 | 13.64 | 0 | 0.06 | 0.41 | 0.26 | 0.93 |
| 08:00:00 | 2.26 | 1.95 | 38.87 | 0.03 | 0.04 | 0.22 | 0.09 | 0.94 |
| 09:00:00 | 2.48 | 1.8 | 54.4 | 0.03 | 0.04 | 0.11 | 0.17 | 1.3 |
| 10:00:00 | 2.32 | 1.98 | 70.78 | 0.03 | 0.04 | 0.09 | 0.16 | 1.33 |
| 11:00:00 | 2.1 | 2.19 | 87.09 | 0.03 | 0.11 | 0.13 | 0.09 | 1.69 |
| 12:00:00 | 11.58 | 2.67 | 97.93 | 0.03 | 0.1 | 0.24 | 0.13 | 2.16 |
| 13:00:00 | 50.12 | 3.25 | 109.44 | 0.03 | 0.06 | 0.24 | 0.11 | 2.24 |
| 14:00:00 | 57.75 | 2.64 | 121.49 | 0 | 0.06 | 0.37 | 0.11 | 2.5 |
| 15:00:00 | 67.58 | 2.49 | | 0 | 0.08 | 0.39 | 0.2 | 2.28 |
| 16:00:00 | 100.01 | 2.57 | 115.65 | 0 | 0.08 | 0.26 | 0.14 | 2.55 |
| 17:00:00 | 33.87 | 2.62 | 117.11 | 0 | 0.05 | 0.46 | 0.14 | 2.73 |
| 18:00:00 | 9.29 | 2.28 | 70.14 | 0 | 0.06 | 0.33 | 0.15 | 2.69 |
| 19:00:00 | 3.91 | 2.35 | 44.49 | 0.13 | 0.04 | 0.41 | 0.22 | 2.33 |
| 20:00:00 | 2.86 | 1.96 | 32.25 | 0.03 | 0.04 | 0.37 | 0.11 | 2.3 |
| 21:00:00 | 2.36 | 2.35 | 39.52 | 0 | 0.04 | 0.26 | 0.15 | 2.3 |
| 22:00:00 | 2.16 | 1.73 | 25.16 | 0 | 0.13 | 0.17 | 0.09 | 2.21 |
| 23:00:00 | 1.98 | 1.94 | 19.13 | 0 | 0.04 | 0.17 | 0.07 | 1.65 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 15.91 | 2.24 | 50.23 | 0.08 | 0.14 | 0.26 | 0.15 | 1.79 |
| C50 | 2.29 | 2.2 | 35.56 | 0.03 | 0.06 | 0.25 | 0.14 | 1.67 |
| MAX | 100.01 | 3.25 | 121.49 | 0.67 | 1.11 | 0.52 | 0.61 | 2.73 |
| MIN | | | 8.28 | 0 | 0.04 | 0.07 | 0.04 | 0.93 |
| C99.9 | 99.26 | 3.23 | 121.39 | 0.66 | 1.09 | 0.52 | 0.6 | 2.73 |
| C98 | 85.09 | 2.98 | 119.48 | 0.53 | 0.78 | 0.49 | 0.45 | 2.71 |
| C95 | 66.1 | 2.67 | 116.89 | 0.34 | 0.37 | 0.45 | 0.25 | 2.67 |

Datum: 2016-08-27

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|-------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.16 | 1.93 | 9.95 | 0.32 | 0.06 | 0.17 | 0.09 | 1.87 |
| 01:00:00 | | | 10.89 | 0 | 0.05 | 0.17 | 0.04 | 1.49 |
| 02:00:00 | 1.98 | 2.19 | 8.7 | 0 | 0.13 | 0.13 | 0.14 | 1.55 |
| 03:00:00 | 1.6 | 2.21 | 8.72 | 0.03 | 0.06 | 0.17 | 0.09 | 1.24 |
| 04:00:00 | 1.61 | 2.14 | 9.52 | 0.29 | 0.06 | 0.11 | 0.04 | 1.37 |
| 05:00:00 | 2.21 | 2.39 | 7.09 | 0 | 0.04 | 0.27 | 0.19 | 1.19 |
| 06:00:00 | 1.82 | 2.3 | 7.6 | 0 | 0.04 | 0.13 | 0.07 | 1.5 |
| 07:00:00 | 2.13 | 2.09 | 14.39 | 0.26 | 0.08 | 0.07 | 0.04 | 1.07 |
| 08:00:00 | 2.95 | 2.1 | 41.15 | 0.03 | 0.09 | 0.1 | 0.04 | 1.1 |
| 09:00:00 | 3.37 | 2.42 | 67.31 | 0.03 | 0.1 | 0.1 | 0.07 | 1.48 |
| 10:00:00 | 2.66 | 2.08 | 82.75 | 0.03 | 0.04 | 0.19 | 0.09 | 1.58 |
| 11:00:00 | 3.56 | 1.62 | 96.77 | 0 | 0.05 | 0.16 | 0.04 | 1.79 |
| 12:00:00 | 6.24 | 2.3 | 101.42 | 0.1 | 0.31 | 0.15 | 0.59 | 1.56 |
| 13:00:00 | 21.14 | 2.62 | 101.49 | 0 | 0.06 | 0.2 | 0.09 | 1.95 |
| 14:00:00 | 70.51 | 2.75 | 98.05 | 0.03 | 0.43 | 0.17 | 0.09 | 1.65 |
| 15:00:00 | 64.21 | 3.1 | 100.91 | 0.14 | 0.11 | 0.19 | 0.1 | 1.39 |
| 16:00:00 | 70.8 | 3.81 | | 0.06 | 0.33 | 0.2 | 0.09 | 1.42 |
| 17:00:00 | 35.26 | 3.13 | 96.32 | 0.31 | 1.14 | 0.51 | 0.68 | 3.79 |
| 18:00:00 | 5.86 | 2.36 | 63.16 | 0.29 | 0.51 | 0.22 | 0.09 | 1.93 |
| 19:00:00 | 3.46 | 1.89 | 39.75 | 0.57 | 0.68 | 0.61 | 0.33 | 1.54 |
| 20:00:00 | 2.1 | 1.98 | 39.67 | 0.18 | 0.4 | 0.15 | 0.2 | 1.71 |
| 21:00:00 | 2.21 | 2.02 | 34.06 | 0.2 | 0.4 | 0.14 | 0.87 | 1.5 |
| 22:00:00 | 1.69 | 2.19 | 22.48 | 0.03 | 0.06 | 0.13 | 0.04 | 1.78 |
| 23:00:00 | 2.71 | 1.86 | 12.11 | 0.08 | 0.24 | 0.13 | 0.28 | 1.65 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 13.58 | 2.33 | 46.71 | 0.12 | 0.23 | 0.19 | 0.18 | 1.63 |
| C50 | 2.68 | 2.19 | 36.87 | 0.05 | 0.09 | 0.17 | 0.09 | 1.54 |
| MAX | 70.8 | 3.81 | 101.49 | 0.57 | 1.14 | 0.61 | 0.87 | 3.79 |
| MIN | 1.6 | 1.62 | 7.09 | 0 | 0.04 | 0.07 | 0.04 | 1.07 |
| C99.9 | 70.79 | 3.79 | 101.49 | 0.57 | 1.13 | 0.61 | 0.86 | 3.75 |
| C98 | 70.67 | 3.49 | 101.46 | 0.46 | 0.93 | 0.56 | 0.78 | 2.95 |
| C95 | 69.56 | 3.13 | 101.35 | 0.32 | 0.65 | 0.47 | 0.67 | 1.95 |

Datum: 2016-08-28

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 | | | | | | |
|----------|-------|------|----------|---------|---------|---------|------|----------|--|--|--|--|--|--|
| 00:00:00 | 2.07 | 1.66 | 11.23 | 0.26 | 0.77 | 0.33 | 0.77 | 3.73 | | | | | | |
| 01:00:00 | 1.7 | 2.21 | 9.97 | 0.54 | 0.11 | 0.17 | 0.07 | 1.48 | | | | | | |
| 02:00:00 | | | 8.24 | 0.57 | 0.53 | 0.09 | 0.38 | 2.23 | | | | | | |
| 03:00:00 | 2.25 | 2.14 | 8.32 | 0.46 | 0.47 | 0.07 | 0.13 | 2.11 | | | | | | |
| 04:00:00 | 1.56 | 2.13 | 6.94 | 0.03 | 0.04 | 0.24 | 0.37 | 6.08 | | | | | | |
| 05:00:00 | 1.68 | 2.09 | 6.15 | 0.26 | 0.36 | 0.04 | 0.38 | 2.27 | | | | | | |
| 06:00:00 | 2.03 | 2.2 | 5.81 | 0.32 | 0.55 | 0.15 | 0.35 | 5.86 | | | | | | |
| 07:00:00 | 2.45 | 1.92 | 14.07 | 0.29 | 0.32 | 0.33 | 0.78 | 2.32 | | | | | | |
| 08:00:00 | 5.77 | 2.06 | 39.29 | 0.57 | 0.38 | 0.35 | 0.26 | 1.61 | | | | | | |
| 09:00:00 | 4.13 | 2.28 | 63.99 | 0 | 0.04 | 0.13 | 0.11 | 1.24 | | | | | | |
| 10:00:00 | 3.23 | 1.97 | 82.24 | 0.1 | 0.66 | 0.26 | 0.35 | 3.15 | | | | | | |
| 11:00:00 | 3.79 | 2.04 | 95.59 | 0 | 0.06 | 0.19 | 0.06 | 1.71 | | | | | | |
| 12:00:00 | 3 | 2.47 | 102.86 | 0 | 0.04 | 0.13 | 0.06 | 1.76 | | | | | | |
| 13:00:00 | 2.23 | 2.1 | 103.21 | 0 | 0.04 | 0.23 | 0.1 | 1.98 | | | | | | |
| 14:00:00 | 3.2 | 1.77 | 104.27 | 0.03 | 0.04 | 0.22 | 0.09 | 1.9 | | | | | | |
| 15:00:00 | 4.28 | 2.09 | 106.24 | 0 | 0 | 0.24 | 0.07 | 1.8 | | | | | | |
| 16:00:00 | 64.25 | 3.05 | 100.63 | 0 | 0 | 0.28 | 0.04 | 1.95 | | | | | | |
| 17:00:00 | 22.9 | 2.39 | | 0 | 0.04 | 0.28 | 0.09 | 1.97 | | | | | | |
| 18:00:00 | 2.33 | 2.33 | 78.81 | 0.06 | 0.04 | 0.12 | 0.09 | 2.21 | | | | | | |
| 19:00:00 | 2.37 | 2.2 | 56.59 | 0.06 | 0 | 0.26 | 0.09 | 1.91 | | | | | | |
| 20:00:00 | 2.05 | 1.94 | 43.55 | 0 | 0.04 | 0.14 | 0.09 | 1.74 | | | | | | |
| 21:00:00 | 1.9 | 2.37 | 35.1 | 0 | 0 | 0.17 | 0.04 | 1.52 | | | | | | |
| 22:00:00 | 1.99 | 2.07 | 23.26 | 0 | 0.04 | 0.13 | 0.09 | 1.48 | | | | | | |
| 23:00:00 | 2.2 | 1.67 | 15.92 | 0.19 | 0.04 | 0.12 | 0.04 | 1.42 | | | | | | |

| | | | | | | | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|--|--|--|--|--|--|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% | | | | | | |
| AVG | 6.23 | 2.14 | 48.79 | 0.16 | 0.19 | 0.2 | 0.2 | 2.31 | | | | | | |
| C50 | 2.29 | 2.09 | 37.19 | 0.05 | 0.04 | 0.18 | 0.09 | 1.93 | | | | | | |
| MAX | 64.25 | 3.05 | 106.24 | 0.57 | 0.77 | 0.35 | 0.78 | 6.08 | | | | | | |
| MIN | 1.56 | 1.66 | 5.81 | 0 | 0 | 0.04 | 0.04 | 1.24 | | | | | | |
| C99.9 | 63.3 | 3.04 | 106.19 | 0.57 | 0.76 | 0.35 | 0.78 | 6.07 | | | | | | |
| C98 | 45.23 | 2.78 | 105.33 | 0.57 | 0.72 | 0.34 | 0.77 | 5.98 | | | | | | |
| C95 | 20.33 | 2.46 | 104.11 | 0.57 | 0.64 | 0.33 | 0.71 | 5.54 | | | | | | |

Datum: 2016-08-29

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|--------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.35 | 2.12 | 16.36 | 0 | 0.04 | 0.07 | 0.04 | 1.37 |
| 01:00:00 | 1.93 | 2.12 | 12.44 | 0 | 0.04 | 0.11 | 0.07 | 1.22 |
| 02:00:00 | 1.74 | 1.78 | 10.68 | 0 | 0.04 | 0.09 | 0.04 | 1.07 |
| 03:00:00 | | | 6.99 | 0 | 0.04 | 0.08 | 0.04 | 1.07 |
| 04:00:00 | 1.99 | 2.24 | 5.67 | 0 | 0.04 | 0.07 | 0.04 | 1.13 |
| 05:00:00 | 1.59 | 1.99 | 5.37 | 0 | 0.13 | 0.17 | 0.04 | 1.02 |
| 06:00:00 | 2 | 2.46 | 5.07 | 0 | 0.04 | 0.04 | 0.04 | 0.69 |
| 07:00:00 | 1.86 | 1.91 | 12.07 | 0 | 0.23 | 0.07 | 0.13 | 0.93 |
| 08:00:00 | 3.11 | 1.98 | 28.79 | 0 | 0.04 | 0.15 | 0.3 | 1.22 |
| 09:00:00 | 3.18 | 1.91 | 57.18 | 0.06 | 0.15 | 0.07 | 0.09 | 1.15 |
| 10:00:00 | 3.82 | 1.85 | 83.04 | 0.03 | 0.06 | 0.1 | 0.06 | 1.42 |
| 11:00:00 | 4.9 | 1.87 | 94.71 | 0 | 0.04 | 0.11 | 0.09 | 1.76 |
| 12:00:00 | 7.02 | 2.51 | 100.48 | 0.03 | 0.04 | 0.25 | 0.09 | 1.97 |
| 13:00:00 | 119.96 | 6.14 | 102.85 | 0.03 | 0.04 | 0.26 | 0.12 | 2.39 |
| 14:00:00 | 106.8 | 4.2 | 119.68 | 0 | 0.04 | 0.24 | 0.15 | 2.32 |
| 15:00:00 | 12.51 | 1.96 | 117.68 | 0.03 | 0.04 | 0.33 | 0.11 | 2.54 |
| 16:00:00 | 7.5 | 1.92 | 114.69 | 0 | 0.06 | 0.32 | 0.15 | 2.69 |
| 17:00:00 | 10.27 | 2.07 | 97.28 | 0.03 | 0.04 | 0.35 | 0.16 | 2.75 |
| 18:00:00 | 14.55 | 1.56 | | 0 | 0.04 | 0.43 | 0.15 | 2.8 |
| 19:00:00 | 7.92 | 1.67 | 42.19 | 0.03 | 0.04 | 0.33 | 0.07 | 2.43 |
| 20:00:00 | 4.27 | 1.96 | 38.54 | 0 | 0.15 | 0.19 | 0.12 | 2.43 |
| 21:00:00 | 2.71 | 2.07 | 28.65 | 0 | 0.04 | 0.26 | 0.13 | 2.21 |
| 22:00:00 | 2.22 | 2.19 | 18.22 | 0.03 | 0.04 | 0.3 | 0.07 | 2.04 |
| 23:00:00 | 2.29 | 2.33 | 20.38 | 0.29 | 0.04 | 0.22 | 0.09 | 1.97 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 14.2 | 2.3 | 49.52 | 0.02 | 0.06 | 0.19 | 0.1 | 1.77 |
| C50 | 3.15 | 1.99 | 28.72 | 0 | 0.04 | 0.18 | 0.09 | 1.86 |
| MAX | 119.96 | 6.14 | 119.68 | 0.29 | 0.23 | 0.43 | 0.3 | 2.8 |
| MIN | 1.59 | 1.56 | 5.07 | 0 | 0.04 | 0.04 | 0.04 | 0.69 |
| C99.9 | 119.66 | 6.1 | 119.64 | 0.28 | 0.22 | 0.43 | 0.3 | 2.8 |
| C98 | 113.91 | 5.25 | 118.76 | 0.18 | 0.19 | 0.39 | 0.24 | 2.78 |
| C95 | 92.96 | 3.95 | 117.23 | 0.06 | 0.15 | 0.34 | 0.16 | 2.74 |

Datum: 2016-08-30

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 4.55 | 2.03 | 42.17 | 0.06 | 0.05 | 0.2 | 0.04 | 1.97 |
| 01:00:00 | 2.99 | 2.04 | 37.57 | 0 | 0.04 | 0.15 | 0.09 | 1.69 |
| 02:00:00 | 3.38 | 2.6 | 42.9 | 0 | 0.04 | 0.07 | 0.13 | 1.43 |
| 03:00:00 | 4.15 | 1.9 | 43.36 | 0 | 0.06 | 0.14 | 0.07 | 1.46 |
| 04:00:00 | | | 44.03 | 0 | 0.06 | 0.13 | 0.12 | 1.32 |
| 05:00:00 | 3.04 | 2.17 | 42.48 | 0.03 | 0.04 | 0.22 | 0.11 | 1.71 |
| 06:00:00 | 2.67 | 2.26 | 36.73 | 0.03 | 0.04 | 0.13 | 0.04 | 1.24 |
| 07:00:00 | 2.44 | 2.24 | 43.71 | 0 | 0.05 | 0.1 | 0.06 | 1.22 |
| 08:00:00 | 3.09 | 1.77 | 56.99 | 0.03 | 0.08 | 0.07 | 0.04 | 1.09 |
| 09:00:00 | 2.3 | 1.55 | 67.54 | 0.03 | 0.08 | 0.17 | 0.04 | 0.85 |
| 10:00:00 | 2.32 | 1.69 | 79.38 | 0 | 0.04 | 0.2 | 0.07 | 1.41 |
| 11:00:00 | 2.16 | 2.15 | 88.45 | 0.03 | 0.04 | 0.09 | 0.04 | 1.32 |
| 12:00:00 | 2.03 | 1.86 | 102.54 | 0.03 | 0.04 | 0.17 | 0.07 | 1.5 |
| 13:00:00 | 2.22 | 1.96 | 109.81 | 0 | 0.04 | 0.15 | 0.04 | 0.95 |
| 14:00:00 | 2.17 | 1.76 | 109.35 | 0 | 0.04 | 0.13 | 0.04 | 1.24 |
| 15:00:00 | 2.23 | 1.65 | 110.36 | 0 | 0 | 0.09 | 0.04 | 1.32 |
| 16:00:00 | 1.64 | 2.02 | 112.48 | 0 | 0.04 | 0.16 | 0.04 | 1.37 |
| 17:00:00 | 1.71 | 2 | 111.37 | 0.03 | 0.04 | 0.09 | 0.04 | 1.5 |
| 18:00:00 | 1.74 | 2.19 | 105.26 | 0.03 | 0.04 | 0.13 | 0.06 | 1.42 |
| 19:00:00 | 2.38 | 1.73 | | 0.03 | 0 | 0.12 | 0.06 | 1.24 |
| 20:00:00 | 2.21 | 1.9 | 65.9 | 0 | 0.04 | 0.09 | 0.06 | 1.24 |
| 21:00:00 | 2.19 | 1.91 | 59.72 | 0 | 0.04 | 0.17 | 0.07 | 1.32 |
| 22:00:00 | 2.22 | 2.36 | 52.06 | 0.1 | 0.04 | 0.11 | 0.07 | 1.22 |
| 23:00:00 | 2.19 | 1.89 | 33.75 | 0.03 | 0.04 | 0.07 | 0.09 | 1.07 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.52 | 1.98 | 69.47 | 0.02 | 0.04 | 0.13 | 0.06 | 1.34 |
| C50 | 2.22 | 1.94 | 58.36 | 0.02 | 0.04 | 0.13 | 0.06 | 1.32 |
| MAX | 4.55 | 2.6 | 112.48 | 0.1 | 0.08 | 0.22 | 0.13 | 1.97 |
| MIN | 1.64 | 1.55 | 33.75 | 0 | 0 | 0.07 | 0.04 | 0.85 |
| C99.9 | 4.54 | 2.6 | 112.46 | 0.1 | 0.08 | 0.22 | 0.13 | 1.96 |
| C98 | 4.37 | 2.49 | 111.97 | 0.08 | 0.08 | 0.21 | 0.12 | 1.85 |
| C95 | 4.03 | 2.35 | 111.22 | 0.06 | 0.07 | 0.2 | 0.11 | 1.71 |

Datum: 2016-08-31

| VREME | SO2 | H2S | O3 ug/m3 | B ug/m3 | T ug/m3 | E ug/m3 | MPX | OX ug/m3 |
|----------|------|------|----------|---------|---------|---------|------|----------|
| 00:00:00 | 2.23 | 1.73 | 33.45 | 0.06 | 0.04 | 0.14 | 0.13 | 1.24 |
| 01:00:00 | 1.84 | 2.05 | 26.84 | 0 | 0 | 0.13 | 0.04 | 0.8 |
| 02:00:00 | 2.08 | 2.03 | 24.9 | 0.29 | 0.19 | 0.09 | 0.04 | 1.02 |
| 03:00:00 | 2.31 | 1.85 | 28.46 | 0.03 | 0 | 0.06 | 0.04 | 1.03 |
| 04:00:00 | 1.85 | 1.62 | 25.29 | 0 | 0.04 | 0.24 | 0.13 | 1.13 |
| 05:00:00 | | | 30.4 | 0 | 0.04 | 0.09 | 0.04 | 1.04 |
| 06:00:00 | 2.11 | 1.97 | 35.21 | 0 | 0.19 | 0.15 | 0.04 | 0.61 |
| 07:00:00 | 1.9 | 1.91 | 45.04 | 0 | 0 | 0.07 | 0.04 | 0.8 |
| 08:00:00 | 2.02 | 2.1 | 66.02 | 0 | 0.04 | 0.07 | 0.04 | 1.24 |
| 09:00:00 | 2.15 | 2.26 | 72.96 | 0.1 | 0.04 | 0.04 | 0.04 | 0.95 |
| 10:00:00 | 2.68 | 1.55 | 79.99 | 0 | 0.04 | 0.07 | 0.06 | 1.42 |
| 11:00:00 | 2.66 | 1.8 | 89.79 | 0 | 0.04 | 0.09 | 0.06 | 1.55 |
| 12:00:00 | 1.52 | 2.48 | 98.45 | 0 | 0.04 | 0.11 | 0.13 | 1.69 |
| 13:00:00 | 1.69 | 1.94 | 104.78 | 0.03 | 0 | 0.23 | 0.06 | 1.78 |
| 14:00:00 | 2.09 | 1.81 | 106.82 | 0 | 0.04 | 0.2 | 0.07 | 1.91 |
| 15:00:00 | 2.04 | 1.86 | 108.6 | 0 | 0.04 | 0.15 | 0.07 | 1.91 |
| 16:00:00 | 1.94 | 2.49 | 108.12 | 0 | 0.04 | 0.22 | 0.07 | 2 |
| 17:00:00 | 1.78 | 1.9 | 94.46 | 0 | 0.04 | 0.32 | 0.06 | 2.13 |
| 18:00:00 | 2.23 | 2.16 | 61.12 | 0.1 | 0.04 | 0.16 | 0.07 | 2.18 |
| 19:00:00 | 1.91 | 2.23 | 48.21 | 0 | 0.04 | 0.22 | 0.1 | 1.97 |
| 20:00:00 | 2.37 | 1.74 | | 0 | 0 | 0.22 | 0.04 | 2.08 |
| 21:00:00 | 2.25 | 2.14 | 42.46 | 0.03 | 0.04 | 0.14 | 0.04 | 1.61 |
| 22:00:00 | 2.6 | 1.61 | 30.26 | 0 | 0.04 | 0.26 | 0.07 | 1.54 |
| 23:00:00 | 1.81 | 2.16 | 15.79 | 0 | 0.04 | 0.11 | 0.04 | 1.5 |

| | | | | | | | | |
|---------|--------|--------|--------|------|------|------|------|------|
| Ras pod | 95.83% | 95.83% | 95.83% | 100% | 100% | 100% | 100% | 100% |
| AVG | 2.09 | 1.97 | 59.89 | 0.03 | 0.04 | 0.15 | 0.06 | 1.46 |
| C50 | 2.06 | 1.92 | 46.63 | 0 | 0.04 | 0.14 | 0.06 | 1.52 |
| MAX | 2.68 | 2.49 | 108.6 | 0.29 | 0.19 | 0.32 | 0.13 | 2.18 |
| MIN | 1.52 | 1.55 | 15.79 | 0 | 0 | 0.04 | 0.04 | 0.61 |
| C99.9 | 2.68 | 2.49 | 108.59 | 0.28 | 0.19 | 0.32 | 0.13 | 2.18 |
| C98 | 2.67 | 2.48 | 108.38 | 0.2 | 0.19 | 0.29 | 0.13 | 2.16 |
| C95 | 2.65 | 2.44 | 107.93 | 0.1 | 0.17 | 0.26 | 0.13 | 2.12 |

