



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10001 Obedska bara - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-09-01 do 2016-09-30

KOD stanice: **RS10001**

EIO klasifikacija: **0/0/0**

Koordinate XY: **44.735 / 19.986**

Nadmorska visina: **75**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-09-01

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.45	2.06	14.67	0	0.04	0.28	0.13	2.63
01:00:00	2.01	2.08	13.28	0	0.04	0.09	0.17	1.89
02:00:00	2.05	2.23	13.08	0	0.04	0.04	0.04	1.22
03:00:00	1.95	1.98	19.92	0.03	0.04	0.09	0.07	1.09
04:00:00	1.9	2.43	11.9	0	0	0.07	0.07	1.02
05:00:00	1.7	2.26	6.74	0.03	0	0.07	0.06	0.95
06:00:00			6.54	0.03	0.04	0.04	0.04	1.02
07:00:00	2.5	1.85	12.35	0	0.05	0.06	0.06	0.87
08:00:00	2.76	2.11	24.36					
09:00:00								
10:00:00								
11:00:00								
12:00:00								
13:00:00								
14:00:00			125.2	0	0.11	3.65	0.22	2.43
15:00:00			129.54	0	0.04	0.37	0.13	1.32
16:00:00	6.68	1.91	125.99	0	0.04	0.35	0.13	0.04
17:00:00	10.7	2.13	110.41	0	0.04	0.3	0.15	2.67
18:00:00	5.79	2.28	70.6	0	0.05	0.33	0.17	2.52
19:00:00	3.97	1.64	58.5	0	0.04	0.33	0.17	2.63
20:00:00	2.55	2.14	55.46	0	0.04	0.33	0.15	2.43
21:00:00	2.22	2.04		0	0.04	0.23	0.1	2.15
22:00:00	2.45	1.98	51.42	0	0.04	0.29	0.19	2.08
23:00:00	1.88	1.86	39.48	0	0.04	0.3	0.13	2.3

Ras pod	66.67%	66.67%	75%	75%	75%	75%	75%	75%
AVG	3.28	2.06	49.41	0.01	0.04	0.4	0.12	1.74
C50	1.92	1.94	13.97	0	0.04	0.09	0.08	1.15
MAX	10.7	2.43	129.54	0.03	0.11	3.65	0.22	2.67
MIN	1.45	1.64	6.54	0	0	0.04	0.04	0.04
C99.9	10.61	2.43	129.46	0.03	0.11	3.57	0.22	2.67
C98	8.85	2.36	127.91	0.03	0.08	2.14	0.2	2.65
C95	6.55	2.28	125.87	0.03	0.05	0.37	0.19	2.63

Datum: 2016-09-02

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.98	1.94	27.56	0	0.04	0.11	0.13	1.87
01:00:00	2.42	2.27	27.2	0	0.06	0.17	0.09	1.13
02:00:00	2.01	1.75	27.74	0	0.06	0.24	0.04	0.09
03:00:00	2.3	2.04	24.71	0	0.07	0.22	0.09	1.82
04:00:00	3.2	2.28	31.29	0.03	0.04	0.09	0.15	1.63
05:00:00	1.98	2.23	20.78	0.03	0.04	0.15	0.09	1.39
06:00:00	2.02	2.19	23.02	0	0.06	0.13	0.07	0
07:00:00			30.47	0.03	0.04	0.13	0.13	1.39
08:00:00	2.56	2.23	48.2	0	0.04	0.19	0.12	1.67
09:00:00	2.9	2.03	76.79	0.03	0.04	0.22	0.13	1.69
10:00:00	3.78	1.74	90.14	0.03	0.08	0.22	0.13	1.97
11:00:00	3.96	1.82	105.17	0	0.04	0.26	0.17	2.39
12:00:00	3.54	2.11	107.91	0	0.04	0.35	0.15	0
13:00:00	2.44	2.01	108.67	0	0.06	0.3	0.15	2.82
14:00:00	2.82	2.1	117.15	0	0.04	0.24	0.17	0
15:00:00	3.22	1.72	117.89	0	0.05	0.39	0.19	2.67
16:00:00	2.29	2.17	119.69	0	0.04	0.28	0.11	0
17:00:00	2.64	1.66	102.85	0	0.04	0.43	0.24	3.12
18:00:00	2.34	1.79	61.04	0	0.04	0.46	0.13	2.89
19:00:00	2	1.95	58.6	0	0.04	0.37	0.16	1.45
20:00:00	2.55	1.92	54.12	0	0.04	0.27	0.1	2.5
21:00:00	1.9	2.35	45.79	0.03	0.04	0.35	0.13	1.32
22:00:00	1.79	2.28		0	0.04	0.26	0.2	2.21
23:00:00	2.5	1.56	34.26	0	0.04	0.17	0.13	1.09

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.57	2.01	63.52	0.01	0.04	0.25	0.13	1.55
C50	2.43	2.02	51.16	0	0.04	0.24	0.13	1.65
MAX	3.96	2.35	119.69	0.03	0.08	0.46	0.24	3.12
MIN	1.79	1.56	20.78	0	0.04	0.09	0.04	0
C99.9	3.96	2.35	119.65	0.03	0.08	0.46	0.24	3.12
C98	3.88	2.32	118.86	0.03	0.07	0.45	0.22	3.02
C95	3.74	2.28	117.78	0.03	0.07	0.43	0.19	2.88

Datum: 2016-09-03

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.98	2.03	44.88	0	0.04	0.28	0.15	0
01:00:00	2.43	1.93	36.61	0	0.04	0.22	0.13	0.95
02:00:00	1.93	2.06	21.86	0.03	0.04	0.23	0.1	1.97
03:00:00	1.62	2.33	16.3	0	0.04	0.22	0.04	1.87
04:00:00	2.43	1.66	11.64	0.03	0.04	0.09	0.09	1.52
05:00:00	1.77	1.99	9.02	0	0.04	0.13	0.11	1.39
06:00:00	2.32	2.32	8.85	0	0.04	0.13	0.13	0
07:00:00	2.58	1.72	19.79	0	0	0.15	0.09	0
08:00:00			53.56	0	0.06	0.15	0.13	0.82
09:00:00	3.14	2.39	75.77	0.03	0.06	0.11	0.09	1.78
10:00:00	2.87	2.13	93.33	0	0.04	0.22	0.04	0
11:00:00	2.67	2.33	111.8	0	0.05	0.26	0.07	1.65
12:00:00	2.49	2.06	124.42	0	0.04	0.24	0.04	0
13:00:00	2.52	1.67	125.92	0	0.04	0.38	0.16	2.52
14:00:00	1.8	1.88	126.49	0	0.06	0.37	0.2	0
15:00:00	2.15	2.13	125.58	0	0.04	0.35	0.19	2.6
16:00:00	3	1.91	120.75	0	0.04	0.35	0.14	0
17:00:00	1.88	2.04	107.64	0	0.06	0.36	0.13	0
18:00:00	2.29	1.91	72.09	0	0.04	0.43	0.11	1.54
19:00:00	1.69	2.21	59.31	0	0.04	0.39	0.14	0
20:00:00	1.93	1.74	47.45	0	0.04	0.13	0.07	2.21
21:00:00	1.96	1.85	27.17	0	0.04	0.26	0.2	2.52
22:00:00	2.47	1.74	30.46	0	0.05	0.2	0.14	1.24
23:00:00	1.57	2.18		0.03	0.06	0.2	0.16	2.08

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.24	2.01	63.94	0.01	0.04	0.24	0.12	1.11
C50	2.22	2.01	50.51	0	0.04	0.22	0.13	1.31
MAX	3.14	2.39	126.49	0.03	0.06	0.43	0.2	2.6
MIN	1.57	1.66	8.85	0	0	0.09	0.04	0
C99.9	3.14	2.39	126.48	0.03	0.06	0.43	0.2	2.6
C98	3.08	2.36	126.23	0.03	0.06	0.41	0.2	2.56
C95	2.98	2.33	125.87	0.03	0.06	0.39	0.19	2.52

Datum: 2016-09-04

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.55	1.71	13.84	0.03	0.05	0.27	0.13	1.95
01:00:00	2.04	2.08	9.48	0	0.04	0.26	0.13	1.04
02:00:00	2.28	1.94	10.51	0.03	0.04	0.09	0.1	1.65
03:00:00	2.3	1.34	10.94	0	0.04	0.2	0.11	1.74
04:00:00	2.23	1.72	7.51	0	0.06	0.09	0.09	0.46
05:00:00	2.02	2.21	6.65	0	0.04	0.15	0.11	0.89
06:00:00	1.88	1.92	7.89	0	0.04	0.1	0.12	0
07:00:00	3.09	1.78	13.79	0	0.06	0.15	0.07	1.65
08:00:00	2.01	2.67	33.05	0	0.05	0.13	0.07	1.74
09:00:00			70.23	0	0.05	0.22	0.06	1.65
10:00:00	3.99	1.72	92.99	0.03	0.04	0.22	0.13	0.09
11:00:00	3.09	1.85	99.56	0	0.04	0.26	0.13	2.31
12:00:00	2.71	1.87	113.59	0.03	0.04	0.29	0.1	0.04
13:00:00	33.26	2.87	118.86	0	0.08	0.43	0.2	2.93
14:00:00	14	2.19	130.06	0	0	0.33	0.2	0
15:00:00	17.2	2.24	134.17	0	0.04	0.41	0.13	0
16:00:00	10.86	2.09	130.7	0.03	0.04	0.42	0.2	3.45
17:00:00	5.86	2.1	99.65	0	0	0.38	0.17	3.21
18:00:00	3.06	1.77	58.1	0	0.04	0.3	0.11	1.61
19:00:00	2.54	2.21	57.09	0	0.04	0.32	0.22	3.07
20:00:00	2.68	2.2	43.29	0	0.06	0.35	0.24	2.78
21:00:00	1.92	1.9	36.01	0	0.04	0.26	0.12	2.65
22:00:00	2.18	1.73	25.98	0	0.04	0.41	0.23	2.52
23:00:00	1.75	2.38	22.98	0	0.04	0.11	0.04	2.21

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%	100%
AVG	5.46	2.02	56.12	0.01	0.04	0.26	0.13	1.65
C50	2.55	1.93	39.65	0	0.04	0.26	0.12	1.69
MAX	33.26	2.87	134.17	0.03	0.08	0.43	0.24	3.45
MIN	1.75	1.34	6.65	0	0	0.09	0.04	0
C99.9	32.89	2.86	134.09	0.03	0.07	0.43	0.24	3.44
C98	25.87	2.78	132.58	0.03	0.07	0.43	0.24	3.34
C95	16.72	2.63	130.61	0.03	0.06	0.42	0.23	3.19

Datum: 2016-09-05

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.97	1.87		0	0.04	0.28	0.13	1.43
01:00:00	2.11	1.93	22.67	0	0	0.26	0.13	2.17
02:00:00	2.18	2.06	20.08	0	0.04	0.17	0.09	2
03:00:00	2.76	1.59	20.05	0	0.08	0.17	0.11	1.84
04:00:00	2.25	1.78	18.36	0	0	0.11	0.04	1.87
05:00:00	2	2.01	9.42	0	0	0.26	0.09	1.71
06:00:00	2.01	2.16	13.52	0.03	0.04	0.17	0.09	0.89
07:00:00	1.87	2.03	15.7	0	0.04	0.16	0.12	1.69
08:00:00	4.62	1.83	47.81	0	0.04	0.19	0.06	1.69
09:00:00	6.68	1.95	67.59	0	0.04	0.1	0.09	1.65
10:00:00			66.4	0	0.04	0.17	0.07	0.04
11:00:00	2.9	2.22	71.22	0	0.04	0.17	0.09	1
12:00:00	1.85	2.14	71.18	0	0.04	0.06	0.07	1.43
13:00:00	1.78	1.9	63.67	0	0.04	0.15	0.07	1.22
14:00:00	1.84	2.34	55.51	0	0.04	0.12	0.06	1.32
15:00:00	2.09	2.11	54.57	0	0.04	0.09	0.04	1.48
16:00:00	2.09	1.89	54.68	0	0.04	0.12	0.09	1.26
17:00:00	2.95	1.85	48.4	0	0.04	0.07	0.07	1.06
18:00:00	2.12	1.89	45.27	0	0	0.04	0.04	0.98
19:00:00	2.09	1.88	52.33	0	0.04	0.07	0.04	0.74
20:00:00	1.53	2.19	53.34	0	0.04	0.07	0.04	1.02
21:00:00	1.89	1.96	46.48	0	0.04	0.07	0.07	0.04
22:00:00	2.54	2.33	41.03	0	0	0.09	0.09	1.04
23:00:00	2.16	2.02	39.41	0	0	0.07	0.04	0.93

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.45	2	43.42	0	0.03	0.13	0.08	1.27
C50	2.09	1.96	47.15	0	0.04	0.12	0.07	1.29
MAX	6.68	2.34	71.22	0.03	0.08	0.28	0.13	2.17
MIN	1.53	1.59		0	0	0.04	0.04	0.04
C99.9	6.63	2.34	71.22	0.03	0.07	0.28	0.13	2.17
C98	5.73	2.33	71.2	0.02	0.06	0.27	0.13	2.09
C95	4.37	2.31	70.64	0	0.04	0.26	0.13	1.98

Datum: 2016-09-06

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.97	2.02	41.92	0	0.04	0.13	0.07	0.09
01:00:00	1.84	2.05		0	0	0.07	0.04	0.52
02:00:00	2.65	1.89	35.88	0	0.04	0.07	0.07	0.65
03:00:00	2.43	2.03	32.33	0	0	0.04	0.04	0.69
04:00:00	2.23	1.98	29.39	0	0	0.04	0.09	0.95
05:00:00	1.84	2.01	26.89	0	0	0.04	0.04	0.74
06:00:00	2.64	1.7	24.53	0	0	0.07	0.07	0.48
07:00:00	2.13	2.31	24.55	0	0	0.07	0.04	0.09
08:00:00	1.85	2.31	25.75	0	0	0.04	0.09	0.82
09:00:00	2.43	1.82	28.13	0	0	0.07	0.04	0.95
10:00:00	2.19	1.83	38.13	0	0	0.04	0.04	0.04
11:00:00			50.51	0	0	0.04	0.07	0
12:00:00	1.98	1.86	55.39	0	0	0.09	0.04	0.91
13:00:00	2.39	1.67	60.47	0	0.04	0.04	0.07	0.95
14:00:00	2.06	2.18	60.92	0	0	0.04	0.07	0
15:00:00	1.58	2.1	63.23	0	0	0.04	0.09	0.09
16:00:00	1.94	1.96	64.38	0	0	0.09	0.07	0.82
17:00:00	1.42	1.86	57.7	0	0.04	0.06	0.04	0.95
18:00:00	2.26	2.1	46.53	0	0	0.04	0.06	0.95
19:00:00	2.39	2.03	25.72	0	0.04	0.07	0.04	0.85
20:00:00	1.66	2.17	18.07	0	0.04	0.07	0.06	1.22
21:00:00	2.41	2.37	15.6	0	0.04	0.04	0.04	0.52
22:00:00	2.06	1.75	15.26	0.03	0	0.04	0.04	0.78
23:00:00	2	2	18.01	0	0.04	0.1	0.04	1.13

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.1	2	37.36	0	0.01	0.06	0.06	0.63
C50	2.06	2.01	30.86	0	0	0.05	0.05	0.76
MAX	2.65	2.37	64.38	0.03	0.04	0.13	0.09	1.22
MIN	1.42	1.67	15.26	0	0	0.04	0.04	0
C99.9	2.65	2.37	64.35	0.03	0.04	0.13	0.09	1.21
C98	2.65	2.34	63.85	0.02	0.04	0.12	0.09	1.18
C95	2.61	2.31	62.89	0	0.04	0.1	0.09	1.1

Datum: 2016-09-07

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.69	1.94	9.65	0	0.04	0.04	0.07	1.02
01:00:00	1.79	1.88	7.5	0	0.04	0.04	0.09	0.09
02:00:00	1.81	2.15		0	0.04	0	0.09	0.82
03:00:00	1.99	2.15	6.58	0	0.04	0.1	0.04	0.35
04:00:00	1.9	2.23	17.74	0	0.04	0.07	0.04	0.09
05:00:00	2.89	1.8	20.49	0	0.04	0.04	0.04	0.91
06:00:00	2.04	2.14	15.83	0	0	0.04	0.09	0.87
07:00:00	2.33	1.75	15.31	0	0	0.07	0.04	0
08:00:00	2.23	2.12	20.92	0	0	0.04	0.04	0
09:00:00	4.02	2.01	35.89	0	0.04	0.09	0.07	0
10:00:00	3.91	1.83	71.67	0	0.04	0.09	0.04	0.11
11:00:00	4.2	1.7	88.83	0.03	0	0.09	0.04	0.54
12:00:00			88.22	0	0	0.07	0.06	0.82
13:00:00	5.71	2.08	92.49	0	0	0.04	0.04	0.76
14:00:00	2.97	2.11	96.4	0	0.04	0.04	0.04	0.09
15:00:00	2.39	1.52	91.1	0	0	0.09	0.04	0.8
16:00:00	4.83	2.05	90.45	0	0	0.09	0.04	0.74
17:00:00	12.09	2.38	77.35	0	0	0.04	0.04	0.69
18:00:00	8.89	2	70.42	0	0	0.04	0.04	0.04
19:00:00	2.85	2.04	56.55	0	0	0.06	0.04	0.35
20:00:00	2.34	2.27	33.32	0	0	0.04	0.04	0.82
21:00:00	1.71	1.99	27.76	0	0	0.04	0.04	0.04
22:00:00	1.94	1.9	25.48	0	0	0.04	0.04	0.39
23:00:00	1.98	2.01	21.62	0	0	0.04	0.04	0.91

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.41	2	47.02	0	0.01	0.06	0.05	0.47
C50	2.34	2.01	30.54	0	0	0.04	0.04	0.47
MAX	12.09	2.38	96.4	0.03	0.04	0.1	0.09	1.02
MIN	1.69	1.52	6.58	0	0	0	0.04	0
C99.9	12.01	2.38	96.31	0.03	0.04	0.1	0.09	1.02
C98	10.62	2.33	94.6	0.02	0.04	0.09	0.09	0.97
C95	8.41	2.26	92.28	0	0.04	0.09	0.09	0.91

Datum: 2016-09-08

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.79	1.92	15.53	0.1	0	0.06	0.06	0.87
01:00:00	1.76	2.48	14.13	0	0	0.04	0	0
02:00:00	2.56	1.94	9.91	0	0.04	0.04	0.04	0
03:00:00	2.27	1.8		0	0	0.04	0.07	0.49
04:00:00	2.09	2.44	6.83	0	0.04	0.04	0.04	0.65
05:00:00	1.43	1.85	6.21	0	0.04	0.09	0.07	0
06:00:00	2.25	1.73	5.83	0	0.04	0.04	0.07	0
07:00:00	1.73	2.14	9.94	0	0.04	0.04	0.07	0.87
08:00:00	3.01	1.98	36.18	0	0.04	0.07	0.06	0.87
09:00:00	3.46	2.05	49.88	0	0	0.04	0.04	0.93
10:00:00	6.08	2.1	76.43	0	0.04	0.06	0.06	0.04
11:00:00	14.56	2.19	91.41	0	0.04	0.07	0.09	0.22
12:00:00	46.02	3.54	91.75	0	0.04	0.09	0.04	1.11
13:00:00			98.11	0	0	0.04	0.07	0.07
14:00:00	65.31	3.24	96.32	0	0	0.09	0.09	0.78
15:00:00	2.99	1.85	108.23	0	0	0.13	0.04	0.09
16:00:00	2.47	1.59	110.29	0	0	0.04	0.04	0
17:00:00	2.41	1.96	108.89	0	0	0.06	0.06	1
18:00:00	2.2	1.86	80.6	0	0.04	0.09	0.07	0.88
19:00:00	2.44	2.37	49.6	0	0	0.06	0.04	0.67
20:00:00	1.83	2.28	44.61	0	0	0.04	0.04	0.74
21:00:00	1.98	2.22	37.22	0	0.04	0.04	0.04	0.52
22:00:00	2.92	1.92	34.3	0	0	0.06	0.04	0.64
23:00:00	3.12	1.88	45.38	0	0.04	0	0.04	0.56

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.68	2.15	53.37	0	0.02	0.06	0.05	0.5
C50	2.43	1.97	45	0	0.02	0.05	0.05	0.6
MAX	65.31	3.54	110.29	0.1	0.04	0.13	0.09	1.11
MIN	1.43	1.59	5.83	0	0	0	0	0
C99.9	64.86	3.54	110.25	0.09	0.04	0.13	0.09	1.1
C98	56.44	3.4	109.64	0.05	0.04	0.11	0.09	1.06
C95	41.3	3.13	108.79	0	0.04	0.09	0.08	0.99

Datum: 2016-09-09

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.76	2.01	42.12	0	0.04	0.04	0.04	0.82
01:00:00	3.31	2.43	36.65	0	0.04	0.04	0.04	0.89
02:00:00	2.76	2.35	22.27	0	0	0.09	0	0.78
03:00:00	1.85	1.84	11.43	0	0.04	0.07	0.04	0.74
04:00:00	1.9	2.32		0	0.04	0.06	0.04	0.41
05:00:00	1.49	2.57	6.57	0	0	0.04	0.04	0.48
06:00:00	2.02	2.06	8.68	0	0.04	0.04	0.04	0.69
07:00:00	1.85	2.41	8.7	0	0.04	0.04	0.07	0
08:00:00	1.9	2.07	16.07	0.03	0	0.04	0.04	0.04
09:00:00	2.74	2.52	37.31	0	0.04	0.04	0.04	0
10:00:00	3.15	2.18	68.82	0	0.04	0.07	0.09	0.54
11:00:00	2.72	2.19	87.63	0	0.04	0.13	0.07	1.35
12:00:00	3.45	1.91	106.24	0	0.04	0.11	0.04	0.09
13:00:00	6.7	1.55	111.22	0.03	0.08	0.24	0.07	1.71
14:00:00			116.38	0	0	0.15	0.04	0
15:00:00	2.72	1.92	111.98	0	0	0.13	0.09	1.63
16:00:00	2.39	2.07	86.94	0	0.04	0.09	0.07	0.04
17:00:00	2.8	1.9	57.75	0	0	0.2	0.09	0.11
18:00:00	2.33	2.41	45.33	0	0.04	0.09	0.07	1.58
19:00:00	2.1	2.59	33.19	0	0	0.09	0.06	1.61
20:00:00	1.83	2.15	34.62	0	0.04	0.2	0.09	0.09
21:00:00	1.45	2.06	24.16	0	0.04	0.11	0.04	1.35
22:00:00	2.25	1.56	21.51	0	0	0.1	0.08	0.98
23:00:00	1.59	2.17	12.81	0	0.04	0.11	0.04	1.43

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.52	2.14	48.19	0	0.03	0.1	0.06	0.72
C50	2.29	2.11	35.64	0	0.04	0.09	0.04	0.72
MAX	6.7	2.59	116.38	0.03	0.08	0.24	0.09	1.71
MIN	1.45	1.55	6.57	0	0	0.04	0	0
C99.9	6.63	2.59	116.28	0.03	0.07	0.24	0.09	1.71
C98	5.21	2.58	114.36	0.03	0.06	0.22	0.09	1.67
C95	3.43	2.57	111.86	0.03	0.04	0.2	0.09	1.62

Datum: 2016-09-10

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.02	1.95	11.39	0	0	0.09	0.04	1.15
01:00:00	1.95	2.13	7.37	0	0.04	0.09	0.13	1.35
02:00:00	2.07	1.9	6.65	0	0	0.09	0.04	1.17
03:00:00	1.53	2.23	5.76	0	0.04	0.11	0.07	0.61
04:00:00	1.75	2.19	5.88	0	0	0.09	0.09	0.54
05:00:00	1.96	2.21		0	0.04	0.06	0.09	0.59
06:00:00	1.72	1.99	4.91	0	0.04	0.09	0.04	0.56
07:00:00	2.15	1.92	8.35	0	0	0.04	0.11	0
08:00:00	1.76	2.23	17.04	0.03	0.04	0.07	0.07	1.17
09:00:00	2.75	2.28	23.21	0	0.04	0.07	0.07	1.04
10:00:00	2.77	2.12	37.43	0	0	0.09	0.09	1.04
11:00:00	6.46	1.76	57	0	0.04	0.07	0.04	1
12:00:00	24.99	2.32	77.35	0	0	0.09	0.07	0
13:00:00	78.2	3.84	77.7	0	0.04	0.06	0.06	0
14:00:00	3.69	2.15	87.36	0	0	0.13	0.07	0
15:00:00			89.6	0	0	0.09	0.07	0
16:00:00	4.31	1.84	90.61	0	0	0.13	0.04	0.04
17:00:00	3.15	2.29	85.65	0	0.04	0.06	0.04	0.95
18:00:00	2.3	2.15	42.03	0	0	0.09	0.04	1.04
19:00:00	1.7	1.99	36.26	0	0.04	0.06	0.06	0.42
20:00:00	1.43	2.09	28.57	0	0.04	0.09	0.04	0.61
21:00:00	1.87	2.16	24.39	0	0	0.09	0.04	1.15
22:00:00	2.24	1.97	21.47	0	0	0.07	0.04	1
23:00:00	2.35	1.81	21.14	0	0	0.07	0.04	0.04

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.74	2.15	37.7	0	0.02	0.08	0.06	0.64
C50	2.11	2.13	23.8	0	0	0.09	0.06	0.61
MAX	78.2	3.84	90.61	0.03	0.04	0.13	0.13	1.35
MIN	1.43	1.76	4.91	0	0	0.04	0.04	0
C99.9	76.97	3.81	90.59	0.03	0.04	0.13	0.13	1.34
C98	53.72	3.14	90.15	0.02	0.04	0.13	0.12	1.27
C95	22.21	2.32	89.27	0	0.04	0.13	0.11	1.17

Datum: 2016-09-11

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.49	2.03	18.27	0	0	0.07	0.09	0.52
01:00:00	1.86	1.65	11.89	0	0	0.07	0.04	0.54
02:00:00	2.35	1.71	9.67	0	0.04	0.07	0.07	0.91
03:00:00	1.44	2.1	7.52	0	0	0.04	0.07	0.91
04:00:00	2.51	1.71	8.16	0	0.04	0.04	0.04	0.26
05:00:00	1.81	2.02	5.85	0	0	0.04	0.1	0.41
06:00:00	2.25	2.21		0	0.04	0.06	0.04	0.82
07:00:00	2.2	1.65	6.63	0	0.04	0.04	0.04	0.82
08:00:00	1.72	1.94	15.7	0	0.11	0.04	0.04	0.46
09:00:00	2.46	1.97	47.58	0.03	0.04	0.07	0.07	0.91
10:00:00	3.96	2.22	74.3	0	0.04	0.1	0.07	0
11:00:00	7.32	1.7	94.72	0	0	0.11	0.07	0.65
12:00:00	26.55	2.29	108.13	0	0.04	0.2	0.04	1.82
13:00:00	44.72	3.45	111.63	0	0.04	0.12	0.12	2.08
14:00:00	22.63	3.28	116.84	0	0.04	0.2	0.07	0
15:00:00	2.54	2.2	111.35	0	0.04	0.22	0.11	1.95
16:00:00			108.3	0	0	0.16	0.12	0.04
17:00:00	2.91	2.05	103.71	0	0	0.26	0.04	1.93
18:00:00	2.56	2.37	69.55	0	0.04	0.2	0.09	1.76
19:00:00	1.72	2.45	44.89	0	0	0.13	0.07	1.52
20:00:00	2.53	2.34	69.19	0	0	0.13	0.12	1.37
21:00:00	1.94	2.22	47.31	0	0	0.17	0.11	1.61
22:00:00	1.57	2.29	31.62	0	0	0.13	0.07	1.04
23:00:00	2.43	2.04	26.06	0	0	0.09	0.04	1.56

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.24	2.17	54.3	0	0.02	0.11	0.07	1
C50	2.39	2.08	46.1	0	0.02	0.1	0.07	0.91
MAX	44.72	3.45	116.84	0.03	0.11	0.26	0.12	2.08
MIN	1.44	1.65	5.85	0	0	0.04	0.04	0
C99.9	44.3	3.44	116.72	0.03	0.11	0.26	0.12	2.08
C98	36.36	3.37	114.44	0.02	0.08	0.24	0.12	2.02
C95	25.97	3.15	111.58	0	0.04	0.21	0.12	1.95

Datum: 2016-09-12

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.37	1.99	29.73	0	0	0.09	0.06	1.13
01:00:00	2	1.81	21.31	0	0	0.11	0.04	1.17
02:00:00	1.9	1.91	18.05	0	0	0.09	0.07	0
03:00:00	2.4	1.99	13.54	0	0	0.06	0.09	1.22
04:00:00	1.98	2.03	11	0.03	0.04	0.04	0.06	1.13
05:00:00	1.91	1.98	6.73	0.03	0.04	0.1	0.06	0.67
06:00:00	1.77	2.37	7.5	0	0	0.09	0.07	1.17
07:00:00	1.74	1.88		0	0.04	0.09	0.04	0
08:00:00	1.58	2.38	10.14					
09:00:00								
10:00:00								
11:00:00								
12:00:00								
13:00:00				0	0	0.04	0.09	2.34
14:00:00	44.9	1.9	122.4	0	0.04	0.28	0.13	2.47
15:00:00	50.71	2.19	129.64	0	0.04	0.37	0.15	2.3
16:00:00	48.13	2.26	129.92	0	0.04	0.17	0.09	2.52
17:00:00			93.65	0	0.04	0.35	0.12	2.66
18:00:00	7.97	1.84	47.72	0	0.04	0.26	0.15	2.34
19:00:00	5.48	2.44	42.53	0	0.04	0.22	0.15	2.17
20:00:00	5.39	2.08	50.99	0	0.04	0.2	0.09	2.08
21:00:00	2.79	1.86	43.71	0	0.04	0.2	0.1	1.94
22:00:00	2.06	2.26	33.98	0	0.04	0.22	0.09	1.82
23:00:00	1.8	2.18	21.76	0.03	0.04	0.19	0.07	1.71

Ras pod	75%	75%	75%	79.17%	79.17%	79.17%	79.17%	79.17%
AVG	10.38	2.08	46.35	0.01	0.03	0.17	0.09	1.62
C50	1.95	1.95	19.68	0	0.04	0.09	0.07	1.19
MAX	50.71	2.44	129.92	0.03	0.04	0.37	0.15	2.66
MIN	1.58	1.81	6.73	0	0	0.04	0.04	0
C99.9	50.65	2.44	129.91	0.03	0.04	0.37	0.15	2.66
C98	49.52	2.41	129.79	0.03	0.04	0.36	0.15	2.6
C95	47.64	2.38	128.55	0.03	0.04	0.34	0.15	2.51

Datum: 2016-09-13

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.12	2.21	16.12	0	0.04	0.16	0.09	1.69
01:00:00	1.51	2.53	10.35	0.03	0	0.1	0.09	1.49
02:00:00	1.52	1.73	8.22	0	0.04	0.13	0.04	1.56
03:00:00	1.89	1.86	6.44	0	0	0.17	0.12	1.19
04:00:00	1.35	2.38	5.56	0	0.04	0.12	0.07	1.32
05:00:00	1.72	1.98	5.73	0	0	0.07	0.09	1.35
06:00:00	1.63	2.5	5.5	0	0.04	0.06	0.07	0.8
07:00:00	2.06	2.16	6.88	0	0.04	0.07	0.04	0.63
08:00:00	1.68	2.25		0	0	0.07	0.04	1.3
09:00:00	3.66	2.17	46.16	0	0.04	0.07	0.04	1.11
10:00:00	2.52	2.09	66.71	0	0.04	0.09	0.13	1.43
11:00:00	3.19	1.91	83.54	0	0	0.13	0.04	1.76
12:00:00	3.56	1.58	94.44	0	0	0.17	0.04	2.17
13:00:00	13.12	2.24	107.6	0	0.04	0.19	0.14	1.91
14:00:00	29.19	2.19	121.61	0	0.04	0.17	0.07	2.17
15:00:00	60.58	2.12	123.55	0	0	0.28	0.15	0
16:00:00	68.14	3.07	117.71	0	0.04	0.22	0.09	2.17
17:00:00	41.29	2.33	83.94	0	0.04	0.33	0.17	2.67
18:00:00			106.81	0	0	0.26	0.11	2.26
19:00:00	7.56	2.44	102.54	0	0	0.2	0.13	2.05
20:00:00	6.19	2.05	90.73	0	0.04	0.22	0.11	1.97
21:00:00	4.52	1.67	79.48	0.03	0.04	0.15	0.09	1.93
22:00:00	3.18	2.43	63.54	0	0.04	0.11	0.04	1.82
23:00:00	2.03	1.91	53.67	0	0	0.1	0.07	1.52

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	11.49	2.17	61.17	0	0.02	0.15	0.09	1.59
C50	2.85	2.17	65.12	0	0.04	0.14	0.09	1.63
MAX	68.14	3.07	123.55	0.03	0.04	0.33	0.17	2.67
MIN	1.35	1.58	5.5	0	0	0.06	0.04	0
C99.9	67.96	3.06	123.51	0.03	0.04	0.32	0.17	2.66
C98	64.66	2.82	122.66	0.03	0.04	0.31	0.16	2.48
C95	57.69	2.52	121.03	0.03	0.04	0.28	0.15	2.24

Datum: 2016-09-14

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.75	2.1	47.25	0	0.04	0.17	0.13	1.54
01:00:00	2.46	2.13	33.48	0	0.04	0.14	0.09	1.61
02:00:00	1.83	1.85	27.79	0	0.04	0.13	0.1	1.32
03:00:00	2.06	2.24	22.87	0	0	0.2	0.09	1.24
04:00:00	1.7	2.1	13.25	0	0.04	0.09	0.04	1.39
05:00:00	1.29	2.63	18.62	0	0	0.07	0.09	1.13
06:00:00	1.71	1.99	21.72	0.03	0.04	0.07	0.07	1.17
07:00:00	1.79	2.17	20.65	0	0.04	0.07	0.09	1.19
08:00:00	2.24	2.11	27.4	0	0	0.09	0.04	1.28
09:00:00	2.52	2.03		0	0.04	0.04	0.07	1.19
10:00:00	3.15	1.94	53.33	0	0	0.11	0.09	1.26
11:00:00	3.28	2.12	80	0	0.04	0.12	0.09	1.43
12:00:00	3.26	2.15	94.46	0	0.04	0.17	0.11	1.52
13:00:00	2.79	2.27	100.4	0	0	0.2	0.07	1.78
14:00:00	2.12	1.92	106.93	0	0	0.16	0.1	1.61
15:00:00	3.29	2.21	113.53	0	0.04	0.22	0.09	1.58
16:00:00	4.13	1.88	111.01	0.03	0.04	0.19	0.12	2.07
17:00:00	3.65	2.41	108.93	0	0.04	0.13	0.13	1.97
18:00:00	2.12	2.23	63.13	0	0.06	0.2	0.09	1.87
19:00:00			51.1	0	0.04	0.17	0.09	1.76
20:00:00	2.28	2.07	31.39	0	0	0.22	0.09	1.78
21:00:00	1.99	1.96	36.81	0	0.04	0.15	0.11	1.58
22:00:00	2.26	1.72	17.26	0	0.04	0.15	0.09	1.54
23:00:00	1.64	1.67	12.17	0	0.04	0.14	0.07	1.46

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.41	2.08	52.76	0	0.03	0.14	0.09	1.51
C50	2.18	2.1	35.15	0	0.04	0.15	0.09	1.53
MAX	4.13	2.63	113.53	0.03	0.06	0.22	0.13	2.07
MIN	1.29	1.67	12.17	0	0	0.04	0.04	1.13
C99.9	4.12	2.62	113.47	0.03	0.06	0.22	0.13	2.07
C98	3.91	2.52	112.37	0.03	0.05	0.22	0.13	2.03
C95	3.6	2.39	110.7	0.03	0.04	0.21	0.13	1.96

Datum: 2016-09-15

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.19	1.65	11.12	0	0.04	0.22	0.07	1.35
01:00:00	2.09	1.69	7.41	0	0.04	0.09	0.07	1.24
02:00:00	1.75	2.14	8.36	0	0	0.09	0.06	1.23
03:00:00	2.68	1.39	6.3	0	0	0.07	0.09	1.19
04:00:00	1.88	1.62	5.27	0	0.04	0.13	0.04	1.14
05:00:00	2.15	1.48	5.11	0	0	0.11	0.04	1.3
06:00:00	1.87	1.88	5.97	0	0	0.07	0.07	1.17
07:00:00	0.94	2.46	8.38	0	0	0.09	0.06	0.93
08:00:00	1.99	1.78	22.69	0	0	0.09	0.06	1.04
09:00:00	3.34	1.7	51.07	0	0.04	0.09	0.06	0.07
10:00:00	4.06	2.35		0	0	0.09	0.09	0
11:00:00	7.29	1.88	97.83	0	0.04	0.13	0.13	1.61
12:00:00	6.08	1.65	115.23	0	0.04	0.17	0.12	1.74
13:00:00	9.11	1.81	130.98	0.03	0.04	0.23	0.09	0.22
14:00:00	13.46	2.01	128	0	0	0.22	0.07	0.89
15:00:00	38.75	2.56	124.85	0	0	0.22	0.09	0
16:00:00	20.28	2.39	127.8	0	0.04	0.2	0.14	2.17
17:00:00	5.26	2.31	77.68	0	0.04	0.23	0.1	2.13
18:00:00	3.69	1.92	70.48	0	0.04	0.2	0.09	1.91
19:00:00	2.38	1.96	60.39	0	0	0.16	0.14	1.9
20:00:00			42.74	0	0	0.15	0.09	1.74
21:00:00	2.43	2.05	25.28	0	0.04	0.22	0.09	1.76
22:00:00	1.95	2.42	19.21	0	0	0.07	0.09	1.74
23:00:00	1.69	2.09	9.59	0.03	0.04	0.12	0.07	1.35

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.97	1.96	50.51	0	0.02	0.14	0.08	1.24
C50	2.4	1.9	23.99	0	0.02	0.13	0.09	1.27
MAX	38.75	2.56	130.98	0.03	0.04	0.23	0.14	2.17
MIN	0.94	1.39	5.11	0	0	0.07	0.04	0
C99.9	38.33	2.56	130.91	0.03	0.04	0.23	0.14	2.17
C98	30.26	2.51	129.61	0.03	0.04	0.23	0.14	2.15
C95	19.26	2.45	127.97	0.03	0.04	0.23	0.14	2.09

Datum: 2016-09-16

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.08	1.93	9.6	0	0	0.14	0.04	1.3
01:00:00	1.7	1.85	7.56	0	0	0.11	0.12	1.24
02:00:00	1.58	2.03	9.32	0.03	0	0.11	0.11	1.43
03:00:00	1.41	1.95	8.55	0.03	0	0.11	0.04	1.26
04:00:00	1.48	2.42	6.62	0	0.04	0.09	0.04	0.69
05:00:00	1.57	2.3	5.82	0	0	0.04	0.07	1.04
06:00:00	1.64	2.15	5.31	0.03	0	0.11	0.04	1.17
07:00:00	2.86	1.87	8.65	0	0.04	0.04	0.04	1.13
08:00:00	2.65	1.82	23.05	0	0.04	0.13	0.07	0.56
09:00:00	2.63	2.11	51.43	0	0	0.1	0.06	1.11
10:00:00	11.68	1.93	75.38	0	0.04	0.07	0.09	1.42
11:00:00	8.39	2.19		0	0.04	0.15	0.04	0.07
12:00:00	5.7	1.77	96.35	0	0.04	0.2	0.07	0.98
13:00:00	22.44	1.86	97.7	0	0.04	0.26	0.09	1.95
14:00:00	66	2.21	97.13	0	0.04	0.33	0.13	2.17
15:00:00	34.63	1.99	104.42	0	0	0.28	0.07	1.91
16:00:00	22.26	2.38	100.28	0	0.04	0.3	0.04	2.1
17:00:00	11.88	2.3	60.23	0	0	0.25	0.16	2.59
18:00:00	8.01	2.04	53.87	0	0.04	0.24	0.15	2.37
19:00:00	4.53	2.25	48.71	0	0	0.28	0.11	2.19
20:00:00	3.51	1.79	49.95	0	0	0.12	0.07	1.91
21:00:00			23.54	0	0	0.13	0.07	1.82
22:00:00	2.55	2.01	9.62	0	0.04	0.17	0.04	1.3
23:00:00	2.18	1.69	14.26	0	0.04	0.07	0.07	1.54

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	9.71	2.04	42.06	0	0.02	0.16	0.08	1.47
C50	2.76	2	23.3	0	0.02	0.13	0.07	1.36
MAX	66	2.42	104.42	0.03	0.04	0.33	0.16	2.59
MIN	1.41	1.69	5.31	0	0	0.04	0.04	0.07
C99.9	65.28	2.42	104.33	0.03	0.04	0.33	0.16	2.58
C98	51.57	2.4	102.52	0.03	0.04	0.32	0.16	2.49
C95	32.8	2.37	99.9	0.03	0.04	0.3	0.15	2.34

Datum: 2016-09-17

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.49	1.93	13.57	0	0	0.15	0.04	1.52
01:00:00	1.96	2.12	22.26	0	0.04	0.16	0.07	1.32
02:00:00	2.05	1.96	28.01	0	0	0.07	0.09	1.3
03:00:00	2.59	1.94	26.36	0	0	0.09	0.06	0.98
04:00:00	2.5	1.8	27.18	0	0	0.04	0.09	1.32
05:00:00	2.37	1.92	26.58	0	0	0.09	0.07	1.39
06:00:00	2.14	2.28	24.39	0	0	0.09	0.04	1.19
07:00:00	2.51	1.61	24.19	0	0	0.12	0.04	1.2
08:00:00	2.3	2.08	37.01	0	0	0.07	0.09	1.41
09:00:00	2.17	2.18	47.4	0	0	0.07	0.04	1.28
10:00:00	2.09	2.13	63	0	0	0.07	0.04	0.04
11:00:00	1.54	2.32	78.6	0	0.04	0.13	0.07	0.72
12:00:00	1.7	2.16		0	0	0.15	0.07	1.54
13:00:00	2.3	1.73	81.6	0	0.04	0.15	0.11	1.61
14:00:00	2.62	1.61	74.81	0	0.04	0.16	0.09	1.59
15:00:00	3.55	2.3	71.89	0.03	0	0.23	0.07	1.59
16:00:00	2.53	2.17	64.72	0	0.04	0.16	0.07	1.66
17:00:00	3.82	2.2	89.43	0	0.04	0.15	0.04	1.3
18:00:00	3.5	1.85	69.4	0	0	0.13	0.09	1.69
19:00:00	2.43	2.01	57.6	0	0	0.16	0.04	1.56
20:00:00	2.34	2.12	36.38	0	0.04	0.1	0.12	1.5
21:00:00	2.51	1.81	30.87	0.03	0.04	0.04	0.04	1.43
22:00:00			27.16	0	0	0.1	0.07	1.3
23:00:00	2.42	2.07	24.65	0	0.04	0.16	0.04	1.33

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.41	2.01	45.52	0	0.01	0.12	0.07	1.32
C50	2.36	2.04	33.62	0	0	0.12	0.07	1.36
MAX	3.82	2.32	89.43	0.03	0.04	0.23	0.12	1.69
MIN	1.49	1.61	13.57	0	0	0.04	0.04	0.04
C99.9	3.81	2.32	89.25	0.03	0.04	0.23	0.12	1.69
C98	3.7	2.31	85.83	0.03	0.04	0.2	0.11	1.68
C95	3.54	2.29	81.15	0.03	0.04	0.16	0.11	1.66

Datum: 2016-09-18

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.28	1.86	24.42	0	0	0.07	0.07	1.3
01:00:00	1.7	2.06	29.2	0	0.04	0.04	0.09	1.19
02:00:00	1.94	2.29	26.76	0	0	0.07	0.06	1.11
03:00:00	1.65	2.05	20.34	0	0.04	0.12	0.04	1.19
04:00:00	2.2	2.62	30.23	0	0	0.07	0.04	1.09
05:00:00	1.63	2.14	35.19	0	0	0.04	0.04	1.04
06:00:00	2.4	1.8	35.86	0	0	0.09	0.04	1.17
07:00:00	2.42	1.8	32.97	0	0.04	0.09	0.04	1
08:00:00	2.31	1.74	42.06	0	0	0.07	0.07	1.06
09:00:00	2.64	1.88	72.37	0	0	0.11	0.07	1.26
10:00:00	2.78	1.8	80.28	0	0	0.09	0.04	0.11
11:00:00	7.24	1.92	85.36	0	0	0.09	0.07	0
12:00:00	54.13	3.33	85.81	0	0	0.2	0.07	0
13:00:00	57.19	3.63		0	0	0.15	0.07	1.58
14:00:00	10.43	2.19	94.32	0	0	0.13	0.04	1.74
15:00:00	7.74	1.96	89.57	0.03	0	0.17	0.04	1.61
16:00:00	14.42	2.52	73.26	0	0	0.13	0.07	1.59
17:00:00	10.75	2.29	46.97	0.03	0	0.13	0.07	1.56
18:00:00	4.89	2.35	32.38	0	0	0.13	0.07	1.74
19:00:00	2.61	1.95	30.21	0	0	0.15	0.07	1.5
20:00:00	4.6	2.06	64.01	0	0	0.13	0.04	1.37
21:00:00	4.56	1.66	44.85	0	0.04	0.07	0.07	1.32
22:00:00	2.57	2.24	33.05	0	0	0.07	0.07	1.15
23:00:00			28.14	0.03	0	0.07	0.04	1.2

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	8.92	2.18	49.46	0	0.01	0.1	0.06	1.16
C50	2.63	2.06	35.52	0	0	0.09	0.07	1.2
MAX	57.19	3.63	94.32	0.03	0.04	0.2	0.09	1.74
MIN	1.63	1.66	20.34	0	0	0.04	0.04	0
C99.9	57.12	3.62	94.21	0.03	0.04	0.19	0.09	1.74
C98	55.78	3.49	92.13	0.03	0.04	0.19	0.08	1.74
C95	48.17	3.23	89	0.03	0.04	0.17	0.07	1.72

Datum: 2016-09-19

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.94	2.3	21.32	0.03	0	0.07	0.04	1
01:00:00	1.79	1.87	13.35	0	0	0.09	0.06	1.03
02:00:00	2.04	2.31	14.6	0	0	0.09	0.04	1.28
03:00:00	2.09	1.73	58.07	0	0	0.11	0.04	1.09
04:00:00	2.12	1.75	51.54	0	0.04	0.06	0.06	1.09
05:00:00	2.09	1.79	38.72	0	0	0.09	0.04	0.72
06:00:00	2.07	1.86	38.58	0	0	0.04	0.04	0.91
07:00:00	1.93	2.25	41.74	0	0	0.09	0.04	0.89
08:00:00	1.57	1.83	47.92	0	0	0.04	0.04	0.87
09:00:00	2.14	1.99	50.39	0	0	0.06	0.04	0.95
10:00:00	2.52	2.36	60.33	0	0	0.04	0.04	0.95
11:00:00	2.32	2.19	70.98	0	0.04	0.07	0.04	0.95
12:00:00	2.24	2.07	72.03	0.03	0	0.15	0.09	1.19
13:00:00	2.81	1.73	75.65	0	0	0.07	0.04	1.17
14:00:00	1.97	1.97		0	0	0.11	0.07	1.19
15:00:00	3.09	2.02	73.07	0	0	0.15	0.04	1.19
16:00:00	6.34	1.9	73.26	0	0	0.09	0.04	1.11
17:00:00	2.07	2.25	71.61	0	0	0.06	0.04	1.1
18:00:00	1.42	2.13	56.58	0	0	0.09	0.07	1.04
19:00:00	2.22	1.87	38.97	0	0	0.06	0.04	1.04
20:00:00	2.18	1.95	31.28	0	0	0.04	0.04	1.06
21:00:00	1.76	1.92	38.56	0	0	0.07	0.04	0.95
22:00:00	1.26	2.36	42.18	0	0	0.04	0.07	0.85
23:00:00	2.39	1.94	48.67	0	0	0.1	0.04	0.93

Ras pod	100%	100%	95.83%	100%	100%	100%	100%	100%
AVG	2.27	2.01	49.11	0	0	0.08	0.05	1.02
C50	2.09	1.96	48.3	0	0	0.07	0.04	1.03
MAX	6.34	2.36	75.65	0.03	0.04	0.15	0.09	1.28
MIN	1.26	1.73	13.35	0	0	0.04	0.04	0.72
C99.9	6.26	2.36	75.6	0.03	0.04	0.15	0.09	1.28
C98	4.84	2.36	74.55	0.03	0.04	0.15	0.08	1.24
C95	3.05	2.35	73.23	0.03	0.03	0.15	0.07	1.19

Datum: 2016-09-20

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00			47.88	0	0	0.11	0.07	0.87
01:00:00	2.38	1.84	45.27	0	0	0.07	0.04	0.87
02:00:00	1.61	1.61	44.48	0	0	0.09	0	0.74
03:00:00	1.76	2.07	42.76	0.03	0	0.04	0.04	0.72
04:00:00	1.19	1.95	40.36	0	0	0.09	0	0.63
05:00:00	1.82	1.78	36.36	0	0.04	0.07	0.07	0.52
06:00:00	1.81	2.35	39.21	0	0.04	0	0.04	0.61
07:00:00	1.54	2.29	32.49	0	0	0	0.04	0.63
08:00:00	1.64	2.92	31.12	0	0	0.09	0.04	0.67
09:00:00	2.06	2	34.26	0	0	0.04	0.04	0.63
10:00:00	2.43	1.43	30.86	0	0	0	0.04	0.46
11:00:00	1.84	1.94	27.15	0	0	0	0	0.38
12:00:00	1.97	2.15	35.45	0	0	0.04	0.04	0.41
13:00:00	2.55	1.83	42.85	0	0	0	0.04	0.5
14:00:00	2.17	1.98	40.8	0	0	0.04	0.04	0.48
15:00:00	1.71	2.11		0	0	0.04	0.04	0.43
16:00:00	2.74	1.85	47.22	0	0	0	0	0.43
17:00:00	2.42	2.04	46.29	0	0.04	0.04	0	0.35
18:00:00	1.94	2.04	42.67	0	0	0	0	0.49
19:00:00	3.8	2.04	40.03	0	0	0.04	0.04	0.45
20:00:00	5.89	2.06	39.83	0	0	0	0.04	0.43
21:00:00	3.96	1.93	45.63	0	0.04	0.04	0	0.32
22:00:00	3.41	1.98	45.69	0	0	0.04	0.04	0.3
23:00:00	2.43	2.45	43.48	0.03	0.11	0.04	0	0.04

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.4	2.03	40.09	0	0.01	0.04	0.03	0.51
C50	2.01	1.99	40.58	0	0	0.04	0.04	0.48
MAX	5.89	2.92	47.88	0.03	0.11	0.11	0.07	0.87
MIN			27.15	0	0	0	0	0.04
C99.9	5.85	2.91	47.87	0.03	0.11	0.11	0.07	0.87
C98	5.01	2.71	47.58	0.03	0.08	0.1	0.07	0.87
C95	3.94	2.44	47.08	0.03	0.04	0.09	0.06	0.85

Datum: 2016-09-21

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.26	2.22	37.35	0	0	0.04	0	0.28
01:00:00			37.04	0	0	0	0.04	0.43
02:00:00	2.12	2.01	30.73	0	0	0.04	0.04	0.24
03:00:00	1.41	2.3	37.51	0	0	0	0.04	0.2
04:00:00	2.26	1.94	35.15	0	0	0.04	0.04	0.36
05:00:00	2.08	1.95	39.41	0	0	0	0	0.43
06:00:00	2.24	1.89	38.1	0	0	0	0	0.45
07:00:00	1.91	2.13	33.38	0	0	0.04	0.04	0.35
08:00:00	1.91	1.97	40.86	0.03	0	0.04	0	0.35
09:00:00	2.3	2.06	48.3	0	0	0	0	0.3
10:00:00	1.94	2.12	53.27	0	0	0	0	0.37
11:00:00	2.37	1.85	53.88	0	0	0.04	0.04	0.46
12:00:00	2.16	2.05	56.93	0	0	0.04	0.04	0.39
13:00:00	3.05	1.79	72.58	0	0	0.04	0	0.48
14:00:00	2.98	2.16	75.85	0	0	0	0.04	0.39
15:00:00	3.81	1.87	77.78	0	0	0.04	0	0.43
16:00:00	2.28	2.21		0	0	0	0	0
17:00:00	1.78	2.07	63.56	0	0	0.04	0	0.35
18:00:00	1.61	1.64	52.28	0	0	0.04	0.04	0.52
19:00:00	1.45	2.32	26.18	0	0	0.07	0.04	0.43
20:00:00	2.33	2.15	22.36	0	0	0.04	0.04	0.46
21:00:00	1.87	2.23	19.06	0	0	0.04	0.04	0.48
22:00:00	2.32	1.89	19.01	0	0	0	0.04	0.43
23:00:00	1.9	1.64	13.09	0	0	0	0.04	0.46

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.19	2.02	42.77	0	0	0.03	0.03	0.38
C50	2.14	2.03	37.81	0	0	0.04	0.04	0.41
MAX	3.81	2.32	77.78	0.03	0	0.07	0.04	0.52
MIN	1.41	1.64	13.09	0	0	0	0	0
C99.9	3.79	2.32	77.74	0.03	0	0.06	0.04	0.52
C98	3.46	2.31	76.89	0.02	0	0.06	0.04	0.5
C95	3.04	2.29	75.36	0	0	0.04	0.04	0.48

Datum: 2016-09-22

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.52	2.06	11.22	0	0	0.09	0.04	0.41
01:00:00	1.76	2.01	9.65	0	0.04	0.04	0.04	0.33
02:00:00			7.76	0	0	0	0.04	0.35
03:00:00	1.08	2.41	7.04	0	0.04	0	0	0.3
04:00:00	2.06	2.05	5.59	0	0	0	0.04	0.39
05:00:00	2.11	1.73	8.4	0	0	0	0.04	0.22
06:00:00	2.29	1.77	8.41	0	0.04	0	0.04	0.32
07:00:00	1.88	1.76	12.12	0	0.04	0	0	0.2
08:00:00	2.08	1.94	29.7	0	0	0.04	0.04	0.23
09:00:00	2.26	1.72	44.38	0	0	0	0	0.2
10:00:00	2.53	1.93	54.84	0	0	0	0.04	0.28
11:00:00	2.52	1.85	58.9	0	0	0.04	0	0.39
12:00:00	2.08	1.99	59.74	0	0	0.04	0	0.39
13:00:00	2.05	1.98	73.22	0	0	0	0	0.22
14:00:00	2.34	2.12	82.61	0	0	0	0	0.45
15:00:00	2.13	1.69	84.69	0	0	0.04	0.04	0.35
16:00:00	2.04	1.8	69.89	0	0	0.04	0.04	0.54
17:00:00	2.09	2.08		0	0.04	0.04	0.04	0.33
18:00:00	2.3	1.84	41.52	0	0	0	0	0.45
19:00:00	1.44	2.09	22.66	0	0.04	0	0	0.22
20:00:00	2.47	1.83	21.27	0	0	0	0	0.35
21:00:00	2.6	1.83	16.31	0	0	0.04	0.04	0.35
22:00:00	2.25	1.5	10.72	0	0	0	0.04	0.3
23:00:00	1.84	1.97	9.82	0	0	0.04	0	0.3

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.07	1.91	32.63	0	0.01	0.02	0.02	0.33
C50	2.08	1.89	18.79	0	0	0	0.04	0.33
MAX	2.6	2.41	84.69	0	0.04	0.09	0.04	0.54
MIN	1.08	1.5	5.59	0	0	0	0	0.2
C99.9	2.6	2.4	84.64	0	0.04	0.09	0.04	0.54
C98	2.57	2.28	83.73	0	0.04	0.07	0.04	0.5
C95	2.53	2.12	81.2	0	0.04	0.04	0.04	0.45

Datum: 2016-09-23

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.7	2.42	8.28	0	0.04	0	0.04	0.24
01:00:00	1.94	1.96	7.03	0	0	0.04	0.04	0.32
02:00:00	1.76	1.74	7.21	0	0	0.04	0	0.3
03:00:00			7.13	0.03	0	0	0.04	0.29
04:00:00	1.9	2.17	6.19	0	0	0	0	0.3
05:00:00	1.93	1.86	6.54	0	0	0	0	0.26
06:00:00	1.47	2.28	6.25	0	0	0	0	0.17
07:00:00	2.5	1.51	9.24	0	0	0	0	0.2
08:00:00	1.86	1.81	19.06	0	0	0.04	0	0.22
09:00:00	2.63	1.7	46.69	0	0	0	0	0.3
10:00:00	2.34	2.21	61.57	0	0	0.04	0.04	0.04
11:00:00	2.67	1.71	75.09	0	0	0.04	0.04	0
12:00:00	2.14	2.14	86.78	0	0	0.07	0.04	0.67
13:00:00	3.13	2.13	88.91	0	0.04	0.06	0.04	0.04
14:00:00	9.66	1.36	81.08	0	0	0.07	0.04	0.41
15:00:00	9.49	2.39	59.21	0	0	0.07	0.04	0.43
16:00:00	12.91	2.27	66.5	0	0	0.04	0.04	0.74
17:00:00	6.72	1.53	62.55	0	0	0.06	0.04	0.65
18:00:00	3.84	1.67		0	0	0.07	0.04	0.33
19:00:00	1.87	2.19	38.04	0.03	0	0.07	0.04	0.37
20:00:00	2.47	1.83	28.38	0	0.04	0.04	0.04	0.65
21:00:00	1.86	1.9	21.26	0	0	0.04	0.04	0.28
22:00:00	2.06	2.14	10.84	0	0	0.04	0.04	0.51
23:00:00	2.2	2.14	8.08	0	0	0	0	0.46

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.52	1.96	35.3	0	0	0.03	0.03	0.34
C50	2.17	1.93	20.16	0	0	0.04	0.04	0.3
MAX	12.91	2.42	88.91	0.03	0.04	0.07	0.04	0.74
MIN	1.47	1.36	6.19	0	0	0	0	0
C99.9	12.84	2.42	88.86	0.03	0.04	0.07	0.04	0.74
C98	11.42	2.4	87.93	0.03	0.04	0.07	0.04	0.71
C95	9.63	2.37	85.93	0.03	0.04	0.07	0.04	0.67

Datum: 2016-09-24

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.84	1.88	7.86	0	0	0.04	0.04	0.5
01:00:00	2.3	1.75	6.3	0	0	0	0	0.41
02:00:00	1.5	2.28	5.59	0	0	0	0	0.48
03:00:00	1.57	2.45	6.78	0.03	0	0	0.04	0.37
04:00:00			5.61	0	0.04	0	0	0.2
05:00:00	1.79	2.1	6.05	0	0.04	0	0.04	0.23
06:00:00	2.18	1.83	6.94	0	0	0.04	0.04	0.3
07:00:00	2.23	1.71	7.15	0	0	0.04	0.04	0.35
08:00:00	1.62	2.25	18.66	0	0	0	0	0.41
09:00:00	4.81	1.74	37.8	0	0.04	0	0	0.33
10:00:00	6.64	2.13	58.11	0	0	0.04	0.04	0.35
11:00:00	13.55	1.89	79.69	0	0	0.04	0.04	0.56
12:00:00	12.22	2.03	95.37	0	0	0.04	0	0.52
13:00:00	4.61	1.9	100.33	0	0	0.04	0.07	0.04
14:00:00	4.27	1.88	101.88	0	0.04	0.09	0.04	0.09
15:00:00	3.44	1.67	101.67	0	0.04	0.09	0.04	0.72
16:00:00	1.77	2.35	99.78	0	0	0.04	0.04	0.78
17:00:00	2.44	1.58	80.05	0	0	0.04	0.04	0.74
18:00:00	2.53	2.11	57.17	0	0	0.11	0.09	0
19:00:00	1.73	2.05		0	0	0.04	0.04	0.61
20:00:00	2.21	1.52	36.93	0	0.04	0.11	0.07	0.45
21:00:00	1.62	2.1	26.22	0	0	0.04	0	0.54
22:00:00	2.39	2.22	18.46	0	0	0.04	0	0.51
23:00:00	1.54	1.93	19.22	0	0	0.07	0.04	0.43

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.56	1.97	42.77	0	0.01	0.04	0.03	0.41
C50	2.27	1.91	22.72	0	0	0.04	0.04	0.42
MAX	13.55	2.45	101.88	0.03	0.04	0.11	0.09	0.78
MIN	1.5	1.52	5.59	0	0	0	0	0
C99.9	13.52	2.45	101.87	0.03	0.04	0.11	0.09	0.78
C98	12.94	2.4	101.78	0.02	0.04	0.11	0.08	0.76
C95	11.38	2.34	101.47	0	0.04	0.11	0.07	0.74

Datum: 2016-09-25

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.16	1.82	15.86	0	0	0.04	0	0.39
01:00:00	1.57	2.17	13.79	0	0.04	0.04	0	0.43
02:00:00	1.69	2.4	11.02	0	0	0.04	0.04	0.43
03:00:00	1.69	2.38	9.03	0	0	0.04	0	0.3
04:00:00	1.97	1.79	8.69	0	0	0.04	0.04	0.35
05:00:00			11.2	0	0	0.04	0	0.35
06:00:00	1.8	2.5	10.96	0	0	0	0.04	0.26
07:00:00	1.47	2.23	11.58	0	0	0	0.04	0.3
08:00:00	1.49	2.38	14.63	0	0.04	0.04	0	0.26
09:00:00	2.18	2.21	18.45	0	0	0	0	0.15
10:00:00	5.9	1.89	45.51	0	0	0	0.04	0.29
11:00:00	7	1.9	70.06	0	0.04	0.04	0.04	0.39
12:00:00	5.72	2.29	84.58	0.03	0	0.04	0	0.22
13:00:00	5.52	2.11	90.98	0	0	0.09	0.04	0.25
14:00:00	4.98	1.81	96.16	0	0	0.06	0.04	0.09
15:00:00	4.23	2.18	97.42	0	0	0.04	0.04	0.46
16:00:00	2.56	2.16	87.07	0	0	0.06	0.04	0.52
17:00:00	2.61	2.39	66.71	0	0.04	0.07	0.04	0.3
18:00:00	2.18	2.02	41.56	0	0	0.04	0.04	0.37
19:00:00	2.72	1.55	22.61	0	0	0	0.04	0.61
20:00:00	1.97	2.13		0	0	0.07	0.04	0.49
21:00:00	2.45	2.19	9.91	0	0	0.04	0.04	0.3
22:00:00	2.23	2.09	16.2	0.03	0	0.04	0.04	0
23:00:00	2.12	1.84	17.45	0.03	0	0	0.04	0.33

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.96	2.11	37.89	0	0.01	0.04	0.03	0.33
C50	2.18	2.14	16.83	0	0	0.04	0.04	0.32
MAX	7	2.5	97.42	0.03	0.04	0.09	0.04	0.61
MIN	1.47	1.55	8.69	0	0	0	0	0
C99.9	6.97	2.5	97.39	0.03	0.04	0.09	0.04	0.61
C98	6.49	2.46	96.84	0.03	0.04	0.08	0.04	0.57
C95	5.87	2.4	95.38	0.03	0.04	0.07	0.04	0.52

Datum: 2016-09-26

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.72	1.92	14.59	0	0	0.04	0.04	0.32
01:00:00	1.85	2.02	9.72	0	0.04	0	0	0.29
02:00:00	1.83	1.91	10.49	0	0	0.04	0	0.41
03:00:00	2.17	2.3	10.54	0	0	0.04	0	0.35
04:00:00	1.65	2.23	13.91	0	0	0	0	0.18
05:00:00	2.31	2.15	14.07	0	0	0	0.09	0.32
06:00:00			9.16	0.03	0.04	0	0	0.33
07:00:00	1.73	2.28	7.84	0	0	0	0	0.32
08:00:00	2.74	1.92	23.33	0	0	0.04	0	0.35
09:00:00	3.04	1.9	44.81	0	0.04	0	0.04	0.26
10:00:00	2.86	2.1	65.54	0	0	0.04	0.04	0.38
11:00:00	4.04	2.2	75.11	0	0.04	0	0.04	0.22
12:00:00	3.75	1.86	82.68	0	0	0.04	0.04	0.04
13:00:00	1.86	2.07	87.84	0	0	0.06	0.04	0.04
14:00:00	2.47	2	79.34	0	0	0.06	0.04	0.78
15:00:00	2.45	1.7	74.32	0	0	0.04	0.04	0.39
16:00:00	2.83	1.59	84.19	0	0	0.06	0.04	0.3
17:00:00	2.48	1.78	68.2	0	0	0.04	0.04	0.67
18:00:00	2.12	1.85	47.03	0	0	0.04	0.04	0.41
19:00:00	1.75	2.24	29.11	0	0.04	0.04	0.04	0.25
20:00:00	2.29	1.87	32.38	0	0	0.06	0.04	0.54
21:00:00	2.51	2.44		0	0	0.04	0.04	0.56
22:00:00	2.24	1.8	11.71	0	0.04	0.04	0.04	0.46
23:00:00	2.48	2.41	8.56	0	0	0.04	0.04	0.5

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.44	2.02	39.32	0	0.01	0.03	0.03	0.36
C50	2.38	1.96	26.22	0	0	0.04	0.04	0.34
MAX	4.04	2.44	87.84	0.03	0.04	0.06	0.09	0.78
MIN	1.65	1.59	7.84	0	0	0	0	0.04
C99.9	4.04	2.44	87.75	0.03	0.04	0.06	0.09	0.78
C98	3.91	2.43	86.16	0.02	0.04	0.06	0.07	0.73
C95	3.64	2.4	83.96	0	0.04	0.06	0.04	0.65

Datum: 2016-09-27

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.29	1.94	8.52	0	0	0.04	0.04	0.36
01:00:00	1.94	1.92	7.94	0	0	0	0.04	0.36
02:00:00	1.99	2.06	6.52	0	0	0	0	0.29
03:00:00	2.11	1.66	6.51	0	0.04	0	0.04	0.32
04:00:00	1.97	1.81	5.93	0	0	0	0	0.35
05:00:00	1.86	1.84	5.64	0.03	0	0	0	0.32
06:00:00	2.18	1.85	5.15	0	0.04	0	0.04	0.25
07:00:00			6.27	0	0	0	0.04	0.29
08:00:00	2.98	1.83	18.32	0	0	0	0.04	0.17
09:00:00	3.16	1.63	37.96	0.03	0	0.04	0	0.15
10:00:00	3.15	1.98	50.83	0	0	0.04	0.04	0
11:00:00	2.91	2.07	64.33	0.03	0	0.04	0	0.49
12:00:00	6.72	1.9	79.67	0.03	0	0.06	0	0.61
13:00:00	63.25	2.68	84.03	0	0	0.04	0.04	0.69
14:00:00	59.03	2.76	94.2	0	0	0.06	0.04	0.07
15:00:00	49.93	3.17	93.08	0	0	0.04	0.04	0.04
16:00:00	17.81	2.46	98.49	0	0	0.04	0.04	0.39
17:00:00	3.32	2.26	72.28	0	0	0.07	0.04	0.46
18:00:00	2.64	1.8	57.88	0	0	0.04	0.04	0.91
19:00:00	1.95	2.22	34.67	0	0	0.04	0.04	0.43
20:00:00	2.57	2.2	31.9	0	0	0.07	0.04	0.28
21:00:00	1.82	2.22	26.75	0	0	0.04	0.04	0.48
22:00:00	2.4	1.86		0.03	0	0.04	0.04	0.5
23:00:00	2.6	1.73	13.6	0	0	0.04	0.04	0.36

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.46	2.08	39.58	0.01	0	0.03	0.03	0.36
C50	2.59	1.93	29.33	0	0	0.04	0.04	0.35
MAX	63.25	3.17	98.49	0.03	0.04	0.07	0.04	0.91
MIN	1.82	1.63	5.15	0	0	0	0	0
C99.9	63.15	3.16	98.39	0.03	0.04	0.07	0.04	0.91
C98	61.31	2.98	96.51	0.03	0.04	0.07	0.04	0.81
C95	57.66	2.75	94.03	0.03	0.03	0.06	0.04	0.68

Datum: 2016-09-28

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.03	2.06	12.81	0	0	0.04	0.04	0.46
01:00:00	1.81	2.41	7.93	0	0	0.04	0	0.39
02:00:00	2.44	1.63	7.52	0	0	0.04	0.04	0.39
03:00:00	2.26	2.07	7.57	0	0	0	0	0.32
04:00:00	1.88	1.96	6.87	0	0.04	0.04	0.04	0.3
05:00:00	1.78	2	6.84	0	0	0.04	0	0.3
06:00:00	2.05	1.4	6.85	0	0.04	0	0	0.26
07:00:00	2.14	1.87	7.44	0	0	0	0.04	0.29
08:00:00			16.77	0	0	0	0	0.19
09:00:00	3.36	1.72	38.89	0	0	0	0	0.04
10:00:00	2.68	1.98	54.6	0	0	0.04	0.04	0.17
11:00:00	4.42	2.1	76.17	0	0.04	0.04	0	0.41
12:00:00	16.8	2.13	94.3	0	0	0.04	0.04	0.59
13:00:00	28.19	2.18	98.42	0	0	0.06	0.04	0.13
14:00:00	13.95	2.07	108.56	0	0	0.04	0	0.09
15:00:00	9.7	2.16	112.15	0	0	0.06	0.04	0.04
16:00:00	10.64	1.97	112.9	0	0.04	0.07	0.04	0.06
17:00:00	6.85	1.53	73.72	0	0	0.09	0.09	0.8
18:00:00	4.57	2.09	64.37	0	0	0.09	0.04	0.69
19:00:00	2.6	2	40.87	0	0	0.04	0.04	0.52
20:00:00	2.55	2.09	31.23	0	0	0.04	0.04	0.04
21:00:00	1.51	1.96	21.78	0	0	0	0.04	0.45
22:00:00	1.58	2.15	15.46	0	0	0.07	0	0.5
23:00:00	1.87	1.93		0	0	0	0.04	0.32

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.55	1.98	44.52	0	0.01	0.04	0.03	0.32
C50	2.49	2	26.51	0	0	0.04	0.04	0.31
MAX	28.19	2.41	112.9	0	0.04	0.09	0.09	0.8
MIN	1.51	1.4	6.84	0	0	0	0	0.04
C99.9	27.93	2.41	112.89	0	0.04	0.09	0.09	0.8
C98	22.95	2.31	112.56	0	0.04	0.09	0.07	0.75
C95	16.37	2.18	111.61	0	0.04	0.08	0.04	0.68

Datum: 2016-09-29

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.7	2.06	8.94	0	0	0	0.04	0.36
01:00:00	1.72	1.78	9.24	0	0	0.04	0	0.39
02:00:00	2.18	1.93	7.4	0	0	0.04	0	0.35
03:00:00	2.09	1.86	7.2	0	0.04	0	0	0.3
04:00:00	2.1	1.75	6.76	0	0	0	0	0.32
05:00:00	2.09	2.16	6.92	0	0.04	0	0	0.32
06:00:00	2.57	1.89	6.58	0.03	0.04	0	0.04	0.29
07:00:00	2.44	2.06	6.64	0	0	0	0	0.23
08:00:00	2.24	2.02	18.7	0	0	0	0.04	0.23
09:00:00			52.75	0	0.04	0	0	0.09
10:00:00	14.98	1.99	79.4	0	0	0.04	0.04	0
11:00:00	18.52	2.26	95.23	0	0.04	0.06	0	0.54
12:00:00	19.42	1.82	110.46	0	0	0.06	0.04	0.82
13:00:00	16.94	2.08	113.31	0	0.04	0.06	0.04	0.04
14:00:00	16.2	2.24	115.75	0	0	0.07	0.04	0.04
15:00:00	13.23	2.18	116.79	0	0	0.09	0.04	0.46
16:00:00	12.29	1.81	116.82	0	0.04	0.09	0.06	0.04
17:00:00	6.22	2.32	79.5	0	0	0.04	0.04	0.62
18:00:00	5.04	1.98	67.83	0	0	0.06	0.04	0.41
19:00:00	2.16	2.18	48.85	0	0.04	0.06	0.04	0.41
20:00:00	2.67	1.76	43.22	0	0	0.06	0.04	0
21:00:00	2.41	2.02	26.42	0	0	0.04	0	0.65
22:00:00	2.07	2.18	25.37	0	0	0.04	0.04	0.3
23:00:00	1.96	1.84	20.68	0	0	0.04	0.04	0.46

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%	100%
AVG	6.66	2.01	49.62	0	0.01	0.04	0.03	0.32
C50	2.43	2	34.82	0	0	0.04	0.04	0.32
MAX	19.42	2.32	116.82	0.03	0.04	0.09	0.06	0.82
MIN	1.7	1.75	6.58	0	0	0	0	0
C99.9	19.4	2.32	116.82	0.03	0.04	0.09	0.06	0.82
C98	19.01	2.29	116.8	0.02	0.04	0.09	0.05	0.74
C95	18.28	2.26	116.63	0	0.04	0.08	0.04	0.65

Datum: 2016-09-30

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.99	1.8		0	0	0.04	0.04	0.39
01:00:00	2.18	2.01	18.68	0.03	0	0	0.04	0.41
02:00:00	1.94	1.92	14.75	0	0.04	0.04	0	0.35
03:00:00	2.34	1.94	12.2	0	0	0	0.04	0.36
04:00:00	2.01	1.9	12.07	0	0	0.04	0	0.29
05:00:00	2.4	2.07	12.86	0	0	0.04	0.04	0.39
06:00:00	2.41	2.19	9.82	0	0	0	0	0.26
07:00:00	3	1.97	10.02	0	0	0	0	0.24
08:00:00	2.54	2.02	23.68	0.03	0	0	0.04	0.26
09:00:00	2.94	2.18	34.73	0	0	0	0	0.24
10:00:00			59.96	0	0	0.04	0.04	0.43
11:00:00	10.04	2.22	77.38	0	0	0.09	0.04	0.17
12:00:00	12.22	2.06	96.77	0	0	0.04	0.04	0.45
13:00:00	13.53	1.9	104.03	0	0	0.07	0.04	0.04
14:00:00	11.52	2.42	113.71	0	0	0.06	0.04	0.04
15:00:00	9.89	1.71	115.17	0	0	0.04	0.04	0.09
16:00:00	6.21	1.95	109.73	0	0	0.09	0.04	0.04
17:00:00	3.9	2.03	68.02	0.03	0	0.07	0.04	0.93
18:00:00	2.39	1.91	48.21	0	0	0.09	0.05	0.83
19:00:00	2.12	2.09	28	0.03	0	0.06	0.04	0.04
20:00:00	2.52	1.79	28.06	0	0	0.06	0.04	0.78
21:00:00	1.93	2.17	18.3	0	0	0.07	0.04	0.67
22:00:00	2.52	2.19	10.28	0	0	0.07	0.04	0.39
23:00:00	2.62	2.24	12.6	0	0	0.04	0.04	0.55

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.57	2.03	45.18	0.01	0	0.04	0.03	0.36
C50	2.52	2.01	25.84	0	0	0.04	0.04	0.35
MAX	13.53	2.42	115.17	0.03	0.04	0.09	0.05	0.93
MIN	1.93	1.71		0	0	0	0	0.04
C99.9	13.5	2.41	115.13	0.03	0.04	0.09	0.05	0.92
C98	12.93	2.34	114.5	0.03	0.02	0.09	0.05	0.88
C95	12.12	2.24	113.12	0.03	0	0.09	0.04	0.82

