



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10001 Obedska bara - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-11-01 do 2016-11-30

KOD stanice: **RS10001**

EIO klasifikacija: **0/0/0**

Koordinate XY: **44.735 / 19.986**

Nadmorska visina: **75**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-11-01

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.9	2.71	33.31	0	0	0	0	0
01:00:00	4.42	1.95	33.54	0.03	0	0	0	0
02:00:00	4.14	2.11	38.25	0	0	0	0	0
03:00:00	3.99	1.86	20.67	0	0	0	0	0
04:00:00	3.55	1.97	17.61	0	0	0	0	0
05:00:00	3.73	1.74	29.56	0	0	0	0	0
06:00:00	3.71	2.44	20.44	0	0	0	0	0
07:00:00	3.87	2.04	18.17	0	0	0	0	0
08:00:00	9.1	1.99	33.71	0	0	0	0	0
09:00:00	12.26	1.74	47.84	0.03	0	0	0	0
10:00:00	13.17	1.94	59.33	0	0	0	0	0
11:00:00	12.53	1.77	67.11	0	0	0	0	0
12:00:00	6.66	1.75	74.18	0	0	0	0	0
13:00:00	5.55	1.62	75.22	0	0	0	0	0
14:00:00	6.38	1.48	77.79	0	0	0	0	0
15:00:00	5.89	1.77	77.83	0	0	0	0	0
16:00:00			60.59	0.03	0	0	0	0
17:00:00	3.31	2.35	53.99	0	0	0	0.04	0
18:00:00	3.28	1.94	41.94	0	0	0	0	0
19:00:00	3.02	2.27	33	0	0	0	0	0
20:00:00	5.47	2.45	37.18	0	0	0	0	0
21:00:00	14.01	2.11	42.05	0.03	0.04	0	0	0
22:00:00	11.94	2.49	40.64	0	0	0	0	0
23:00:00	11.61	2.65	39.87	0	0	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%	100%
AVG	6.76	2.05	44.74	0.01	0	0	0	0
C50	4.94	1.96	40.26	0	0	0	0	0
MAX	14.01	2.71	77.83	0.03	0.04	0	0.04	0
MIN	3.02	1.48	17.61	0	0	0	0	0
C99.9	13.99	2.71	77.83	0.03	0.04	0	0.04	0
C98	13.62	2.68	77.81	0.03	0.02	0	0.02	0
C95	13.07	2.62	77.4	0.03	0	0	0	0

Datum: 2016-11-02

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	10.08	3.1		0.03	0	0	0	0
01:00:00	8.41	3.1	33.25	0.03	0	0	0	0
02:00:00	6.97	2.69	25.44	0.03	0	0	0	0
03:00:00	4.95	2.62	20.99	0	0	0	0	0
04:00:00	4.42	2.55	13.78	0.03	0	0	0	0
05:00:00	4.2	2.33	11.09	0	0	0	0	0
06:00:00	4.13	2.17	7.36	0	0	0	0	0
07:00:00	4.79	2.38	16.04	0	0	0	0	0
08:00:00	5.47	1.94	36.91	0.03	0	0	0	0
09:00:00	5.58	2.04	54.25	0.03	0	0	0	0.04
10:00:00	5.16	1.88	66.75	0	0	0	0	0
11:00:00	7.27	1.79	77.71	0	0	0	0	0
12:00:00	15.57	2.07	85.71	0	0	0	0	0
13:00:00	29.19	1.93	84.07	0	0.04	0	0	0
14:00:00	26.45	2.28	76.02	0.03	0.04	0	0	0
15:00:00	17.51	2.5	52.82	0.03	0.04	0	0	0
16:00:00	8.52	2.18	38.21	0.03	0.04	0	0	0
17:00:00			44.25	0.03	0	0	0	0
18:00:00	9.16	2.69	28.98	0.03	0	0	0	0
19:00:00	8.21	2.33	25.56	0.05	0.04	0	0	0
20:00:00	11.05	1.84	22.5	0.03	0	0	0	0
21:00:00	9.22	2.09	27.3	0.04	0	0	0	0
22:00:00	6.71	2.38	18.93	0.03	0	0	0	0
23:00:00	6.33	1.86	17.31	0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	9.54	2.29	38.49	0.02	0.01	0	0	0
C50	7.12	2.23	28.14	0.03	0	0	0	0
MAX	29.19	3.1	85.71	0.05	0.04	0	0	0.04
MIN	4.13	1.79		0	0	0	0	0
C99.9	29.13	3.1	85.68	0.05	0.04	0	0	0.04
C98	27.93	3.1	84.96	0.05	0.04	0	0	0.02
C95	25.11	3.04	83.12	0.04	0.04	0	0	0

Datum: 2016-11-03

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.69	2.33	32.2	0.03	0	0	0	0
01:00:00	4.26	1.83		0	0	0	0	0
02:00:00	3.52	2.08	49.93	0	0.04	0	0	0
03:00:00	3.5	1.94	48.59	0	0	0	0	0
04:00:00	3.32	1.92	46.52	0	0	0	0	0
05:00:00	2.75	1.98	43.4	0	0	0	0	0
06:00:00	2.79	2.03	48.57	0	0	0	0	0
07:00:00	2.65	1.85	50.57	0	0	0	0	0
08:00:00	2.19	1.82	50.66	0	0	0	0	0
09:00:00	2.03	2.12	53.7	0.03	0	0	0	0.04
10:00:00	2.63	1.82	53.31	0.03	0	0	0	0
11:00:00	2.01	1.9	53.47	0	0	0	0	0
12:00:00	2.13	1.93	50.62	0	0	0	0	0
13:00:00	2.74	1.73	51.28	0	0.04	0	0	0
14:00:00	2.5	1.97	52.94	0	0	0	0	0
15:00:00	2.64	1.75	51.2	0.03	0	0	0	0
16:00:00	2.42	1.56	45.08	0	0	0	0	0
17:00:00	2.09	1.98	23.75	0	0	0	0	0
18:00:00			22.19	0	0	0	0	0
19:00:00	3.19	2.3	26.62	0	0	0	0	0
20:00:00	3.07	1.86	23.55	0.03	0	0	0	0
21:00:00	2.68	2.01	19.35	0	0	0	0	0
22:00:00	2.95	1.74	23.3	0	0	0	0	0
23:00:00	2.97	2.2	12.74	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.86	1.94	40.59	0.01	0	0	0	0
C50	2.71	1.93	47.54	0	0	0	0	0
MAX	4.69	2.33	53.7	0.03	0.04	0	0	0.04
MIN	2.01	1.56	12.74	0	0	0	0	0
C99.9	4.68	2.33	53.7	0.03	0.04	0	0	0.04
C98	4.49	2.32	53.59	0.03	0.04	0	0	0.02
C95	4.15	2.28	53.44	0.03	0.03	0	0	0

Datum: 2016-11-04

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.09	2.02	11.82	0	0.04	0	0	0
01:00:00	2.07	2.19	6.98	0	0	0	0	0
02:00:00	3.45	1.46		0	0	0	0	0
03:00:00	2.68	2.16	6.94	0	0	0	0	0
04:00:00	2.25	1.9	6.21	0	0	0	0	0
05:00:00	2.38	1.8	5.78	0	0	0	0	0
06:00:00	2.57	1.93	6.85	0	0	0	0	0
07:00:00	2.79	2.3	8.26	0	0	0	0	0
08:00:00	3.09	1.75	12.92	0.03	0	0	0	0
09:00:00	3.66	2.68	24.74	0.03	0	0	0	0
10:00:00	9.3	2.79	33.55	0.03	0	0	0	0
11:00:00	10.02	2.56	47.37	0	0	0	0	0
12:00:00	52.06	3.78	55.04	0	0	0	0	0.04
13:00:00	21.78	2.14	51.67	0.03	0	0	0	0
14:00:00	6.42	2.33	50.37	0.03	0.04	0	0	0
15:00:00	3.99	1.7	61.39	0	0	0	0	0
16:00:00	3.84	1.96	57.22	0	0	0	0	0
17:00:00	3.27	2.28	38.82	0	0.04	0	0	0
18:00:00	2.84	2.17	22.75	0	0	0	0	0
19:00:00			17.48	0	0	0	0	0
20:00:00	3.33	2.02	11.85	0	0	0	0	0
21:00:00	2.78	1.97	11.15	0	0	0	0	0
22:00:00	2.96	1.96	9.19	0.03	0.04	0	0	0
23:00:00	2.73	2.03	8.7	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.67	2.17	24.65	0.01	0.01	0	0	0
C50	3.09	2.02	12.39	0	0	0	0	0
MAX	52.06	3.78	61.39	0.03	0.04	0	0	0.04
MIN	2.07	1.46	5.78	0	0	0	0	0
C99.9	51.37	3.76	61.3	0.03	0.04	0	0	0.04
C98	38.14	3.32	59.48	0.03	0.04	0	0	0.02
C95	20.02	2.77	56.9	0.03	0.04	0	0	0

Datum: 2016-11-05

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.17	2.07	12.25	0.03	0	0	0	0
01:00:00	3.27	2.03	10.22	0	0	0	0	0
02:00:00	3.35	2	10.19	0	0	0	0	0
03:00:00	2.74	2.48		0.03	0	0	0	0
04:00:00	4.12	2.12	9.6	0	0	0	0	0
05:00:00	3.42	2.25	7.8	0	0	0	0	0
06:00:00	5.61	1.88	8.98	0.03	0	0	0	0
07:00:00	4.1	2.57	11.14	0.03	0	0	0	0
08:00:00	4.11	2.29	17.66	0	0	0	0	0
09:00:00	4.82	2.43	24.1	0	0	0	0	0
10:00:00	5.38	2.29	39.5	0.03	0	0	0	0
11:00:00	6.09	2.24	48.87	0	0	0	0	0
12:00:00	6.52	1.99	55.78	0	0	0	0	0
13:00:00	7.91	2.07	61.18	0	0	0	0	0
14:00:00	6.71	2.32	66.64	0	0	0	0	0
15:00:00	7.82	2.53	66.39	0	0	0	0	0
16:00:00	3.95	2.2	64.84	0	0	0	0	0
17:00:00	5.42	2.04	59.63	0	0	0	0	0
18:00:00	6.21	2.21	56.51	0	0	0	0	0
19:00:00	5.4	1.81	53.39	0	0	0	0	0
20:00:00			47.99	0	0	0	0	0
21:00:00	4.39	1.84	45.97	0	0	0	0	0
22:00:00	5.14	1.63	59.2	0.03	0.04	0	0	0
23:00:00	6.49	2.03	60.76	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.05	2.14	39.07	0.01	0	0	0	0
C50	4.98	2.1	46.98	0	0	0	0	0
MAX	7.91	2.57	66.64	0.03	0.04	0	0	0
MIN	2.74	1.63	7.8	0	0	0	0	0
C99.9	7.9	2.57	66.63	0.03	0.04	0	0	0
C98	7.87	2.55	66.53	0.03	0.02	0	0	0
C95	7.66	2.52	66.16	0.03	0	0	0	0

Datum: 2016-11-06

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.42	1.94	63.05	0	0	0	0	0
01:00:00	5.86	2.16	62.17	0	0	0	0	0
02:00:00	4.91	1.91	61.26	0.03	0	0	0	0
03:00:00	4.47	2.1	60.54	0	0	0	0	0
04:00:00	4.83	1.91		0	0	0	0	0
05:00:00	3.89	2.16	60.59	0	0.04	0	0	0
06:00:00	4.74	1.98	58.95	0	0	0	0	0
07:00:00	4.35	1.98	56.72	0	0	0	0	0
08:00:00	3.47	2.26	59.01	0	0	0	0	0
09:00:00	3.63	1.9	60.93	0	0	0	0	0
10:00:00	2.89	2.27	67.07	0	0	0	0	0
11:00:00	2.93	2.06	73.22	0	0	0	0	0
12:00:00	2.17	1.93	78.81	0	0	0	0	0
13:00:00	2.82	1.91	76.37	0	0	0	0	0
14:00:00	4.34	2	76.95	0	0	0	0	0
15:00:00	2.92	2.16	76.42	0	0	0	0	0
16:00:00	2.42	1.89	75.59	0	0	0	0	0
17:00:00	2	2.14	71.94	0	0	0	0	0
18:00:00	3.17	2.43	71.07	0	0	0	0	0
19:00:00	7.83	2.18	71.3	0	0	0	0	0
20:00:00	4.34	1.95	70.97	0	0	0	0	0
21:00:00			71.94	0	0	0	0	0
22:00:00	2.88	1.87	73.82	0	0	0	0	0
23:00:00	2.52	1.67	71.61	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.9	2.03	68.27	0	0	0	0	0
C50	3.55	1.98	71.02	0	0	0	0	0
MAX	7.83	2.43	78.81	0.03	0.04	0	0	0
MIN	2	1.67	56.72	0	0	0	0	0
C99.9	7.8	2.43	78.77	0.03	0.04	0	0	0
C98	7.18	2.36	77.96	0.02	0.02	0	0	0
C95	6.34	2.27	76.87	0	0	0	0	0

Datum: 2016-11-07

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.39	1.74	74.28	0	0	0	0	0
01:00:00	2.02	1.99	67.02	0	0	0	0	0
02:00:00	2.3	1.86	65.46	0	0	0	0	0
03:00:00	2.63	1.84	67.17	0	0	0	0	0
04:00:00	2.29	2.02	62.68	0	0	0.04	0	0
05:00:00	2.79	2.06		0	0	0	0	0
06:00:00	2.11	1.91	38.58	0	0	0	0	0
07:00:00	2.14	2.1	44.24	0	0	0	0	0
08:00:00	2.02	1.95	32.8	0	0	0	0	0
09:00:00	2.37	1.67	34.51	0	0	0	0	0
10:00:00	1.74	1.91	36.2	0	0	0	0	0
11:00:00	2.05	1.93	35.63	0	0	0	0	0
12:00:00	2.21	1.85	39.91	0	0	0	0	0
13:00:00	5.14	1.95	44.42	0	0	0	0	0
14:00:00	7.74	2.07	41.55	0	0	0	0	0
15:00:00	4.78	2.66	39.29	0	0	0.04	0	0.04
16:00:00	3.91	2.21	29.46	0	0	0	0	0
17:00:00	2.43	2.22	28.66	0	0	0	0	0
18:00:00	3.1	2.43	26.39	0	0	0	0	0
19:00:00	3.05	2.14	20.69	0	0	0	0	0
20:00:00	2.81	2.19	8.56	0	0.04	0	0	0
21:00:00	3.08	2.69	6.02	0.03	0	0	0	0
22:00:00			6.02	0.03	0	0	0	0
23:00:00	4.55	2.36	6.54	0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.03	2.08	37.22	0	0	0	0	0
C50	2.41	2.01	35.91	0	0	0	0	0
MAX	7.74	2.69	74.28	0.03	0.04	0.04	0	0.04
MIN	1.74	1.67	6.02	0	0	0	0	0
C99.9	7.68	2.69	74.12	0.03	0.04	0.04	0	0.04
C98	6.54	2.68	71.01	0.03	0.04	0.04	0	0.02
C95	5.08	2.62	67.15	0.03	0.03	0.04	0	0

Datum: 2016-11-08

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.42	2	7.47	0.06	0.04	0	0	0
01:00:00	5.07	2.44	11.52	0.03	0	0	0	0
02:00:00	5.04	1.91	14.49	0	0.04	0	0	0
03:00:00	4.28	2.07	18.02	0	0	0	0	0
04:00:00	4.38	2.68	22.11	0	0	0	0	0
05:00:00	3.94	2.1	23.16	0	0	0	0	0
06:00:00	3.23	2.47		0.03	0	0	0	0
07:00:00	3.36	2.04	38.46	0	0	0	0	0
08:00:00	2.59	2.43	53.25	0	0	0	0	0
09:00:00	2.83	1.87	56.2	0	0	0	0	0
10:00:00	2.96	1.99	57.3	0.03	0.04	0	0	0
11:00:00	2.51	2.25	60.05	0	0	0	0	0
12:00:00	3.09	1.57	65.23	0	0	0	0	0
13:00:00	3.39	1.61	67.6	0	0	0	0	0
14:00:00	3.56	1.89	66.38	0	0	0	0	0
15:00:00	2.36	2.23	50.72	0	0	0	0	0
16:00:00	2.9	2.13	44.16	0	0	0	0	0
17:00:00	2.47	1.85	36.92	0	0	0	0	0
18:00:00	2.48	2.01	21.46	0.03	0	0	0	0
19:00:00	2.72	1.77	21.21	0	0	0	0	0
20:00:00	2.71	1.73	16.03	0	0	0	0	0
21:00:00	2.5	2.2	18.06	0.03	0.04	0	0	0
22:00:00	3.28	1.87	19.51	0	0	0.04	0	0
23:00:00			17.5	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.35	2.05	35.08	0.01	0.01	0	0	0
C50	3.02	2.01	22.64	0	0	0	0	0
MAX	5.42	2.68	67.6	0.06	0.04	0.04	0	0
MIN	2.36	1.57	7.47	0	0	0	0	0
C99.9	5.41	2.68	67.57	0.06	0.04	0.04	0	0
C98	5.26	2.59	67.04	0.05	0.04	0.02	0	0
C95	5.06	2.47	66.21	0.03	0.04	0	0	0

Datum: 2016-11-09

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.27	2.24	18.91	0	0	0	0	0
01:00:00	2.53	1.76	21	0	0	0	0	0
02:00:00	2.12	2.11	21.46	0	0	0	0	0
03:00:00	2.83	1.84	21.69	0	0.04	0	0	0
04:00:00	4.52	2.15	21.43	0	0	0	0	0
05:00:00	4.51	2.21	19.67	0	0.04	0	0	0
06:00:00	3.29	2.35	19.51	0	0	0	0	0
07:00:00	3.11	1.72		0	0	0	0	0
08:00:00	2.69	2.53	29.75	0	0	0	0	0
09:00:00	2.68	2.19	38.27	0	0	0	0	0
10:00:00	2.85	2.06	44.11	0	0	0	0	0
11:00:00	3.27	1.88	48.66	0	0	0	0	0
12:00:00	2.85	2.18	47.52	0	0	0	0	0
13:00:00	3.36	1.9	41.39	0	0	0	0	0
14:00:00	2.58	2.13	39.22	0	0	0	0	0
15:00:00	2.99	2.16	36.43	0	0	0	0	0
16:00:00	3.36	2.38	37.07	0	0	0	0	0
17:00:00	4.09	1.89	38.67	0	0	0	0	0
18:00:00	8.59	2.46		0.03	0	0	0	0
19:00:00	6.98	2.15		0	0	0	0	0
20:00:00	7.97	1.77		0	0	0	0	0
21:00:00	6.09	1.91		0.03	0	0	0	0
22:00:00	5.38	2.53		0	0.04	0	0	0
23:00:00	3.83	2.07		0	0	0	0	0

Ras pod	100%	100%	70.83%	100%	100%	100%	100%	100%
AVG	3.95	2.11	32.04	0	0	0	0	0
C50	3.28	2.14	21.44	0	0	0	0	0
MAX	8.59	2.53	48.66	0.03	0.04	0	0	0
MIN	2.12	1.72	18.91	0	0	0	0	0
C99.9	8.57	2.53	48.63	0.03	0.04	0	0	0
C98	8.3	2.53	48.13	0.03	0.04	0	0	0
C95	7.82	2.52	47.01	0.03	0.04	0	0	0

Datum: 2016-11-10

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00				0	0	0	0	0
01:00:00	3.7	2.25		0	0	0	0	0
02:00:00	2.94	2.03		0	0	0	0	0
03:00:00	2.81	2.02		0	0	0	0	0
04:00:00	2.98	1.57		0	0	0	0	0
05:00:00	2.69	2.12		0	0	0	0	0
06:00:00	2.69	2.5		0	0.04	0	0	0
07:00:00	2.88	2.26		0	0	0	0	0
08:00:00	3.72	2.01		0	0	0	0	0
09:00:00	5.17	2.23		0	0	0	0	0
10:00:00	9.03	2.63		0	0	0	0	0
11:00:00	11.08	2.61		0.03	0	0	0	0
12:00:00	17.16	2.31		0.03	0	0	0	0
13:00:00	18.02	2.01		0	0	0	0	0
14:00:00	20.96	2.37		0	0	0	0	0
15:00:00	15.61	1.75		0	0	0	0	0
16:00:00	8.16	2.18		0	0	0	0	0
17:00:00	4.92	1.83		0	0	0	0	0
18:00:00	3.67	1.77		0	0	0	0	0
19:00:00	2.78	1.82		0	0	0	0	0
20:00:00	2.01	2.14		0	0.04	0	0	0
21:00:00	2.2	1.76		0	0	0	0	0
22:00:00	2.37	2.18		0	0	0	0	0
23:00:00	2.81	1.69		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	6.54	2.09		0	0	0	0	0
C50	3.33	2.08	0	0	0	0	0	0
MAX	20.96	2.63		0.03	0.04	0	0	0
MIN				0	0	0	0	0
C99.9	20.89	2.63	0	0.03	0.04	0	0	0
C98	19.61	2.62	0	0.03	0.04	0	0	0
C95	17.89	2.6	0	0.03	0.03	0	0	0

Datum: 2016-11-11

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.61	1.47		0	0	0	0	0
01:00:00				0	0	0	0	0
02:00:00	2.55	2.23		0.03	0	0	0	0
03:00:00	2.23	2.47		0.03	0	0	0	0
04:00:00	2.3	2.25		0.03	0	0	0	0
05:00:00	3.85	2.02		0.05	0	0	0	0
06:00:00	2.99	2.24		0.03	0	0	0	0.04
07:00:00	4.53	2.27		0.03	0.04	0	0	0
08:00:00	4.85	1.99		0.03	0	0	0	0
09:00:00	5.71	1.86		0.03	0	0	0	0
10:00:00	5.95	2.03		0	0	0	0	0
11:00:00	4.14	2.23		0	0	0	0	0
12:00:00	8.8	2.1		0	0	0	0	0
13:00:00	7.69	2.36		0	0	0	0	0
14:00:00	4.97	2.28		0	0	0	0	0
15:00:00	5.32	2.19		0	0.04	0	0	0
16:00:00	3.98	2.41		0	0	0	0	0
17:00:00	3.47	2.16		0	0	0	0	0
18:00:00	3.98	1.71		0	0	0	0	0
19:00:00	4.3	1.75		0	0	0	0	0
20:00:00	3.21	2.27		0	0	0	0	0
21:00:00	5.61	1.88		0	0	0	0	0
22:00:00	13.6	1.8		0	0	0	0	0
23:00:00	7.74	1.78		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	4.97	2.08		0.01	0	0	0	0
C50	4.22	2.13	0	0	0	0	0	0
MAX	13.6	2.47		0.05	0.04	0	0	0.04
MIN	2.23	1.47		0	0	0	0	0
C99.9	13.49	2.47	0	0.05	0.04	0	0	0.04
C98	11.39	2.44	0	0.04	0.04	0	0	0.02
C95	8.64	2.4	0	0.03	0.03	0	0	0

Datum: 2016-11-12

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.7	2.27		0.03	0.04	0	0	0
01:00:00	7.65	2.09		0	0	0	0	0
02:00:00				0	0	0	0	0
03:00:00	3.52	1.79		0	0	0	0	0
04:00:00	2.51	2.31		0	0	0	0	0
05:00:00	2.2	2.54		0	0	0	0	0
06:00:00	2.5	1.91		0	0	0	0	0
07:00:00	2.24	2.46		0	0	0	0	0
08:00:00	2.84	2.36		0	0	0	0	0
09:00:00	3.15	2.16		0	0	0	0	0
10:00:00	3.59	2.02		0	0	0	0	0
11:00:00	4.63	2.28		0	0	0	0	0
12:00:00	4.19	2.11		0	0	0	0	0
13:00:00	3.26	2.28		0	0	0	0	0
14:00:00	5.57	2.3		0	0	0	0	0
15:00:00	3.44	2.07		0	0	0	0	0
16:00:00	2.96	2.1		0.03	0	0	0	0
17:00:00	3.62	1.94		0	0	0	0	0
18:00:00	3.73	2.02		0	0	0	0	0
19:00:00	3.89	1.92		0.03	0	0	0	0
20:00:00	2.9	2.16		0.03	0	0	0	0
21:00:00	3.53	2.19		0	0	0	0	0
22:00:00	4.16	1.94		0.03	0	0	0	0
23:00:00	3.75	1.85		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.59	2.13		0.01	0	0	0	0
C50	3.48	2.11	0	0	0	0	0	0
MAX	7.65	2.54		0.03	0.04	0	0	0
MIN	2.2	1.79		0	0	0	0	0
C99.9	7.6	2.54	0	0.03	0.04	0	0	0
C98	6.7	2.5	0	0.03	0.02	0	0	0
C95	5.43	2.45	0	0.03	0	0	0	0

Datum: 2016-11-13

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.4	1.88		0	0	0	0	0
01:00:00	3.76	2.38		0	0	0	0	0
02:00:00	3.45	2.04		0	0	0	0	0
03:00:00				0	0	0	0	0
04:00:00	4.01	2.1		0	0	0	0	0
05:00:00	3.69	1.76		0	0	0	0	0
06:00:00	2.85	2.21		0.03	0	0	0	0.04
07:00:00	3.06	2.11		0	0	0	0	0
08:00:00	3.07	2.03		0	0	0	0	0
09:00:00	3.22	2.24		0	0	0	0	0
10:00:00	3.52	2.02		0	0	0	0	0
11:00:00	3.9	1.93		0	0	0	0	0
12:00:00	2.83	2.23		0.03	0	0	0	0
13:00:00	3.26	1.91		0	0	0	0	0
14:00:00	3.24	2.35		0	0	0	0	0
15:00:00	3.39	1.89		0.03	0	0	0	0
16:00:00	3.01	2.23		0.03	0	0	0	0
17:00:00	3.88	1.62		0.03	0	0	0	0
18:00:00	2.94	2.1		0.03	0.04	0	0	0
19:00:00	3.51	2.17		0.03	0	0	0	0
20:00:00	3.93	1.89		0.05	0	0	0	0
21:00:00	3.8	1.9		0	0	0	0	0
22:00:00	3.53	2.27		0.03	0	0	0	0
23:00:00	4.86	1.54		0.03	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.53	2.03		0.01	0	0	0	0
C50	3.48	2.03	0	0	0	0	0	0
MAX	4.86	2.38		0.05	0.04	0	0	0.04
MIN	2.83	1.54		0	0	0	0	0
C99.9	4.85	2.38	0	0.05	0.04	0	0	0.04
C98	4.65	2.37	0	0.04	0.02	0	0	0.02
C95	4.35	2.34	0	0.03	0	0	0	0

Datum: 2016-11-14

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.62	1.87		0	0	0	0	0
01:00:00	4.8	2.11		0	0	0	0	0
02:00:00	4.03	2.33		0	0	0	0	0
03:00:00	3.03	2.29		0	0	0	0	0
04:00:00				0	0	0	0	0
05:00:00	3.34	2.29		0.03	0	0.04	0	0
06:00:00	4.35	1.75		0	0	0	0	0.04
07:00:00	3.93	2.51		0.03	0	0	0	0
08:00:00	4.24	1.91		0.03	0	0	0	0
09:00:00				0	0	0	0	0
10:00:00								
11:00:00								
12:00:00								
13:00:00				0	0.04	0.04	0.04	0
14:00:00	5.09	1.91	63.22	0	0.04	0	0	0
15:00:00	6.82	1.67	57.75	0	0	0	0	0
16:00:00	4.82	2.15	48.51	0.03	0	0	0	0
17:00:00	4.3	1.7	44.28	0.06	0.04	0	0	0
18:00:00	3.74	1.85	39.53	0	0	0	0	0
19:00:00	3.73	1.85	37.54	0.03	0.04	0	0	0
20:00:00	3.71	2.08	33.03	0	0	0	0	0
21:00:00	4.66	2.32	19.95	0.03	0	0	0	0
22:00:00	5.97	2.09	17.06	0.08	0.04	0	0	0
23:00:00	5	2.17	10.72	0.04	0.04	0	0	0

Ras pod	75%	75%	41.67%	87.5%	87.5%	87.5%	87.5%	87.5%
AVG	4.45	2.05	37.16	0.02	0.01	0	0	0
C50	3.98	1.89	0	0	0	0	0	0
MAX	6.82	2.51	63.22	0.08	0.04	0.04	0.04	0.04
MIN	3.03	1.67		0	0	0	0	0
C99.9	6.8	2.51	63.1	0.08	0.04	0.04	0.04	0.04
C98	6.43	2.43	60.7	0.07	0.04	0.04	0.02	0.02
C95	5.84	2.33	56.36	0.06	0.04	0.04	0	0

Datum: 2016-11-15

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.99	2.42	15.71	0.03	0	0	0	0
01:00:00	4.74	2.1	21.79	0	0	0	0	0
02:00:00	5.52	1.98	26.56	0.03	0.04	0	0	0
03:00:00	4.68	1.72	27.71	0	0	0	0	0
04:00:00	3.62	2.22	15.14	0.03	0	0	0	0
05:00:00			9.43	0.03	0	0	0	0
06:00:00	3.03	2.82	11.03	0.03	0	0	0	0
07:00:00	3.87	2.03	9.04	0	0	0	0	0
08:00:00	3.73	1.94	28.19	0	0	0	0	0
09:00:00	3.22	1.84	41.5	0	0	0	0	0
10:00:00	3.92	1.71	51.65	0	0	0	0	0
11:00:00	3.37	2.13	61.41	0	0	0	0	0
12:00:00	3.2	2.1	60.7	0	0	0	0	0
13:00:00	3.68	1.66	63.54	0	0	0	0	0
14:00:00	2.82	1.72		0	0	0	0	0
15:00:00	2.78	2.36	62.5	0	0	0	0	0.04
16:00:00	3.02	2.01	58.97	0	0	0	0	0
17:00:00	2.47	1.85	53.33	0	0	0	0	0
18:00:00	2.39	2.14	50.55	0	0	0	0	0
19:00:00	2.74	2.39	50.39	0	0	0	0	0
20:00:00	4.88	1.84	41.91	0	0	0	0	0
21:00:00	4.99	1.96	38.93	0	0	0	0	0
22:00:00	4.17	2.37	40.72	0.03	0	0	0	0
23:00:00	4.3	1.9	41.76	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.75	2.05	38.37	0.01	0	0	0	0
C50	3.65	1.99	41.11	0	0	0	0	0
MAX	5.52	2.82	63.54	0.03	0.04	0	0	0.04
MIN	2.39	1.66	9.04	0	0	0	0	0
C99.9	5.51	2.81	63.52	0.03	0.04	0	0	0.04
C98	5.28	2.64	63.06	0.03	0.02	0	0	0.02
C95	4.99	2.42	62.34	0.03	0	0	0	0

Datum: 2016-11-16

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.9	2.38	40.44	0.03	0	0	0	0
01:00:00	4.11	1.93	31.34	0.03	0	0	0	0
02:00:00	4.26	2.29	25.06	0	0	0	0	0
03:00:00	4.06	1.67	25.04	0	0	0	0	0
04:00:00	3.2	2.46	25.69	0.03	0	0	0	0
05:00:00	4.16	1.61	12.71	0.03	0.04	0	0	0
06:00:00			16.2	0	0	0	0	0
07:00:00	3.7	1.89	23.5	0.03	0	0	0	0
08:00:00	3.47	2.28	31.52	0.03	0	0	0	0
09:00:00	6.73	2.25	41.81	0	0	0	0	0
10:00:00	6.54	1.99	47.47	0	0	0	0	0
11:00:00	6.68	2.3	53.52	0	0	0	0	0
12:00:00	7.54	2.27	62.85	0.03	0	0	0	0
13:00:00	8.4	2.39	65.64	0	0	0	0	0
14:00:00	9	2.07	66.17	0	0	0	0	0
15:00:00	8.08	2.2		0	0	0	0	0
16:00:00	8.22	2.22	64.42	0	0	0	0	0
17:00:00	7.78	2.12	52.46	0	0	0	0	0
18:00:00	4.97	1.84	31.94	0	0	0	0	0
19:00:00	5.07	1.95	37.35	0	0	0	0	0
20:00:00	8.23	2.3	28.24	0.03	0	0	0	0
21:00:00	7.94	1.93	12.35	0.03	0	0	0	0
22:00:00	6.9	2.64	8.16	0.09	0.04	0	0	0
23:00:00	8.64	2.36	10.42	0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.2	2.15	35.4	0.02	0	0	0	0
C50	6.61	2.21	31.43	0	0	0	0	0
MAX	9	2.64	66.17	0.09	0.04	0	0	0
MIN	3.2	1.61	8.16	0	0	0	0	0
C99.9	8.99	2.64	66.16	0.09	0.04	0	0	0
C98	8.83	2.56	65.93	0.06	0.04	0	0	0
C95	8.6	2.45	65.45	0.03	0.04	0	0	0

Datum: 2016-11-17

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	9.05	2.14	7.53	0.08	0.04	0	0	0
01:00:00	8.91	2.68	7.05	0.09	0.07	0	0.04	0
02:00:00	11.03	2.15	6.81	0.12	0.06	0	0	0
03:00:00	10.87	3.22	7.12	0.09	0.05	0	0	0
04:00:00	10.56	2.71	6.13	0.06	0.05	0	0	0
05:00:00	8.85	2.57	5.64	0.08	0.04	0	0	0
06:00:00	8.74	3.33	5.7	0.09	0.05	0	0	0
07:00:00			8.56	0.14	0.1	0	0	0
08:00:00	9.04	2.55	15.65	0.05	0.04	0	0	0
09:00:00	11.21	2.38	26.95	0.05	0.04	0	0.04	0
10:00:00	14	2.31	37.61	0.06	0.04	0	0	0
11:00:00	10.57	2.37	46.46	0.03	0	0	0	0
12:00:00	9.83	2.26	50.59	0.03	0	0	0	0
13:00:00	9.37	2.31	56.44	0.03	0	0	0	0
14:00:00	9.48	2.12	55.06	0.03	0	0	0	0
15:00:00	8.45	2.38	44.7	0.03	0	0	0	0
16:00:00	7.29	2.3		0.06	0	0	0	0
17:00:00	6.6	2.41	24.22	0	0.04	0	0	0
18:00:00	5.99	2.22	19.89	0.08	0.04	0	0	0
19:00:00	6.12	2.55	12.02	0.1	0.04	0	0	0
20:00:00	8.3	2.15	13.76	0.13	0.04	0	0	0
21:00:00	8.34	2.72	11.75	0.11	0.04	0.04	0	0
22:00:00	9.18	2.95	9.8	0.14	0.08	0	0	0
23:00:00	10.01	2.91	9.88	0.18	0.05	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	9.21	2.51	21.28	0.08	0.04	0	0	0
C50	9.05	2.38	11.89	0.08	0.04	0	0	0
MAX	14	3.33	56.44	0.18	0.1	0.04	0.04	0
MIN	5.99	2.12	5.64	0	0	0	0	0
C99.9	13.93	3.32	56.41	0.18	0.1	0.04	0.04	0
C98	12.71	3.28	55.81	0.16	0.09	0.02	0.04	0
C95	11.18	3.18	54.39	0.14	0.07	0	0.04	0

Datum: 2016-11-18

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	11.13	2.27	6.93	0.14	0.04	0	0	0
01:00:00	10.1	2.53	5.54	0.08	0.04	0	0	0
02:00:00	9.85	2.38	5.06	0.06	0	0	0	0
03:00:00	9.82	1.9	6.74	0.06	0.04	0	0	0
04:00:00	8.03	2.41	5.76	0.09	0.04	0	0	0
05:00:00	7.86	2.36	7.18	0.08	0	0	0	0
06:00:00	8.32	2	11.53	0.04	0.04	0	0	0
07:00:00	7.47	2.28	12.65	0.06	0.04	0	0	0
08:00:00			26.6	0.05	0	0	0	0
09:00:00	27.81	2.27	45.86	0.03	0	0	0	0
10:00:00	32.56	2.21	62.11	0.03	0	0	0	0
11:00:00	18.78	2.46	76.04	0	0	0	0	0
12:00:00	12.31	2.07	84.32	0	0	0	0	0
13:00:00	12.05	1.86	88.57	0	0	0	0	0
14:00:00	8.73	2.1	88.64	0	0	0	0	0
15:00:00	9.83	1.92	84.7	0	0	0	0	0
16:00:00	7.29	1.93	75.42	0.03	0	0	0	0
17:00:00	5.6	1.89		0.03	0	0	0	0
18:00:00	7.17	2.01	62.85	0	0	0	0	0
19:00:00	7.95	2.19	61.16	0.03	0	0	0	0
20:00:00	8.25	2.51	57.39	0.03	0	0	0	0
21:00:00	8.94	2.04	54.68	0	0	0	0	0.04
22:00:00	7.39	2.55	49.05	0.03	0	0	0	0
23:00:00	6.39	2.59	45.57	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	11.03	2.21	44.54	0.04	0.01	0	0	0
C50	8.53	2.2	47.46	0.03	0	0	0	0
MAX	32.56	2.59	88.64	0.14	0.04	0	0	0.04
MIN	5.6	1.86	5.06	0	0	0	0	0
C99.9	32.45	2.59	88.64	0.14	0.04	0	0	0.04
C98	30.38	2.58	88.61	0.11	0.04	0	0	0.02
C95	26.46	2.55	87.99	0.09	0.04	0	0	0

Datum: 2016-11-19

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.48	2.1	47.13	0	0.04	0	0	0
01:00:00	7.95	2.16	51.15	0.03	0.04	0	0	0
02:00:00	7.32	2.2	53.78	0	0	0	0	0
03:00:00	7.59	1.91	51.78	0	0	0	0	0
04:00:00	6.95	1.95	50.87	0	0	0	0	0
05:00:00	8.73	1.91	51.21	0	0	0	0	0
06:00:00	8.66	1.97	53.59	0	0.04	0	0	0
07:00:00	6.5	2.14	53.17	0.03	0	0	0	0
08:00:00	6.92	2	56	0	0	0.04	0	0
09:00:00			60.59	0	0	0	0	0
10:00:00	5.56	2.07	66.75	0	0	0	0	0
11:00:00	6.05	1.66	71.82	0	0	0	0	0
12:00:00	6.25	2.3	77.82	0	0	0	0	0
13:00:00	6.42	1.65	81	0	0	0	0	0
14:00:00	5.96	2.44	83.04	0	0	0	0	0
15:00:00	7.51	2.35	82.69	0	0	0	0	0
16:00:00	6.68	1.95	77.72	0	0	0	0	0
17:00:00	5.35	2.36	72.22	0	0	0	0	0
18:00:00	5.49	2.07		0	0	0	0	0
19:00:00	5.85	1.99	64.99	0.03	0	0	0	0
20:00:00	7.04	2.03	60.06	0	0	0	0	0
21:00:00	6.85	2.05	57.92	0	0	0	0	0
22:00:00	7.24	2.19	57.11	0	0	0	0	0
23:00:00	9.48	1.8	56.03	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.95	2.05	62.54	0.01	0	0	0	0
C50	6.89	2.04	57.52	0	0	0	0	0
MAX	9.48	2.44	83.04	0.03	0.04	0.04	0	0
MIN	5.35	1.65	47.13	0	0	0	0	0
C99.9	9.46	2.44	83.03	0.03	0.04	0.04	0	0
C98	9.13	2.4	82.88	0.03	0.04	0.02	0	0
C95	8.72	2.36	82.44	0.03	0.04	0	0	0

Datum: 2016-11-20

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.11	2.12	57.53	0	0	0	0	0
01:00:00	6.25	1.97	57.99	0	0	0	0	0
02:00:00	5.97	1.98	58.12	0	0	0	0	0
03:00:00	5.93	1.79	58.42	0	0	0	0	0
04:00:00	4.85	2.18	59.62	0	0	0	0	0
05:00:00	4.89	2.21	59.49	0	0	0	0	0
06:00:00	5.34	2.03	61.22	0	0	0	0	0
07:00:00	6.19	2.28	60.55	0.03	0	0	0	0
08:00:00	6.54	2.21	62.09	0	0.04	0	0	0
09:00:00	7.01	1.95	65.81	0	0	0	0	0
10:00:00			70.22	0	0	0	0	0
11:00:00	6.57	2	75.23	0	0	0	0	0
12:00:00	6.5	1.86	79.83	0	0	0	0	0
13:00:00	5.65	2.15	82.16	0	0	0	0	0
14:00:00	5.42	2.19	81.18	0.03	0	0	0	0
15:00:00	4.67	2.1	78.88	0	0	0	0	0
16:00:00	5.91	2.2	72.1	0	0	0	0	0
17:00:00	4.93	1.74	68.82	0	0	0	0	0
18:00:00	3.93	1.98	65.72	0	0	0	0	0
19:00:00	4.42	1.69		0	0	0	0	0
20:00:00	3.79	1.94	66.36	0	0	0	0	0
21:00:00	3.53	1.95	67.99	0	0	0	0	0
22:00:00	4.67	1.79	66.88	0.03	0	0	0	0
23:00:00	5.04	1.77	67.54	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.48	2	67.12	0	0	0	0	0
C50	5.38	1.98	66.09	0	0	0	0	0
MAX	8.11	2.28	82.16	0.03	0.04	0	0	0
MIN	3.53	1.69	57.53	0	0	0	0	0
C99.9	8.08	2.27	82.13	0.03	0.04	0	0	0
C98	7.6	2.25	81.71	0.03	0.02	0	0	0
C95	6.95	2.21	80.98	0.03	0	0	0	0

Datum: 2016-11-21

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4	2.02	68.45	0	0.04	0	0	0
01:00:00	3.84	2.22	69.3	0.03	0	0	0	0
02:00:00	4.05	1.9	69.4	0	0	0	0	0
03:00:00	4.08	1.72	69.11	0	0	0	0	0
04:00:00	4.44	1.73	67.72	0	0	0	0	0
05:00:00	3.83	1.75	67.3	0	0	0	0	0
06:00:00	3.09	2.57	66.61	0	0	0	0	0
07:00:00	4.03	2.14	64.75	0	0	0	0	0
08:00:00	4.74	2.07	65.03	0	0	0	0	0
09:00:00	4.65	2.14	67.28	0	0	0	0	0
10:00:00	4.93	1.89	70.13	0	0	0	0	0
11:00:00			73.74	0	0	0	0	0
12:00:00	5.1	1.97	76.49	0	0	0	0	0
13:00:00	4.62	1.79	78.03	0	0	0	0	0
14:00:00	4.07	2.07	77.56	0	0	0	0	0
15:00:00	3.59	2.36	76.1	0.03	0	0	0	0
16:00:00	3.56	1.81	72.87	0	0	0	0	0
17:00:00	3.1	2.65	69	0	0	0	0	0
18:00:00	3.29	1.97	65.41	0	0	0	0	0
19:00:00	3.6	1.72	63.68	0	0	0	0	0
20:00:00	3.47	2.2		0	0	0	0	0
21:00:00	3.07	2.33	62.51	0	0	0	0	0
22:00:00	2.91	2.22	61.26	0	0	0	0	0
23:00:00	3	1.99	60.24	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.87	2.05	68.78	0	0	0	0	0
C50	3.84	2	68.08	0	0	0	0	0
MAX	5.1	2.65	78.03	0.03	0.04	0	0	0
MIN	2.91	1.72	60.24	0	0	0	0	0
C99.9	5.1	2.65	78.02	0.03	0.04	0	0	0
C98	5.02	2.61	77.81	0.03	0.02	0	0	0
C95	4.91	2.54	77.4	0.03	0	0	0	0

Datum: 2016-11-22

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.72	2.17	59.34	0	0	0	0	0.04
01:00:00	2.82	2.42	58.73	0	0	0	0	0
02:00:00	3.13	1.9	57.64	0	0	0	0	0
03:00:00	2.85	1.87	56.55	0.03	0	0	0	0
04:00:00	2.82	2.1	56.29	0	0	0	0	0
05:00:00	2.7	2.08	55.74	0	0	0	0	0
06:00:00	2.94	2.07	54.36	0	0	0	0	0
07:00:00	3.75	1.5	53.6	0	0	0	0	0
08:00:00	4.06	2.05	55.33	0	0.04	0	0	0
09:00:00	5.36	2.02	59.39	0	0	0	0	0
10:00:00	5.46	2.08	63.75	0	0	0	0	0
11:00:00	5.36	1.66	69.26	0	0	0	0	0
12:00:00			74.83	0	0	0	0	0
13:00:00	6.77	1.56	77.66	0	0	0	0	0
14:00:00	5.84	1.79	78.89	0	0	0	0	0
15:00:00	3.68	2.66	76.31	0.03	0	0	0	0
16:00:00	4.62	1.98	69.64	0	0	0	0	0
17:00:00	5.79	2.22	60.64	0	0	0	0	0
18:00:00	4.33	2.13	57.1	0	0	0	0	0
19:00:00	4.27	2.25	51.63	0	0	0	0	0
20:00:00	4.92	2.02	44.44	0	0	0	0	0
21:00:00	4.61	1.93		0	0	0	0	0
22:00:00	4.73	1.61	49.01	0	0	0	0	0
23:00:00	4.49	2.21	47.23	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.26	2.01	60.32	0	0	0	0	0
C50	4.3	2.04	57.37	0	0	0	0	0
MAX	6.77	2.66	78.89	0.03	0.04	0	0	0.04
MIN	2.7	1.5	44.44	0	0	0	0	0
C99.9	6.75	2.66	78.86	0.03	0.04	0	0	0.04
C98	6.34	2.55	78.32	0.03	0.02	0	0	0.02
C95	5.84	2.39	77.46	0.03	0	0	0	0

Datum: 2016-11-23

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.01	1.9	45.1	0	0	0	0	0
01:00:00	3.51	2.17	45.39	0	0	0	0	0
02:00:00	2.94	2.18	44.32	0	0	0	0	0
03:00:00	2.88	2.16	40.8	0	0	0	0	0
04:00:00	3.14	1.92	23.39	0	0	0	0	0
05:00:00	2.37	2.1	11.32	0	0	0	0	0
06:00:00	2.35	1.88	9.91	0	0	0	0	0
07:00:00	2.31	2.16	12.24	0	0	0	0	0
08:00:00	2.84	2.16	26.2	0	0	0	0	0
09:00:00	6.84	1.71	44.82	0	0	0	0	0
10:00:00	6.91	1.9	52.82	0	0	0	0	0
11:00:00	8.41	2.1	59.56	0	0	0	0	0
12:00:00	6.88	2.41	66.01	0	0	0	0	0
13:00:00			71.62	0	0	0	0	0
14:00:00	7.7	2.1	74.18	0	0	0	0	0
15:00:00	7.38	2.09	71.13	0	0	0	0	0
16:00:00	4.37	2.25	60.06	0	0	0	0	0
17:00:00	2.67	2.24	40.75	0	0	0	0	0
18:00:00	2.38	1.97	27.11	0.03	0	0	0	0
19:00:00	2.93	1.78	23.14	0.03	0	0	0	0
20:00:00	3.09	2.13	17.44	0	0	0	0	0
21:00:00	3.07	2.64	13.87	0	0	0	0	0
22:00:00	3.07	2.1		0	0	0	0	0
23:00:00	3.03	2.23	12.56	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.13	2.1	38.86	0	0	0	0	0
C50	3.07	2.1	40.77	0	0	0	0	0
MAX	8.41	2.64	74.18	0.03	0	0	0	0
MIN	2.31	1.71	9.91	0	0	0	0	0
C99.9	8.39	2.64	74.12	0.03	0	0	0	0
C98	8.08	2.54	73	0.03	0	0	0	0
C95	7.66	2.39	71.55	0.03	0	0	0	0

Datum: 2016-11-24

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.88	1.88	10.73	0	0	0.04	0	0
01:00:00	3.92	1.74	12.88	0	0	0	0	0
02:00:00	3.02	2.45	11.25	0	0	0	0	0
03:00:00	3.51	2.47	10.34	0	0	0	0	0
04:00:00	3.34	1.75	8.83	0	0	0	0	0
05:00:00	3.38	2.1	6.84	0	0	0	0	0
06:00:00	2.84	2.28	5.31	0	0	0	0	0
07:00:00	3.5	1.98	8.69	0	0.04	0	0	0
08:00:00	3.34	2.32	12.63					
09:00:00								
10:00:00								
11:00:00			42.16	0	0	0	0	0
12:00:00	10.47	2.05	53.24	0.03	0	0	0	0
13:00:00	12.97	2.44	59.9	0	0	0	0	0
14:00:00			64.7	0	0	0	0	0
15:00:00	16.33	2.01	51.52	0.03	0	0	0	0
16:00:00	12.19	2.99	24.33	0.05	0	0	0	0
17:00:00	7.4	2.18	16.72	0.09	0.04	0	0	0
18:00:00	6.04	2.05	15.9	0.06	0	0	0	0
19:00:00	3.88	2.48	9.43	0.03	0.04	0	0	0
20:00:00	4.47	2.29	7.15	0.06	0.04	0	0	0
21:00:00	4.27	2.45	5.3	0.05	0.04	0	0	0
22:00:00	5.55	2.26	5.91	0.06	0.04	0	0	0
23:00:00	4.86	2.17		0.05	0.04	0	0	0

Ras pod	83.33%	83.33%	87.5%	87.5%	87.5%	87.5%	87.5%	87.5%
AVG	5.91	2.22	21.13	0.02	0.01	0	0	0
C50	3.7	2.14	10.54	0	0	0	0	0
MAX	16.33	2.99	64.7	0.09	0.04	0.04	0	0
MIN	2.84	1.74	5.3	0	0	0	0	0
C99.9	16.26	2.98	64.59	0.09	0.04	0.04	0	0
C98	14.79	2.76	62.49	0.08	0.04	0.02	0	0
C95	12.86	2.48	58.9	0.06	0.04	0	0	0

Datum: 2016-11-25

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.9	2.62	7.48	0.13	0.04	0	0	0
01:00:00	5.32	2.59	5.66	0.1	0.04	0	0	0
02:00:00	5.72	2.06	5.52	0.11	0.04	0	0	0
03:00:00	6.46	1.99	6.4	0.14	0.04	0	0	0
04:00:00	6.52	2.36	5.67	0.13	0.04	0	0.04	0
05:00:00	6.49	1.99	5.14	0.11	0.04	0	0	0
06:00:00	5.2	2.42	5.51	0.12	0.04	0	0	0
07:00:00	5.79	2.21	5.76	0.06	0.05	0	0	0
08:00:00	6.46	2.19	11.11	0.1	0.04	0	0	0
09:00:00	7.56	2.14	29.8	0.08	0.04	0	0	0
10:00:00	7.48	2.28	44.42	0.06	0	0	0	0
11:00:00	7.73	1.99	54.92	0.05	0	0	0	0
12:00:00	6.65	2.34	57.68	0.05	0	0	0	0
13:00:00	5.63	1.97	56.62	0.03	0.04	0	0	0
14:00:00	5.55	2.28	58.6	0.03	0	0	0	0
15:00:00			50.13	0.03	0	0	0	0
16:00:00	6.42	2.15	33.23	0.03	0	0	0	0
17:00:00	5.48	2.39	9.93	0.04	0.04	0	0	0
18:00:00	5.6	2.24	9.75	0.1	0.04	0	0	0
19:00:00	6.81	2.08	7.3	0.08	0.04	0	0	0
20:00:00	7.04	2.39	8.36	0.14	0.05	0	0	0
21:00:00	9.2	2.05	8.08	0.08	0.04	0	0.04	0
22:00:00	10.71	2.95	7.62	0.13	0.06	0	0	0
23:00:00	8.79	2.69	6.54	0.1	0.04	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%	100%
AVG	6.67	2.28	20.88	0.08	0.03	0	0	0
C50	6.46	2.23	8.22	0.09	0.04	0	0	0
MAX	10.71	2.95	58.6	0.14	0.06	0	0.04	0
MIN	4.9	1.97	5.14	0.03	0	0	0	0
C99.9	10.68	2.95	58.58	0.14	0.06	0	0.04	0
C98	10.02	2.83	58.18	0.14	0.06	0	0.04	0
C95	9.14	2.68	57.52	0.14	0.05	0	0.04	0

Datum: 2016-11-26

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	9.25	2.32		0.1	0.04	0	0	0
01:00:00	9.34	2.32	6.1	0.06	0	0	0.04	0
02:00:00	9.01	2.4	5.88	0.05	0.04	0	0	0
03:00:00	7.45	2.42	5.65	0.08	0.04	0	0	0
04:00:00	7	2.27	5.59	0.05	0.04	0	0	0
05:00:00	6.72	1.98	5.36	0.06	0.04	0	0	0
06:00:00	6.61	2.03	5.32	0.05	0.04	0	0	0
07:00:00	6.71	2.02	6.67	0.06	0.04	0	0	0
08:00:00	6.69	2.24	8.56	0.05	0	0	0	0
09:00:00	7.14	2.47	12.38	0.05	0.04	0	0	0
10:00:00	7.42	2.41	21.56	0.07	0.04	0	0	0
11:00:00	7.73	2.63	38.64	0.03	0	0	0	0
12:00:00	9.36	1.9	45.49	0.03	0	0	0	0
13:00:00	52.96	2.7	52.08	0	0	0	0	0
14:00:00	57.82	3.14	54.86	0.03	0	0	0	0
15:00:00	10.36	2.32	43.65	0.03	0	0	0	0
16:00:00			33.59	0.03	0	0	0	0
17:00:00	5.61	2.37	28.29	0.03	0	0	0	0
18:00:00	5.82	2.08	28.3	0.03	0	0	0	0
19:00:00	5.63	2.29	26.56	0.03	0	0	0	0
20:00:00	5.95	2.07	22.61	0.03	0	0	0	0
21:00:00	6.73	2.05	17.31	0.04	0	0	0	0
22:00:00	8.73	2.6	22.81	0.03	0	0	0	0
23:00:00	7.91	2.01	18.95	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	11.65	2.31	22.44	0.04	0.01	0	0	0
C50	7.28	2.3	20.26	0.04	0	0	0	0
MAX	57.82	3.14	54.86	0.1	0.04	0	0.04	0
MIN	5.61	1.9		0	0	0	0	0
C99.9	57.7	3.13	54.8	0.1	0.04	0	0.04	0
C98	55.58	2.94	53.58	0.09	0.04	0	0.02	0
C95	46.57	2.69	51.09	0.08	0.04	0	0	0

Datum: 2016-11-27

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.38	2.17	17	0.03	0	0	0	0
01:00:00	7.09	2.18		0.03	0	0	0	0
02:00:00	7.03	1.98	13.27	0.03	0	0	0	0
03:00:00	6.29	2.61	13.31	0	0	0	0	0
04:00:00	5.64	2.36	11.82	0.03	0.04	0	0	0
05:00:00	5.56	2.23	9.62	0.03	0	0	0	0
06:00:00	6.01	2.1	8.12	0.05	0.04	0	0	0
07:00:00	5.6	2.54	8.67	0.03	0	0	0	0
08:00:00	6.93	2.06	11.32	0.04	0	0	0	0
09:00:00	8.84	2.27	17	0.05	0.04	0	0	0
10:00:00	7.79	1.78	22.05	0.05	0	0	0	0
11:00:00	7.77	2.58	26.35	0.04	0	0	0	0
12:00:00	9.05	1.96	36.02	0.04	0	0	0	0
13:00:00	7.78	2.21	44.13	0.03	0	0	0	0
14:00:00	8.13	1.74	42.2	0.03	0	0	0	0
15:00:00	6.61	2.05	37.79	0.03	0	0	0	0
16:00:00	5.97	1.86	31.24	0.05	0	0	0	0
17:00:00			25.64	0.03	0	0	0	0
18:00:00	5.65	2.22	21.19	0.03	0	0	0	0
19:00:00	7.73	2.16	17.71	0	0	0	0	0
20:00:00	6.06	1.75	18.9	0	0	0.04	0	0
21:00:00	5.12	2.11	20.52	0.03	0	0	0	0
22:00:00	4.06	2.13	19.56	0	0	0	0	0
23:00:00	4.88	2.04	21.18	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.65	2.13	21.51	0.03	0	0	0	0
C50	6.45	2.12	19.23	0.03	0	0	0	0
MAX	9.05	2.61	44.13	0.05	0.04	0.04	0	0
MIN	4.06	1.74	8.12	0	0	0	0	0
C99.9	9.05	2.61	44.08	0.05	0.04	0.04	0	0
C98	8.95	2.6	43.24	0.05	0.04	0.02	0	0
C95	8.73	2.58	41.54	0.05	0.04	0	0	0

Datum: 2016-11-28

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.02	2.02	27.88	0	0	0	0	0
01:00:00	4.74	2.02	40.22	0	0	0	0	0
02:00:00	5.14	1.83		0	0	0	0	0
03:00:00	4.09	2.36	44.2	0	0	0	0	0
04:00:00	3.75	1.73	51.68	0	0	0	0	0
05:00:00	3.61	1.93	52.85	0	0	0	0	0
06:00:00	3.46	2.27	50.93	0	0	0	0	0
07:00:00	3.31	1.95	51.07	0	0	0	0	0
08:00:00	3.97	1.87	50.71	0.03	0	0	0	0
09:00:00	4.04	2.23	51.58	0	0	0	0	0
10:00:00	4.82	2.06	55.45	0	0	0	0	0
11:00:00	3.51	1.91	58.24	0	0.04	0	0	0
12:00:00	3.82	2.17	58.77	0	0	0	0	0
13:00:00	4.05	2.04	58.23	0	0	0	0	0
14:00:00	3.52	2.24	60.94	0	0	0	0	0
15:00:00	3.94	1.88	57.43	0	0	0	0	0
16:00:00	4.01	2.48	51.87	0	0	0	0	0
17:00:00	3.89	2.42	45.31	0.03	0	0	0	0
18:00:00			40.87	0.03	0	0	0	0
19:00:00	5.24	2.04	39.34	0	0	0	0	0
20:00:00	4.63	2.22	33.27	0.03	0	0	0	0
21:00:00	4.8	2.31	31.27	0	0	0	0	0
22:00:00	5.21	1.83	32.76	0	0	0	0	0
23:00:00	4.95	2.5	31.86	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.24	2.1	46.81	0.01	0	0	0	0
C50	4.03	2.04	50.82	0	0	0	0	0
MAX	5.24	2.5	60.94	0.03	0.04	0	0	0
MIN	3.31	1.73	27.88	0	0	0	0	0
C99.9	5.24	2.5	60.89	0.03	0.04	0	0	0
C98	5.23	2.49	59.94	0.03	0.02	0	0	0
C95	5.2	2.47	58.69	0.03	0	0	0	0

Datum: 2016-11-29

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.72	1.9	31.99	0.03	0	0	0	0
01:00:00	3.87	2.28	35.4	0	0	0	0	0
02:00:00	4.47	1.47	33.55	0	0	0	0	0.04
03:00:00	3.75	2.09		0	0	0	0	0
04:00:00	3.52	1.96	31.33	0	0	0	0	0
05:00:00	3.53	2.37	31.26	0	0	0	0	0
06:00:00	5	2.09	31.74	0	0	0	0	0
07:00:00	8.31	1.91	34.52	0	0	0	0	0
08:00:00	6.42	1.75	35.65	0	0	0	0	0
09:00:00	4	2.04	40.54	0	0	0	0	0
10:00:00	3.92	1.9	44.11	0	0	0	0	0
11:00:00	3.64	2.11	48.06	0	0	0	0	0
12:00:00	5.71	1.89	50.79	0	0	0	0	0
13:00:00	6.46	2.01	53.35	0	0	0	0	0
14:00:00	5.84	2.07	52.92	0	0	0	0	0
15:00:00	5.09	2.04	50.51	0	0	0	0	0
16:00:00	4.15	2.08	43.21	0.03	0	0	0	0
17:00:00	4.88	2.09	41.1	0.06	0.04	0	0	0
18:00:00	5.75	2.49	31.49	0.05	0	0	0	0
19:00:00			28.34	0.05	0	0	0	0
20:00:00	6.26	2.07	29.47	0.03	0	0	0	0
21:00:00	6.66	2.69	27.65	0.04	0	0	0	0
22:00:00	6.31	2.47	29.01	0.1	0	0	0	0
23:00:00	6.14	2.43	26.97	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.15	2.1	37.52	0.02	0	0	0	0
C50	4.94	2.07	34.03	0	0	0	0	0
MAX	8.31	2.69	53.35	0.1	0.04	0	0	0.04
MIN	3.52	1.47	26.97	0	0	0	0	0
C99.9	8.27	2.68	53.34	0.09	0.04	0	0	0.04
C98	7.55	2.6	53.15	0.08	0.02	0	0	0.02
C95	6.63	2.49	52.6	0.06	0	0	0	0

Datum: 2016-11-30

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.46	2.8	24.16	0.03	0	0	0	0
01:00:00	7.3	2.56	28.19	0.03	0	0	0	0
02:00:00	7.14	2.25	30.74	0.03	0	0	0	0
03:00:00	6.4	2.31	31.1	0	0	0	0	0
04:00:00	6.62	2.22		0	0	0	0	0
05:00:00	5.95	2.06	27.15	0	0	0	0	0
06:00:00	5.31	2.64	28.58	0	0	0	0	0
07:00:00	6.09	2.19	30.25	0.03	0	0	0	0
08:00:00	7.29	2.02	36.38	0.03	0	0	0	0
09:00:00	6.68	1.67	41.63	0.03	0	0	0	0
10:00:00	5.46	2.31	46.58	0	0	0	0	0
11:00:00	5.23	2.52	52.04	0.03	0	0	0	0
12:00:00	5.59	2	56.89	0	0	0	0	0
13:00:00	6.47	1.94	60.34	0	0	0	0	0
14:00:00	6.04	2.08	61.18	0.03	0	0	0	0
15:00:00	7.4	2.12	59.11	0.03	0	0	0	0
16:00:00	7.02	2.25	45.75	0.05	0	0	0	0
17:00:00	5.71	2.12	38.28	0.03	0	0	0	0
18:00:00	5.63	1.77	29.48	0.03	0	0	0	0
19:00:00	7.06	2.31	34.57	0	0	0	0	0
20:00:00			34.49	0	0.04	0	0	0
21:00:00	6.4	2.37	21.64	0	0	0	0	0
22:00:00	4.89	1.88	16.64	0	0	0	0	0
23:00:00	4.25	2.02	18.02	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.19	2.19	37.09	0.02	0	0	0	0
C50	6.24	2.16	32.8	0.02	0	0	0	0
MAX	7.4	2.8	61.18	0.05	0.04	0	0	0
MIN	4.25	1.67	16.64	0	0	0	0	0
C99.9	7.4	2.79	61.16	0.05	0.04	0	0	0
C98	7.36	2.72	60.79	0.04	0.02	0	0	0
C95	7.3	2.63	60.16	0.03	0	0	0	0

