



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10003 Novi Sad - Šangaj - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-10-01 do 2016-10-31

KOD stanice: **RS10003**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.272 / 19.873**

Nadmorska visina: **80**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-10-01

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.41	7.55	0.45	1.17	0	0	0.61
01:00:00	5.81	15.54	0.35	1.07	0	0	0.62
02:00:00	6.52	66.14	0.2	0.85	0	0	0.39
03:00:00	6.06	32.44	0.28	1.62	0.26	0.04	0.69
04:00:00	5.48	28.71	0.45	2.85	0.32	0.13	0.9
05:00:00			0.16	0.82	0	0	0.35
06:00:00	4.57	3.33	0.14	0.57	0	0	0.45
07:00:00	4.56	2.17	0.13	0.54	0	0	0.41
08:00:00	5.19	2.4	0.23	0.51	0	0	0.32
09:00:00	9.1	1.91	0.17	0.48	0	0	0.24
10:00:00	11.54	4.36	0.12	0.54	0	0	0.09
11:00:00	13.08	3.51	0.06	0.3	0	0	0
12:00:00	29.49	4.08	0.05	0.15	0	0	0.09
13:00:00	42.04	5.05	0.05	0.09	0	0	0
14:00:00	16.56	5.84	0.03	0.09	0	0	0
15:00:00	10.98	5.33	0.06	0.09	0	0	0
16:00:00	9.02	6.73	0.03	0.13	0	0	0
17:00:00	6.23	51.57	0.06	0.23	0	0	0
18:00:00	6.09	29.1	0.32	0.73	0	0	0.3
19:00:00	6.73	12.61	0.44	1.46	0	0	0.42
20:00:00	7.3	6.68	1.16	2.01	0	0	1.36
21:00:00	9.11	7.25	1.15	1.93	0	0	1.22
22:00:00	8.97	7.09	1.23	1.63	0	0	0.46
23:00:00	5.88	3.58	0.29	0.41	0	0	0.27

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.29	13.61	0.32	0.84	0.02	0.01	0.38
C50	6.63	6.26	0.19	0.55	0	0	0.33
MAX	42.04	66.14	1.23	2.85	0.32	0.13	1.36
MIN	4.56	1.91	0.03	0.09	0	0	0
C99.9	41.76	65.8	1.23	2.83	0.32	0.13	1.35
C98	36.27	59.44	1.2	2.46	0.29	0.09	1.29
C95	27.55	48.7	1.16	2	0.22	0.04	1.17

Datum: 2016-10-02

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.87	3.21	0.2	0.26	0	0	0.09
01:00:00	5.59	5.62	0.21	0.3	0	0	0.13
02:00:00	4.47	3.99	0.17	0.2	0	0	0.09
03:00:00	4.72	3.24	0.19	0.23	0	0	0
04:00:00	5.77	9.03	0.29	1.87	0.23	0	0.45
05:00:00	5.9	18.99	0.31	0.99	0.09	0	0.56
06:00:00			0.38	1.18	0.15	0.04	0.38
07:00:00	5.88	5.36	0.4	1.17	0.09	0	0.65
08:00:00	9.72	3.09	0.32	0.44	0	0	0.16
09:00:00	18.75	2.79	0.31	0.31	0	0	0.04
10:00:00	28.84	3.12	0.24	0.33	0	0	0
11:00:00	31.82	2.67	0.22	0.4	0	0	0.09
12:00:00	53.44	3.59	0.27	0.49	0	0	0
13:00:00	43.71	2.9	0.2	0.36	0	0	0.13
14:00:00	31.33	3.23	0.17	0.21	0	0	0
15:00:00	11.63	2.47	0.21	0.23	0	0	0
16:00:00	8.46	1.73	0.18	0.26	0	0	0
17:00:00	9.04	175.17	0.16	0.26	0	0	0
18:00:00	11.2	67.48	0.32	0.75	0.04	0	0.26
19:00:00	7.79	9.45	0.07	0.19	0	0	0.13
20:00:00	6.09	14.9	0.06	0.14	0	0	0
21:00:00	4.42	12.98	0.06	0.13	0	0	0.09
22:00:00	5.12	18.7	0.09	0.26	0	0	0.13
23:00:00	4.79	4.02	0.1	0.23	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	14.06	16.42	0.21	0.47	0.02	0	0.14
C50	6.94	3.79	0.21	0.28	0	0	0.09
MAX	53.44	175.17	0.4	1.87	0.23	0.04	0.65
MIN	4.42	1.73	0.06	0.13	0	0	0
C99.9	53.22	172.7	0.4	1.86	0.23	0.04	0.65
C98	48.96	125.63	0.39	1.55	0.19	0.02	0.61
C95	41.92	60.2	0.37	1.18	0.14	0	0.55

Datum: 2016-10-03

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.04	3.91	0.07	0.19	0	0	0
01:00:00	4.13	3	0.05	0.15	0	0	0
02:00:00	4.37	4.53	0.06	0.4	0	0	0
03:00:00	4.6	14.09	0.09	0.26	0	0	0
04:00:00	4.9	5.17	0.11	0.5	0	0	0.09
05:00:00	4.49	3.81	0.04	0.34	0	0	0
06:00:00	5.1	8.15	0.06	0.21	0	0	0
07:00:00			0.21	0.64	0	0	0.2
08:00:00	4.56	3.5	0.06	0.2	0	0	0.11
09:00:00	3.65	3.23	0.04	0.16	0	0	0.13
10:00:00	4.83	2.32	0.03	0.15	0	0	0
11:00:00	3.83	3.32	0.04	0.2	0	0	0.3
12:00:00	4.4	2.45	0.03	0.1	0	0	0.05
13:00:00	4.2	2.55	0.03	0.14	0	0	0
14:00:00	4.1	3.21	0.04	0.16	0	0	0
15:00:00	3.63	2.87	0.05	0.22	0	0	0.09
16:00:00	3.85	4.58	0.05	0.21	0	0	0.11
17:00:00	4.25	4.38	0.03	0.15	0.04	0	0.09
18:00:00	3.99	6.81	0.05	0.14	0	0	0.09
19:00:00	4.04	11.88	0.03	0.11	0	0	0
20:00:00	4.01	16.87	0.08	0.37	0	0	0.2
21:00:00	5.37	8.34	0.06	0.12	0	0	0.12
22:00:00	5.16	8.75	0.06	0.15	0	0	0.09
23:00:00	4.49	8	0.05	0.09	0	0	0.04

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.35	5.9	0.06	0.22	0	0	0.07
C50	4.23	4.14	0.05	0.18	0	0	0.07
MAX	5.37	16.87	0.21	0.64	0.04	0	0.3
MIN	3.63	2.32	0.03	0.09	0	0	0
C99.9	5.36	16.8	0.21	0.64	0.04	0	0.3
C98	5.27	15.59	0.16	0.58	0.02	0	0.26
C95	5.15	13.76	0.1	0.49	0	0	0.2

Datum: 2016-10-04

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.8	10.25	0.05	0.08	0	0	0
01:00:00	3.94	10.68	0.05	0.1	0	0	0
02:00:00	5.1	6.85	0.04	0.08	0	0	0.05
03:00:00	4.99	8.44	0.04	0.1	0	0	0.09
04:00:00	4	6.89	0.03	0.08	0	0	0.04
05:00:00	4.96	4.31	0.03	0.06	0	0	0
06:00:00	3.71	4.46	0.03	0.08	0	0	0.09
07:00:00	4.24	4.19	0.06	0.17	0	0	0.07
08:00:00			0.05	0.16	0	0	0
09:00:00	4.72	3.74	0.03	0.14	0	0	0.12
10:00:00	4.06	6.13	0.03	0.15	0	0	0.09
11:00:00	5.92	4.53	0.03	0.17	0	0	0
12:00:00	4.58	5.75	0.03	0.13	0	0	0
13:00:00	4.48	7.54	0.03	0.1	0	0	0
14:00:00	4.03	10.16	0.06	0.15	0	0	0
15:00:00	5.07	9.05	0.07	0.24	0	0	0.09
16:00:00	3.88	11.85	0.06	0.2	0	0	0.05
17:00:00	5.61	11.26	0.04	0.2	0	0	0
18:00:00	4.25	10.53	0.12	0.28	0	0	0.04
19:00:00	4.25	12.46	0.1	0.19	0	0	0.09
20:00:00	4.3	8.44	0.06	0.18	0	0	0.07
21:00:00	4.43	5.81	0.06	0.19	0	0	0.05
22:00:00	3.44	15.59	0.09	0.24	0	0	0.11
23:00:00	4.55	6.64	0.07	0.18	0	0	0.09

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.49	8.07	0.05	0.15	0	0	0.05
C50	4.37	7.22	0.05	0.16	0	0	0.05
MAX	5.92	15.59	0.12	0.28	0	0	0.12
MIN	3.44	3.74	0.03	0.06	0	0	0
C99.9	5.91	15.52	0.12	0.28	0	0	0.12
C98	5.78	14.15	0.11	0.26	0	0	0.11
C95	5.53	12.37	0.09	0.24	0	0	0.11

Datum: 2016-10-05

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.38	2.28	0.06	0.06	0	0	0
01:00:00	4.14	3.29	0.03	0.13	0	0	0
02:00:00	4.27	3.2	0.04	0.27	0	0	0
03:00:00	4.5	3.65	0.05	0.14	0	0	0
04:00:00	4.06	6.52	0.05	0.09	0	0	0
05:00:00	4.08	6.52	0.03	0.08	0	0	0
06:00:00	4.37	5.31	0.03	0.08	0	0	0
07:00:00	4.36	5.59	0.04	0.1	0	0	0
08:00:00	3.67	3.99	0.07	0.16	0	0	0
09:00:00			0.06	0.1	0	0	0
10:00:00	4.83	4.86	0.03	0.11	0	0	0
11:00:00	4.58	5.82	0.03	0.14	0	0	0
12:00:00	3.85	4.63	0.05	0.07	0	0	0
13:00:00	3.86	4.44	0.05	0.07	0	0	0
14:00:00	4.91	4.38	0.05	0.1	0	0	0
15:00:00	4.58	5.44	0.04	0.09	0	0	0
16:00:00	3.93	7.26	0.04	0.12	0	0	0
17:00:00	4.3	8.06	0.1	0.13	0	0	0
18:00:00	4.17	18.22	0.15	0.34	0	0	0
19:00:00	4.56	14.12	0.21	0.36	0	0	0.18
20:00:00	4.73	11.07	0.16	0.23	0	0	0.09
21:00:00	4.66	9.36	0.16	0.23	0	0	0.09
22:00:00	4.45	10.99	0.13	0.2	0	0	0.04
23:00:00	4.52	8.24	0.1	0.11	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.29	6.84	0.07	0.15	0	0	0.02
C50	4.33	5.52	0.05	0.12	0	0	0
MAX	4.91	18.22	0.21	0.36	0	0	0.18
MIN	3.38	2.28	0.03	0.06	0	0	0
C99.9	4.91	18.13	0.21	0.36	0	0	0.18
C98	4.88	16.34	0.19	0.35	0	0	0.14
C95	4.82	13.66	0.16	0.33	0	0	0.09

Datum: 2016-10-06

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.55	4	0.1	0.11	0	0	0
01:00:00	10.08	7.19	0.06	0.14	0	0	0
02:00:00	5.81	16.06	0.05	0.11	0	0	0
03:00:00	7.42	6.23	0.06	0.19	0	0	0.15
04:00:00	7.76	17.62	0.05	0.14	0	0	0
05:00:00	5.12	6.96	0.06	0.1	0	0	0
06:00:00	5.04	3.43	0.04	0.13	0	0	0
07:00:00	5.51	8.4	0.16	0.41	0	0	0.11
08:00:00	28.89	3.97	0.21	0.47	0	0	0.18
09:00:00	28.68	3.97	0.09	0.21	0	0	0.15
10:00:00			0.03	0.08	0	0	0
11:00:00	108.05	5.66	0.03	0.06	0	0	0
12:00:00	87.83	6.84	0.03	0.08	0	0	0
13:00:00	44.83	4.79	0.03	0.13	0	0	0
14:00:00	22.13	5.17	0.03	0.1	0	0	0
15:00:00	14.17	6.12	0.03	0.09	0	0	0
16:00:00	18.42	6.52	0.03	0.14	0	0	0
17:00:00	14.46	4.58	0.05	0.17	0	0	0
18:00:00	6.39	2.65	0.07	0.08	0	0	0
19:00:00	7.83	7.07	0.52	0.25	0	0	0
20:00:00	7.28	4.65	0.44	0.38	0	0	0.43
21:00:00	8.59	4.03	0.92	0.63	0	0	0.22
22:00:00	8.09	3.78	0.84	0.51	0	0	0.11
23:00:00	6.32	11.17	0.42	0.28	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	20.32	6.56	0.18	0.21	0	0	0.06
C50	8.32	5.42	0.06	0.14	0	0	0
MAX	108.05	17.62	0.92	0.63	0	0	0.43
MIN	5.04	2.65	0.03	0.06	0	0	0
C99.9	107.59	17.58	0.92	0.63	0	0	0.43
C98	98.75	16.9	0.88	0.58	0	0	0.34
C95	81.38	15.33	0.79	0.51	0	0	0.22

Datum: 2016-10-07

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.62	9.25	0.7	0.41	0	0	0.09
01:00:00	6.81	5.56	0.64	0.51	0	0	0.22
02:00:00	5.77	3.65	0.32	0.27	0	0	0.18
03:00:00	4.76	7.26	0.15	0.17	0	0	0
04:00:00	5.9	1.92	0.2	0.37	0	0	0.13
05:00:00	4.79	2.31	0.18	0.2	0	0	0
06:00:00	4.44	2.76	0.29	0.3	0	0	0.06
07:00:00	5	3.09	0.57	0.39	0	0	0.21
08:00:00	6.93	2.08	0.67	1.32	0	0	0.67
09:00:00	10.4	2.62	0.34	0.28	0	0	0
10:00:00	11.06	2.79	0.49	0.24	0	0	0
11:00:00			0.33	0.24	0	0	0.09
12:00:00	16.18	2.66	0.2	0.16	0	0	0
13:00:00	11.22	2.47	0.18	0.1	0	0	0
14:00:00	22.99	3.13	0.26	0.13	0	0	0
15:00:00	17.9	3.21	0.29	0.14	0	0	0
16:00:00	11.12	2.86	0.11	0.14	0	0	0
17:00:00	8.26	2.43	0.13	0.11	0	0	0
18:00:00	5.18	3.47	0.15	0.1	0	0	0
19:00:00	4.91	3.68	0.13	0.14	0	0	0
20:00:00	4.55	5.62	0.13	0.1	0	0	0
21:00:00	5.35	21.68	0.15	0.23	0	0	0
22:00:00	4.27	23.28	0.16	0.19	0	0	0
23:00:00	5.96	63.67	0.21	0.21	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	8.28	7.89	0.29	0.27	0	0	0.07
C50	5.93	3.11	0.21	0.21	0	0	0
MAX	22.99	63.67	0.7	1.32	0	0	0.67
MIN	4.27	1.92	0.11	0.1	0	0	0
C99.9	22.88	62.74	0.7	1.3	0	0	0.66
C98	20.65	45.09	0.68	0.95	0	0	0.46
C95	17.64	23.04	0.66	0.5	0	0	0.21

Datum: 2016-10-08

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.42	22.4	0.18	0.18	0	0	0
01:00:00	5.24	27.81	0.19	0.18	0	0	0
02:00:00	5.59	51.93	0.19	0.19	0	0	0
03:00:00	6.57	51.52	0.18	0.2	0	0	0.09
04:00:00	5.49	46.82	0.18	0.19	0	0	0
05:00:00	4.6	6.42	0.21	0.16	0	0	0
06:00:00	5.9	6.62	0.26	0.25	0	0	0.17
07:00:00	5.31	4.12	0.27	0.25	0	0	0.19
08:00:00	7.1	3.01	0.22	0.47	0	0	0.14
09:00:00	12.57	4.61	0.25	0.38	0	0	0.09
10:00:00	11.37	4.65	0.21	0.38	0	0	0.09
11:00:00	7.16	5.45	0.16	0.17	0	0	0.04
12:00:00			0.13	0.11	0	0	0
13:00:00	4.92	7.32	0.1	0.13	0	0	0
14:00:00	6.1	14.49	0.09	0.11	0	0	0
15:00:00	5.94	17.45	0.12	0.09	0	0	0
16:00:00	6.14	8.55	0.12	0.11	0	0	0
17:00:00	4.59	6.67	0.1	0.14	0	0	0
18:00:00	5.58	21.68	0.48	0.89	0	0	0.34
19:00:00	7.9	10.44	0.68	0.82	0	0	0.24
20:00:00	8.71	12.07	1.32	1.22	0	0	0.48
21:00:00	9.15	13.39	1.54	1.27	0	0	0.48
22:00:00	10.62	9.69	1.76	1.15	0	0	0.7
23:00:00	11.44	21.06	2.02	1.25	0	0	0.59

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.06	16.44	0.46	0.43	0	0	0.15
C50	6.02	10.06	0.2	0.19	0	0	0.06
MAX	12.57	51.93	2.02	1.27	0	0	0.7
MIN	4.42	3.01	0.09	0.09	0	0	0
C99.9	12.54	51.92	2.01	1.26	0	0	0.7
C98	12.05	51.74	1.9	1.26	0	0	0.65
C95	11.43	50.81	1.73	1.25	0	0	0.57

Datum: 2016-10-09

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	11.45	46.11	2.71	1.75	0	0	0.74
01:00:00	11.84	85.45	2.07	1.85	0.04	0	0.81
02:00:00	10.11	23.22	1.98	1.86	0.09	0	0.87
03:00:00	8.8	49.34	1.39	2.28	0.15	0.04	1.01
04:00:00	8.12	18.03	1.05	1.85	0.09	0	0.83
05:00:00	7.6	11.64	0.95	1.8	0	0	0.88
06:00:00	7.1	2.99	0.5	0.78	0	0	0.36
07:00:00	5.52	4.59	0.35	0.7	0	0	0.35
08:00:00	8.67	4.74	1.3	1.21	0	0	0.37
09:00:00	12.68	2.81	1.14	0.6	0	0	0.18
10:00:00	16.57	2.61	0.57	0.33	0	0	0.09
11:00:00	14.39	2.68	0.53	0.29	0	0	0
12:00:00	8.56	2.01	0.15	0.11	0	0	0
13:00:00			0.21	0.19	0	0	0
14:00:00	8.79	2.3	0.15	0.2	0	0	0
15:00:00	7.28	2.99	0.13	0.16	0	0	0
16:00:00	6.73	2.53	0.27	0.17	0	0	0
17:00:00	12.05	3.46	0.93	0.74	0	0	0.58
18:00:00	10.14	3.89	1.34	0.98	0	0	0.78
19:00:00	13.59	8.77	3.24	1.76	0	0	1.01
20:00:00	15.12	8.86	3.54	1.56	0	0	0.76
21:00:00	19.67	16.15	6.13	2.28	0	0	0.92
22:00:00	15.1	7.05	2.62	1.22	0	0	0.59
23:00:00	12.36	7.06	2.3	1.03	0	0	0.41

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.97	13.88	1.48	1.07	0.02	0	0.48
C50	10.13	4.66	1.1	1	0	0	0.5
MAX	19.67	85.45	6.13	2.28	0.15	0.04	1.01
MIN	5.52	2.01	0.13	0.11	0	0	0
C99.9	19.59	84.62	6.07	2.28	0.14	0.04	1.01
C98	18.24	68.84	4.94	2.28	0.12	0.02	1.01
C95	16.35	48.86	3.5	2.22	0.09	0	1

Datum: 2016-10-10

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.97	4.12	0.53	0.46	0	0	0.16
01:00:00	7.71	16.59	0.36	0.3	0	0	0.11
02:00:00	6.01	23.88	0.51	1.27	0.09	0	0.42
03:00:00	7.03	13.96	0.61	0.73	0	0	0.35
04:00:00	8.05	32.46	0.92	1.04	0	0	0.43
05:00:00	7.16	2.85	0.74	0.67	0	0	0.29
06:00:00	7.29	2.68	0.73	0.65	0	0	0.21
07:00:00	7.85	2.14	0.83	0.78	0	0	0.38
08:00:00	8.42	4.1	0.98	0.79	0	0	0.33
09:00:00	8.68	2.88	0.65	0.43	0	0	0.12
10:00:00	8.27	2.23	0.56	0.33	0	0	0.09
11:00:00	7.59	2.43	0.24	0.18	0	0	0
12:00:00	7.26	2.49	0.29	0.16	0	0	0
13:00:00	10.91	2.39	0.19	0.19	0	0	0
14:00:00			0.24	0.13	0	0	0
15:00:00	22.76	2.44	0.83	0.28	0	0	0
16:00:00	22.51	3.9	1.87	0.67	0	0	0.43
17:00:00	20.28	3.29	1.8	0.54	0	0	0.16
18:00:00	20.08	2.59	1.82	0.66	0	0	0.17
19:00:00	36.9	3.5	1.41	0.49	0	0	0.07
20:00:00	40.04	3.18	1.1	0.48	0	0	0
21:00:00	19.53	4.74	0.93	0.39	0	0	0
22:00:00	10.62	2.74	0.3	0.18	0	0	0
23:00:00	9.32	10.24	0.29	0.19	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	13.58	6.6	0.78	0.5	0	0	0.15
C50	8.34	3.03	0.69	0.47	0	0	0.12
MAX	40.04	32.46	1.87	1.27	0.09	0	0.43
MIN	6.01	2.14	0.19	0.13	0	0	0
C99.9	39.97	32.26	1.87	1.26	0.08	0	0.43
C98	38.6	28.51	1.85	1.16	0.05	0	0.43
C95	34.78	22.79	1.82	1	0	0	0.43

Datum: 2016-10-11

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.89	2.79	0.31	0.18	0	0	0
01:00:00	7.08	2.08	0.19	0.1	0	0	0
02:00:00	6.52	2.9	0.2	0.14	0	0	0
03:00:00	6.71	2.75	0.19	0.16	0	0	0
04:00:00	7.62	2.14	0.22	0.16	0	0	0
05:00:00	6.93	3.62	0.23	0.29	0	0	0.04
06:00:00	8.05	3.97	0.29	0.34	0	0	0.14
07:00:00	12.18	2.94	0.32	0.39	0	0	0.12
08:00:00	14.1	3.3	0.31	0.43	0	0	0.17
09:00:00	13.62	4.2	0.28	0.37	0	0	0.18
10:00:00	21.89	3.63	0.22	0.24	0	0	0.05
11:00:00	16.84	6.32	0.22	0.24	0	0	0.07
12:00:00	10.26	8.93	0.18	0.15	0	0	0.09
13:00:00	8.79	5.68	0.16	0.22	0	0	0.09
14:00:00	7.05	8.7	0.16	0.15	0	0	0
15:00:00			0.16	0.15	0	0	0
16:00:00	6.19	8	0.21	0.26	0	0	0
17:00:00	6.18	3.29	0.19	0.32	0	0	0
18:00:00	5.65	14.29	0.18	0.3	0	0	0
19:00:00	6	15.35	0.31	0.35	0	0	0
20:00:00	7.43	11.17	0.5	0.39	0	0	0.07
21:00:00	6.68	21.64	0.48	0.43	0	0	0.04
22:00:00	6.22	22.42	0.44	0.33	0	0	0
23:00:00	6.64	20.2	0.45	0.5	0	0	0.09

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	8.94	7.84	0.27	0.27	0	0	0.05
C50	6.99	4.08	0.22	0.27	0	0	0.02
MAX	21.89	22.42	0.5	0.5	0	0	0.18
MIN	5.65	2.08	0.16	0.1	0	0	0
C99.9	21.77	22.4	0.5	0.49	0	0	0.18
C98	19.56	22.06	0.49	0.47	0	0	0.17
C95	16.43	21.42	0.47	0.43	0	0	0.16

Datum: 2016-10-12

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.39	27.01	0.28	0.33	0	0	0
01:00:00	6.65	8.88	0.28	0.46	0	0	0.09
02:00:00	6.51	17.9	0.26	0.38	0	0	0.09
03:00:00	5.48	18.7	0.26	0.36	0	0	0.09
04:00:00	6.04	21.48	0.2	0.21	0	0	0
05:00:00	5	15.61	0.19	0.15	0	0	0
06:00:00	5.73	12.58	0.22	0.19	0	0	0
07:00:00	6.27	15.63	0.27	0.18	0	0	0
08:00:00	6.14	15.98	0.31	0.37	0	0	0
09:00:00	5.6	5.78	0.26	0.39	0	0	0.16
10:00:00	6.03	3.56	0.28	0.5	0	0	0.17
11:00:00	6.19	2.45	0.22	0.25	0	0	0.23
12:00:00	6.17	3.04	0.19	0.25	0	0	0.11
13:00:00	5.58	2.47	0.18	0.24	0	0	0.13
14:00:00	5.14	2.62	0.19	0.29	0	0	0.2
15:00:00	5.59	2.7	0.2	0.25	0	0	0.12
16:00:00			0.22	0.21	0	0	0.18
17:00:00	5.25	2.72	0.23	0.25	0	0	0.13
18:00:00	5.27	2.12	0.23	0.24	0	0	0.11
19:00:00	5.79	1.81	0.25	0.26	0	0	0.13
20:00:00	5.65	2.29	0.25	0.2	0	0	0.1
21:00:00	5	2.05	0.25	0.2	0	0	0.09
22:00:00	5.04	2.1	0.24	0.23	0	0	0.09
23:00:00	5.55	2.71	0.22	0.2	0	0	0.09

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.74	8.36	0.24	0.27	0	0	0.1
C50	5.63	2.88	0.24	0.25	0	0	0.09
MAX	6.65	27.01	0.31	0.5	0	0	0.23
MIN	5	1.81	0.18	0.15	0	0	0
C99.9	6.65	26.88	0.31	0.5	0	0	0.23
C98	6.59	24.47	0.29	0.48	0	0	0.22
C95	6.49	21.07	0.28	0.45	0	0	0.2

Datum: 2016-10-13

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.54	2.5	0.22	0.24	0	0	0.1
01:00:00	5.23	2.49	0.21	0.25	0	0	0.09
02:00:00	4.79	3.47	0.2	0.24	0	0	0.04
03:00:00	4.88	2.16	0.17	0.16	0	0	0.04
04:00:00	4.63	3.13	0.22	0.19	0	0	0
05:00:00	5.56	2.6	0.23	0.18	0	0	0.04
06:00:00	6	2.03	0.25	0.29	0	0	0.09
07:00:00	6.48	1.57	0.33	0.56	0	0	0.21
08:00:00	6.71	1.95	0.31	0.52	0	0	0.32
09:00:00	5.49	2.49	0.22	0.41	0	0	0.16
10:00:00	5.76	2.82	0.19	0.28	0	0	0.09
11:00:00	5.15	2.56	0.16	0.19	0	0	0.06
12:00:00	4.82	2.63	0.15	0.15	0	0	0.09
13:00:00	4.63	3.08	0.13	0.06	0	0	0
14:00:00	5.88	2.09	0.14	0.13	0	0	0
15:00:00	4.87	2.6	0.12	0.09	0	0	0
16:00:00	4.42	2.06	0.13	0.09	0	0	0
17:00:00			0.46	0.26	0	0	0.17
18:00:00	10.21	2.75	1.97	1.23	0	0	0.24
19:00:00	14.38	4.06	4.11	1.75	0	0	0.64
20:00:00	12.09	9.74	2.68	1.29	0	0	0.62
21:00:00	14.34	4.85	2.17	1.25	0	0	1.06
22:00:00	13.11	2.94	1.91	1.11	0	0	0.34
23:00:00	11.59	3.73	1.08	0.63	0	0	0.2

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.24	3.06	0.74	0.48	0	0	0.19
C50	5.55	2.6	0.22	0.26	0	0	0.09
MAX	14.38	9.74	4.11	1.75	0	0	1.06
MIN	4.42	1.57	0.12	0.06	0	0	0
C99.9	14.38	9.62	4.08	1.74	0	0	1.05
C98	14.36	7.49	3.45	1.54	0	0	0.87
C95	14.15	4.73	2.6	1.28	0	0	0.64

Datum: 2016-10-14

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	8.93	2.01	0.5	0.38	0	0	0.13
01:00:00	5.84	2.36	0.35	0.22	0	0	0.17
02:00:00	5.95	2.44	0.37	0.21	0	0	0
03:00:00	5.77	2.71	0.37	0.35	0	0	0.07
04:00:00	5.45	1.84	0.37	0.26	0	0	0.09
05:00:00	5.5	2.64	0.37	0.29	0	0	0
06:00:00	6.15	2	0.48	0.3	0	0	0.04
07:00:00	6.75	2.62	0.69	0.38	0	0	0.13
08:00:00	7.41	2.68	0.52	0.34	0	0	0.09
09:00:00	18.69	3.12	0.58	0.28	0	0	0
10:00:00	34.69	2.78	0.5	0.29	0	0	0
11:00:00	30.08	3.26	0.37	0.2	0	0	0
12:00:00	29.57	2.75	0.33	0.14	0	0	0
13:00:00	29.22	2.57	0.44	0.18	0	0	0
14:00:00	21.78	1.96	0.31	0.12	0	0	0
15:00:00	30.4	2.86	0.39	0.14	0	0	0
16:00:00	32.15	3.17	0.67	0.18	0	0	0
17:00:00	18.51	3.01	1	0.35	0	0	0
18:00:00			1.55	0.52	0	0	0
19:00:00	26.8	3.49	1.33	0.5	0	0	0
20:00:00	59.49	4.33	0.78	0.33	0	0	0
21:00:00	37.89	4.48	0.68	0.28	0	0	0
22:00:00	16.12	2.52	0.43	0.19	0	0	0
23:00:00	15.47	2.61	0.27	0.18	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	19.94	2.79	0.57	0.28	0	0	0.03
C50	17.32	2.66	0.46	0.28	0	0	0
MAX	59.49	4.48	1.55	0.52	0	0	0.17
MIN	5.45	1.84	0.27	0.12	0	0	0
C99.9	59	4.47	1.55	0.52	0	0	0.17
C98	49.55	4.41	1.45	0.51	0	0	0.15
C95	37.41	4.2	1.28	0.48	0	0	0.13

Datum: 2016-10-15

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	18.28	2.94	0.26	0.16	0	0	0
01:00:00	13.02	2.58	0.23	0.13	0	0	0
02:00:00	11.74	3.02	0.15	0.09	0	0	0
03:00:00	9.51	2.54	0.12	0.09	0	0	0
04:00:00	9.83	2.6	0.13	0.08	0	0	0
05:00:00	11.49	2.32	0.13	0.09	0	0	0
06:00:00	13.25	3.13	0.19	0.09	0	0	0
07:00:00	14.93	3.78	0.31	0.15	0	0	0
08:00:00	16.15	2.43	0.28	0.24	0	0	0
09:00:00	20.39	3.66	0.21	0.33	0	0	0.13
10:00:00	22.21	3.43	0.33	0.33	0	0	0.17
11:00:00	17.34	3.51	0.52	0.33	0	0	0.04
12:00:00	35.12	2.99	0.41	0.31	0	0	0
13:00:00	43.9	2.65	0.61	0.26	0	0	0.04
14:00:00	37.41	3.33	0.7	0.41	0	0	0.15
15:00:00	36.57	2.64	0.94	0.54	0	0	0.13
16:00:00	20.51	3.33	0.71	0.7	0	0	0.47
17:00:00	19.39	6.98	0.46	0.67	0	0	0.22
18:00:00	25.23	12.85	0.52	0.44	0	0	0.13
19:00:00			2.72	1.47	0	0	0.62
20:00:00	13.42	12.02	1.21	1.23	0	0	0.53
21:00:00	15.86	16.53	2.69	1.65	0	0	0.51
22:00:00	15.8	4.59	1.34	1.01	0	0	0.33
23:00:00	11.32	4.18	0.54	0.5	0	0	0.19

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	19.68	4.7	0.65	0.47	0	0	0.15
C50	16.01	3.23	0.44	0.33	0	0	0.09
MAX	43.9	16.53	2.72	1.65	0	0	0.62
MIN	9.51	2.32	0.12	0.08	0	0	0
C99.9	43.75	16.45	2.72	1.65	0	0	0.61
C98	40.91	14.84	2.7	1.57	0	0	0.58
C95	37.28	12.73	2.49	1.44	0	0	0.53

Datum: 2016-10-16

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	9.45	2.78	0.63	0.5	0	0	0.09
01:00:00	9.49	2.2	0.39	0.34	0	0	0.13
02:00:00	7.61	2.96	0.32	0.31	0	0	0.13
03:00:00	6.31	3.01	0.29	0.27	0	0	0
04:00:00	6.98	6.25	0.21	0.29	0	0	0
05:00:00	6.71	5.8	0.22	0.26	0	0	0.13
06:00:00	6.06	16.68	0.23	0.24	0	0	0
07:00:00	10.14	3.2	0.6	0.38	0	0	0.13
08:00:00	9.12	3.34	0.29	0.23	0	0	0.09
09:00:00	7.42	5.26	0.24	0.29	0	0	0
10:00:00	9.83	3.15	0.56	0.76	0	0	0.33
11:00:00	9.72	2.83	0.61	0.88	0	0	0.48
12:00:00	9.36	1.98	0.49	0.47	0	0	0.25
13:00:00	7.37	5.62	0.27	0.27	0	0	0.12
14:00:00	6.44	14.68	0.34	0.29	0	0	0.04
15:00:00	7.54	13.7	0.31	0.34	0	0	0
16:00:00	7.26	7.36	0.31	0.26	0	0	0.04
17:00:00	7.07	29.08	0.47	0.44	0	0	0.15
18:00:00	7.42	17.48	0.5	0.6	0	0	0.13
19:00:00	8.69	19.97	0.54	0.52	0	0	0.19
20:00:00			0.54	0.52	0	0	0.13
21:00:00	6.34	2.8	0.39	0.38	0	0	0.09
22:00:00	7.3	2.5	0.36	0.3	0	0	0.04
23:00:00	6.05	6.04	0.51	0.39	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.81	7.77	0.4	0.4	0	0	0.11
C50	7.4	4.3	0.37	0.34	0	0	0.1
MAX	10.14	29.08	0.63	0.88	0	0	0.48
MIN	6.05	1.98	0.21	0.23	0	0	0
C99.9	10.13	28.87	0.63	0.87	0	0	0.47
C98	10	24.89	0.62	0.82	0	0	0.41
C95	9.81	19.59	0.61	0.74	0	0	0.32

Datum: 2016-10-17

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.05	3.66	0.44	0.33	0	0	0
01:00:00	6.35	3.04	0.43	0.38	0	0	0
02:00:00	6.68	2.76	0.42	0.29	0	0	0.04
03:00:00	6.34	1.9	0.3	0.23	0	0	0
04:00:00	6.27	1.78	0.19	0.16	0	0	0
05:00:00	5.47	2.77	0.18	0.11	0	0	0
06:00:00	5.16	2.63	0.19	0.13	0	0	0
07:00:00	6.46	2.5	0.17	0.16	0	0	0
08:00:00	7.04	2.27	0.26	0.26	0	0	0.09
09:00:00	7	2.85	0.29	0.25	0	0	0
10:00:00	10.08	2.76	0.47	0.29	0	0	0
11:00:00	12.07	2.35	0.78	0.33	0	0	0
12:00:00	9.33	2.24	0.38	0.4	0	0	0.04
13:00:00	9.85	2.77	0.4	0.27	0	0	0.09
14:00:00	9.99	2.55	0.42	0.3	0	0	0
15:00:00	9.88	3.41	0.46	0.33	0	0	0
16:00:00	8.66	3.05	0.4	0.29	0	0	0
17:00:00	12.15	2.88	0.61	0.28	0	0	0
18:00:00	12.9	2.47	0.52	0.25	0	0	0
19:00:00	10.69	2.3	0.49	0.28	0	0	0
20:00:00	9.55	2.43	0.46	0.18	0	0	0
21:00:00			0.38	0.21	0	0	0
22:00:00	7.34	3.94	0.32	0.21	0	0	0
23:00:00	6.8	3.23	0.2	0.16	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	8.4	2.72	0.38	0.25	0	0	0.01
C50	7.2	2.69	0.4	0.26	0	0	0
MAX	12.9	3.94	0.78	0.4	0	0	0.09
MIN	5.16	1.78	0.17	0.11	0	0	0
C99.9	12.88	3.94	0.77	0.4	0	0	0.09
C98	12.56	3.82	0.7	0.39	0	0	0.09
C95	12.14	3.63	0.59	0.37	0	0	0.08

Datum: 2016-10-18

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.95	2.76	0.13	0.11	0	0	0
01:00:00	5.84	2.02	0.12	0.08	0	0	0
02:00:00	5.93	1.93	0.1	0.06	0	0	0
03:00:00	5.6	2.36	0.06	0.06	0	0	0
04:00:00	5.5	2.22	0.06	0.06	0	0	0
05:00:00	5.52	2.14	0.06	0.04	0	0	0
06:00:00	6.4	2.33	0.08	0.07	0	0	0
07:00:00	10.39	2.11	0.23	0.15	0	0	0
08:00:00	11.26	2.84	0.3	0.15	0	0	0
09:00:00	9.38	2.44	0.21	0.13	0	0	0
10:00:00	9.7	2.98	0.28	0.16	0	0	0
11:00:00	10.7	2.55	0.32	0.29	0	0	0
12:00:00	12.04	2.31	0.42	0.24	0	0	0
13:00:00	11.29	2.28	0.39	0.26	0	0	0
14:00:00	11.85	2.24	0.37	0.2	0	0	0
15:00:00	14.52	2.82	0.98	0.28	0	0	0
16:00:00	16.64	2.84	0.62	0.3	0	0	0
17:00:00	17.89	2.5	0.78	0.29	0	0	0
18:00:00	16.27	2.7	0.78	0.38	0	0	0
19:00:00	16.23	2.48	0.77	0.36	0	0	0.13
20:00:00	17	3.01	0.79	0.34	0	0	0.13
21:00:00	20.33	2.61	0.78	0.33	0	0	0
22:00:00			0.56	0.25	0	0	0
23:00:00	18.78	2.78	0.43	0.24	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	11.52	2.49	0.4	0.2	0	0	0.01
C50	10.98	2.46	0.35	0.22	0	0	0
MAX	20.33	3.01	0.98	0.38	0	0	0.13
MIN	5.5	1.93	0.06	0.04	0	0	0
C99.9	20.29	3.01	0.97	0.38	0	0	0.13
C98	19.61	3	0.89	0.37	0	0	0.13
C95	18.64	2.96	0.79	0.36	0	0	0.11

Datum: 2016-10-19

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	16.14	2.2	0.33	0.19	0	0	0
01:00:00	18.07	2.17	0.34	0.18	0	0	0
02:00:00	15.98	2.19	0.28	0.13	0	0	0
03:00:00	14.63	2.22	0.36	0.2	0	0	0
04:00:00	13.54	2.83	0.2	0.13	0	0	0
05:00:00	9.48	2.85	0.16	0.08	0	0	0
06:00:00	11.27	2.43	0.29	0.16	0	0	0
07:00:00	11.31	2.28	0.31	0.19	0	0	0
08:00:00	12.14	3.14	0.4	0.19	0	0	0
09:00:00	13.69	2.36	0.41	0.2	0	0	0
10:00:00	14.05	3.1	0.47	0.26	0	0	0
11:00:00	15.13	3.41	0.81	0.26	0	0	0
12:00:00	17.14	3.93	0.82	0.43	0	0	0.22
13:00:00	20.06	3.08	1.56	0.51	0	0	0.17
14:00:00	22.24	3.59	0.97	0.43	0	0	0
15:00:00	16.55	3.29	0.71	0.34	0	0	0
16:00:00	16.46	3.43	1	0.43	0	0	0.09
17:00:00	19.44	2.56	1.73	0.62	0	0	0.04
18:00:00	17.34	3.52	1.16	0.5	0	0	0
19:00:00	15.56	3.09	1.2	0.44	0	0	0.09
20:00:00	14.39	3.64	0.92	0.41	0	0	0.04
21:00:00	13.27	3.14	1.18	0.46	0	0	0.15
22:00:00	16.24	3.18	0.67	0.4	0	0	0.07
23:00:00			0.47	0.24	0	0	0.04

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	15.4	2.94	0.7	0.31	0	0	0.04
C50	15.35	3.09	0.57	0.26	0	0	0
MAX	22.24	3.93	1.73	0.62	0	0	0.22
MIN	9.48	2.17	0.16	0.08	0	0	0
C99.9	22.19	3.93	1.73	0.62	0	0	0.22
C98	21.24	3.8	1.65	0.57	0	0	0.2
C95	19.97	3.63	1.51	0.51	0	0	0.17

Datum: 2016-10-20

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	14.17	3.32	0.27	0.15	0	0	0
01:00:00	14.08	3.07	0.22	0.15	0	0	0
02:00:00	11.92	2.48	0.18	0.08	0	0	0
03:00:00	10.82	2.61	0.2	0.07	0	0	0
04:00:00	9.63	2.68	0.19	0.08	0	0	0
05:00:00	7.82	2.79	0.17	0.08	0	0	0
06:00:00	6.55	2.69	0.19	0.09	0	0	0
07:00:00	9.44	2.03	0.27	0.09	0	0	0
08:00:00	12.22	2.78	0.33	0.16	0	0	0
09:00:00	17.01	2.67	0.34	0.19	0	0	0
10:00:00	17.33	3.66	0.36	0.21	0	0	0
11:00:00	17.17	3.26	0.39	0.25	0	0	0
12:00:00	19.83	2.93	0.33	0.22	0	0	0
13:00:00	16.25	2.88	0.44	0.36	0	0	0
14:00:00	15.16	2.88	0.51	0.26	0	0	0
15:00:00	12.06	3.11	0.49	0.33	0	0	0
16:00:00	14.59	3.05	0.68	0.3	0	0	0
17:00:00	14.81	3.24	0.66	0.28	0	0	0
18:00:00	14.58	3.61	1.41	0.45	0	0	0
19:00:00	12.76	2.27	0.72	0.3	0	0	0
20:00:00	12.71	3.04	0.75	0.34	0	0	0
21:00:00	11.8	3.12	0.69	0.34	0	0	0
22:00:00	10.92	3.34	0.55	0.24	0	0	0
23:00:00	10.91	3.25	0.6	0.31	0	0	0

Ras pod	100%	100%	100%	100%	100%	100%	100%
AVG	13.11	2.95	0.46	0.22	0	0	0
C50	12.74	2.99	0.38	0.23	0	0	0
MAX	19.83	3.66	1.41	0.45	0	0	0
MIN	6.55	2.03	0.17	0.07	0	0	0
C99.9	19.77	3.66	1.4	0.45	0	0	0
C98	18.68	3.64	1.11	0.41	0	0	0
C95	17.31	3.57	0.74	0.36	0	0	0

Datum: 2016-10-21

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00			0.39	0.23	0	0	0
01:00:00	8.53	3.19	0.27	0.18	0	0	0
02:00:00	7.14	2.12	0.14	0.15	0	0	0
03:00:00	6.39	2.91	0.16	0.15	0	0	0
04:00:00	8.32	2.2	0.13	0.15	0	0	0
05:00:00	7.76	3.62	0.11	0.08	0	0	0
06:00:00	7.48	2.53	0.19	0.12	0	0	0
07:00:00	7.9	2.64	0.34	0.15	0	0	0
08:00:00	8.67	2.45	0.31	0.15	0	0	0
09:00:00	8.25	2.64	0.29	0.24	0	0	0
10:00:00	10.16	2.7	0.37	0.24	0	0	0
11:00:00	10.74	2.64	0.49	0.24	0	0	0
12:00:00	11.57	2.94	0.54	0.34	0	0	0.09
13:00:00	14.23	3.43	0.9	0.45	0	0	0.04
14:00:00	15.08	2.97	0.81	0.43	0	0	0.04
15:00:00	17.07	3.2	0.99	0.36	0	0	0
16:00:00	22.4	3.57	1.44	0.52	0	0	0
17:00:00	23.8	3.14	1.19	0.47	0	0	0
18:00:00	15	4.5	0.46	0.34	0	0	0.09
19:00:00	9.15	13.75	0.32	0.38	0	0	0.11
20:00:00	7.9	9.28	0.37	0.45	0	0	0.09
21:00:00	7.11	7.37	0.35	0.33	0	0	0
22:00:00	6.67	4.46	0.39	0.51	0	0	0.2
23:00:00	7.9	3.23	0.3	0.38	0	0	0.1

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.84	3.98	0.47	0.29	0	0	0.03
C50	8.42	3.05	0.36	0.29	0	0	0
MAX	23.8	13.75	1.44	0.52	0	0	0.2
MIN			0.11	0.08	0	0	0
C99.9	23.77	13.65	1.43	0.52	0	0	0.19
C98	23.16	11.7	1.33	0.52	0	0	0.16
C95	21.6	9	1.16	0.51	0	0	0.11

Datum: 2016-10-22

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.4	2.67	0.29	0.27	0	0	0.04
01:00:00			0.3	0.41	0	0	0.17
02:00:00	6.41	2.28	0.25	0.29	0	0	0.15
03:00:00	5.32	2.43	0.23	0.3	0	0	0.14
04:00:00	6.85	2.25	0.21	0.32	0.07	0.04	0.23
05:00:00	5.42	2.49	0.17	0.25	0.13	0.04	0.09
06:00:00	5.1	2.46	0.18	0.25	0.13	0.04	0.12
07:00:00	6.23	2.7	0.17	0.24	0	0	0.21
08:00:00	5.46	2.3	0.18	0.23	0	0	0.09
09:00:00	6.06	2.18	0.2	0.25	0	0	0.07
10:00:00	6.1	2.37	0.19	0.23	0	0	0.09
11:00:00	5.66	1.86	0.15	0.24	0	0	0.04
12:00:00	5.8	2.34	0.14	0.23	0	0	0
13:00:00	5.66	1.67	0.13	0.13	0	0	0
14:00:00	5.07	2.52	0.12	0.11	0	0	0
15:00:00	5.68	2.37	0.14	0.11	0	0	0
16:00:00	4.38	2.07	0.14	0.15	0	0	0
17:00:00	6.76	2.02	0.89	0.51	0	0	0.26
18:00:00	9.93	4.64	2.14	1.44	0	0	0.48
19:00:00	14.53	2.72	3.15	1.84	0	0	0.62
20:00:00	14.31	2.43	2.68	1.2	0	0	0.41
21:00:00	17.06	3.52	3.22	1.33	0	0	0.44
22:00:00	10.77	2.35	0.67	0.53	0	0	0.16
23:00:00	7.49	2.36	0.55	0.41	0	0	0.09

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	7.54	2.48	0.69	0.47	0.01	0.01	0.16
C50	6.08	2.37	0.21	0.26	0	0	0.1
MAX	17.06	4.64	3.22	1.84	0.13	0.04	0.62
MIN	4.38	1.67	0.12	0.11	0	0	0
C99.9	17	4.61	3.22	1.83	0.13	0.04	0.62
C98	15.9	4.12	3.19	1.66	0.13	0.04	0.56
C95	14.49	3.4	3.08	1.42	0.12	0.04	0.48

Datum: 2016-10-23

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.51	2.17	0.41	0.28	0	0	0
01:00:00	6.03	3.15	0.41	0.35	0	0	0.09
02:00:00			0.55	0.4	0	0	0.07
03:00:00	7.48	2.51	0.46	0.3	0	0	0
04:00:00	6.65	3.16	0.32	0.26	0	0	0
05:00:00	6.7	2.66	0.36	0.26	0	0	0
06:00:00	5.75	3.07	0.36	0.25	0	0	0
07:00:00	7.05	2.47	0.41	0.25	0	0	0
08:00:00	8.21	2.59	0.52	0.26	0	0	0
09:00:00	10.8	2.59	0.71	0.33	0	0	0.04
10:00:00	13.63	3.06	0.7	0.31	0	0	0
11:00:00	16.08	2.14	0.49	0.28	0	0	0
12:00:00	20.97	3.24	0.47	0.41	0	0	0.13
13:00:00	30.4	4.31	0.56	0.61	0	0	0.2
14:00:00	34.26	3.93	0.7	0.68	0	0	0.22
15:00:00	39.77	2.95	0.69	0.56	0	0	0.09
16:00:00	36.99	3.62	0.7	0.56	0	0	0.09
17:00:00	16.39	3.4	0.49	0.37	0	0	0
18:00:00	13.45	4.61	3.55	2.08	0	0	0.88
19:00:00	18.07	8.34	4.39	2.53	0	0	0.91
20:00:00	25.59	8.04	6.41	3.3	0	0	1.22
21:00:00	20.03	5.05	3.34	1.78	0	0	0.63
22:00:00	13.6	2.72	0.88	0.66	0	0	0.2
23:00:00	11.07	2.64	0.93	0.6	0	0	0.13

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	16.33	3.58	1.2	0.74	0	0	0.2
C50	13.53	3.06	0.56	0.39	0	0	0.08
MAX	39.77	8.34	6.41	3.3	0	0	1.22
MIN	5.75	2.14	0.32	0.25	0	0	0
C99.9	39.71	8.33	6.37	3.28	0	0	1.21
C98	38.49	8.2	5.48	2.95	0	0	1.08
C95	36.58	7.59	4.26	2.46	0	0	0.91

Datum: 2016-10-24

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	9.47	2.59	1.14	0.71	0	0	0.19
01:00:00	9.42	3.19	1.03	0.6	0	0	0.2
02:00:00	8.69	3.02	0.66	0.52	0	0	0.11
03:00:00			0.3	0.22	0	0	0
04:00:00	7.84	2.65	0.32	0.21	0	0	0
05:00:00	8.34	2.42	0.28	0.23	0	0	0
06:00:00	8.69	3.34	0.88	1.73	0.09	0	1.02
07:00:00	8.95	3.81	0.96	1.78	0.16	0.13	1.18
08:00:00	10.95	3.77	1.28	2.51	0.13	0.13	1.65
09:00:00	13.05	3.04	1.43	2.46	0	0	1.44
10:00:00	13.95	3.18	0.71	0.51	0	0	0.27
11:00:00	18.58	3.48	0.51	0.53	0	0	0.14
12:00:00	17.58	3.24	0.44	0.4	0	0	0.04
13:00:00	74.72	4.19	0.37	0.67	0	0	0.11
14:00:00	81.47	3.81	0.32	0.7	0	0	0.14
15:00:00	22.88	2.44	0.53	0.54	0	0	0.33
16:00:00	102.7	7.68	0.62	0.71	0	0	0.23
17:00:00	196.93	8.36	4.92	1.27	0	0	0.49
18:00:00	62.53	4.68	2.16	1.04	0	0	0.29
19:00:00	27.7	3.36	1.48	0.79	0	0	0.32
20:00:00	16.92	3.77	1.06	0.64	0	0	0.16
21:00:00	16.14	3.06	1.23	0.5	0	0	0.09
22:00:00	14.19	3.36	0.49	0.29	0	0	0.09
23:00:00	12.91	3.12	0.37	0.28	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	33.24	3.72	0.98	0.83	0.02	0.01	0.35
C50	14.07	3.29	0.69	0.62	0	0	0.18
MAX	196.93	8.36	4.92	2.51	0.16	0.13	1.65
MIN	7.84	2.42	0.28	0.21	0	0	0
C99.9	194.76	8.34	4.86	2.51	0.16	0.13	1.65
C98	153.58	8.05	3.65	2.49	0.15	0.13	1.56
C95	99.52	7.23	2.05	2.36	0.13	0.11	1.4

Datum: 2016-10-25

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	12.29	3.26	0.32	0.21	0	0	0
01:00:00	11.98	3.06	0.2	0.21	0	0	0
02:00:00	10.9	3.58	0.17	0.13	0	0	0
03:00:00	11.27	3.03	0.14	0.14	0	0	0
04:00:00			0.13	0.13	0	0	0
05:00:00	11.44	2.23	0.13	0.11	0	0	0
06:00:00	10.18	2.71	0.14	0.16	0	0	0
07:00:00	10.69	2.48	0.27	0.24	0	0	0
08:00:00	11.97	2.67	0.17	0.17	0	0	0
09:00:00	17.26	2.28	0.22	0.21	0	0	0
10:00:00	53.51	4.12	0.31	0.27	0	0	0
11:00:00	42.6	3.01	0.29	0.41	0	0	0.17
12:00:00	48.48	3.23	0.28	0.29	0	0	0.09
13:00:00	38.22	3.91	0.49	0.41	0	0	0
14:00:00	38.06	2.54	0.35	0.33	0	0	0.19
15:00:00	26.31	3.17	0.52	0.47	0	0	0.25
16:00:00	30.08	3.15	0.74	0.46	0	0	0.11
17:00:00	20.36	4.29	1.66	0.85	0	0	0.16
18:00:00	21.41	2.96	2.19	1.04	0	0	0.17
19:00:00	17.46	4.16	1.29	0.64	0	0	0.11
20:00:00	16.19	2.9	1.16	0.57	0	0	0.09
21:00:00	14.66	3.64	1.09	0.59	0	0	0.11
22:00:00	13.14	3.19	0.59	0.39	0	0	0.04
23:00:00	11.67	2.77	0.47	0.26	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	21.74	3.15	0.55	0.36	0	0	0.06
C50	15.42	3.05	0.31	0.28	0	0	0
MAX	53.51	4.29	2.19	1.04	0	0	0.25
MIN	10.18	2.23	0.13	0.11	0	0	0
C99.9	53.4	4.28	2.17	1.03	0	0	0.25
C98	51.2	4.23	1.95	0.95	0	0	0.23
C95	47.59	4.16	1.61	0.82	0	0	0.19

Datum: 2016-10-26

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	13	3.22	0.26	0.25	0	0	0
01:00:00	10.84	2.69	0.2	0.19	0	0	0
02:00:00	10.44	2.93	0.15	0.16	0	0	0
03:00:00	8.88	3.43	0.15	0.16	0	0	0
04:00:00	7.84	3.18	0.16	0.16	0	0	0
05:00:00			0.16	0.24	0	0	0.11
06:00:00	6.74	6.89	0.15	0.21	0	0	0.05
07:00:00	6.46	6.1	0.17	0.2	0	0	0.09
08:00:00	6.67	3.09	0.19	0.35	0	0	0.21
09:00:00	5.52	8.47	0.25	0.22	0	0	0.16
10:00:00	6.93	3.88	0.21	0.3	0	0	0.06
11:00:00	6.18	2.43	0.19	0.41	0	0	0.09
12:00:00	5.97	2.68	0.19	0.49	0	0	0
13:00:00	5.75	2.65	0.21	0.47	0	0	0.09
14:00:00	6.69	2.63	0.24	0.28	0	0	0
15:00:00	4.68	2.22	0.27	0.23	0	0	0
16:00:00	5.59	2.69	0.28	0.25	0	0	0
17:00:00	4.99	2.73	0.29	0.29	0	0	0
18:00:00	5.8	2.69	0.35	0.3	0	0	0.09
19:00:00	5.2	2.01	0.33	0.28	0	0	0
20:00:00	6.37	3.52	0.32	0.29	0	0	0
21:00:00	4.39	3.58	0.3	0.23	0	0	0
22:00:00	4.97	1.87	0.19	0.13	0	0	0
23:00:00	4.8	2.4	0.19	0.15	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.73	3.39	0.23	0.26	0	0	0.04
C50	6.08	2.71	0.21	0.24	0	0	0
MAX	13	8.47	0.35	0.49	0	0	0.21
MIN	4.39	1.87	0.15	0.13	0	0	0
C99.9	12.95	8.44	0.35	0.49	0	0	0.21
C98	12.01	7.74	0.34	0.48	0	0	0.19
C95	10.78	6.77	0.33	0.46	0	0	0.15

Datum: 2016-10-27

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.95	17	0.16	0.15	0	0	0
01:00:00	5.32	14.41	0.16	0.13	0	0	0
02:00:00	3.91	25.11	0.11	0.21	0	0	0
03:00:00	5.45	33.36	0.12	0.25	0	0	0
04:00:00	4.78	54.73	0.13	0.29	0	0	0.09
05:00:00	4.75	32.85	0.17	0.33	0	0	0.09
06:00:00			0.27	0.35	0	0	0.19
07:00:00	4.81	5	0.43	0.86	0	0	0.41
08:00:00	5.94	4.06	0.53	0.76	0	0	0.42
09:00:00	5.55	5.35	0.24	0.25	0	0	0.04
10:00:00	4.09	3.33	0.19	0.2	0	0	0
11:00:00	4.99	3.47	0.15	0.18	0	0	0
12:00:00	4.19	2.46	0.12	0.14	0	0	0
13:00:00	3.92	2.69	0.11	0.12	0	0	0
14:00:00	4.2	2.51	0.07	0.08	0	0	0
15:00:00	4.34	2.16	0.13	0.05	0	0	0
16:00:00	4.85	2.81	0.12	0.09	0	0	0
17:00:00	5.06	2.7	0.11	0.13	0	0	0
18:00:00	4.39	8.04	0.16	0.36	0	0	0.04
19:00:00	5.04	3.09	0.21	0.3	0	0	0.06
20:00:00	4.76	3.73	0.25	0.37	0	0	0
21:00:00	5.07	2.33	0.22	0.18	0	0	0
22:00:00	5.49	5.2	0.4	0.24	0	0	0
23:00:00	5.03	7.35	0.43	0.25	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.78	10.6	0.21	0.26	0	0	0.06
C50	4.8	3.9	0.16	0.23	0	0	0
MAX	5.94	54.73	0.53	0.86	0	0	0.42
MIN	3.91	2.16	0.07	0.05	0	0	0
C99.9	5.93	54.24	0.53	0.85	0	0	0.42
C98	5.76	44.9	0.49	0.81	0	0	0.42
C95	5.54	33.28	0.43	0.7	0	0	0.37

Datum: 2016-10-28

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	7.23	7.53	1.04	0.46	0	0	0.04
01:00:00	8.12	5.09	1.77	0.97	0	0	0.19
02:00:00	7.74	16.47	1.7	1.25	0.23	0.39	0.48
03:00:00	8.85	9.97	0.78	1.61	0.4	0.27	1.18
04:00:00	7.78	11.8	0.66	2.15	0.22	0.13	0.91
05:00:00	7.26	5.94	0.78	1.48	0.09	0	0.7
06:00:00	8.17	12.14	0.77	1.6	0	0	0.73
07:00:00			1.25	4.87	0.42	0.2	1.31
08:00:00	9.04	8.98	1.59	3.29	0.23	0.05	1.84
09:00:00	9	11.55	0.93	1.51	0	0	1.03
10:00:00	7.71	3.03	0.62	1.12	0	0	0.63
11:00:00	7.36	3.81	0.52	1.04	0	0	0.21
12:00:00	7.76	2.94	0.49	0.68	0	0	0.2
13:00:00	6.99	1.9	0.29	0.28	0	0	0.05
14:00:00	8.37	2.26	0.29	0.23	0	0	0.04
15:00:00	8.86	2.17	0.56	0.19	0	0	0
16:00:00	7.61	1.73	0.12	0.15	0	0	0
17:00:00	8.88	2.87	0.92	0.41	0	0	0.3
18:00:00	14.86	3.88	3.08	1.45	0	0	0.37
19:00:00	20.57	7.73	4.79	2.14	0	0	0.95
20:00:00	20.6	11.22	4.42	2.28	0	0	0.89
21:00:00	13.36	43.71	1.83	2.77	0.15	0.09	1.54
22:00:00	18.21	13.6	5.73	3.2	0.13	0.09	1.74
23:00:00	18.94	8.92	4.04	2.3	0	0	1.09

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	10.58	8.66	1.62	1.56	0.08	0.05	0.68
C50	8.27	6.74	0.93	1.47	0	0	0.66
MAX	20.6	43.71	5.73	4.87	0.42	0.39	1.84
MIN	6.99	1.73	0.12	0.15	0	0	0
C99.9	20.6	43.08	5.7	4.83	0.42	0.39	1.84
C98	20.59	31.18	5.29	4.14	0.41	0.33	1.8
C95	20.32	16.04	4.73	3.28	0.38	0.26	1.71

Datum: 2016-10-29

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	14.79	12.79	3.48	2.12	0	0	0.95
01:00:00	12.56	34.25	2.28	1.7	0	0	0.73
02:00:00	12.57	74.14	2.57	1.84	0	0	0.84
03:00:00	10.54	35.18	2.08	3.19	0.13	0	1.23
04:00:00	10.35	16.06	1.76	2.9	0.17	0.06	1.72
05:00:00	10.56	16.78	1.64	3.82	0.32	0.17	2.37
06:00:00	11.15	9.39	1.62	3.9	0.09	0	2.29
07:00:00	10.99	7.98	1.89	5.34	0.25	0.09	2.85
08:00:00			1.07	2.48	0.05	0	1.66
09:00:00	18.59	3.3	0.6	0.9	0	0	0.68
10:00:00	14.93	4.69	0.35	0.37	0	0	0.31
11:00:00	11.76	3.7	0.28	0.28	0	0	0.17
12:00:00	10.61	2.77	0.32	0.3	0	0	0.13
13:00:00	12.65	2.15	0.28	0.29	0	0	0.12
14:00:00	10.99	2.83	0.28	0.29	0	0	0.07
15:00:00	10.72	2.71	0.29	0.3	0	0	0.04
16:00:00	10.89	2.95	0.34	0.31	0	0	0.13
17:00:00	11.36	3.34	0.43	0.39	0	0	0.11
18:00:00	11.72	1.91	0.41	0.42	0	0	0.17
19:00:00	10.31	2.22	0.41	0.43	0	0	0.13
20:00:00	10.02	2.6	0.34	0.35	0	0	0.09
21:00:00	8.72	7.69	0.31	0.31	0	0	0.11
22:00:00	7.88	18.67	0.27	0.26	0	0	0.09
23:00:00	7.26	47.97	0.19	0.25	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	11.39	13.74	0.98	1.36	0.04	0.01	0.71
C50	10.94	4.19	0.41	0.4	0	0	0.17
MAX	18.59	74.14	3.48	5.34	0.32	0.17	2.85
MIN	7.26	1.91	0.19	0.25	0	0	0
C99.9	18.5	73.54	3.46	5.31	0.32	0.17	2.83
C98	16.9	62.1	3.06	4.68	0.29	0.13	2.63
C95	14.91	46.05	2.52	3.89	0.24	0.09	2.36

Datum: 2016-10-30

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.2	6.43	0.2	0.23	0	0	0.04
01:00:00	6.83	5.73	0.14	0.19	0	0	0.04
02:00:00	6.01	5.26	0.17	0.2	0	0	0.04
03:00:00	5.68	16.3	0.15	0.17	0	0	0.17
04:00:00	5.94	32.4	0.13	0.19	0	0	0
05:00:00	5.93	14.8	0.1	0.16	0	0	0
06:00:00	6.43	2.06	0.1	0.17	0	0	0
07:00:00	6.19	2.42	0.11	0.19	0	0	0.13
08:00:00			0.15	0.2	0	0	0
09:00:00	5.65	3.82	0.13	0.18	0	0	0
10:00:00	5.4	5.28	0.09	0.16	0	0	0
11:00:00	4.43	3.25	0.06	0.14	0	0	0
12:00:00	4.78	3.75	0.07	0.1	0	0	0
13:00:00	5.31	5.99	0.06	0.07	0	0	0
14:00:00	5.99	6.38	0.09	0.09	0	0	0
15:00:00	8.94	4.87	0.11	0.14	0	0	0
16:00:00	8.61	10.87	0.24	0.21	0	0	0
17:00:00	8.97	36.33	0.31	0.22	0	0	0
18:00:00	8.15	20.85	0.42	0.33	0	0	0
19:00:00	7.45	28.25	0.36	0.27	0	0	0
20:00:00	8.28	25.67	0.44	0.25	0	0	0.04
21:00:00	7.17	51.74	0.4	0.23	0	0	0
22:00:00	6.47	32.03	0.25	0.17	0	0	0
23:00:00	5.72	38.18	0.17	0.14	0	0	0

Ras pod	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.54	15.77	0.19	0.18	0	0	0.02
C50	6.1	6.41	0.15	0.18	0	0	0
MAX	8.97	51.74	0.44	0.33	0	0	0.17
MIN	4.43	2.06	0.06	0.07	0	0	0
C99.9	8.97	51.43	0.44	0.33	0	0	0.17
C98	8.96	45.5	0.43	0.3	0	0	0.15
C95	8.89	37.9	0.42	0.27	0	0	0.12

Datum: 2016-10-30

VREME	SO2	H2S	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	6.2	6.43	0.2	0.23	0	0	0.04
01:00:00	6.83	5.73	0.14	0.19	0	0	0.04
02:00:00	6.01	5.26	0.17	0.2	0	0	0.04
03:00:00	5.68	16.3	0.15	0.17	0	0	0.17
04:00:00	5.94	32.4	0.13	0.19	0	0	0
05:00:00	5.93	14.8	0.1	0.16	0	0	0
06:00:00	6.43	2.06	0.1	0.17	0	0	0
07:00:00	6.19	2.42	0.11	0.19	0	0	0.13
08:00:00			0.15	0.2	0	0	0
09:00:00	5.65	3.82	0.13	0.18	0	0	0
10:00:00	5.4	5.28	0.09	0.16	0	0	0
11:00:00	4.43	3.25	0.06	0.14	0	0	0
12:00:00	4.78	3.75	0.07	0.1	0	0	0
13:00:00	5.31	5.99	0.06	0.07	0	0	0
14:00:00	5.99	6.38	0.09	0.09	0	0	0
15:00:00	8.94	4.87	0.11	0.14	0	0	0
16:00:00	8.61	10.87	0.24	0.21	0	0	0
17:00:00	8.97	36.33	0.31	0.22	0	0	0
18:00:00	8.15	20.85	0.42	0.33	0	0	0
19:00:00	7.45	28.25	0.36	0.27	0	0	0
20:00:00	8.28	25.67	0.44	0.25	0	0	0.04
21:00:00	7.17	51.74	0.4	0.23	0	0	0
22:00:00	6.47	32.03	0.25	0.17	0	0	0
23:00:00	5.72	38.18	0.17	0.14	0	0	0

Ras pod	191.67%	191.67%	200%	200%	200%	200%	200%
AVG	6.54	15.77	0.19	0.18	0	0	0.02
C50	6.1	6.41	0.15	0.18	0	0	0
MAX	8.97	51.74	0.44	0.33	0	0	0.17
MIN	4.43	2.06	0.06	0.07	0	0	0
C99.9	8.97	51.74	0.44	0.33	0	0	0.17
C98	8.97	51.74	0.44	0.33	0	0	0.17
C95	8.94	38.18	0.42	0.27	0	0	0.13

