



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10001 Obedska bara - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-10-01 do 2016-10-31

KOD stanice: **RS10001**

EIO klasifikacija: **0/0/0**

Koordinate XY: **44.735 / 19.986**

Nadmorska visina: **75**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-10-01

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.23	1.94	10.53	0	0	0.04	0.04	0.35
01:00:00	2.41	2.12		0	0	0.04	0.04	0.5
02:00:00	1.98	2.23	6.31	0	0	0	0.04	0.5
03:00:00	2.3	1.71	5.84	0	0	0	0	0.38
04:00:00	2.05	1.98	11.58	0	0	0.04	0.04	0.26
05:00:00	2.21	2.06	11.86	0	0.04	0	0.04	0.41
06:00:00	2	1.76	6.92	0	0	0	0.04	0.26
07:00:00	1.38	2.42	8.35	0	0	0	0	0.35
08:00:00	2.24	2.33	22.08	0	0	0.04	0	0.3
09:00:00	5.65	2.03	51.55	0	0	0.04	0.04	0.13
10:00:00	5.74	2.01	86.03	0	0	0.04	0.04	0
11:00:00			100.55	0	0	0.06	0.04	0.45
12:00:00	12.48	2.26	113.68	0	0	0.06	0.04	0.32
13:00:00	18.2	2.13	120.39	0	0	0.09	0.04	0.04
14:00:00	18.47	1.75	124.26	0	0.04	0.09	0.04	0.04
15:00:00	16.02	2.28	124.01	0	0	0.07	0.04	0.04
16:00:00	12.99	2.33	118.78	0.03	0	0.12	0.04	0
17:00:00	6.79	1.96	81.89	0	0	0.09	0.04	0.58
18:00:00	4.95	2.04	70.22	0	0	0.1	0.04	0.63
19:00:00	2.48	2.33	48.56	0	0	0.04	0.04	0.74
20:00:00	1.95	1.83	40.26	0	0	0.07	0.04	0.65
21:00:00	2.07	1.69	32.63	0	0	0.04	0.04	0.69
22:00:00	1.46	2.16	22.41	0	0	0.04	0.04	0.54
23:00:00	2.3	1.85	28.95	0	0	0.04	0	0.42

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.71	2.05	54.24	0	0	0.05	0.04	0.36
C50	2.35	2.04	36.45	0	0	0.04	0.04	0.36
MAX	18.47	2.42	124.26	0.03	0.04	0.12	0.04	0.74
MIN	1.38	1.69	5.84	0	0	0	0	0
C99.9	18.46	2.42	124.26	0.03	0.04	0.12	0.04	0.74
C98	18.35	2.38	124.15	0.02	0.04	0.11	0.04	0.72
C95	17.87	2.33	123.46	0	0.03	0.1	0.04	0.69

Datum: 2016-10-02

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.85	2.02	25.8	0	0	0.04	0.04	0
01:00:00	1.87	1.73	23.71	0	0	0.09	0	0.33
02:00:00	1.85	2.18		0	0	0	0.04	0.25
03:00:00	1.78	2.13	21.74	0	0	0.04	0	0.46
04:00:00	2.44	2.22	16.53	0	0	0.04	0.04	0.35
05:00:00	2.34	1.86	12.75	0.03	0	0	0	0.3
06:00:00	2.53	2.14	7.96	0	0	0	0.04	0.38
07:00:00	2.23	1.94	11.2	0	0	0	0	0.33
08:00:00	2.1	2.55	28.21	0.03	0	0	0	0.27
09:00:00	2.69	1.78	46.29	0	0	0.04	0	0.3
10:00:00	5.91	2.25	68.37	0	0	0	0.04	0.17
11:00:00	46.71	2.39	77.29	0.03	0	0.04	0.04	0.04
12:00:00			95.14	0	0	0.04	0	0.78
13:00:00	6.63	1.86	101.63	0	0	0.06	0.04	0.69
14:00:00	9.82	2.05	103.03	0	0	0.06	0.04	0.07
15:00:00	30.43	2.42	95.02	0	0	0.06	0.04	0.04
16:00:00	3.43	1.72	77.17	0.03	0.04	0.06	0.04	0.77
17:00:00	2.78	1.95	46.84	0	0	0.06	0.04	0.8
18:00:00	2.32	2.16	43.75	0	0	0.06	0.04	0.74
19:00:00	6.81	1.89	68.07	0	0	0.09	0.04	0.38
20:00:00	3.01	2.52	51.46	0	0	0.04	0.04	0.61
21:00:00	2.72	1.89	42.46	0	0	0.04	0.04	0.63
22:00:00	2.1	2.12	39.72	0	0	0.07	0.04	0.3
23:00:00	2.18	2.23	31.98	0	0	0.04	0	0.35

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.37	2.09	49.4	0.01	0	0.04	0.03	0.39
C50	2.48	2.08	43.11	0	0	0.04	0.04	0.34
MAX	46.71	2.55	103.03	0.03	0.04	0.09	0.04	0.8
MIN	1.78	1.72	7.96	0	0	0	0	0
C99.9	46.34	2.55	103	0.03	0.04	0.09	0.04	0.8
C98	39.22	2.54	102.39	0.03	0.02	0.09	0.04	0.79
C95	27.34	2.51	100.66	0.03	0	0.08	0.04	0.78

Datum: 2016-10-03

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.18	1.75	32.31	0	0	0.04	0	0.56
01:00:00	2.56	1.89	30.64	0.03	0.04	0.04	0.04	0.56
02:00:00	2.04	2.16	21.99	0	0	0.04	0.04	0.16
03:00:00	1.79	2.19		0	0	0.04	0.04	0.39
04:00:00	1.51	2.07	19.34	0	0	0.04	0.04	0.33
05:00:00	2.29	2.17	20.71	0	0	0.04	0	0.43
06:00:00	1.72	2.12	15.43	0	0	0	0.04	0.35
07:00:00	3.09	2.21	30.55	0	0	0.04	0.04	0.26
08:00:00	2.93	1.76	37.8	0	0	0.04	0	0.35
09:00:00	2.09	2.17	40.04	0	0	0.04	0	0.35
10:00:00	2.25	2.19	50.3	0	0	0	0	0.3
11:00:00	3.17	1.99	41.79	0	0	0	0	0.17
12:00:00	2.19	2.05	49.84	0	0	0	0	0.33
13:00:00			65.7	0	0	0	0	0.13
14:00:00	2.18	1.89	66.66	0.03	0	0	0	0.39
15:00:00	1.55	2.11	63.13	0.03	0.04	0	0	0.3
16:00:00	2.04	1.64	57.49	0	0	0	0.04	0.28
17:00:00	2.05	2.07	51.21	0	0	0	0	0.2
18:00:00	2.27	2.02	44.08	0	0	0.04	0	0.24
19:00:00	2.25	2.11	46.14	0.03	0	0	0	0.22
20:00:00	2.04	1.77	46.69	0	0.04	0.04	0.04	0.15
21:00:00	1.7	2.17	45.27	0	0	0	0	0.22
22:00:00	2.07	1.98	41.11	0	0	0	0	0.16
23:00:00	2.27	1.83	36.05	0.03	0	0	0	0.19

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.18	2.01	41.49	0.01	0	0.02	0.01	0.29
C50	2.14	2.06	41.45	0	0	0	0	0.29
MAX	3.17	2.21	66.66	0.03	0.04	0.04	0.04	0.56
MIN	1.51	1.64	15.43	0	0	0	0	0.13
C99.9	3.17	2.21	66.64	0.03	0.04	0.04	0.04	0.56
C98	3.13	2.2	66.22	0.03	0.04	0.04	0.04	0.56
C95	3.06	2.19	65.31	0.03	0.04	0.04	0.04	0.54

Datum: 2016-10-04

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.96	1.71	30.45	0	0	0	0	0.17
01:00:00	2.21	2.32	28.66	0	0	0	0	0.12
02:00:00	1.82	2.12	31.16	0	0	0	0	0.26
03:00:00	2.39	1.82	34.07	0	0	0	0	0.18
04:00:00	2.31	1.98		0.03	0	0	0	0.16
05:00:00	2.26	1.87	27.4	0	0	0	0	0.2
06:00:00	2.19	1.97	21.29	0	0	0	0	0.14
07:00:00	2.3	1.89	18.22	0.03	0	0	0	0.22
08:00:00	4.82	2.08	34.91	0	0	0	0	0.19
09:00:00	5.34	1.84	40.51	0	0.04	0	0	0.17
10:00:00	3.93	1.97	51	0	0	0	0	0
11:00:00	3.71	1.43	60.06	0	0	0	0	0
12:00:00	2.17	2.25	65.04	0	0	0	0	0
13:00:00	2.36	1.89	67.58	0	0	0	0	0
14:00:00			74.11	0	0.04	0	0	0
15:00:00	2.3	1.89	76.85	0	0	0	0	0
16:00:00	2.19	2.05	75.02	0	0	0	0	0
17:00:00	2.29	1.53	67.78	0	0	0	0	0
18:00:00	2.3	1.87	61.24	0	0	0	0	0
19:00:00	1.9	2.33	51.68	0	0	0.04	0	0
20:00:00	2.01	1.8	46.89	0	0	0	0	0
21:00:00	1.66	1.76		0	0	0	0	0
22:00:00	1.67	2.03		0	0	0	0	0
23:00:00	2	2.03		0	0	0	0	0

Ras pod	95.83%	95.83%	83.33%	100%	100%	100%	100%	100%
AVG	2.57	1.93	48.2	0	0	0	0	0.08
C50	2.28	1.89	37.71	0	0	0	0	0
MAX	5.34	2.33	76.85	0.03	0.04	0.04	0	0.26
MIN	1.66	1.43	18.22	0	0	0	0	0
C99.9	5.32	2.33	76.81	0.03	0.04	0.04	0	0.26
C98	5.1	2.33	76.01	0.03	0.04	0.02	0	0.24
C95	4.69	2.31	74.89	0.03	0.03	0	0	0.21

Datum: 2016-10-05

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.97	2.2		0	0	0	0	0
01:00:00	1.63	2		0	0.04	0	0	0.04
02:00:00	2.41	2.25		0	0	0	0	0
03:00:00	1.89	1.96		0	0	0	0	0
04:00:00	2.31	1.86		0	0	0	0	0
05:00:00	2.18	1.99		0	0	0	0	0
06:00:00	2.01	2		0	0	0	0	0
07:00:00	2.1	2.26		0	0	0	0	0
08:00:00	2.33	1.97		0	0	0	0	0
09:00:00	2.63	1.73		0	0	0	0	0
10:00:00	2.53	1.89		0	0.04	0	0	0
11:00:00	2.47	2.17		0	0	0	0	0
12:00:00	2	1.81		0	0	0	0	0
13:00:00	2.49	1.9		0	0	0	0	0
14:00:00	1.99	1.95		0	0	0	0	0
15:00:00				0	0	0	0	0
16:00:00	2.03	2.13		0	0	0	0	0
17:00:00	1.82	2.38		0.03	0	0	0	0
18:00:00	2.19	1.86		0.03	0	0	0	0
19:00:00	2.5	2.19		0	0	0	0	0
20:00:00	3.37	1.78		0	0	0	0	0
21:00:00	3.71	1.74		0.03	0	0	0	0
22:00:00	3.23	2.06		0	0.04	0	0	0
23:00:00	3.26	2.11		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	2.39	2.01		0	0	0	0	0
C50	2.25	1.98	0	0	0	0	0	0
MAX	3.71	2.38		0.03	0.04	0	0	0.04
MIN	1.63	1.73		0	0	0	0	0
C99.9	3.7	2.38	0	0.03	0.04	0	0	0.04
C98	3.56	2.32	0	0.03	0.04	0	0	0.02
C95	3.36	2.26	0	0.03	0.04	0	0	0

Datum: 2016-10-06

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.78	1.8		0	0	0	0	0
01:00:00	3.13	1.59		0	0	0	0	0
02:00:00	2.49	1.85		0	0	0	0	0
03:00:00	3.07	2.48		0	0	0	0	0
04:00:00	3.18	1.65		0	0	0	0	0
05:00:00	2.34	1.92		0	0	0	0	0
06:00:00	2.16	1.94		0	0	0	0	0
07:00:00	2.22	2.52		0	0	0	0	0
08:00:00	2.46	1.94		0	0	0	0	0
09:00:00	3.02	2.22		0	0	0	0	0
10:00:00	2.72	2.07		0	0	0	0	0
11:00:00	2.61	2.19		0	0.04	0	0	0
12:00:00	2.52	1.91		0	0	0	0	0
13:00:00	2.66	1.59		0	0	0	0	0
14:00:00	2.05	2.06		0	0.04	0	0	0
15:00:00	2.58	2.04		0	0	0	0	0
16:00:00				0	0.04	0.04	0	0
17:00:00	2.37	1.83		0	0	0	0	0
18:00:00	2.16	1.86		0	0	0	0	0
19:00:00	2.31	2.06		0	0	0	0	0
20:00:00	2.3	1.74		0	0	0	0	0.04
21:00:00	2.03	1.89		0	0	0	0	0
22:00:00	2.38	2.14		0	0	0	0	0
23:00:00	2.54	1.88		0.03	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	2.57	1.96		0	0	0	0	0
C50	2.47	1.92	0	0	0	0	0	0
MAX	3.78	2.52		0.03	0.04	0.04	0	0.04
MIN	2.03	1.59		0	0	0	0	0
C99.9	3.77	2.52	0	0.03	0.04	0.04	0	0.04
C98	3.51	2.5	0	0.02	0.04	0.02	0	0.02
C95	3.17	2.44	0	0	0.04	0	0	0

Datum: 2016-10-07

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.51	2.06		0	0	0	0	0
01:00:00	2.64	1.81		0.03	0	0	0.04	0
02:00:00	2.85	1.67		0	0	0	0	0
03:00:00	2.19	2.46		0	0	0	0	0
04:00:00	2.87	2.2		0	0.04	0	0	0
05:00:00	2.46	2.03		0	0	0	0	0
06:00:00	2.7	2.09		0	0	0	0	0
07:00:00	3.78	1.86		0	0	0	0	0
08:00:00	2.18	2.07		0	0	0	0	0
09:00:00	3.66	2.22		0.03	0	0	0	0
10:00:00	3.25	1.91		0	0	0	0	0
11:00:00	3.8	2.04		0	0.04	0	0	0
12:00:00	3.42	1.93		0	0.04	0	0	0
13:00:00	5.17	1.97		0	0	0	0	0
14:00:00	4.83	1.86		0	0	0	0	0
15:00:00	3.94	1.99		0	0	0.04	0	0
16:00:00	3.68	1.8		0	0	0.04	0	0
17:00:00				0	0	0.04	0	0
18:00:00	2.24	2.26		0	0	0	0	0
19:00:00	2.65	2.44		0.03	0.04	0	0	0
20:00:00	2.54	2.45		0	0	0	0	0.04
21:00:00	2.6	2.18		0	0	0	0	0
22:00:00	2.65	1.67		0.03	0	0	0	0
23:00:00	2.58	2.14		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.1	2.05		0.01	0.01	0.01	0	0
C50	2.68	2.03	0	0	0	0	0	0
MAX	5.17	2.46		0.03	0.04	0.04	0.04	0.04
MIN	2.18	1.67		0	0	0	0	0
C99.9	5.16	2.46	0	0.03	0.04	0.04	0.04	0.04
C98	5.01	2.46	0	0.03	0.04	0.04	0.02	0.02
C95	4.7	2.45	0	0.03	0.04	0.04	0	0

Datum: 2016-10-08

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.14	1.8		0	0.04	0	0	0
01:00:00	2.77	1.68		0	0	0	0	0
02:00:00	1.97	2.37		0	0	0	0	0
03:00:00	2.65	1.78		0	0	0	0	0
04:00:00	2.23	2.11		0	0	0	0	0
05:00:00	2.05	2.21		0	0	0	0	0
06:00:00	2.77	2.2		0	0	0	0	0
07:00:00	2.35	2.25		0	0	0	0	0
08:00:00	2	2.2		0	0.04	0	0	0
09:00:00	2.33	2.35		0	0	0	0	0
10:00:00	3.09	1.83		0	0	0	0	0
11:00:00	2.84	2.22		0	0	0	0	0
12:00:00	3.23	1.91		0	0	0.04	0	0
13:00:00	2.68	2.16		0	0	0	0	0
14:00:00	2.74	2.08		0	0	0	0	0
15:00:00	3.21	2.36		0	0	0	0	0
16:00:00	2.74	2.02		0	0	0	0	0
17:00:00	2.27	2.42		0	0	0	0	0
18:00:00				0	0	0	0	0
19:00:00	2.16	2.28		0	0	0	0	0
20:00:00	2.14	2		0	0	0	0	0
21:00:00	2.69	1.98		0	0	0	0	0
22:00:00	2.28	2.2		0	0	0	0	0
23:00:00	1.95	2.22		0	0.04	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	2.49	2.11		0	0	0	0	0
C50	2.34	2.18	0	0	0	0	0	0
MAX	3.23	2.42		0	0.04	0.04	0	0
MIN	1.95	1.68		0	0	0	0	0
C99.9	3.23	2.41	0	0	0.04	0.04	0	0
C98	3.22	2.4	0	0	0.04	0.02	0	0
C95	3.19	2.37	0	0	0.04	0	0	0

Datum: 2016-10-09

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.48	2.19		0	0	0	0	0
01:00:00	2.73	2.11		0	0	0	0	0
02:00:00	2.85	1.52		0	0	0	0	0
03:00:00	2.47	2		0	0	0	0	0
04:00:00	2.05	2.05		0	0	0	0	0
05:00:00	2.18	2.38		0	0	0	0	0
06:00:00	2.18	1.99		0	0	0	0	0
07:00:00	2.9	2.04		0	0	0	0	0
08:00:00	2.46	2.08		0	0	0	0	0
09:00:00	4.27	1.87		0	0	0	0	0
10:00:00	6.1	2.13		0	0	0	0	0.04
11:00:00	4.38	1.82		0	0.04	0	0	0
12:00:00	3.77	1.95		0	0	0	0	0
13:00:00	4.52	2		0	0	0	0	0
14:00:00	4.32	1.95		0	0	0	0	0
15:00:00	3.28	1.82		0	0	0	0	0
16:00:00	4.56	2.24		0	0	0	0	0
17:00:00	5.12	2.03		0	0	0	0	0
18:00:00	2.43	1.83		0	0	0	0	0
19:00:00				0	0	0	0	0
20:00:00	1.89	2.07		0	0	0	0	0
21:00:00	2.19	1.98		0	0	0.04	0	0
22:00:00	2.15	2.06		0	0	0	0	0
23:00:00	2.05	2.13		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.19	2.01		0	0	0	0	0
C50	2.61	2.01	0	0	0	0	0	0
MAX	6.1	2.38		0	0.04	0.04	0	0.04
MIN	1.89	1.52		0	0	0	0	0
C99.9	6.08	2.38	0	0	0.04	0.04	0	0.04
C98	5.65	2.31	0	0	0.02	0.02	0	0.02
C95	5.04	2.23	0	0	0	0	0	0

Datum: 2016-10-10

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.48	2.13		0	0	0	0	0
01:00:00	2.27	2		0	0	0	0	0
02:00:00	2.36	1.52		0	0	0	0	0
03:00:00	1.92	2.39		0	0	0	0	0
04:00:00	1.76	2.34		0.03	0	0	0	0
05:00:00	3.22	1.65		0.03	0	0	0.04	0
06:00:00	3.13	2.18		0.03	0.04	0	0	0.04
07:00:00	2.78	2.62		0.05	0.04	0	0	0
08:00:00	3.43	2.36		0.05	0.04	0	0	0.09
09:00:00	4.67	2.45		0.04	0.04	0	0.04	0
10:00:00	5.75	2.1		0	0	0	0	0
11:00:00	12.38	2.11		0	0	0	0	0
12:00:00	17.17	2.68		0.03	0	0	0	0
13:00:00	45.87	2.09		0	0.04	0	0	0
14:00:00	36.07	2.91		0.03	0	0	0	0
15:00:00	12.8	2		0.03	0	0	0	0.04
16:00:00	6.39	1.85		0	0.04	0	0	0
17:00:00	3.56	2.09		0	0	0	0	0
18:00:00	3.23	1.59		0	0	0	0	0.04
19:00:00	3.1	1.92		0.03	0	0.04	0	0
20:00:00				0	0	0	0	0
21:00:00	3	1.86		0	0	0	0	0
22:00:00	2.88	1.83		0	0	0	0.04	0
23:00:00	2.81	1.85		0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	7.96	2.11		0.02	0.01	0	0.01	0.01
C50	3.18	2.09	0	0	0	0	0	0
MAX	45.87	2.91		0.05	0.04	0.04	0.04	0.09
MIN	1.76	1.52		0	0	0	0	0
C99.9	45.64	2.9	0	0.05	0.04	0.04	0.04	0.09
C98	41.36	2.8	0	0.05	0.04	0.02	0.04	0.07
C95	33.24	2.67	0	0.05	0.04	0	0.04	0.04

Datum: 2016-10-11

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	1.92	2.53		0	0	0	0	0
01:00:00	2.45	2.29		0.03	0	0	0	0
02:00:00	2.17	2.06		0.03	0.04	0.04	0	0
03:00:00	2.11	2.39		0.03	0	0.04	0	0
04:00:00	2.61	2		0	0	0.04	0	0
05:00:00	2.5	2.09		0.03	0.04	0	0	0
06:00:00	2.62	2.08		0.03	0	0.04	0	0
07:00:00	4.87	2.47		0	0.04	0	0	0
08:00:00	11.3	2.59		0.03	0.04	0	0	0
09:00:00	11.55	2.14		0.03	0	0	0	0.04
10:00:00	9.07	2.24		0.03	0.04	0	0	0
11:00:00	6.67	2.23		0.03	0	0	0	0
12:00:00	5.67	2.17		0	0	0	0	0
13:00:00	4.7	2.22		0	0.04	0	0	0
14:00:00	4.94	2.07		0	0	0	0	0
15:00:00	4.27	2.03		0	0	0	0.04	0
16:00:00	3.89	1.9		0.03	0	0	0	0
17:00:00	3.79	1.77		0.05	0	0	0	0.04
18:00:00	2.96	2.13		0.03	0.04	0	0	0
19:00:00	4.16	2.03		0.03	0	0	0	0.04
20:00:00	4.75	1.73		0.06	0.04	0	0	0
21:00:00				0	0	0	0	0
22:00:00	4.13	2.44		0.03	0	0	0	0
23:00:00	4.21	2.28		0	0	0.04	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	4.67	2.17		0.02	0.01	0.01	0	0.01
C50	4.14	2.13	0	0.03	0	0	0	0
MAX	11.55	2.59		0.06	0.04	0.04	0.04	0.04
MIN	1.92	1.73		0	0	0	0	0
C99.9	11.54	2.59	0	0.06	0.04	0.04	0.04	0.04
C98	11.44	2.56	0	0.06	0.04	0.04	0.02	0.04
C95	10.97	2.52	0	0.05	0.04	0.04	0	0.04

Datum: 2016-10-12

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.85	2.01		0.03	0.04	0	0	0.04
01:00:00	4.02	1.93		0	0	0	0	0
02:00:00	3.23	1.59		0	0.04	0	0	0
03:00:00	2.93	1.66		0	0.04	0	0	0
04:00:00	2.75	2.17		0	0	0	0	0
05:00:00	2.66	2.18		0	0	0	0	0
06:00:00	2.39	2.14		0	0	0	0.04	0.04
07:00:00	2.66	1.89		0	0	0	0	0
08:00:00	2.47	2.12		0	0	0	0	0
09:00:00	2.24	2.13		0	0	0	0	0
10:00:00	2.76	2.34		0	0	0.04	0	0.04
11:00:00	2.85	1.71		0	0	0	0	0
12:00:00	2.99	2.04		0	0	0	0	0
13:00:00	2.58	2.45		0	0	0	0	0
14:00:00	2.85	1.73		0	0	0	0	0
15:00:00	3.07	2.23		0	0	0	0	0.04
16:00:00	3.25	2.02		0	0	0	0	0
17:00:00	3.42	2.14		0	0	0	0	0
18:00:00	3.12	1.57		0	0	0	0	0
19:00:00	3.21	1.94		0.03	0	0	0	0
20:00:00	4.23	1.53		0	0.04	0	0	0
21:00:00	6.28	2.5		0	0	0	0	0
22:00:00				0	0	0	0	0
23:00:00	4.19	2		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.22	2		0	0.01	0	0	0.01
C50	2.96	2.01	0	0	0	0	0	0
MAX	6.28	2.5		0.03	0.04	0.04	0.04	0.04
MIN	2.24	1.53		0	0	0	0	0
C99.9	6.23	2.5	0	0.03	0.04	0.04	0.04	0.04
C98	5.34	2.48	0	0.03	0.04	0.02	0.02	0.04
C95	4.22	2.43	0	0.03	0.04	0	0	0.04

Datum: 2016-10-13

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.52	1.81		0	0	0	0	0
01:00:00	3.76	1.79		0	0	0	0	0
02:00:00	3.6	1.89		0	0.04	0	0	0.04
03:00:00	3.43	1.95		0	0	0	0	0
04:00:00	3.56	1.82		0.03	0	0	0	0
05:00:00	3.44	2.27		0	0	0	0	0
06:00:00	2.71	1.98		0	0	0	0	0
07:00:00	3.08	1.84		0	0	0	0	0
08:00:00	3.47	1.8		0	0	0	0	0
09:00:00	3.2	1.71		0	0.04	0	0	0
10:00:00	2.8	2.37		0	0	0	0	0
11:00:00	3.82	2.33		0.03	0.04	0	0	0
12:00:00	15.63	1.92		0	0.04	0	0	0
13:00:00	19.53	1.79		0	0.04	0.04	0	0
14:00:00	20.19	1.96		0	0.04	0	0	0
15:00:00	15.26	1.83		0	0	0	0	0
16:00:00	11.7	1.61		0	0	0	0	0
17:00:00	4.71	2.21		0	0	0	0	0
18:00:00	2.54	1.87		0	0	0	0	0
19:00:00	2.51	2.3		0	0	0	0	0
20:00:00	2.47	2.01		0	0	0	0	0
21:00:00	2.28	2.31		0	0.04	0	0.04	0
22:00:00	2.06	1.93		0	0	0	0	0
23:00:00				0.03	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	6.1	1.97		0	0.01	0	0	0
C50	3.45	1.91	0	0	0	0	0	0
MAX	20.19	2.37		0.03	0.04	0.04	0.04	0.04
MIN	2.06	1.61		0	0	0	0	0
C99.9	20.18	2.37	0	0.03	0.04	0.04	0.04	0.04
C98	19.89	2.35	0	0.03	0.04	0.02	0.02	0.02
C95	18.95	2.33	0	0.03	0.04	0	0	0

Datum: 2016-10-14

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.18	1.86		0	0	0	0	0
01:00:00	2.75	2.19		0	0	0	0	0
02:00:00	2.94	2.03		0	0	0	0	0
03:00:00	3.19	2.08		0	0	0	0	0
04:00:00	3.67	2.03		0	0	0	0	0.04
05:00:00	2.44	2.36		0	0	0	0	0
06:00:00	3.41	2.29		0	0.04	0	0	0
07:00:00	4.43	2.51		0	0	0	0	0
08:00:00	4.61	2.1		0	0	0	0	0
09:00:00	4.94	2.22		0	0	0	0	0.04
10:00:00	21.27	2.47		0	0	0	0	0
11:00:00	133.4	8.29		0	0.04	0	0	0
12:00:00	124.28	5.16		0	0	0	0	0
13:00:00	40.33	3.07		0	0	0	0	0
14:00:00	8.65	2.04		0	0	0	0	0
15:00:00	7.91	1.92		0	0.04	0	0	0
16:00:00	5.84	1.97		0	0	0	0	0
17:00:00	4.18	2.08		0	0	0	0	0
18:00:00	6	2.06		0	0	0	0	0
19:00:00	7.35	2.49		0.03	0	0	0	0
20:00:00	4.9	1.65		0	0	0	0	0
21:00:00	5.14	1.82		0	0.04	0	0	0
22:00:00	5.44	2.37		0	0	0	0	0
23:00:00	6.15	1.76		0	0	0	0	0

Ras pod	100%	100%	0%	100%	100%	100%	100%	100%
AVG	17.35	2.53		0	0.01	0	0	0
C50	5.04	2.09	0	0	0	0	0	0
MAX	133.4	8.29		0.03	0.04	0	0	0.04
MIN	2.44	1.65		0	0	0	0	0
C99.9	133.19	8.21	0	0.03	0.04	0	0	0.04
C98	129.2	6.85	0	0.02	0.04	0	0	0.04
C95	111.69	4.84	0	0	0.04	0	0	0.04

Datum: 2016-10-15

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00				0	0	0	0	0
01:00:00	3.3	1.85		0	0	0	0	0
02:00:00	3.16	1.97		0	0	0	0	0
03:00:00	3.01	2.2		0	0.04	0	0	0
04:00:00	3.08	2.1		0	0	0.04	0	0
05:00:00	2.89	2.26		0	0	0	0	0
06:00:00	2.6	2.24		0	0	0	0	0
07:00:00	3.51	1.6		0	0	0	0	0
08:00:00	6.42	2.13		0	0	0	0	0
09:00:00	17.6	1.9		0	0	0	0	0
10:00:00	13.31	1.69		0	0	0	0	0
11:00:00	20.1	1.95		0	0	0	0	0
12:00:00	17.14	2.17		0	0	0	0	0
13:00:00	14.24	2.15		0	0	0	0	0
14:00:00	12.49	1.75		0	0	0.04	0	0
15:00:00	8.29	2.11		0	0	0.04	0.04	0
16:00:00	5.51	2.44		0	0	0	0.04	0
17:00:00	4	1.91		0.03	0.04	0	0	0
18:00:00	3.58	2.11		0	0	0	0	0
19:00:00	3.22	2.31		0.03	0	0	0	0
20:00:00	4	2.08		0	0.04	0	0	0
21:00:00	4.71	1.96		0.03	0.04	0	0	0
22:00:00	3.26	2.43		0	0	0	0	0
23:00:00	2.75	2.51		0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	7.05	2.08		0.01	0.01	0.01	0	0
C50	3.79	2.1	0	0	0	0	0	0
MAX	20.1	2.51		0.03	0.04	0.04	0.04	0
MIN				0	0	0	0	0
C99.9	20.04	2.51	0	0.03	0.04	0.04	0.04	0
C98	18.95	2.48	0	0.03	0.04	0.04	0.04	0
C95	17.53	2.44	0	0.03	0.04	0.04	0.04	0

Datum: 2016-10-16

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.3	2.11		0	0	0	0	0
01:00:00				0	0	0.04	0	0
02:00:00	2.92	2.06		0.03	0	0	0	0
03:00:00	3.39	2.03		0	0.04	0	0	0
04:00:00	3.09	1.9		0	0	0	0	0.04
05:00:00	3.67	1.91		0	0	0	0	0
06:00:00	3.72	1.95		0	0	0	0	0.04
07:00:00	3.3	2.16		0.03	0	0	0	0.04
08:00:00	4.04	2.28		0	0	0	0	0
09:00:00	3.15	2.36		0	0	0	0	0
10:00:00	3.76	1.73		0.03	0.04	0	0	0
11:00:00	4.2	2.09		0.05	0	0.04	0	0
12:00:00	3.06	2.38		0.03	0	0	0	0.04
13:00:00	3.39	2.09		0	0	0	0	0
14:00:00	3.75	1.8		0	0	0	0	0.04
15:00:00	3.5	1.46		0	0	0	0	0
16:00:00	3.08	2.07		0.03	0	0	0.04	0
17:00:00	2.57	2.26		0	0.04	0	0	0
18:00:00	3.1	1.96		0.03	0	0	0	0
19:00:00	3.13	2		0	0	0	0	0
20:00:00	3.72	1.74		0.04	0	0	0	0
21:00:00	3.85	2.12		0.03	0	0	0.04	0
22:00:00	4.59	1.8		0	0	0	0	0
23:00:00	4.28	1.93		0	0	0	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.5	2.01		0.01	0	0	0	0.01
C50	3.39	2.01	0	0	0	0	0	0
MAX	4.59	2.38		0.05	0.04	0.04	0.04	0.04
MIN	2.57	1.46		0	0	0	0	0
C99.9	4.58	2.38	0	0.05	0.04	0.04	0.04	0.04
C98	4.45	2.37	0	0.05	0.04	0.04	0.04	0.04
C95	4.27	2.35	0	0.04	0.04	0.04	0.04	0.04

Datum: 2016-10-17

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.89	2.3		0.03	0	0.04	0	0
01:00:00	3.31	2.36		0	0	0	0	0
02:00:00				0.03	0	0	0	0
03:00:00	4.29	2.27		0	0	0	0	0
04:00:00	3.65	2.05		0	0.04	0	0	0
05:00:00	3.19	2.09		0.03	0	0	0	0
06:00:00	2.73	2.03		0	0	0	0	0
07:00:00	3.42	1.94		0	0	0	0	0
08:00:00	2.76	2.13		0.03	0	0	0	0
09:00:00	2.57	2.03		0	0	0	0	0
10:00:00	2.54	2.03		0	0	0	0	0
11:00:00	2.14	2.11		0	0	0	0	0
12:00:00	3.1	1.8		0	0.04	0	0	0
13:00:00	2.75	1.8		0	0.04	0	0	0
14:00:00	1.91	2.37		0	0	0	0	0
15:00:00	4.09	2.15		0	0	0	0	0
16:00:00	8.6	2.63		0	0	0	0	0
17:00:00	5.76	1.97		0	0	0	0	0
18:00:00	5.16	1.79		0	0	0	0	0
19:00:00	2.68	1.91		0	0	0	0	0
20:00:00	2.52	2.06		0	0	0	0	0
21:00:00	2.39	1.95		0	0	0	0	0
22:00:00	2.67	1.85		0	0	0	0	0
23:00:00	2.14	2.02		0	0	0.04	0	0

Ras pod	95.83%	95.83%	0%	100%	100%	100%	100%	100%
AVG	3.4	2.07		0.01	0	0	0	0
C50	2.75	2.03	0	0	0	0	0	0
MAX	8.6	2.63		0.03	0.04	0.04	0	0
MIN	1.91	1.79		0	0	0	0	0
C99.9	8.53	2.62	0	0.03	0.04	0.04	0	0
C98	7.29	2.51	0	0.03	0.04	0.04	0	0
C95	5.67	2.37	0	0.03	0.04	0.04	0	0

Datum: 2016-10-18

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.51	1.91		0	0	0.04	0	0
01:00:00	2.72	2		0	0.04	0	0	0
02:00:00	1.94	2.18		0.03	0	0	0	0
03:00:00				0	0	0	0	0
04:00:00	2.62	2.08		0.03	0	0	0.04	0
05:00:00	2.36	1.9		0	0	0	0	0
06:00:00	2.49	2.11		0	0	0	0	0
07:00:00	2.48	1.92		0	0	0	0	0
08:00:00	2.53	1.77		0	0	0	0	0
09:00:00	2.4	2.11		0	0	0	0	0
10:00:00	2.63	1.83		0	0	0	0	0
11:00:00	2.91	1.86	42.53	0	0	0	0	0
12:00:00	2.99	2.21	48.16	0	0	0	0	0
13:00:00	2.74	2.15	52.28	0	0	0	0	0
14:00:00	3.39	1.5	53.66	0	0	0	0	0
15:00:00	2.69	2.01	54.68	0	0	0	0	0
16:00:00	4.84	1.97	53.12	0	0	0	0	0
17:00:00	15.11	1.63	46.89	0	0	0	0	0
18:00:00	17.42	2.13	42.42	0	0	0	0	0
19:00:00	26.36	1.95	40.59	0	0	0	0	0
20:00:00	5.89	2.19	44.61	0	0	0	0	0
21:00:00	2.66	2	46.21	0	0	0	0	0
22:00:00	2.63	2.02	47.83	0.03	0.04	0	0	0
23:00:00	2.19	2.03	44.57	0	0	0	0	0

Ras pod	95.83%	95.83%	54.17%	100%	100%	100%	100%	100%
AVG	5.06	1.98	47.5	0	0	0	0	0
C50	2.65	2	41.5	0	0	0	0	0
MAX	26.36	2.21	54.68	0.03	0.04	0.04	0.04	0
MIN	1.94	1.5		0	0	0	0	0
C99.9	26.16	2.21	54.66	0.03	0.04	0.04	0.04	0
C98	22.25	2.2	54.21	0.03	0.04	0.02	0.02	0
C95	17.07	2.19	53.58	0.03	0.03	0	0	0

Datum: 2016-10-19

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.88	2	33.17	0	0	0	0	0
01:00:00	2.91	1.96	37.2	0	0	0	0	0
02:00:00	2.81	1.75	36.37	0.03	0	0	0	0
03:00:00	2.04	2.35	28.78	0	0	0	0	0
04:00:00			24.74	0	0	0	0	0.04
05:00:00	3.07	2.01	32.63	0	0	0	0	0
06:00:00	2.62	2.19	28.95	0	0	0	0	0
07:00:00	3.23	2.05	35.37	0.03	0	0	0	0
08:00:00	4.02	2.09	33.25	0	0.04	0	0	0.04
09:00:00	3.85	1.66	34.43	0	0.04	0	0	0
10:00:00	2.08	2.36	42.55	0	0	0.04	0	0
11:00:00	4.55	2.14	39.96	0	0	0	0	0.04
12:00:00	3.71	1.79		0	0	0	0	0.04
13:00:00	2.29	2.26	34.17	0.03	0	0	0	0.04
14:00:00	2.64	1.72	34.42	0	0	0	0	0
15:00:00	4.01	1.79	38.46	0	0.04	0	0	0.04
16:00:00	2.95	2.61	42.76	0	0	0	0	0
17:00:00	2.88	2.3	41.74	0	0	0	0	0
18:00:00	2.74	1.63	43.11	0	0	0	0	0
19:00:00	2.04	2.34	42.59	0	0	0	0	0
20:00:00	2.44	2.4	41.59	0	0.04	0	0	0
21:00:00	3.28	2.25	37.57	0	0	0	0	0
22:00:00	2.44	2.1	20.34	0.03	0	0	0	0
23:00:00	2.95	2.16	19.43	0	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.98	2.08	34.94	0.01	0.01	0	0	0.01
C50	2.88	2.09	34.9	0	0	0	0	0
MAX	4.55	2.61	43.11	0.03	0.04	0.04	0	0.04
MIN	2.04	1.63	19.43	0	0	0	0	0
C99.9	4.54	2.61	43.1	0.03	0.04	0.04	0	0.04
C98	4.31	2.51	42.95	0.03	0.04	0.02	0	0.04
C95	4.02	2.39	42.74	0.03	0.04	0	0	0.04

Datum: 2016-10-20

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.28	2	17.48	0	0	0	0	0
01:00:00	3.66	1.81	15.32	0	0	0	0	0
02:00:00	3.19	2.03	13.73	0	0	0	0	0
03:00:00	2.88	1.73	11.98	0	0.04	0	0	0
04:00:00	3.02	1.92	7.34	0	0	0	0	0
05:00:00			7.2	0	0	0	0	0
06:00:00	2.65	1.98	7.64	0	0	0	0	0
07:00:00	2.6	2.09	18.41	0	0	0	0	0
08:00:00	2.2	1.99	26.71	0	0	0	0	0
09:00:00	3.52	1.74	35.94	0	0	0.04	0	0
10:00:00	3.78	1.76	43.38	0	0	0.04	0	0
11:00:00	4.78	2.12	48.98	0	0	0.04	0	0
12:00:00	3.85	1.6	55.03	0.03	0.04	0	0	0
13:00:00	2.9	1.84		0	0	0	0	0
14:00:00	2.71	2.16	62.35	0	0.04	0	0	0
15:00:00	11.52	1.81	56.98	0	0	0	0	0
16:00:00	4.63	1.95	61.96	0	0	0	0	0
17:00:00	3.64	1.98	58.66	0	0	0	0	0
18:00:00	3.12	2.09	55.98	0	0	0	0	0
19:00:00	2.38	2.44	52.91	0	0	0	0	0
20:00:00	2.66	1.87	49.5	0	0	0	0	0
21:00:00	2.26	2.22	47.79	0	0	0	0	0
22:00:00	2.64	1.94	47.97	0	0	0	0	0
23:00:00	2.54	2.06	46.54	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.45	1.96	36.95	0	0	0.01	0	0
C50	2.89	1.96	44.96	0	0	0	0	0
MAX	11.52	2.44	62.35	0.03	0.04	0.04	0	0
MIN	2.2	1.6	7.2	0	0	0	0	0
C99.9	11.36	2.43	62.34	0.03	0.04	0.04	0	0
C98	8.42	2.34	62.17	0.02	0.04	0.04	0	0
C95	4.76	2.21	61.47	0	0.04	0.04	0	0

Datum: 2016-10-21

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.42	2.16	46.55	0	0	0	0	0
01:00:00	1.96	2.27	45.76	0	0	0	0	0
02:00:00	2.66	2.09	44.3	0	0	0	0	0
03:00:00	2.93	1.93	43.68	0	0	0	0	0
04:00:00	2.93	1.97	42.7	0	0	0	0	0
05:00:00	3.36	1.95	41.82	0	0	0	0	0
06:00:00			41.5	0	0	0	0	0
07:00:00	2.99	1.76	40.59	0	0.04	0	0	0
08:00:00	2.63	2.13	42.7	0	0.04	0	0	0
09:00:00	2.29	2.19	44.54	0.03	0	0	0	0
10:00:00	2.97	2.25	46.27	0	0.04	0	0	0.04
11:00:00	2.96	1.99	49.34	0.03	0	0	0	0
12:00:00	2.88	1.86	50.48	0	0.04	0	0	0
13:00:00	3.12	2.2	49.4	0	0	0	0	0
14:00:00	3.96	1.74		0	0	0	0	0
15:00:00	11.17	2.68	43.03	0.03	0	0	0	0
16:00:00	13.54	2.36	39.63	0	0.04	0	0	0
17:00:00	4.12	1.84	39.95	0	0	0	0	0
18:00:00	7.49	2.05	24.07	0.03	0	0	0	0
19:00:00	2.32	2.13	9.83	0.03	0	0	0	0
20:00:00	2.71	2.02	10.96	0	0.04	0	0	0
21:00:00	3.66	2.09	9.94	0.03	0	0	0	0
22:00:00	3.12	2.15	10.35	0	0.04	0	0	0
23:00:00	2.92	1.94	12.3	0	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.96	2.08	36.07	0.01	0.01	0	0	0
C50	2.95	2.07	42.26	0	0	0	0	0
MAX	13.54	2.68	50.48	0.03	0.04	0	0	0.04
MIN	1.96	1.74	9.83	0	0	0	0	0
C99.9	13.48	2.67	50.46	0.03	0.04	0	0	0.04
C98	12.45	2.53	49.98	0.03	0.04	0	0	0.02
C95	10.62	2.35	49.39	0.03	0.04	0	0	0

Datum: 2016-10-22

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.42	2	13.53	0	0	0	0	0
01:00:00	3.9	1.37	14.77	0	0	0	0	0
02:00:00	3.28	1.95	16.23	0	0	0	0	0
03:00:00	2.63	2.05	17.32	0	0	0	0	0
04:00:00	2.41	2.01	17.62	0	0.04	0	0	0
05:00:00	2.5	1.97	18.29	0	0	0	0	0
06:00:00	2.87	2.16	21.97	0	0.04	0	0	0
07:00:00			28.68	0	0	0	0	0
08:00:00	4.08	1.76	29.75	0	0.04	0	0	0
09:00:00	2.52	1.77	30.74	0	0	0	0	0
10:00:00	2.65	1.69	33.98	0	0	0	0	0
11:00:00	3.2	1.91	41.98	0	0	0	0	0
12:00:00	2.98	2.2	49.88	0	0.04	0	0	0
13:00:00	2.63	1.9	55.61	0	0.04	0.04	0	0
14:00:00	2.72	2.42	62.58	0.03	0	0	0	0
15:00:00	3.21	1.49		0	0	0	0	0
16:00:00	2.17	1.93	46.66	0	0	0	0	0
17:00:00	2.36	1.88	25.66	0	0	0	0	0
18:00:00	3.08	1.88	23.26	0	0	0	0	0.04
19:00:00	2.82	2.19	20.84	0	0	0	0	0
20:00:00	2.49	2.19	11.86	0	0	0	0	0
21:00:00	1.86	2.32	8	0	0	0	0	0
22:00:00	2.32	2.12	8.48	0	0	0	0	0
23:00:00	3.04	1.95	7.58	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	2.83	1.96	26.32	0	0.01	0	0	0
C50	2.69	1.95	21.41	0	0	0	0	0
MAX	4.08	2.42	62.58	0.03	0.04	0.04	0	0.04
MIN	1.86	1.37	7.58	0	0	0	0	0
C99.9	4.07	2.42	62.42	0.03	0.04	0.04	0	0.04
C98	4	2.37	59.37	0.02	0.04	0.02	0	0.02
C95	3.83	2.3	54.75	0	0.04	0	0	0

Datum: 2016-10-23

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.52	2.78	5.86	0	0	0	0	0
01:00:00	2.73	2.2	5.81	0	0	0	0	0
02:00:00	3.89	1.85	6.12	0.03	0	0	0	0
03:00:00	2.88	2.36	5.48	0.03	0	0	0	0
04:00:00	3.42	2.03	5.21	0.03	0	0	0	0
05:00:00	2.83	2.16	5.32	0	0	0	0	0
06:00:00	3.22	1.82	5.21	0	0	0	0	0
07:00:00	3.45	1.97	7.4	0.03	0	0	0	0
08:00:00			14.9	0	0	0	0	0
09:00:00	4.63	1.69	14.95	0	0.04	0	0	0
10:00:00	3.44	2.29	15.56	0	0	0	0	0
11:00:00	3.41	2.05	21.28	0	0	0	0	0
12:00:00	3.02	2.05	24.33	0.03	0	0	0	0
13:00:00	3.66	1.82	30.82	0.03	0	0	0	0
14:00:00	3.3	2.17	40.2	0	0	0	0	0
15:00:00	3.32	1.64	49.08	0	0	0	0.04	0
16:00:00	11.92	2.41		0	0	0	0	0
17:00:00	24.27	2.69	18.8	0.03	0.04	0	0.04	0
18:00:00	5.24	2.46	9.7	0	0.04	0.04	0	0
19:00:00	3.75	2.28	6.49	0	0.04	0	0	0
20:00:00	3.6	1.89	6.24	0.03	0	0	0	0
21:00:00	3.05	2.08	7.58	0.05	0.04	0	0	0
22:00:00	3.99	2.5	8.75	0.11	0.08	0	0	0
23:00:00	4.91	1.82	5.24	0.06	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.8	2.13	13.93	0.02	0.01	0	0	0
C50	3.43	2.07	7.49	0	0	0	0	0
MAX	24.27	2.78	49.08	0.11	0.08	0.04	0.04	0
MIN	2.52	1.64	5.21	0	0	0	0	0
C99.9	23.98	2.78	48.88	0.11	0.07	0.04	0.04	0
C98	18.59	2.74	45	0.09	0.06	0.02	0.04	0
C95	10.92	2.66	38.79	0.06	0.04	0	0.04	0

Datum: 2016-10-24

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.23	2.27	5.04	0	0.04	0	0	0
01:00:00	4.48	1.8	5.16	0.03	0	0	0	0.04
02:00:00	3.75	2.14	5.04	0	0.04	0	0	0
03:00:00	3.52	1.93	4.97	0	0	0	0	0
04:00:00	3.58	1.91	5.29	0.03	0	0	0	0
05:00:00	3.2	1.92	4.97	0.03	0	0	0	0
06:00:00	3.77	2.09	5.36	0.03	0.04	0	0	0
07:00:00	3.41	2.1	5.3	0.03	0	0	0	0
08:00:00	3.38	2.11	8.13	0.03	0	0	0	0
09:00:00			13.81	0.03	0	0	0	0.04
10:00:00	4.71	2.5	25.12	0.03	0	0	0	0
11:00:00	5.74	2.27	40.5	0	0	0	0	0
12:00:00	5.57	1.76	59.87	0.03	0	0	0	0
13:00:00	8.85	1.86	67.43	0.03	0	0	0	0
14:00:00	15.52	2.15	68.76	0	0	0	0	0
15:00:00	14.83	2.24	74.98	0	0	0.04	0	0
16:00:00	12.34	2.1	69.3	0.03	0	0	0	0
17:00:00	7.12	2.08		0	0	0.04	0	0
18:00:00	4.14	2.35	56.85	0.03	0.04	0	0	0
19:00:00	3.32	1.99	53.87	0.03	0.04	0.04	0	0
20:00:00	2.69	2.31	48.31	0	0.04	0.04	0	0
21:00:00	3.18	1.98	43.52	0	0	0	0	0
22:00:00	2.39	2.51	39.41	0	0	0	0	0
23:00:00	3.43	2.16	39.61	0.03	0	0.04	0.04	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.53	2.11	32.63	0.02	0.01	0.01	0	0
C50	3.76	2.1	32.26	0.03	0	0	0	0
MAX	15.52	2.51	74.98	0.03	0.04	0.04	0.04	0.04
MIN	2.39	1.76	4.97	0	0	0	0	0
C99.9	15.5	2.51	74.85	0.03	0.04	0.04	0.04	0.04
C98	15.2	2.51	72.37	0.03	0.04	0.04	0.02	0.04
C95	14.45	2.48	69.22	0.03	0.04	0.04	0	0.04

Datum: 2016-10-25

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.43	2.14	37.41	0	0.04	0	0	0
01:00:00	2.86	2.21	36.85	0	0.04	0	0	0
02:00:00	2.78	2.22	34.72	0	0	0	0	0
03:00:00	2.56	2.33	32.81	0	0	0	0	0
04:00:00	2.82	1.62	29.09	0	0.04	0	0	0
05:00:00	2.68	1.79	21.25	0	0	0	0	0
06:00:00	2.94	1.62	12.76	0	0	0	0	0
07:00:00	3.06	2.06	10.59	0	0	0	0	0.04
08:00:00	5.01	2.03	28.74	0	0	0	0	0
09:00:00	9.69	2.07	33.57	0	0.04	0	0	0
10:00:00			38.07	0.03	0.04	0.04	0	0
11:00:00	14.01	2.09	44.98	0	0	0	0	0
12:00:00	16.05	2.41	51.54	0	0.04	0	0	0
13:00:00	13.17	1.99	59.55	0	0	0	0	0.04
14:00:00	6.19	1.84	70.51	0	0	0	0	0
15:00:00	9.7	1.73	71.24	0	0	0	0	0
16:00:00	9.86	2.12	70.75	0	0	0	0	0
17:00:00	4.22	2.54	56.86	0	0	0	0	0
18:00:00	2.65	1.82		0	0	0	0	0
19:00:00	3.77	2.32	50.46	0.03	0	0	0	0
20:00:00	3.46	2.06	45.01	0	0	0	0	0
21:00:00	3.28	2.12	31.4	0.03	0	0	0	0
22:00:00	2.72	2.3	18.27	0	0	0	0.04	0
23:00:00	3.4	2.37	26.27	0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	5.67	2.08	39.68	0.01	0.01	0	0	0
C50	3.41	2.08	35.79	0	0	0	0	0
MAX	16.05	2.54	71.24	0.03	0.04	0.04	0.04	0.04
MIN	2.56	1.62	10.59	0	0	0	0	0
C99.9	16.01	2.54	71.23	0.03	0.04	0.04	0.04	0.04
C98	15.12	2.48	71.01	0.03	0.04	0.02	0.02	0.04
C95	13.89	2.41	70.71	0.03	0.04	0	0	0.04

Datum: 2016-10-26

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	3.75	1.94	26.03	0	0	0	0	0
01:00:00	3.66	2.03	18.06	0	0.04	0	0	0
02:00:00	2.85	1.83	22.91	0	0	0	0	0
03:00:00	3	2.45	27.62	0	0	0	0	0
04:00:00	4.12	1.76	28.67	0	0	0	0	0
05:00:00	5.2	1.99	20.67	0	0	0	0.04	0
06:00:00	5.62	2.4	15.31	0	0	0	0	0
07:00:00	2.56	2.77	13.46	0	0	0	0	0
08:00:00	2.33	2.19	16.24	0	0	0	0	0
09:00:00	2.82	2.17	16.68	0	0	0	0	0
10:00:00	2.82	2.25	20.79	0	0	0	0	0
11:00:00			28.28	0	0	0	0	0
12:00:00	2.3	2.65	32.13	0	0	0	0	0
13:00:00	2.16	2.38	32.22	0.03	0	0	0	0
14:00:00	2.95	1.88	31.46	0	0.04	0	0	0
15:00:00	3.18	2.11	26.9	0	0	0	0	0
16:00:00	2.68	2.18	21.02	0	0	0	0	0
17:00:00	2.89	2.55	23.54	0	0	0	0	0
18:00:00	2.88	2.29	25.28	0	0	0	0	0
19:00:00	2.37	2.17		0	0	0	0	0
20:00:00	3.25	1.94	23.41	0	0.04	0	0	0
21:00:00	2.91	1.78	24.72	0	0.04	0	0	0
22:00:00	2.53	2	38.67	0	0	0	0	0
23:00:00	2.77	2.26	47.86	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.11	2.17	25.3	0	0.01	0	0	0
C50	2.87	2.17	24.13	0	0	0	0	0
MAX	5.62	2.77	47.86	0.03	0.04	0	0.04	0
MIN	2.16	1.76	13.46	0	0	0	0	0
C99.9	5.61	2.77	47.65	0.03	0.04	0	0.04	0
C98	5.42	2.71	43.63	0.02	0.04	0	0.02	0
C95	5.04	2.63	37.71	0	0.04	0	0	0

Datum: 2016-10-27

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.62	2.41	40.99	0	0	0	0	0
01:00:00	2.89	1.68	38.22	0	0	0	0	0.04
02:00:00	2.52	2.06	35.89	0	0	0	0	0
03:00:00	2.88	1.88	34.42	0	0	0	0	0
04:00:00	3.1	1.87	32.16	0	0	0	0	0
05:00:00	3.05	1.84	34.3	0	0	0	0	0
06:00:00	2.78	1.84	34.53	0	0	0	0	0
07:00:00	2.48	2.04	31.77	0	0	0	0	0
08:00:00	2.7	1.92	34.85	0	0	0	0	0
09:00:00	3.63	2.02	41.06	0	0.04	0	0	0
10:00:00	9.42	2.26	43.06	0	0	0	0	0
11:00:00	4.9	2.36	45.69	0	0	0	0	0
12:00:00			45.83	0	0.04	0	0	0
13:00:00	2.86	1.83	49.73	0	0	0	0	0
14:00:00	3.33	1.81	60.74	0	0	0	0	0
15:00:00	3.03	2.19	63.87	0	0.04	0	0	0
16:00:00	3.37	1.99	61.22	0	0	0	0	0
17:00:00	2.04	2.41	60.74	0	0	0	0	0
18:00:00	2.14	2.12	52.7	0	0	0	0	0
19:00:00	2.84	1.94	47.95	0	0	0	0	0
20:00:00	2.06	1.91		0	0	0	0	0
21:00:00	2.43	1.81	22.72	0	0	0	0	0
22:00:00	2.87	1.79	20.89	0	0	0	0	0
23:00:00	2.8	1.85	21.05	0.03	0.04	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.16	1.99	41.49	0	0.01	0	0	0
C50	2.85	1.92	39.6	0	0	0	0	0
MAX	9.42	2.41	63.87	0.03	0.04	0	0	0.04
MIN	2.04	1.68	20.89	0	0	0	0	0
C99.9	9.32	2.41	63.81	0.03	0.04	0	0	0.04
C98	7.34	2.41	62.65	0.02	0.04	0	0	0.02
C95	4.71	2.4	61.15	0	0.04	0	0	0

Datum: 2016-10-28

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	2.48	2.15	13.41	0	0	0	0	0
01:00:00	1.92	2.28	11.5	0	0	0	0	0
02:00:00	2.85	2.21	10.41	0	0	0	0	0
03:00:00	2.48	1.91	10.94	0	0	0	0	0
04:00:00	2.68	1.75	9.09	0	0.04	0	0	0
05:00:00	2.36	1.92	8.09	0.03	0	0	0	0
06:00:00	2.54	1.85	6.09	0	0	0	0	0
07:00:00	2.26	1.97	5.89	0	0	0	0	0
08:00:00	2.95	1.83	11.65	0.09	0	0	0	0
09:00:00	3.11	2.35	23.31	0.03	0.04	0	0	0
10:00:00	4.32	2.05	36.48	0	0	0	0	0
11:00:00	4.07	2.21	40.07	0	0.04	0	0	0
12:00:00	5.94	1.92	41.14	0.03	0	0	0	0
13:00:00			45.42	0	0	0	0	0
14:00:00	5.5	1.85	47.91	0	0	0	0	0
15:00:00	5.14	2.02	46.92	0	0	0	0	0
16:00:00	6.52	1.67	45.91	0.03	0.04	0	0	0
17:00:00	4.66	1.74	27.7	0	0.04	0	0	0
18:00:00	4.16	2.07	22.15	0	0.04	0	0	0
19:00:00	3.37	2.05	14.98	0.03	0	0	0	0
20:00:00	2.49	2.29	11.35	0.06	0.04	0	0	0
21:00:00	3.57	2.14		0.04	0.04	0	0	0
22:00:00	4.6	1.83	8.65	0.03	0	0	0	0
23:00:00	4.31	2.33	7.53	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	3.66	2.02	22.03	0.02	0.01	0	0	0
C50	3.24	2	12.53	0	0	0	0	0
MAX	6.52	2.35	47.91	0.09	0.04	0	0	0
MIN	1.92	1.67	5.89	0	0	0	0	0
C99.9	6.5	2.35	47.89	0.08	0.04	0	0	0
C98	6.25	2.34	47.45	0.08	0.04	0	0	0
C95	5.87	2.32	46.77	0.06	0.04	0	0	0

Datum: 2016-10-29

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	4.5	1.73	5.93	0.05	0.04	0	0	0
01:00:00	4.6	2.32	5.52	0.03	0	0	0	0
02:00:00	4.15	1.92	5.52	0	0	0	0	0
03:00:00	4.94	2.23	5.8	0.03	0	0	0	0.04
04:00:00	4.77	1.97	5.38	0	0.04	0	0	0
05:00:00	4.61	2.28	5.26	0.03	0	0	0	0
06:00:00	3.77	2.12	5.14	0	0	0	0	0
07:00:00	4.48	1.71	5.78	0.03	0	0	0	0
08:00:00	3.94	1.93	7.95	0	0	0	0	0
09:00:00	5.11	1.88	14.55	0.03	0	0	0	0
10:00:00	6.64	1.95	32.68	0	0.04	0	0	0
11:00:00	19.14	1.75	49.73	0.03	0	0	0	0
12:00:00	20.43	2.3	60.33	0	0	0	0	0
13:00:00	12.87	2.1	71.94	0	0	0	0	0
14:00:00			67.36	0	0	0	0	0
15:00:00	8.72	2.12	58.26	0.03	0	0	0	0.04
16:00:00	5.56	1.88	52.46	0	0	0	0	0
17:00:00	3.5	2.22	47.01	0.03	0	0	0	0
18:00:00	4.06	2.16	49.15	0	0	0	0	0
19:00:00	3.96	2.24	50.78	0	0	0	0	0
20:00:00	4.96	2.04	41.65	0.03	0.04	0	0	0
21:00:00	7.36	2.43	39.32	0.03	0.04	0	0	0
22:00:00	5.75	1.92		0.03	0	0	0	0
23:00:00	6.65	1.85	40.25	0	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	6.72	2.05	31.64	0.02	0.01	0	0	0
C50	4.86	2.01	36	0.02	0	0	0	0
MAX	20.43	2.43	71.94	0.05	0.04	0	0	0.04
MIN	3.5	1.71	5.14	0	0	0	0	0
C99.9	20.4	2.43	71.83	0.05	0.04	0	0	0.04
C98	19.84	2.38	69.83	0.04	0.04	0	0	0.04
C95	18.2	2.31	66.3	0.03	0.04	0	0	0.04

Datum: 2016-10-30

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.91	2.03	43.72	0	0	0	0	0
01:00:00	5.59	2.42	38.47	0	0	0	0	0
02:00:00	4.11	2.05	40.52	0	0	0	0.04	0
03:00:00	3.59	2.28	46.15	0	0	0	0	0
04:00:00	2.99	2.46	38.85	0	0	0	0	0
05:00:00	3.11	2.22	36.25	0	0	0	0	0
06:00:00	2.96	1.92	40.25	0	0	0	0	0
07:00:00	3.79	1.77	41.88	0	0.04	0	0	0
08:00:00	3.53	2.33	53.27	0.03	0	0	0	0
09:00:00	3.32	1.97	60.51	0	0	0	0	0
10:00:00	3.24	2.15	69.23	0	0	0	0	0
11:00:00	3.2	1.84	71.17	0	0	0	0	0
12:00:00	3.41	2.19	76.29	0	0	0.04	0	0
13:00:00	2.14	2.39	79.61	0	0	0	0	0
14:00:00			74.67	0	0	0	0	0
15:00:00	5.61	1.71	63.9	0	0	0	0	0
16:00:00	5.84	2.07	57.13	0.03	0	0	0	0
17:00:00	4.55	1.85	58.12	0.1	0	0	0	0
18:00:00	5.01	1.67	53.49	0.03	0	0	0	0
19:00:00	4	2.23	48.1	0	0	0	0	0
20:00:00	4.55	2	45.13	0	0	0	0	0
21:00:00	4.67	2.18	43.99	0	0.04	0	0	0
22:00:00	4.85	1.58		0	0	0	0	0
23:00:00	4.01	2	40.85	0.03	0	0	0	0

Ras pod	95.83%	95.83%	95.83%	100%	100%	100%	100%	100%
AVG	4.09	2.06	53.11	0.01	0	0	0	0
C50	3.9	2.04	47.13	0	0	0	0	0
MAX	5.91	2.46	79.61	0.1	0.04	0.04	0.04	0
MIN	2.14	1.58	36.25	0	0	0	0	0
C99.9	5.91	2.46	79.53	0.09	0.04	0.04	0.04	0
C98	5.88	2.44	78.08	0.07	0.04	0.02	0.02	0
C95	5.81	2.41	76.04	0.03	0.03	0	0	0

Datum: 2016-10-30

VREME	SO2	H2S	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3
00:00:00	5.91	2.03	43.72	0	0	0	0	0
01:00:00	5.59	2.42	38.47	0	0	0	0	0
02:00:00	4.11	2.05	40.52	0	0	0	0.04	0
03:00:00	3.59	2.28	46.15	0	0	0	0	0
04:00:00	2.99	2.46	38.85	0	0	0	0	0
05:00:00	3.11	2.22	36.25	0	0	0	0	0
06:00:00	2.96	1.92	40.25	0	0	0	0	0
07:00:00	3.79	1.77	41.88	0	0.04	0	0	0
08:00:00	3.53	2.33	53.27	0.03	0	0	0	0
09:00:00	3.32	1.97	60.51	0	0	0	0	0
10:00:00	3.24	2.15	69.23	0	0	0	0	0
11:00:00	3.2	1.84	71.17	0	0	0	0	0
12:00:00	3.41	2.19	76.29	0	0	0.04	0	0
13:00:00	2.14	2.39	79.61	0	0	0	0	0
14:00:00			74.67	0	0	0	0	0
15:00:00	5.61	1.71	63.9	0	0	0	0	0
16:00:00	5.84	2.07	57.13	0.03	0	0	0	0
17:00:00	4.55	1.85	58.12	0.1	0	0	0	0
18:00:00	5.01	1.67	53.49	0.03	0	0	0	0
19:00:00	4	2.23	48.1	0	0	0	0	0
20:00:00	4.55	2	45.13	0	0	0	0	0
21:00:00	4.67	2.18	43.99	0	0.04	0	0	0
22:00:00	4.85	1.58		0	0	0	0	0
23:00:00	4.01	2	40.85	0.03	0	0	0	0

Ras pod	191.67%	191.67%	191.67%	200%	200%	200%	200%	200%
AVG	4.09	2.06	53.11	0.01	0	0	0	0
C50	3.9	2.04	47.13	0	0	0	0	0
MAX	5.91	2.46	79.61	0.1	0.04	0.04	0.04	0
MIN	2.14	1.58	36.25	0	0	0	0	0
C99.9	5.91	2.46	79.61	0.1	0.04	0.04	0.04	0
C98	5.91	2.46	79.61	0.1	0.04	0.04	0.04	0
C95	5.84	2.42	76.29	0.03	0.04	0	0	0

