



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10004 Kikinda - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-11-01 do 2016-11-30

KOD stanice: **RS10004**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.817 / 20.444**

Nadmorska visina: **81**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-11-01

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	20.44	1.48	1.09	0.07	0.04	0							
01:00:00	21.71	1.25	0.81	0.04	0.06	0							
02:00:00	22.66	0.97	1.01	0.04	0.04	0							
03:00:00	28.67	0.9	0.51	0.28	0.21	0.13							
04:00:00	29.32	0.7	0.32	0.04	0.04	0							
05:00:00	19.29	0.6	0.3	0	0.04	0							
06:00:00	20.18	0.63	0.59	0	0.04	0							
07:00:00	20.84	0.65	1	0	0.05	0							
08:00:00	26.14	0.88	0.67	0	0.04	0							
09:00:00	47.46	1.08	0.61	0.11	0.12	0							
10:00:00	54.65	0.84	0.58	0.06	0.07	0							
11:00:00	56.68	0.94	0.86	0.15	0.19	0							
12:00:00	66.03	0.59	1.54	0.04	0.06	0							
13:00:00		0.55	0.51	0	0.04	0							
14:00:00	67.31	0.42	0.39	0	0.04	0							
15:00:00	62.31	0.55	0.33	0	0.04	0							
16:00:00	53.17	1.76	0.57	0.13	0.06	0.04							
17:00:00	27.53	2.63	3.49	0.1	0.14	0.04							
18:00:00	24.23	1.6	2.56	0.38	0.56	0.11							
19:00:00	21.14	1.35	2.79	0.36	0.77	0.1							
20:00:00	13.8	1.35	1.02	0.12	0.33	0.04							
21:00:00	14.62	3.26	1.98	0.19	0.3	0.06							
22:00:00	14.46	2.78	2.07	0.16	0.45	0.11							
23:00:00	15.31	2.16	1.42	0.11	0.21	0.09							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	32.52	1.25	1.13	0.1	0.17	0.03							
C50	23.45	0.95	0.84	0.07	0.06	0							
MAX	67.31	3.26	3.49	0.38	0.77	0.13							
MIN	13.8	0.42	0.3	0	0.04	0							
C99.9	67.28	3.25	3.47	0.37	0.77	0.13							
C98	66.72	3.04	3.17	0.37	0.68	0.12							
C95	65.47	2.76	2.76	0.34	0.54	0.11							

Datum: 2016-11-02

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	11.12	1.76	1.14	0.18	0.13	0								
01:00:00	17.73	1.76	1.22	0.1	0.12	0								
02:00:00	11.71	1.23	0.7	0.04	0.04	0								
03:00:00	7.04	1.33	0.79	0.07	0.06	0								
04:00:00	17.36	1.62	1.01	0.06	0.05	0								
05:00:00	19.79	1.26	0.8	0.04	0.05	0								
06:00:00	18.51	1.02	0.53	0	0.06	0								
07:00:00	17.36	1.1	0.56	0.04	0.07	0								
08:00:00	24.9	1.21	0.64	0.04	0.04	0								
09:00:00	46.4	1.21	0.81	0.06	0.09	0								
10:00:00	57.53	1.19	2.25	0.04	0.06	0								
11:00:00	74.46	1.13	0.78	0.09	0.1	0								
12:00:00	81.87	0.76	0.4	0.04	0.04	0								
13:00:00	78.53	0.6	0.35	0	0.04	0								
14:00:00		0.66	0.51	0.17	0.1	0.04								
15:00:00	41.87	1.92	4.53	1.52	1.53	0.86								
16:00:00	17.82	2.36	1.09	0.25	0.07	0.04								
17:00:00	13.07	4.32	2.23	0.29	0.43	0.18								
18:00:00	7.54	11.74	7.54	0.95	1.19	0.37								
19:00:00	19.79	11	6.32	1.39	1.31	0.42								
20:00:00	20.34	4.87	2.46	0.45	0.72	0.24								
21:00:00	18.26	3.86	1.95	0.35	0.44	0.11								
22:00:00	28.38	3.28	2.82	0.48	1.01	0.17								
23:00:00	53.62	3.06	2.37	0.55	0.88	0.29								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	30.65	2.68	1.82	0.3	0.36	0.11								
C50	19.15	1.47	1.05	0.1	0.09	0								
MAX	81.87	11.74	7.54	1.52	1.53	0.86								
MIN	7.04	0.6	0.35	0	0.04	0								
C99.9	81.79	11.72	7.51	1.52	1.53	0.85								
C98	80.33	11.4	6.98	1.46	1.43	0.66								
C95	77.92	10.08	6.06	1.32	1.29	0.41								

Datum: 2016-11-03

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	56.2	0.82	0.57	0.07	0.12	0							
01:00:00	43.14	0.8	0.5	0.04	0.08	0							
02:00:00	35.65	0.9	0.59	0.05	0.08	0							
03:00:00	32.68	1.11	0.93	0.28	0.25	0.09							
04:00:00	28.5	0.3	0.41	0	0.04	0							
05:00:00	22.33	0.32	0.41	0.04	0.07	0							
06:00:00	19.84	0.31	0.47	0.04	0.04	0							
07:00:00	21.24	0.55	0.64	0.08	0.04	0							
08:00:00	25.41	0.54	0.44	0.06	0.04	0							
09:00:00	29.08	0.52	0.37	0.04	0.04	0							
10:00:00	32.16	0.48	0.37	0	0.04	0							
11:00:00	37.14	0.75	0.44	0.04	0.04	0							
12:00:00	44.52	0.77	0.62	0.07	0.07	0							
13:00:00	47.51	0.56	0.43	0.04	0.06	0							
14:00:00	46.28	0.32	0.28	0	0.04	0							
15:00:00		0.4	0.32	0	0.04	0							
16:00:00	51.32	0.34	0.28	0.04	0.04	0							
17:00:00	42.59	0.35	0.2	0	0	0							
18:00:00	36.17	0.41	0.27	0	0.04	0							
19:00:00	37.65	0.44	0.29	0.04	0.04	0							
20:00:00	34.86	0.56	0.26	0.04	0.06	0							
21:00:00	23.35	0.82	0.37	0.04	0.06	0							
22:00:00	13.48	1.55	0.84	0.13	0.15	0							
23:00:00	13.08	1.53	1.83	0.22	0.37	0.04							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	33.66	0.64	0.51	0.06	0.08	0.01							
C50	33.77	0.55	0.42	0.04	0.04	0							
MAX	56.2	1.55	1.83	0.28	0.37	0.09							
MIN	13.08	0.3	0.2	0	0	0							
C99.9	56.09	1.55	1.81	0.28	0.37	0.09							
C98	53.96	1.54	1.41	0.25	0.31	0.07							
C95	50.74	1.47	0.91	0.2	0.24	0.04							

Datum: 2016-11-04

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	10.53	1.66	2.12	0.41	0.39	0.07								
01:00:00	12.22	1.58	1.03	0.17	0.22	0.04								
02:00:00	8.42	1.73	1.79	0.43	0.32	0.06								
03:00:00	4.24	1.96	1.71	0.3	0.39	0.05								
04:00:00	6.41	1.2	1.3	0.52	0.17	0.04								
05:00:00	4.24	2.06	1.77	0.17	0.33	0.04								
06:00:00	1.07	1.91	3.64	0.26	0.36	0.13								
07:00:00	4.96	2.94	5.3	0.82	0.51	0.09								
08:00:00	16.46	3.02	3.84	0	0.72	0.06								
09:00:00	22.55	2.67	1.6	0	0.23	0.04								
10:00:00	19.79	1.51	1.02	0.1	0.17	0.04								
11:00:00	30.05	1.59	0.93	0	0.07	0								
12:00:00	36.16	1.14	0.86	0.09	0.07	0								
13:00:00	45.24	0.97	0.81	0.39	0.17	0.04								
14:00:00	52.24	0.84	0.76	0.1	0.13	0.04								
15:00:00	49.54	1	2.01	0.14	0.31	0.04								
16:00:00		1.12	1.38	0.52	0.21	0								
17:00:00	24.8	1.59	0.81	0.11	0.04	0								
18:00:00	21.63	9.59	9.78	0.74	1.83	0.27								
19:00:00	15.43	14.18	8.81	1.51	3.35	0.63								
20:00:00	10.11	10.51	5.11	1.79	3.72	0.83								
21:00:00	14.33	7.11	3.09	1.48	1.02	0.3								
22:00:00	15.61	5.31	2.4	0	0.41	0.13								
23:00:00	16.8	3.96	2.02	0	0.2	0.07								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	19.25	3.38	2.66	0.42	0.64	0.13								
C50	15.52	1.82	1.78	0.22	0.31	0.05								
MAX	52.24	14.18	9.78	1.79	3.72	0.83								
MIN	1.07	0.84	0.76	0	0.04	0								
C99.9	52.17	14.1	9.76	1.78	3.71	0.82								
C98	50.99	12.49	9.33	1.66	3.55	0.74								
C95	48.89	10.38	8.28	1.5	3.12	0.58								

Datum: 2016-11-05

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	19.54	3.19	1.51	0	0.12	0.09								
01:00:00	12.43	2.82	1.51	0.3	0.23	0.05								
02:00:00	13.88	3.26	1.73	0.3	0.19	0.05								
03:00:00	13.94	2.15	1.23	0.17	0.26	0.04								
04:00:00	12.26	1.54	0.82	0.07	0.13	0								
05:00:00	13.13	1.42	0.71	0.09	0.07	0								
06:00:00	15.78	1.26	0.6	0.04	0.05	0								
07:00:00	19.22	1.21	0.5	0.04	0.04	0								
08:00:00	22.06	0.82	0.34	0	0.04	0								
09:00:00	29.66	0.87	0.51	0.04	0.04	0								
10:00:00	26.4	0.72	0.4	0.04	0.04	0								
11:00:00	35.14	1.18	0.58	0.07	0.11	0								
12:00:00	40.39	0.87	0.45	0.06	0.04	0								
13:00:00	42.61	0.89	0.44	0.04	0	0								
14:00:00	42.88	0.76	0.37	0	0	0								
15:00:00	39.61	0.78	0.41	0.04	0.1	0								
16:00:00	32.35	1.16	0.7	0.04	0.07	0								
17:00:00		1.36	1.07	0	0.08	0								
18:00:00	37.34	1.3	0.86	0.09	0.06	0.04								
19:00:00	42.38	1.04	0.66	0.04	0.05	0								
20:00:00	45.68	0.78	0.45	0.04	0.05	0								
21:00:00	39.14	0.73	0.33	0	0	0								
22:00:00	36.31	0.82	0.38	0	0.04	0								
23:00:00	33.5	0.8	0.51	0	0.07	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	28.94	1.32	0.71	0.06	0.08	0.01								
C50	31	1.1	0.55	0.04	0.06	0								
MAX	45.68	3.26	1.73	0.3	0.26	0.09								
MIN	12.26	0.72	0.33	0	0	0								
C99.9	45.62	3.26	1.72	0.3	0.26	0.09								
C98	44.39	3.23	1.63	0.3	0.25	0.07								
C95	42.84	3.14	1.51	0.28	0.23	0.05								

Datum: 2016-11-06

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	41.05	0.96	0.63	0	0.04	0							
01:00:00	45.32	1.01	0.63	0	0.06	0							
02:00:00	43.96	0.6	0.38	0	0	0							
03:00:00	45.39	0.47	0.25	0	0.04	0							
04:00:00	46	0.4	0.19	0	0	0							
05:00:00	48.43	0.4	0.25	0	0	0							
06:00:00	47.21	0.49	0.31	0	0	0							
07:00:00	46.56	0.39	0.23	0	0	0							
08:00:00	48.57	0.37	0.14	0	0	0							
09:00:00	49.1	0.43	0.14	0	0	0							
10:00:00	50.73	0.43	0.18	0	0	0							
11:00:00	46.46	0.48	0.18	0	0	0							
12:00:00	52.12	0.55	0.24	0	0	0							
13:00:00	55.4	0.49	0.21	0	0	0							
14:00:00	56.75	0.53	0.2	0.04	0	0							
15:00:00	57.3	0.47	0.24	0.04	0.04	0							
16:00:00	55.25	0.47	0.24	0	0	0							
17:00:00	53.09	0.55	0.22	0	0	0							
18:00:00		0.56	0.26	0	0	0							
19:00:00	56.97	0.56	0.27	0	0	0							
20:00:00	59.97	0.46	0.19	0	0.04	0							
21:00:00	59.55	0.42	0.17	0	0.04	0							
22:00:00	59.12	0.45	0.21	0	0	0							
23:00:00	57.94	0.35	0.21	0	0	0							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	51.4	0.51	0.26	0	0.01	0							
C50	49.91	0.47	0.22	0	0	0							
MAX	59.97	1.01	0.63	0.04	0.06	0							
MIN	41.05	0.35	0.14	0	0	0							
C99.9	59.96	1.01	0.63	0.04	0.06	0							
C98	59.77	0.99	0.63	0.04	0.05	0							
C95	59.48	0.91	0.59	0.04	0.04	0							

Datum: 2016-11-07

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	57.02	0.31	0.12	0	0	0								
01:00:00	55.57	0.29	0.14	0	0.04	0								
02:00:00	50.08	0.3	0.13	0	0.04	0								
03:00:00	32.68	0.51	0.28	0	0	0								
04:00:00	10.95	0.61	0.27	0	0	0								
05:00:00	16.76	1.07	0.62	0	0.04	0								
06:00:00	31.86	0.93	0.61	0.04	0.09	0								
07:00:00	34.3	0.49	0.38	0.04	0.05	0								
08:00:00	39.25	0.48	0.35	0.04	0.07	0								
09:00:00	42.68	0.45	0.29	0	0.04	0								
10:00:00	46.04	0.48	0.34	0.04	0.04	0								
11:00:00	50.07	0.62	0.35	0.04	0.04	0								
12:00:00	47.53	0.52	0.36	0.04	0.04	0								
13:00:00	49.92	0.54	0.31	0.04	0.04	0								
14:00:00	45.93	0.68	0.29	0	0.04	0								
15:00:00	26.01	0.77	0.47	0.04	0.07	0.04								
16:00:00	24.78	1.83	1.25	0.16	0.16	0								
17:00:00	19.03	2.28	1.14	0.25	0.18	0								
18:00:00	13.31	2.11	1.18	0.43	0.35	0.13								
19:00:00		6.08	4.01	0.79	1.38	0.21								
20:00:00	29.66	6.44	4.75	0.91	0.65	0.2								
21:00:00	25.29	16.49	10.97	0.04	1.58	0.6								
22:00:00	13.9	19.94	13.2	0.04	1.87	1.24								
23:00:00	13.88	8.99	6.7	0.56	1.1	0.63								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	33.76	3.05	2.02	0.15	0.33	0.13								
C50	32.27	0.65	0.37	0.04	0.05	0								
MAX	57.02	19.94	13.2	0.91	1.87	1.24								
MIN	10.95	0.29	0.12	0	0	0								
C99.9	56.99	19.86	13.15	0.91	1.86	1.23								
C98	56.35	18.35	12.17	0.85	1.74	0.96								
C95	54.75	15.37	10.33	0.75	1.55	0.63								

Datum: 2016-11-08

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	23.69	2.34	1.77	0.39	0.37	0.08								
01:00:00	29.12	1.7	1.29	0	0.1	0								
02:00:00	22.86	1.47	1.05	0.09	0.05	0								
03:00:00	15.84	1.33	0.9	0	0.07	0								
04:00:00	18.95	1.33	0.71	0.09	0.06	0								
05:00:00	18.76	1.12	0.61	0.07	0.07	0								
06:00:00	17.93	1.59	0.99	0.09	0.09	0								
07:00:00	17.33	2.25	1.18	0	0.07	0.09								
08:00:00	18	3.68	1.64	0.13	0.23	0.14								
09:00:00	24.25	2.29	1.31	0	0.08	0								
10:00:00	32	1.99	1.23	0.17	0.21	0.04								
11:00:00	28.71	1.79	1.22	0.12	0.21	0.04								
12:00:00	35.86	1.53	0.91	0.08	0.22	0								
13:00:00	38.4	1.06	0.67	0.09	0.07	0								
14:00:00	33.36	0.93	0.59	0.04	0.04	0								
15:00:00	27.02	1.14	0.77	0.09	0.13	0								
16:00:00	21.14	1.78	0.94	0.1	0.16	0.04								
17:00:00	20.59	1.75	0.93	0.1	0.13	0.04								
18:00:00	23.18	1.92	0.88	0.11	0.17	0								
19:00:00	23.51	1.72	0.82	0.07	0.04	0								
20:00:00		1.69	0.9	0.09	0.07	0								
21:00:00	16.13	2.05	1.05	0.04	0.08	0								
22:00:00	15.46	1.69	0.91	0.04	0.06	0								
23:00:00	18.66	1.72	0.92	0.07	0.14	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	23.51	1.74	1.01	0.09	0.12	0.02								
C50	22	1.71	0.93	0.09	0.08	0								
MAX	38.4	3.68	1.77	0.39	0.37	0.14								
MIN	15.46	0.93	0.59	0	0.04	0								
C99.9	38.34	3.65	1.76	0.39	0.36	0.14								
C98	37.23	3.06	1.71	0.29	0.3	0.12								
C95	35.48	2.33	1.59	0.17	0.23	0.09								

Datum: 2016-11-09

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	10.51	1.56	0.81	0.06	0.14	0								
01:00:00	10.88	1.77	1.03	0.09	0.12	0.04								
02:00:00	15.72	1.41	0.71	0.04	0.09	0.04								
03:00:00	14.33	1.28	0.65	0.04	0.04	0								
04:00:00	17.08	1.48	0.78	0.04	0.04	0								
05:00:00	17.46	1.06	0.5	0.04	0.04	0								
06:00:00	20	1.18	0.73	0.13	0.09	0.04								
07:00:00	20.39	0.99	0.79	0.16	0.12	0.04								
08:00:00	24.79	1.69	1.52	0.09	0.15	0								
09:00:00	29.19	0.94	0.82	0.08	0.2	0.09								
10:00:00	33.77	1.5	1.16	0.07	0.19	0								
11:00:00	38.82	0.81	0.57	0.13	0.12	0								
12:00:00	39.96	0.56	0.42	0	0.04	0								
13:00:00	37.01	0.57	0.39	0	0.04	0								
14:00:00	33.9	0.55	0.45	0	0.06	0								
15:00:00	29.81	0.63	0.49	0	0.06	0								
16:00:00	26.72	1.58	4.28	0.17	0.14	0								
17:00:00	24.94	1.75	1.96	0.17	0.19	0								
18:00:00	24.74	1	0.7	0	0.04	0								
19:00:00	20	1.63	0.9	0	0.08	0								
20:00:00	19.36	1.6	0.85	0.04	0.04	0								
21:00:00		1.57	0.8	0.09	0.1	0								
22:00:00	11.27	1.92	1.05	0	0.05	0								
23:00:00	13.91	1.87	1.22	0	0.1	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	23.24	1.29	0.98	0.06	0.1	0.01								
C50	20.2	1.44	0.79	0.04	0.09	0								
MAX	39.96	1.92	4.28	0.17	0.2	0.09								
MIN	10.51	0.55	0.39	0	0.04	0								
C99.9	39.93	1.92	4.23	0.17	0.2	0.09								
C98	39.44	1.9	3.21	0.17	0.19	0.07								
C95	38.55	1.86	1.89	0.17	0.19	0.04								

Datum: 2016-11-10

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	16.47	1.21	0.65	0	0.04	0								
01:00:00	10.91	1.04	0.58	0.04	0.07	0								
02:00:00	2.22	1.01	0.77	0.04	0.04	0								
03:00:00	1.72	0.99	0.62	0.04	0.06	0								
04:00:00	2.34	0.99	0.56	0.09	0.04	0								
05:00:00	8.34	1.19	0.97	0.09	0.04	0								
06:00:00	11.23	2.01	1.77	0.17	0.32	0.09								
07:00:00	2.17	5.53	3.11	0.63	0.66	0.32								
08:00:00	4.17	4.33	3.14	0	0.51	0.08								
09:00:00	10.93	1.67	1.43	0.11	0.2	0.04								
10:00:00	20.73	1.47	2.39	0.09	0.09	0								
11:00:00	30.11	1.36	0.71	0.09	0.12	0								
12:00:00	34.58	1.48	0.7	0	0.04	0								
13:00:00	41.38	1.53	1.68	0	0.04	0								
14:00:00	45.63	1.29	1.86	0.04	0.05	0								
15:00:00	38.81	1.05	1.31	0.04	0.09	0								
16:00:00	24.73	1.25	0.81	0.04	0.04	0								
17:00:00	15.16	5.37	5.71	0	0.35	0.09								
18:00:00	11.81	5.22	4.88	1.23	6.99	1.12								
19:00:00	9.69	6.99	4.32	0.98	4.44	0.69								
20:00:00	12.96	6.2	3.3	0.61	0.63	0.16								
21:00:00	10.86	9.32	4.07	1	0.45	0.28								
22:00:00		9.91	4.3	0	0.58	0.27								
23:00:00	7.48	7	3.34	0.69	0.64	0.22								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	16.28	3.31	2.21	0.25	0.69	0.14								
C50	11.08	1.51	1.72	0.07	0.1	0								
MAX	45.63	9.91	5.71	1.23	6.99	1.12								
MIN	1.72	0.99	0.56	0	0.04	0								
C99.9	45.53	9.9	5.69	1.22	6.93	1.11								
C98	43.67	9.64	5.33	1.12	5.81	0.92								
C95	40.99	8.97	4.8	0.99	3.87	0.64								

Datum: 2016-11-11

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	6.69	4.38	2.07	0.35	0.2	0.11								
01:00:00	9.54	2.68	1.26	0.35	0.11	0.05								
02:00:00	9.92	1.47	0.77	0.09	0.07	0								
03:00:00	9.95	1.33	0.61	0.04	0.04	0								
04:00:00	9.88	1.01	0.42	0.04	0.09	0								
05:00:00	7.72	0.9	0.4	0.04	0.09	0								
06:00:00	9.15	1.26	0.47	0.04	0.09	0								
07:00:00	9.68	1.76	0.87	0.08	0.16	0.09								
08:00:00	15.49	2.01	0.93	0.13	0.12	0.07								
09:00:00	22.04	1.46	0.67	0.09	0.11	0.04								
10:00:00	36.09	1.24	0.64	0.06	0.06	0								
11:00:00	48.14	1.09	0.46	0.04	0.04	0								
12:00:00	58.89	0.98	0.39	0.04	0.04	0								
13:00:00	59.02	0.81	0.34	0	0.04	0								
14:00:00	58.13	0.94	0.41	0.04	0.04	0								
15:00:00	43.38	1.57	0.59	0.04	0.07	0								
16:00:00	31.07	2.78	1.28	0	0.09	0								
17:00:00	28.72	3.88	2.97	1.92	2.61	0.96								
18:00:00	26.48	3.44	2.4	1.27	1.8	0.75								
19:00:00	20.98	2.45	1.27	0.15	0.32	0.07								
20:00:00	18.53	2.96	1.54	0.69	0.37	0.1								
21:00:00	25.29	2.84	1.8	0.49	0.66	0.12								
22:00:00	30.4	3.1	1.81	0.44	0.76	0.1								
23:00:00		1.86	1.14	0.25	0.25	0.05								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	25.88	2.01	1.06	0.28	0.34	0.1								
C50	21.51	1.66	0.82	0.08	0.1	0.02								
MAX	59.02	4.38	2.97	1.92	2.61	0.96								
MIN	6.69	0.81	0.34	0	0.04	0								
C99.9	59.01	4.37	2.96	1.9	2.59	0.95								
C98	58.96	4.15	2.71	1.62	2.24	0.86								
C95	58.78	3.81	2.35	1.18	1.64	0.65								

Datum: 2016-11-12

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	33.75	1.22	0.76	0.08	0.13	0								
01:00:00	46.55	0.96	0.6	0.04	0.11	0								
02:00:00	58.01	0.56	0.29	0	0.04	0								
03:00:00	51.74	0.4	0.25	0.04	0.04	0								
04:00:00	44.16	0.54	0.37	0.04	0.04	0								
05:00:00	46.67	0.61	0.46	0	0.04	0								
06:00:00	44.49	0.56	0.44	0.04	0	0								
07:00:00	35.32	1.2	0.56	0.04	0.13	0.04								
08:00:00	35.27	2.17	0.78	0.05	0.1	0								
09:00:00	36.83	1.44	0.76	0.04	0.05	0.04								
10:00:00	32.18	1.94	1.11	0.19	0.13	0.1								
11:00:00	39.84	2.6	1.24	0.2	0.32	0.09								
12:00:00	35.91	0.83	0.5	0.05	0.09	0.04								
13:00:00	35.19	0.87	0.45	0.05	0.1	0.04								
14:00:00	33.27	0.94	0.51	0.04	0.1	0								
15:00:00	27.88	0.77	0.35	0	0	0								
16:00:00	26.16	0.99	0.42	0	0.04	0								
17:00:00	19.79	1.03	0.47	0	0.07	0								
18:00:00	19.44	1.15	0.59	0.04	0.06	0.04								
19:00:00	32.72	1.81	1.11	0.12	0.23	0.07								
20:00:00	45.72	1.25	0.58	0.04	0.06	0								
21:00:00	34.96	1.05	0.46	0.04	0.04	0								
22:00:00	20.67	1.2	0.6	0.04	0.04	0								
23:00:00	18.65	1.3	0.69	0.04	0.05	0								

Ras pod	100%	100%	100%	100%	100%	100%								
AVG	35.63	1.14	0.6	0.05	0.09	0.02								
C50	35.23	1.04	0.54	0.04	0.06	0								
MAX	58.01	2.6	1.24	0.2	0.32	0.1								
MIN	18.65	0.4	0.25	0	0	0								
C99.9	57.86	2.59	1.24	0.2	0.32	0.1								
C98	55.12	2.4	1.18	0.19	0.28	0.1								
C95	50.98	2.13	1.11	0.18	0.21	0.08								

Datum: 2016-11-13

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00		2.18	1.27	0.04	0.05	0							
01:00:00	13.93	1.68	0.96	0	0.04	0							
02:00:00	12.95	1.29	0.66	0	0.04	0							
03:00:00	16.82	1.26	0.63	0	0.04	0							
04:00:00	20.35	1.15	0.56	0.04	0.07	0							
05:00:00	22.94	1.06	0.5	0.04	0.08	0							
06:00:00	25.61	1	0.47	0.09	0.04	0							
07:00:00	28.56	0.96	0.43	0.04	0.04	0							
08:00:00	31.43	0.94	0.4	0.04	0.04	0							
09:00:00	34.41	0.94	0.42	0	0.04	0							
10:00:00	36.98	0.86	0.39	0	0.04	0							
11:00:00	40.33	0.88	0.4	0.04	0.04	0							
12:00:00	41.38	0.87	0.39	0	0	0							
13:00:00	41.95	0.94	0.41	0	0.04	0							
14:00:00	40.28	0.93	0.38	0	0.04	0							
15:00:00	40.7	0.91	0.38	0	0	0							
16:00:00	36.73	1.1	0.5	0.04	0	0							
17:00:00	39.9	0.83	0.36	0	0.04	0							
18:00:00	38.03	0.83	0.36	0	0	0							
19:00:00	33.66	0.98	0.39	0.04	0.04	0							
20:00:00	26.59	1.25	0.54	0.04	0.04	0							
21:00:00	21.34	1.81	0.7	0.04	0.06	0							
22:00:00	20.59	1.49	0.72	0.04	0.04	0							
23:00:00	20.68	1.49	1.06	0.07	0.07	0							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	29.83	1.15	0.55	0.03	0.04	0							
C50	30	0.99	0.45	0.04	0.04	0							
MAX	41.95	2.18	1.27	0.09	0.08	0							
MIN		0.83	0.36	0	0	0							
C99.9	41.93	2.18	1.26	0.09	0.08	0							
C98	41.68	2.01	1.17	0.08	0.07	0							
C95	41.27	1.79	1.05	0.06	0.07	0							

Datum: 2016-11-14

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	19.43	1.53	0.89	0	0.04	0								
01:00:00		1.19	0.74	0.04	0.07	0								
02:00:00	21.3	1.03	0.51	0	0	0								
03:00:00	19.38	0.98	0.35	0	0.04	0								
04:00:00	15.13	1.07	0.39	0	0.04	0								
05:00:00	10.62	1	0.39	0	0	0								
06:00:00	9.57	1.34	0.75	0.09	0.04	0								
07:00:00	11.34	1.2	0.72	0.04	0.05	0								
08:00:00	14.53	1.35	0.67	0	0.05	0								
09:00:00	25.4	2.75	1.83	1	0.11	0								
10:00:00	45.26	1.58	0.84	0.04	0.12	0								
11:00:00	56.61	1.22	0.65	0.04	0.06	0								
12:00:00	60.64	1.01	0.47	0.04	0.05	0								
13:00:00	54.9	0.77	0.39	0.04	0.04	0								
14:00:00	49.04	1.19	0.64	0.04	0.04	0								
15:00:00	48.19	1.33	0.65	0.04	0.04	0								
16:00:00	41.39	1.65	0.71	0.09	0.08	0								
17:00:00	28.94	2.77	1.08	0.3	0.09	0.04								
18:00:00	36.02	4.35	1.71	0.3	0.21	0.09								
19:00:00	30.13	3.72	1.46	0.09	0.09	0.06								
20:00:00	23.96	2.96	1.38	0.12	0.07	0.04								
21:00:00	26.68	2.81	1.41	0.09	0.06	0								
22:00:00	11.74	2.77	1.3	0.17	0.13	0								
23:00:00	12.99	2.55	1.34	0.12	0.09	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	29.27	1.84	0.89	0.11	0.07	0.01								
C50	24.68	1.35	0.73	0.04	0.06	0								
MAX	60.64	4.35	1.83	1	0.21	0.09								
MIN	9.57	0.77	0.35	0	0	0								
C99.9	60.55	4.33	1.83	0.98	0.21	0.09								
C98	58.78	4.06	1.77	0.68	0.17	0.07								
C95	56.35	3.6	1.67	0.3	0.13	0.06								

Datum: 2016-11-15

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	13.09	2.4	1.34	0	0.04	0								
01:00:00	15.24	2.36	1.51	0.04	0.06	0								
02:00:00		2.42	1.71	0.04	0.06	0								
03:00:00	18.84	1.66	1.24	0	0.04	0								
04:00:00	17	1.41	0.93	0.04	0.13	0								
05:00:00	22.13	1.78	0.98	0.04	0.04	0								
06:00:00	8.9	4.04	2.26	0.37	0.53	0.23								
07:00:00	11.98	3.47	2.08	0.3	0.22	0.07								
08:00:00	22.35	3.48	1.64	0.17	0.31	0.04								
09:00:00	38.96	2.53	1.24	0	0.12	0								
10:00:00	46.97	3.09	1.26	0	0.13	0								
11:00:00	53.97	1.49	0.7	0	0.07	0								
12:00:00	55.57	1.12	0.57	0.07	0.09	0								
13:00:00	56.52	0.94	0.5	0.04	0.04	0								
14:00:00	54.36	0.94	0.5	0	0.04	0								
15:00:00	51.64	1.12	0.64	0.07	0.04	0								
16:00:00	44.31	1.84	1.05	0.13	0.11	0								
17:00:00	41.49	3.03	1.49	0	0.14	0								
18:00:00	42.5	2.77	1.4	0	0.2	0								
19:00:00	34.1	2.69	1.25	0.09	0.1	0.04								
20:00:00	31.7	3.05	1.63	0	0.21	0								
21:00:00	32.18	2.96	1.7	0.09	0.21	0.04								
22:00:00	35.8	2.42	1.03	0	0.07	0.04								
23:00:00	45.17	1.64	0.86	0.11	0.17	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	34.56	2.28	1.23	0.07	0.13	0.02								
C50	34.95	2.41	1.25	0.04	0.11	0								
MAX	56.52	4.04	2.26	0.37	0.53	0.23								
MIN	8.9	0.94	0.5	0	0.04	0								
C99.9	56.5	4.02	2.26	0.37	0.52	0.23								
C98	56.08	3.78	2.18	0.34	0.43	0.16								
C95	55.39	3.48	2.03	0.28	0.3	0.06								

Datum: 2016-11-16

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	48.08	1.73	0.89	0	0.04	0								
01:00:00	38.88	0.72	0.42	0	0.26	0								
02:00:00	39.28	0.69	0.69	0	0.37	0								
03:00:00		0.57	0.43	0	0.04	0								
04:00:00	23.49	0.82	0.66	0.06	0.37	0.09								
05:00:00	32.85	1.18	1.04	0.2	0.07	0								
06:00:00	28.6	0.55	0.3	0	0	0								
07:00:00	35.3	0.83	0.29	0	0	0								
08:00:00	41.65	1.62	0.58	0	0.04	0								
09:00:00	54.61	0.95	0.71	0.04	0.04	0								
10:00:00	57.64	0.71	0.35	0	0.09	0								
11:00:00	58.64	0.6	0.25	0	0	0								
12:00:00	57.77	0.7	0.28	0	0.04	0								
13:00:00	57.99	0.83	0.26	0	0.04	0								
14:00:00	49.29	0.98	0.31	0	0	0								
15:00:00	42.22	1.13	0.45	0.04	0.13	0								
16:00:00	39.76	1.51	0.61	0.06	0.27	0								
17:00:00	35.75	1.86	0.66	0.06	0.05	0								
18:00:00	33.2	2.4	0.81	0.06	0.07	0								
19:00:00	31.96	2.63	1.09	0.26	0.09	0								
20:00:00	32.18	2.59	1.01	0.12	0.1	0								
21:00:00	30.08	2.28	0.84	0.06	0.08	0								
22:00:00	29.36	2.19	0.87	0.09	0.1	0.04								
23:00:00	32.12	1.55	0.71	0.04	0.07	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	40.46	1.32	0.6	0.05	0.1	0.01								
C50	37.31	1.05	0.64	0.02	0.07	0								
MAX	58.64	2.63	1.09	0.26	0.37	0.09								
MIN	23.49	0.55	0.25	0	0	0								
C99.9	58.63	2.62	1.09	0.26	0.37	0.09								
C98	58.34	2.61	1.06	0.23	0.37	0.07								
C95	57.95	2.57	1.03	0.19	0.35	0.04								

Datum: 2016-11-17

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.39	1.35	0.52	0.04	0.05	0.04								
01:00:00	33.91	1.34	0.54	0.04	0.04	0								
02:00:00	29.03	1.09	0.45	0	0	0								
03:00:00	28.48	1.24	0.57	0	0.04	0.04								
04:00:00		1.08	0.51	0.04	0.04	0.04								
05:00:00	25.43	1.04	0.54	0.04	0.08	0								
06:00:00	24.74	1.18	0.74	0.17	0.12	0								
07:00:00	25.34	1.08	0.6	0.04	0.11	0								
08:00:00	28.18	1.17	0.52	0.04	0.09	0								
09:00:00	30.13	1.34	0.57	0.04	0.04	0								
10:00:00	36.06	1.42	1.03	0.07	0.14	0								
11:00:00	39.15	1.11	0.5	0.04	0.05	0								
12:00:00	39.38	1.16	0.47	0.04	0.04	0								
13:00:00	47.53	1.08	0.53	0.06	0.06	0								
14:00:00	46.99	1.34	0.73	0.06	0.04	0								
15:00:00	42.84	1.33	0.91	0.11	0.17	0								
16:00:00	29.32	1.34	0.71	0.04	0.05	0.04								
17:00:00	17.43	1.58	0.77	0.09	0.09	0								
18:00:00	18.48	2.07	0.95	0.11	0.17	0.04								
19:00:00	21.45	1.83	0.88	0.17	0.04	0								
20:00:00	14.08	4	1.47	0.3	0.27	0.11								
21:00:00	10.37	5.61	2.02	0.26	0.32	0.18								
22:00:00	8.69	4.2	1.88	0.21	0.3	0.1								
23:00:00	6.44	3.72	1.79	0.48	0.16	0.08								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	27.73	1.82	0.84	0.1	0.11	0.03								
C50	28.33	1.34	0.66	0.05	0.07	0								
MAX	47.53	5.61	2.02	0.48	0.32	0.18								
MIN	6.44	1.04	0.45	0	0	0								
C99.9	47.52	5.58	2.02	0.47	0.32	0.18								
C98	47.28	4.96	1.96	0.4	0.31	0.15								
C95	46.36	4.17	1.86	0.29	0.29	0.11								

Datum: 2016-11-18

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	5.66	3.03	1.43	0.07	0.08	0.04								
01:00:00	4.74	2.83	1.25	0.13	0.24	0.04								
02:00:00	5.89	1.68	0.81	0.08	0.12	0.04								
03:00:00	4.14	1.34	0.64	0.08	0.17	0								
04:00:00	4.8	1.32	0.58	0.04	0.14	0								
05:00:00		1.31	0.58	0	0.04	0								
06:00:00	8.58	1.32	0.61	0.09	0.07	0								
07:00:00	12.89	1.48	0.55	0.04	0.04	0								
08:00:00	16.51	2.2	0.99	0.07	0.04	0.04								
09:00:00	30.73	2.79	1.47	0.17	0.13	0.04								
10:00:00	45.24	3.09	1.56	0.09	0.19	0.04								
11:00:00	58.18	2.77	1.53	0.09	0.22	0								
12:00:00	69.58	1.96	1.06	0.09	0.05	0								
13:00:00	71.64	1.41	0.63	0.04	0.06	0								
14:00:00	70.05	1.19	0.56	0.04	0.04	0								
15:00:00	51.93	1.2	0.59	0.04	0.08	0								
16:00:00	32.89	1.89	0.86	0.04	0.04	0								
17:00:00	37.74	1.82	0.77	0	0.04	0								
18:00:00	27.31	1.71	0.76	0.04	0.07	0								
19:00:00	32.62	1.3	0.58	0.04	0.06	0								
20:00:00	37.55	1.3	0.59	0.04	0.07	0.04								
21:00:00	34.22	1.28	0.53	0.04	0.06	0								
22:00:00	36.87	1.36	0.75	0.04	0.04	0								
23:00:00	45.41	1.38	0.84	0.04	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	32.4	1.79	0.86	0.06	0.09	0.01								
C50	32.75	1.44	0.75	0.04	0.06	0								
MAX	71.64	3.09	1.56	0.17	0.24	0.04								
MIN	4.14	1.19	0.53	0	0.04	0								
C99.9	71.6	3.09	1.56	0.17	0.24	0.04								
C98	70.91	3.06	1.55	0.15	0.23	0.04								
C95	69.98	3	1.52	0.12	0.21	0.04								

Datum: 2016-11-19

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	50.95	1.17	1.05	0.04	0.04	0								
01:00:00	36.17	0.66	0.29	0	0.04	0								
02:00:00	31	0.83	0.57	0	0	0								
03:00:00	35.64	1.09	0.77	0.04	0.09	0								
04:00:00	44.19	0.83	0.49	0	0.04	0								
05:00:00	43.56	0.68	0.32	0	0.04	0								
06:00:00		0.7	0.32	0	0	0								
07:00:00	37.51	0.84	0.34	0	0.04	0								
08:00:00	46.25	0.74	0.33	0	0	0								
09:00:00	54.77	1.13	0.72	0.07	0.07	0								
10:00:00	64.88	0.82	0.58	0.04	0.04	0								
11:00:00	70.5	0.68	0.5	0	0.04	0								
12:00:00	76.46	0.61	0.39	0	0.04	0								
13:00:00	79.64	0.64	0.42	0	0.04	0								
14:00:00	77.25	0.62	0.48	0	0.04	0								
15:00:00	60.54	0.83	0.55	0.04	0.04	0								
16:00:00	60.43	0.91	0.48	0	0.04	0								
17:00:00	66.5	1.07	0.72	0	0	0								
18:00:00	65.68	0.96	0.72	0	0.04	0								
19:00:00	62.91	0.75	0.49	0.04	0.04	0								
20:00:00	63.23	0.73	0.29	0.04	0.04	0								
21:00:00	62.8	0.77	0.3	0.04	0.04	0								
22:00:00	57.77	0.79	0.34	0.04	0.04	0								
23:00:00	52.38	0.85	0.43	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	56.57	0.82	0.5	0.02	0.04	0								
C50	59.1	0.81	0.48	0	0.04	0								
MAX	79.64	1.17	1.05	0.07	0.09	0								
MIN	31	0.61	0.29	0	0	0								
C99.9	79.58	1.17	1.04	0.07	0.09	0								
C98	78.54	1.15	0.92	0.06	0.08	0								
C95	77.13	1.13	0.77	0.04	0.06	0								

Datum: 2016-11-20

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	47.08	0.86	0.49	0	0.04	0								
01:00:00	41.44	0.81	0.43	0	0.04	0								
02:00:00	40.53	0.71	0.44	0	0.04	0								
03:00:00	42.07	0.7	0.38	0	0	0								
04:00:00	43.43	0.59	0.36	0	0	0								
05:00:00	44.11	0.57	0.29	0	0.04	0								
06:00:00	44.4	0.54	0.27	0	0	0								
07:00:00		0.53	0.28	0	0	0								
08:00:00	53.78	0.91	0.35	0	0	0								
09:00:00	57.82	0.52	0.21	0	0	0								
10:00:00	62.7	0.52	0.22	0	0	0								
11:00:00	68.39	0.39	0.14	0	0	0								
12:00:00	71.24	0.42	0.18	0	0	0								
13:00:00	69.86	0.52	0.23	0	0	0								
14:00:00	66.89	0.46	0.2	0	0	0								
15:00:00	58.69	0.39	0.1	0	0	0								
16:00:00	45.44	0.56	0.33	0.04	0.04	0								
17:00:00	46.57	0.78	0.31	0.04	0.14	0.13								
18:00:00	47.67	0.95	0.62	0.04	0.12	0.13								
19:00:00	43.03	0.9	0.54	0.04	0.09	0								
20:00:00	34.97	0.84	0.5	0	0.07	0								
21:00:00	38.64	0.93	0.53	0.04	0.04	0								
22:00:00	28.64	0.89	0.57	0.04	0.04	0								
23:00:00	38.33	0.8	0.4	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	49.38	0.67	0.35	0.01	0.03	0.01								
C50	44.92	0.64	0.34	0	0.02	0								
MAX	71.24	0.95	0.62	0.04	0.14	0.13								
MIN	28.64	0.39	0.1	0	0	0								
C99.9	71.21	0.95	0.61	0.04	0.14	0.13								
C98	70.61	0.94	0.6	0.04	0.13	0.13								
C95	69.64	0.93	0.57	0.04	0.12	0.11								

Datum: 2016-11-21

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	39.38	0.63	0.27	0	0	0.04								
01:00:00	37.36	0.62	0.22	0	0.04	0								
02:00:00	31.83	0.54	0.24	0	0	0								
03:00:00	30.97	0.6	0.29	0	0.04	0								
04:00:00	30.58	0.59	0.24	0	0.04	0								
05:00:00	31.44	0.5	0.19	0	0	0.04								
06:00:00	27.44	0.43	0.15	0	0	0								
07:00:00	29.61	0.57	0.23	0.04	0	0								
08:00:00		0.9	0.39	0.04	0.04	0								
09:00:00	60.53	0.95	0.6	0	0.04	0								
10:00:00	67.27	0.62	0.39	0	0.04	0								
11:00:00	67.26	0.55	0.25	0.04	0	0								
12:00:00	68.11	0.51	0.27	0.04	0.04	0								
13:00:00	68.04	0.46	0.27	0	0.04	0								
14:00:00	62.87	0.56	0.3	0	0.04	0								
15:00:00	53.53	0.6	0.29	0	0.04	0								
16:00:00	44.8	0.79	0.34	0.04	0.04	0								
17:00:00	38.75	1.01	0.48	0.04	0.04	0								
18:00:00	38.98	1.05	0.56	0	0.04	0								
19:00:00	33.34	0.95	0.38	0	0.04	0								
20:00:00	31.05	1.29	0.49	0.04	0.04	0								
21:00:00	23.7	0.97	0.39	0	0	0								
22:00:00	24.86	0.95	0.42	0	0	0								
23:00:00	34.47	0.92	0.52	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	42.44	0.73	0.34	0.01	0.03	0								
C50	35.92	0.62	0.3	0	0.04	0								
MAX	68.11	1.29	0.6	0.04	0.04	0.04								
MIN	23.7	0.43	0.15	0	0	0								
C99.9	68.11	1.29	0.6	0.04	0.04	0.04								
C98	68.08	1.18	0.58	0.04	0.04	0.04								
C95	67.92	1.05	0.56	0.04	0.04	0.04								

Datum: 2016-11-22

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	37.29	0.98	0.66	0	0.04	0								
01:00:00	32.92	1.23	0.71	0	0.09	0								
02:00:00	36.4	0.68	0.44	0	0.04	0								
03:00:00	48.64	0.65	0.44	0	0	0								
04:00:00	53.12	0.7	0.43	0	0.04	0								
05:00:00	41.35	0.5	0.26	0	0	0								
06:00:00	35.02	0.46	0.3	0	0	0								
07:00:00	38.6	0.55	0.19	0	0	0								
08:00:00	39.76	0.77	0.3	0	0.04	0								
09:00:00		0.56	0.48	0.04	0.09	0								
10:00:00	52.13	0.57	0.41	0.04	0.09	0								
11:00:00	59.07	0.47	0.25	0	0	0								
12:00:00	64.93	0.52	0.24	0	0	0								
13:00:00	65.06	0.63	0.28	0	0	0								
14:00:00	58.57	0.55	0.26	0	0	0								
15:00:00	43.63	0.65	0.39	0	0	0								
16:00:00	34.04	0.74	0.42	0.04	0.09	0								
17:00:00	30.11	0.8	0.5	0.04	0	0								
18:00:00	28.71	1.12	0.47	0	0.04	0								
19:00:00	37.6	0.99	0.56	0.04	0.04	0								
20:00:00	38.17	1.08	0.58	0.04	0.04	0								
21:00:00	26.26	1.18	0.67	0.04	0.04	0								
22:00:00	23.58	1.09	0.78	0.04	0.06	0								
23:00:00	32.47	0.74	0.5	0	0.09	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	41.63	0.76	0.44	0.01	0.04	0								
C50	37.89	0.69	0.44	0	0.04	0								
MAX	65.06	1.23	0.78	0.04	0.09	0								
MIN	23.58	0.46	0.19	0	0	0								
C99.9	65.06	1.23	0.78	0.04	0.09	0								
C98	65	1.21	0.75	0.04	0.09	0								
C95	64.05	1.17	0.7	0.04	0.09	0								

Datum: 2016-11-23

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.14	0.57	0.44	0	0.04	0								
01:00:00	28.82	0.48	0.25	0	0	0.17								
02:00:00	28.95	0.44	0.2	0	0.04	0.17								
03:00:00	26.77	0.38	0.2	0.04	0	0								
04:00:00	20.63	0.39	0.21	0	0	0.22								
05:00:00	20.39	0.43	0.22	0	0	0								
06:00:00	21.16	0.43	0.22	0	0	0								
07:00:00	14.97	0.51	0.42	0.13	0.08	0								
08:00:00	22.97	1.31	0.71	0	0.04	0								
09:00:00	33.23	0.8	0.42	0	0.04	0								
10:00:00		0.63	0.36	0.04	0.04	0								
11:00:00	51.66	0.73	0.35	0.04	0.04	0								
12:00:00	62.67	0.67	0.35	0.04	0.04	0								
13:00:00	60.23	0.67	0.36	0.04	0.04	0								
14:00:00	55.66	0.75	0.33	0.04	0.04	0								
15:00:00	44.64	0.84	0.4	0	0.04	0								
16:00:00	37.71	0.96	0.46	0.04	0.06	0								
17:00:00	25.39	1.21	0.46	0.04	0.05	0								
18:00:00	24.2	1.24	0.53	0.04	0.05	0								
19:00:00	26	1.15	0.53	0.04	0.07	0								
20:00:00	25.2	1.28	0.62	0.04	0.06	0								
21:00:00	24.53	1.17	0.52	0.04	0	0								
22:00:00	27.03	1.01	0.39	0	0	0								
23:00:00	26.78	0.79	0.31	0.04	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	32.34	0.78	0.39	0.03	0.03	0.02								
C50	26.77	0.74	0.38	0.04	0.04	0								
MAX	62.67	1.31	0.71	0.13	0.08	0.22								
MIN	14.97	0.38	0.2	0	0	0								
C99.9	62.61	1.31	0.71	0.13	0.08	0.22								
C98	61.55	1.3	0.67	0.09	0.07	0.2								
C95	59.55	1.28	0.6	0.04	0.06	0.17								

Datum: 2016-11-24

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	22.45	1.23	0.42	0	0	0								
01:00:00	17.18	0.87	0.43	0	0	0								
02:00:00	17.38	0.98	0.55	0.04	0.04	0								
03:00:00	17.07	1.03	0.58	0.06	0.09	0								
04:00:00	14.92	1	0.57	0.09	0.07	0								
05:00:00	12.69	1.09	0.68	0.04	0.15	0								
06:00:00	13.44	1.6	1.15	0.11	0.29	0.04								
07:00:00	13.29	1.51	0.91	0.08	0.22	0.04								
08:00:00	19.75	1.24	0.74	0.06	0.1	0.04								
09:00:00	32.86	1.42	0.79	0.04	0.04	0								
10:00:00	41	1.35	0.65	0	0.04	0								
11:00:00		1	0.41	0	0.07	0								
12:00:00	45.53	0.76	0.34	0.04	0.04	0								
13:00:00	51.45	0.77	0.36	0.04	0.04	0								
14:00:00	53.38	0.92	0.55	0.04	0.04	0								
15:00:00	39.94	1.03	0.63	0.08	0.08	0.04								
16:00:00	29.51	2.11	1.17	0.28	0.15	0.04								
17:00:00	26.12	3.27	2.23	0.13	0.32	0.06								
18:00:00	18.27	6.72	4.6	1.66	1.67	0.2								
19:00:00	20.45	6.65	3.73	1.1	2.37	0.57								
20:00:00	10.17	5.3	2.56	0.76	1.17	0.22								
21:00:00	8.35	4.73	2.53	0.63	0.62	0.16								
22:00:00	5.56	4.28	2.29	0.61	0.49	0.16								
23:00:00	1.64	3.82	2.02	0.41	0.67	0.13								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	23.15	2.28	1.29	0.26	0.37	0.07								
C50	17.83	1.3	0.71	0.07	0.09	0.02								
MAX	53.38	6.72	4.6	1.66	2.37	0.57								
MIN	1.64	0.76	0.34	0	0	0								
C99.9	53.33	6.72	4.58	1.64	2.35	0.56								
C98	52.49	6.69	4.2	1.4	2.05	0.41								
C95	50.56	6.45	3.55	1.05	1.6	0.22								

Datum: 2016-11-25

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	1.93	3.58	1.92	0.4	0.52	0.08								
01:00:00	5.44	2.99	1.82	0.35	0.61	0.13								
02:00:00	8.83	2.58	1.55	0.28	0.66	0.07								
03:00:00	12.6	2.14	1.41	0.22	0.13	0.05								
04:00:00	11.97	1.58	1.21	0.13	0.19	0.06								
05:00:00	6.29	1.47	1.14	0.2	0.19	0.08								
06:00:00	8.35	2.23	2.6	0.7	0.71	0.16								
07:00:00	8.85	4.56	3.5	0.74	1.16	0.23								
08:00:00	12.81	3.38	1.96	0.46	0.57	0.15								
09:00:00	21.28	2.14	1.51	0	0.2	0.04								
10:00:00	28.13	1.71	1	0.06	0.12	0.04								
11:00:00	31.27	1.55	0.81	0.11	0.09	0								
12:00:00		1.48	0.91	0.07	0.04	0								
13:00:00	33.77	1.98	1.11	0.14	0.2	0								
14:00:00	26.74	2.94	1.74	0.25	0.37	0.07								
15:00:00	27.84	4.14	4.96	0.45	0.91	0.09								
16:00:00	22.61	6.48	4.79	0.87	1.15	0.25								
17:00:00	18.98	12.51	10.05	1.69	1.59	0.61								
18:00:00	17.58	10.51	7.37	0.26	1.04	0.63								
19:00:00	23.72	8.39	5.97	0.98	1.16	0.3								
20:00:00	12.32	13.61	7.47	0	0.98	0.51								
21:00:00	4.02	8.94	5	1.05	1.11	0.57								
22:00:00	5.69	4.99	2.8	0.73	0.47	0.15								
23:00:00	7.98	3.89	2.05	0.44	0.41	0.07								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	15.61	4.57	3.11	0.44	0.61	0.18								
C50	12.46	3.18	1.94	0.31	0.54	0.08								
MAX	33.77	13.61	10.05	1.69	1.59	0.63								
MIN	1.93	1.47	0.81	0	0.04	0								
C99.9	33.72	13.58	9.99	1.68	1.58	0.63								
C98	32.62	13.1	8.87	1.4	1.39	0.62								
C95	30.8	12.21	7.46	1.04	1.16	0.61								

Datum: 2016-11-26

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	2.11	4.87	2.18	0.45	0.4	0.16								
01:00:00	1.51	3.38	1.59	0	0.15	0.04								
02:00:00	0.47	3.64	1.64	0.26	0.15	0.04								
03:00:00	1.22	3.22	1.48	0.17	0.27	0.04								
04:00:00	0.72	2.86	1.41	0	0.17	0								
05:00:00	5.55	2.89	1.34	0.09	0.11	0								
06:00:00	1.1	3.4	1.65	0.17	0.24	0.04								
07:00:00	5.79	3.21	2.41	0	0.3	0								
08:00:00	9.34	5.37	3.64	0.88	0.23	0.09								
09:00:00	10.04	7.04	3.68	0.09	0.25	0.17								
10:00:00	19.57	3.16	1.9	0.28	0.48	0.1								
11:00:00	32.67	2.51	1.48	0.37	0.72	0.16								
12:00:00	34.59	1.54	0.99	0.32	0.46	0								
13:00:00		1.22	1.15	0.31	0.35	0								
14:00:00	51.8	1.2	0.69	0.11	0.09	0								
15:00:00	39.23	1.19	0.7	0.08	0.16	0								
16:00:00	29.73	1.26	0.77	0.19	0.41	0								
17:00:00	15	1.52	1.12	0.45	0.58	0.12								
18:00:00	12.17	2.07	1.36	0.16	0.18	0.07								
19:00:00	9.15	1.79	0.94	0.11	0.12	0.04								
20:00:00	8.05	2.22	1.32	0.07	0.13	0.04								
21:00:00	13.01	1.55	0.82	0.13	0.08	0								
22:00:00	22.47	1.49	0.79	0.09	0.07	0.04								
23:00:00	21.06	0.96	0.43	0.04	0.07	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	15.06	2.65	1.48	0.2	0.26	0.05								
C50	9.69	2.37	1.35	0.15	0.21	0.04								
MAX	51.8	7.04	3.68	0.88	0.72	0.17								
MIN	0.47	0.96	0.43	0	0.07	0								
C99.9	51.51	7.01	3.68	0.87	0.72	0.17								
C98	46.02	6.27	3.66	0.68	0.65	0.16								
C95	38.53	5.3	3.46	0.45	0.56	0.16								

Datum: 2016-11-27

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	17.51	0.9	0.46	0.04	0.04	0								
01:00:00	16.15	1.01	0.53	0	0.04	0								
02:00:00	12.39	1.02	0.53	0	0.04	0								
03:00:00	9.91	1.17	0.48	0	0	0								
04:00:00	7.66	1.33	0.54	0	0.04	0								
05:00:00	6.58	1.18	0.58	0.04	0.07	0								
06:00:00	4.49	1.47	1.09	0.09	0.09	0.22								
07:00:00	5.78	1.73	0.83	0.09	0.12	0.12								
08:00:00	6.41	2.61	1.13	0.09	0.1	0.04								
09:00:00	10.18	2.8	1.16	0	0.11	0								
10:00:00	13.71	3.12	1.22	0.11	0.1	0.04								
11:00:00	14.47	2.78	1.08	0.11	0.08	0.04								
12:00:00	17.93	2.21	0.97	0.04	0.08	0								
13:00:00	21.5	1.64	0.89	0.09	0.04	0								
14:00:00		1.62	0.81	0.04	0.07	0.04								
15:00:00	16.21	1.62	0.79	0.07	0.04	0.04								
16:00:00	13.54	1.66	0.81	0	0.05	0								
17:00:00	12.21	1.73	0.82	0.04	0.04	0								
18:00:00	10.24	1.82	0.82	0.04	0.07	0								
19:00:00	10.96	1.64	0.8	0.08	0.04	0								
20:00:00	10.33	1.63	0.78	0.17	0.11	0								
21:00:00	17	1.78	0.83	0	0.05	0								
22:00:00	16.24	1.63	0.8	0.04	0.06	0								
23:00:00	24.28	1.14	0.6	0.09	0.05	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	12.86	1.72	0.81	0.05	0.06	0.02								
C50	12.3	1.63	0.81	0.04	0.06	0								
MAX	24.28	3.12	1.22	0.17	0.12	0.22								
MIN	4.49	0.9	0.46	0	0	0								
C99.9	24.21	3.11	1.21	0.17	0.12	0.21								
C98	23	2.97	1.19	0.15	0.11	0.17								
C95	20.96	2.8	1.16	0.11	0.11	0.11								

Datum: 2016-11-28

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	30.28	0.9	0.44	0.04	0.04	0								
01:00:00	29.78	0.8	0.41	0	0	0								
02:00:00	35.82	0.6	0.33	0	0	0								
03:00:00	37.46	0.44	0.21	0	0	0								
04:00:00	33.09	0.31	0.22	0	0	0								
05:00:00	32.72	0.39	0.17	0	0	0								
06:00:00	31	0.35	0.2	0	0	0								
07:00:00	29.54	0.42	0.21	0	0	0								
08:00:00	35.58	0.43	0.3	0	0.04	0								
09:00:00	42.7	0.43	0.26	0	0	0								
10:00:00	51.34	0.53	0.29	0.04	0	0								
11:00:00	56.93	0.65	0.38	0	0	0								
12:00:00	60.08	0.71	0.49	0	0.04	0								
13:00:00	53.42	1.14	0.59	0.04	0.04	0								
14:00:00	49.16	0.91	0.51	0	0.04	0								
15:00:00		1.56	1.03	0	0.06	0								
16:00:00	18.07	2.72	1.62	0.13	0.23	0.04								
17:00:00	12.33	9	4.1	0	0.57	0.82								
18:00:00	4.96	8.19	6.56	0.09	0.7	0.35								
19:00:00	8.38	2.74	1.82	0.04	0.16	0.04								
20:00:00	17.46	3.34	1.82	0	0.14	0								
21:00:00	22.39	1.37	0.84	0	0.05	0								
22:00:00	29.32	2.47	1.65	1.13	0.08	0								
23:00:00	28.96	1.22	0.67	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	32.64	1.73	1.05	0.06	0.09	0.05								
C50	30.64	0.85	0.47	0	0.04	0								
MAX	60.08	9	6.56	1.13	0.7	0.82								
MIN	4.96	0.31	0.17	0	0	0								
C99.9	60.01	8.98	6.5	1.11	0.7	0.81								
C98	58.63	8.63	5.43	0.67	0.64	0.61								
C95	56.4	7.46	3.76	0.12	0.52	0.3								

Datum: 2016-11-29

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	22.32	1.33	0.66	0	0.04	0								
01:00:00	18.4	1.46	0.73	0	0.04	0								
02:00:00	22.97	1.41	0.82	0	0.04	0								
03:00:00	32.99	1.16	0.73	0	0.04	0								
04:00:00	25.97	0.75	0.43	0	0.04	0								
05:00:00	24.92	0.81	0.35	0	0	0								
06:00:00	26.11	1.14	0.63	0	0.04	0								
07:00:00	20.69	1.88	0.92	0	0.04	0								
08:00:00	26.37	2.75	1.32	0	0.04	0								
09:00:00	38.03	1.5	0.82	0	0.04	0								
10:00:00	43.72	1.14	0.57	0	0.04	0								
11:00:00	46.93	0.98	0.45	0	0.04	0								
12:00:00	49.91	0.99	0.5	0	0.04	0								
13:00:00	51.14	0.85	0.47	0	0	0								
14:00:00	54.6	0.88	0.41	0	0.04	0								
15:00:00	49.83	1.28	0.62	0	0.04	0								
16:00:00		2.19	1.01	0	0.07	0								
17:00:00	11.53	3.36	2.2	0.04	0.25	0.04								
18:00:00	12.08	3.69	2.78	0.09	0.19	0.04								
19:00:00	19.65	6.07	4.07	0.16	0.26	0.17								
20:00:00	22.6	4.16	1.77	0.13	0.23	0								
21:00:00	19.97	2.22	1.04	0.13	0.09	0.04								
22:00:00	10.54	1.33	0.87	0	0.11	0								
23:00:00	20.95	2.18	3.11	0	0.45	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	29.23	1.9	1.14	0.02	0.09	0.01								
C50	23.95	1.37	0.77	0	0.04	0								
MAX	54.6	6.07	4.07	0.16	0.45	0.17								
MIN	10.54	0.75	0.35	0	0	0								
C99.9	54.52	6.03	4.05	0.16	0.45	0.17								
C98	53.01	5.19	3.63	0.15	0.37	0.11								
C95	50.95	4.09	3.06	0.13	0.26	0.04								

Datum: 2016-11-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	25.93	1.02	0.53	0	0.04	0								
01:00:00	19.49	0.83	0.43	0	0.04	0								
02:00:00	18.2	0.81	0.41	0	0	0								
03:00:00	17.91	0.88	0.47	0	0	0								
04:00:00	13.88	0.85	0.45	0	0	0								
05:00:00	6.53	1.07	0.72	0.04	0.04	0								
06:00:00	4.82	3.54	3.37	1.05	0.32	0.04								
07:00:00	10.11	2.84	2.54	1.31	0.15	0.04								
08:00:00	13.79	4.86	2.8	0.17	0.13	0.09								
09:00:00	20.82	3.51	2.04	0.22	0.07	0								
10:00:00	33.69	0.86	0.61	0.04	0.05	0								
11:00:00	40.34	1.16	0.82	0	0.07	0								
12:00:00	43.67	1.73	0.77	0	0.04	0								
13:00:00	44.64	1.07	0.57	0	0.04	0								
14:00:00	40.81	0.98	0.47	0.39	0.13	0.26								
15:00:00	37.35	1.04	0.65	0.04	0.06	0								
16:00:00	34.22	1.11	0.67	0	0.04	0								
17:00:00		2.1	0.58	0	0.06	0.09								
18:00:00	22.01	2.02	0.67	0	0.04	0								
19:00:00	25.36	1.73	0.68	0	0.05	0								
20:00:00	25.92	1.74	0.69	0	0.05	0								
21:00:00	22.75	1.88	0.68	0	0.04	0								
22:00:00	22.81	1.81	0.62	0	0.04	0								
23:00:00	23.37	2.04	0.82	0	0.05	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	24.71	1.73	0.96	0.14	0.07	0.02								
C50	22.78	1.45	0.67	0	0.05	0								
MAX	44.64	4.86	3.37	1.31	0.32	0.26								
MIN	4.82	0.81	0.41	0	0	0								
C99.9	44.62	4.83	3.35	1.31	0.32	0.26								
C98	44.19	4.25	3.11	1.19	0.24	0.18								
C95	43.24	3.53	2.76	0.95	0.14	0.09								

Zbirni podaci za period: 2016-11-01 do 2016-11-30[illegible]