



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10004 Kikinda - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-10-01 do 2016-10-31

KOD stanice: **RS10004**

EIO klasifikacija: **Industrial/Suburban/Industrial**

Koordinate XY: **45.817 / 20.444**

Nadmorska visina: **81**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-10-01

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	33.57	1.18	3.62	0	0.56	0							
01:00:00	21.25	0.87	1.74	0.3	0.34	0							
02:00:00	28.16	0.7	1.27	0	0.21	0							
03:00:00	23.94	0.74	1.13	0	0.2	0							
04:00:00	14.2	1.01	2.01	0.21	0.25	0.17							
05:00:00	26.85	1.67	1.63	0.11	0.15	0.09							
06:00:00	28.42	0.89	1.22	0	0.12	0.04							
07:00:00	30.29	0.77	1.06	0.15	0.09	0.09							
08:00:00		0.72	1.5	0.17	0.15	0.04							
09:00:00	59.18	0.79	54.8	0.13	0.08	0							
10:00:00	101.64	0.43	1.9	0	0.04	0							
11:00:00	117.45	0.34	0.97	0	0.04	0							
12:00:00	124.65	0.28	0.56	0	0	0							
13:00:00	125.04	0.75	0.99	0	0	0							
14:00:00	129.61	0.43	1.27	0	0	0							
15:00:00	131.65	0.26	0.52	0	0	0							
16:00:00	127.75	0.23	0.46	0	0	0							
17:00:00	119.51	0.21	0.45	0	0	0							
18:00:00	87.87	0.4	4.67	0.26	0.13	0							
19:00:00	86.73	0.38	1.24	0.13	0.04	0							
20:00:00	76.3	0.41	0.83	0.04	0.04	0							
21:00:00	73.91	0.56	0.85	0.09	0.04	0.04							
22:00:00	60.98	0.92	1.09	0.12	0.22	0.66							
23:00:00	48.04	1.07	2.45	0.47	0.56	0.64							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	72.91	0.67	3.68	0.09	0.14	0.07							
C50	67.45	0.71	1.23	0.02	0.08	0							
MAX	131.65	1.67	54.8	0.47	0.56	0.66							
MIN	14.2	0.21	0.45	0	0	0							
C99.9	131.6	1.66	53.64	0.47	0.56	0.66							
C98	130.71	1.44	31.74	0.4	0.56	0.65							
C95	129.33	1.16	4.52	0.3	0.52	0.57							

Datum: 2016-10-02

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	54.39	0.71	1.07	0	0.08	0.38							
01:00:00	49.63	1.57	1.66	0.13	0.09	0.09							
02:00:00	23.46	1.75	1.65	0.17	0.25	0.13							
03:00:00	22.63	1.94	1.89	0	0.08	0							
04:00:00	30.02	1.17	1.17	0.09	0.09	0							
05:00:00	14.56	2.46	2.85	0.44	0.12	0.09							
06:00:00	15.1	1.74	2.89	0.3	0.64	0.22							
07:00:00	26.12	0.97	1.25	0.25	0.27	0.09							
08:00:00	36.99	0.96	0.91	0.09	0.09	0							
09:00:00		0.72	0.59	0.09	0.04	0							
10:00:00	73.96	0.6	0.54	0	0.04	0							
11:00:00	94.7	0.73	0.5	0	0.04	0							
12:00:00	115.96	0.57	0.44	0	0.04	0							
13:00:00	128.29	0.55	0.37	0.04	0.04	0							
14:00:00	140.47	0.47	0.32	0.04	0.04	0							
15:00:00	135.84	0.47	0.46	0	0.04	0							
16:00:00	132.12	0.4	0.33	0	0	0							
17:00:00	124.82	0.58	0.57	0.04	0.08	0							
18:00:00	82.62	1.8	4.62	0	0.51	0.04							
19:00:00	38.39	1.48	4.26	0.48	0.69	0							
20:00:00	71.67	0.99	2.05	0	0.22	0							
21:00:00	87.09	0.7	0.69	0.13	0.04	0							
22:00:00	71.75	0.29	0.3	0	0.04	0							
23:00:00	58.03	0.65	0.59	0	0.04	0							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	70.81	1.01	1.33	0.1	0.15	0.04							
C50	64.85	0.72	0.8	0.04	0.08	0							
MAX	140.47	2.46	4.62	0.48	0.69	0.38							
MIN	14.56	0.29	0.3	0	0	0							
C99.9	140.36	2.45	4.61	0.48	0.69	0.37							
C98	138.34	2.22	4.45	0.46	0.67	0.3							
C95	135.28	1.92	4.06	0.41	0.62	0.2							

Datum: 2016-10-03

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	46.7	0.63	0.62	0.13	0.04	0								
01:00:00	51.69	0.52	0.76	0	0.06	0								
02:00:00	44.58	0.37	0.52	0.04	0.06	0								
03:00:00	29.31	0.58	0.51	0.04	0.1	0.04								
04:00:00	25.19	1.5	1.57	0.13	0.21	0.09								
05:00:00	18.47	0.8	0.86	0.09	0.13	0								
06:00:00	39.37	0.7	1.16	0.07	0.12	0.04								
07:00:00	44.62	0.51	9.85	0.09	0.08	0								
08:00:00	46.44	0.38	1.53	0	0	0								
09:00:00	51.98	0.19	0.46	0	0.04	0								
10:00:00		0.3	0.56	0.09	0.05	0								
11:00:00	48.37	0.15	0.58	0	0.04	0								
12:00:00	57.44	0.2	0.35	0	0.04	0								
13:00:00	67.47	0.16	0.26	0.04	0.04	0								
14:00:00	77.84	0.16	0.48	0.07	0.26	0								
15:00:00	80.47	0.1	0.27	0	0.07	0								
16:00:00	69.04	0.1	0.2	0	0	0								
17:00:00	50.3	0.12	0.59	0.2	0.37	0.22								
18:00:00	45.76	0.18	0.39	0	0.09	0								
19:00:00	49.87	0.13	0.2	0	0	0								
20:00:00	56.77	0.1	0.22	0	0.04	0								
21:00:00	50.95	0.24	0.22	0	0.04	0								
22:00:00	38.86	0.23	0.28	0	0.04	0								
23:00:00	22.58	0.46	0.32	0.04	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	48.44	0.37	0.95	0.04	0.08	0.02								
C50	47.54	0.24	0.49	0.02	0.05	0								
MAX	80.47	1.5	9.85	0.2	0.37	0.22								
MIN	18.47	0.1	0.2	0	0	0								
C99.9	80.41	1.49	9.66	0.2	0.37	0.21								
C98	79.26	1.18	6.04	0.17	0.32	0.16								
C95	76.52	0.79	1.57	0.13	0.25	0.08								

Datum: 2016-10-04

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	24.86	0.34	0.24	0	0.04	0								
01:00:00	24.26	0.34	0.22	0	0.04	0								
02:00:00	28.34	0.21	0.23	0	0.04	0								
03:00:00	27.63	0.17	0.2	0	0.04	0								
04:00:00	27.09	0.13	0.23	0	0	0								
05:00:00	27.28	0.2	0.21	0	0.04	0								
06:00:00	26.77	0.22	0.31	0.04	0.04	0								
07:00:00	26.86	0.27	0.48	0.04	0.13	0								
08:00:00	31.76	0.21	0.37	0	0	0								
09:00:00	38.58	0.24	0.4	0.04	0.06	0								
10:00:00	47.89	0.21	0.41	0.04	0.04	0.04								
11:00:00		0.19	0.23	0	0.04	0.04								
12:00:00	54.11	0.16	0.22	0.04	0.04	0								
13:00:00	50.66	0.12	0.21	0	0.07	0								
14:00:00	41.97	0.35	0.34	0.09	0.04	0								
15:00:00	44.79	0.35	0.28	0	0.04	0								
16:00:00	45.28	0.14	0.14	0	0.04	0								
17:00:00	42.74	0.24	0.2	0	0	0								
18:00:00	37.54	0.36	0.26	0	0.04	0								
19:00:00	34.69	0.31	0.23	0	0.04	0								
20:00:00	29.64	0.24	0.14	0	0.04	0								
21:00:00	28.42	0.65	0.49	0	0.04	0								
22:00:00	36.72	0.47	0.48	0	0.04	0								
23:00:00	42.93	0.31	0.26	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	35.69	0.27	0.28	0.01	0.04	0								
C50	33.23	0.24	0.24	0	0.04	0								
MAX	54.11	0.65	0.49	0.09	0.13	0.04								
MIN	24.26	0.12	0.14	0	0	0								
C99.9	54.04	0.64	0.49	0.09	0.13	0.04								
C98	52.53	0.56	0.49	0.07	0.1	0.04								
C95	50.25	0.45	0.48	0.04	0.06	0.04								

Datum: 2016-10-05

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	48.76	0.38	0.31	0	0	0								
01:00:00	47.33	0.31	0.18	0	0	0								
02:00:00	49.3	0.15	0.16	0	0	0								
03:00:00	37.69	0.43	0.33	0	0	0								
04:00:00	32.81	0.35	0.36	0	0.04	0								
05:00:00	29.67	0.39	0.65	0	0.04	0								
06:00:00	33.28	0.22	0.28	0.04	0	0								
07:00:00	31.44	0.28	0.38	0.04	0.07	0								
08:00:00	36.43	0.88	0.62	0	0.04	0								
09:00:00	39.19	0.88	0.88	0.07	0.04	0								
10:00:00	46.54	0.45	0.49	0	0.04	0								
11:00:00	54.27	0.41	0.45	0	0	0								
12:00:00		0.24	0.4	0.04	0	0								
13:00:00	60.55	0.26	0.29	0	0	0								
14:00:00	64.2	0.19	0.51	0.09	0.15	0.04								
15:00:00	63.05	0.12	0.15	0	0.04	0								
16:00:00	59.83	0.15	0.16	0	0	0.04								
17:00:00	56.7	0.09	0.09	0	0	0								
18:00:00	50.48	0.13	0.16	0	0	0								
19:00:00	41.21	0.75	0.36	0.04	0.04	0								
20:00:00	35.92	0.45	0.24	0	0	0								
21:00:00	33.32	0.45	0.24	0	0	0								
22:00:00	28.92	0.51	0.25	0	0.04	0								
23:00:00	28.09	0.45	0.16	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	43.87	0.37	0.34	0.01	0.03	0								
C50	40.2	0.37	0.3	0	0	0								
MAX	64.2	0.88	0.88	0.09	0.15	0.04								
MIN	28.09	0.09	0.09	0	0	0								
C99.9	64.17	0.88	0.88	0.09	0.14	0.04								
C98	63.67	0.88	0.78	0.08	0.11	0.04								
C95	62.68	0.86	0.65	0.07	0.07	0.04								

Datum: 2016-10-06

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	27.99	0.45	0.19	0	0	0.04								
01:00:00	25.49	0.68	1.29	0	0	0								
02:00:00	27.01	0.39	0.24	0	0	0								
03:00:00	27.41	0.23	0.16	0	0	0								
04:00:00	28.33	0.2	0.1	0	0.04	0								
05:00:00	29.64	0.27	0.25	0	0	0								
06:00:00	21.95	0.37	2.69	0	0.04	0								
07:00:00	23.77	0.47	2.48	0	0.04	0								
08:00:00	27.6	0.28	0.57	0.04	0.04	0.16								
09:00:00	35.9	0.42	11.44	0	0.04	0.04								
10:00:00	41.1	0.31	3.45	0	0	0.04								
11:00:00	53.03	0.43	4.43	0	0	0								
12:00:00	56.87	0.26	0.69	0.04	0.04	0								
13:00:00		0.34	0.39	0	0	0								
14:00:00	59.7	0.33	0.48	0	0	0								
15:00:00	52.21	0.2	0.38	0	0.04	0								
16:00:00	47.67	0.25	0.3	0	0	0								
17:00:00	40.59	0.2	0.4	0	0.04	0								
18:00:00	30.99	0.59	0.63	0	0.04	0								
19:00:00	22	0.54	0.54	0	0.04	0								
20:00:00	28.56	1.2	0.57	0	0.04	0								
21:00:00	27.43	0.66	3.69	0.04	0.08	0								
22:00:00	19.66	0.69	34	0.04	0.07	0								
23:00:00	14.19	0.84	11.26	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	33.44	0.44	3.36	0.01	0.03	0.01								
C50	28.16	0.38	0.57	0	0.04	0								
MAX	59.7	1.2	34	0.04	0.08	0.16								
MIN	14.19	0.2	0.1	0	0	0								
C99.9	59.64	1.19	33.48	0.04	0.08	0.15								
C98	58.4	1.03	23.62	0.04	0.07	0.1								
C95	56.3	0.82	11.41	0.04	0.07	0.04								

Datum: 2016-10-07

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	11.07	0.98	7.72	0	0.04	0								
01:00:00	8.6	0.82	6.6	0.04	0.08	0								
02:00:00	4.79	0.77	11.53	0.04	0.05	0								
03:00:00	6.13	0.81	5.4	0.04	0.1	0								
04:00:00	11.47	1	1.32	0	0.04	0								
05:00:00	8	0.99	1.05	0.04	0.15	0								
06:00:00	14.24	1.32	1.19	0.07	0.07	0								
07:00:00	10.68	2.02	1.29	0.13	0.05	0.04								
08:00:00	12.72	1.24	1.12	0.13	0.06	0								
09:00:00	23.8	0.79	0.86	0	0.04	0								
10:00:00	37.99	0.68	0.66	0	0.04	0								
11:00:00	44.69	0.94	0.88	0	0.04	0								
12:00:00	48.45	0.63	0.55	0	0.09	0								
13:00:00	49.73	0.54	0.6	0	0.04	0.04								
14:00:00		0.61	0.66	0.13	0.06	0								
15:00:00	54.59	0.75	0.58	0.04	0.07	0								
16:00:00	41.76	0.71	0.6	0	0.04	0								
17:00:00	36.29	0.89	0.51	0	0.04	0								
18:00:00	37.29	1.34	0.66	0.04	0.06	0.04								
19:00:00	38.66	1.79	0.98	0	0.04	0								
20:00:00	33.8	1.43	0.92	0.04	0.06	0								
21:00:00	20.93	1.45	0.81	0.07	0.13	0								
22:00:00	21.53	1.17	0.76	0.04	0.08	0.04								
23:00:00	16.66	1.3	0.72	0.04	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	25.82	1.04	2	0.04	0.06	0.01								
C50	21.23	0.96	0.87	0.04	0.05	0								
MAX	54.59	2.02	11.53	0.13	0.15	0.04								
MIN	4.79	0.54	0.51	0	0.04	0								
C99.9	54.48	2.02	11.44	0.13	0.15	0.04								
C98	52.36	1.91	9.78	0.13	0.14	0.04								
C95	49.54	1.74	7.55	0.13	0.12	0.04								

Datum: 2016-10-08

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3							
00:00:00	18.87	0.86	0.45	0	0.04	0							
01:00:00	21.24	0.69	0.37	0	0.04	0							
02:00:00	16.13	0.97	0.59	0.13	0.04	0							
03:00:00	11.94	2.18	1.52	0.04	0.09	0.04							
04:00:00	9.9	2.06	1.65	0.38	0.07	0.09							
05:00:00	4.79	3.89	3.57	2.36	0.14	0.17							
06:00:00	3.82	0.83	0.68	0.07	0.04	0							
07:00:00	3.27	0.94	0.6	0.04	0.06	0.04							
08:00:00	19.15	0.68	0.42	0.04	0.04	0							
09:00:00	24.66	0.81	0.49	0	0.04	0							
10:00:00	39.75	0.83	0.52	0	0.04	0							
11:00:00	52.68	0.61	0.4	0.09	0.04	0							
12:00:00	55.63	0.48	0.54	0.26	0.43	0.09							
13:00:00	59.13	0.42	0.4	0.04	0.06	0							
14:00:00	61.43	0.36	0.38	0.04	0.04	0							
15:00:00		0.48	0.29	0	0.04	0							
16:00:00	56.95	0.42	0.34	0	0.04	0.04							
17:00:00	48.58	0.85	0.75	0.09	0.04	0							
18:00:00	28.01	3.03	1.77	0.04	0.07	0.17							
19:00:00	19.39	6.95	3.78	0.21	0.38	0.11							
20:00:00	10.73	4.89	4.2	0	0.62	0.41							
21:00:00	13.79	8.28	5.7	0.04	0.87	0.51							
22:00:00	12.18	6.25	5.95	0.54	0.92	0.51							
23:00:00	4.23	3.97	3.3	0.04	0.4	0.18							

Ras pod	95.83%	100%	100%	100%	100%	100%							
AVG	25.92	2.16	1.61	0.19	0.19	0.1							
C50	19.01	0.86	0.59	0.04	0.05	0.02							
MAX	61.43	8.28	5.95	2.36	0.92	0.51							
MIN	3.27	0.36	0.29	0	0.04	0							
C99.9	61.37	8.25	5.94	2.31	0.91	0.51							
C98	60.37	7.67	5.83	1.52	0.89	0.51							
C95	58.8	6.85	5.47	0.52	0.83	0.49							

Datum: 2016-10-09

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	3.57	2.31	7.18	0	0.34	0.07								
01:00:00	7.87	1.79	6.68	0.3	0.34	0.08								
02:00:00	2.05	3.03	17	0	0.27	0.06								
03:00:00	4.7	3	21.44	0.67	0.64	0.18								
04:00:00	1.7	1.91	15.03	0.39	0.55	0.39								
05:00:00	7.86	1.73	7.72	0.2	0.38	0.06								
06:00:00	7.27	2.17	5.18	0	0.36	0								
07:00:00	6.27	6.81	11.27	0.26	0.51	0.15								
08:00:00	12.48	4.12	3.35	0.16	0.33	0.11								
09:00:00	33.29	1.53	1.74	0.09	0.09	0								
10:00:00	57.97	1.06	1.04	0	0.04	0								
11:00:00	71.68	0.73	0.5	0	0.04	0								
12:00:00	79.91	0.62	0.59	0	0.06	0								
13:00:00	83.98	0.5	0.62	0	0.09	0								
14:00:00	94.76	0.51	0.42	0	0.04	0								
15:00:00	85.98	0.56	0.62	0.09	0.07	0								
16:00:00		0.54	0.48	0	0.04	0								
17:00:00	47.06	2.13	1.48	0.35	0.18	0								
18:00:00	19.63	3.18	2.71	0.56	0.56	0.07								
19:00:00	28.91	7.62	5.21	0	0.78	0.27								
20:00:00	12.72	12.16	7.28	1.74	1.61	0.76								
21:00:00	15.18	15.01	8.05	1.04	1.81	0.9								
22:00:00	10.97	6.95	7.26	0.97	1.6	0.77								
23:00:00	7.58	12.7	8.7	0.04	1.07	0.49								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	30.58	3.86	5.9	0.29	0.49	0.18								
C50	12.6	2.15	5.19	0.09	0.34	0.06								
MAX	94.76	15.01	21.44	1.74	1.81	0.9								
MIN	1.7	0.5	0.42	0	0.04	0								
C99.9	94.56	14.95	21.34	1.72	1.81	0.89								
C98	90.72	13.94	19.4	1.42	1.72	0.84								
C95	85.68	12.62	16.71	1.03	1.6	0.77								

Datum: 2016-10-10

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	8.48	14.92	10.57	0.22	1.29	0.65								
01:00:00	6.84	14.85	10.89	0.13	1.36	0.55								
02:00:00	2.3	12.17	10.95	0.04	1.27	0.47								
03:00:00	2.82	9.91	7.21	0	0.9	0.33								
04:00:00	6.46	2.46	1.9	0.34	0.71	0.12								
05:00:00	10.33	1.88	1.73	0.29	0.47	0.14								
06:00:00	3.21	2.22	1.73	0.43	0.41	0.13								
07:00:00	3.09	1.86	1.38	0.26	0.41	0.06								
08:00:00	11.74	2.85	7.51	1.56	3.13	0.99								
09:00:00	20.15	1.38	1.38	0.43	0.35	0.13								
10:00:00	44.39	1.08	0.85	0	0.06	0								
11:00:00	63.18	0.94	0.63	0	0.08	0								
12:00:00	77.13	0.89	0.52	0	0.04	0								
13:00:00	79.44	0.81	0.61	0	0.04	0								
14:00:00	83.41	0.72	0.6	0	0.04	0								
15:00:00	84.27	1.53	0.72	0.13	0.07	0								
16:00:00	77.46	1	0.78	0	0.09	0								
17:00:00		1.76	1.44	0	0.17	0								
18:00:00	53.35	2.03	1.59	0	0.15	0.04								
19:00:00	43.37	3.48	1.6	0.2	0.23	0.07								
20:00:00	33.35	2.08	1.63	0.37	0.43	0.07								
21:00:00	24.49	1.76	1.75	0.09	0.1	0								
22:00:00	20.53	1.34	1.17	0.09	0.11	0.04								
23:00:00	10.2	1.71	0.93	0.1	0.15	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	33.48	3.57	2.92	0.2	0.5	0.16								
C50	20.34	1.81	1.52	0.1	0.2	0.05								
MAX	84.27	14.92	10.95	1.56	3.13	0.99								
MIN	2.3	0.72	0.52	0	0.04	0								
C99.9	84.25	14.92	10.94	1.54	3.09	0.98								
C98	83.87	14.89	10.92	1.04	2.32	0.83								
C95	82.81	14.45	10.84	0.43	1.35	0.63								

Datum: 2016-10-11

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	8.13	1.37	0.76	0.05	0.08	0.04								
01:00:00	8.22	2.61	1.76	0.13	0.04	0								
02:00:00	14.51	2.01	1.55	0.04	0.09	0								
03:00:00	10.03	1.2	1.04	0.07	0.17	0.04								
04:00:00	8.13	1.05	0.88	0.09	0.1	0								
05:00:00	4.7	1.66	1.48	0.17	0.07	0								
06:00:00	10.71	2.82	2.42	0.05	0.18	0.1								
07:00:00	19.94	2.46	1.65	0.39	0.24	0.04								
08:00:00	33.51	1.69	1.27	0.13	0.17	0.04								
09:00:00	30.43	2.27	1.23	0.13	0.14	0.04								
10:00:00	28.62	2.06	1.1	0.12	0.1	0								
11:00:00	21.86	1.3	2.72	0	0.31	0								
12:00:00	29.2	1.76	0.77	0.07	0.09	0.04								
13:00:00	34.61	1.29	0.64	0	0.06	0								
14:00:00	36.18	1.23	0.65	0.04	0	0								
15:00:00	42.03	1.05	0.67	0.04	0.04	0								
16:00:00	39.48	0.84	0.43	0	0.04	0								
17:00:00	26.68	0.86	0.6	0	0.08	0								
18:00:00		2.15	1.14	0.04	0.07	0.04								
19:00:00	8.38	2.95	1.5	0.09	0.25	0.04								
20:00:00	9.14	2.98	1.37	0.17	0.12	0.06								
21:00:00	9.35	2.08	1.29	0.26	0.08	0								
22:00:00	14.2	2.07	1.49	0	0.09	0								
23:00:00	15.4	1.55	0.84	0	0.05	0.09								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	20.15	1.8	1.22	0.09	0.11	0.02								
C50	14.95	1.73	1.18	0.06	0.09	0								
MAX	42.03	2.98	2.72	0.39	0.31	0.1								
MIN	4.7	0.84	0.43	0	0	0								
C99.9	41.97	2.98	2.71	0.39	0.31	0.1								
C98	40.86	2.97	2.58	0.33	0.29	0.09								
C95	38.98	2.93	2.32	0.25	0.25	0.08								

Datum: 2016-10-12

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	16.14	1.38	0.74	0.04	0.04	0								
01:00:00	17.52	0.93	0.51	0.17	0.07	0.13								
02:00:00	16.72	1.19	0.58	0.21	0.26	0.39								
03:00:00	21.47	0.91	0.43	0.09	0.06	0								
04:00:00	20.33	0.87	0.33	0.04	0	0.04								
05:00:00	22.15	0.73	0.36	0	0.04	0.04								
06:00:00	19.47	1.43	0.82	0	0	0								
07:00:00	19.22	1.07	0.59	0.26	0.08	0								
08:00:00	19.48	0.9	0.68	0.05	0.24	0.3								
09:00:00	18.55	0.91	0.62	0	0.08	0								
10:00:00	16.03	0.94	0.62	0.07	0.15	0								
11:00:00	15.85	0.89	0.47	0.04	0.04	0								
12:00:00	15.63	0.87	0.41	0.06	0.12	0								
13:00:00	18.74	0.87	0.55	0.09	0.07	0								
14:00:00	23.44	0.87	0.67	0.07	0.09	0								
15:00:00	25.67	0.97	0.52	0.04	0.09	0								
16:00:00	23.19	0.88	0.56	0.04	0.04	0								
17:00:00	24.24	0.82	0.44	0.04	0.06	0.04								
18:00:00	22.13	0.84	0.47	0.04	0.04	0								
19:00:00		1.03	0.62	0	0.04	0								
20:00:00	16.8	0.98	0.5	0.04	0.04	0								
21:00:00	22.18	0.87	0.46	0	0	0								
22:00:00	19.16	1.06	0.74	0.09	0.04	0								
23:00:00	22.56	0.83	0.58	0.09	0.07	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	19.86	0.96	0.55	0.07	0.07	0.04								
C50	19.35	0.9	0.55	0.04	0.06	0								
MAX	25.67	1.43	0.82	0.26	0.26	0.39								
MIN	15.63	0.73	0.33	0	0	0								
C99.9	25.64	1.43	0.81	0.26	0.26	0.39								
C98	25.01	1.41	0.78	0.24	0.25	0.35								
C95	24.12	1.35	0.74	0.21	0.23	0.28								

Datum: 2016-10-13

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	20.59	0.72	0.4	0	0.04	0								
01:00:00	13.75	0.82	0.38	0	0	0								
02:00:00	14.24	0.78	0.38	0	0	0								
03:00:00	12.12	0.72	0.32	0	0.04	0.04								
04:00:00	10.64	0.7	0.35	0	0	0								
05:00:00	8.91	0.7	0.48	0.1	0.07	0								
06:00:00	5.36	0.82	0.64	0.04	0.09	0								
07:00:00	4.91	0.74	0.51	0.04	0.04	0								
08:00:00	8.38	1.02	0.55	0.09	0.11	0								
09:00:00	11.42	1.04	0.59	0	0.04	0								
10:00:00	20.07	0.79	0.47	0	0.04	0								
11:00:00	33.22	0.78	0.43	0	0.06	0								
12:00:00	49.02	0.67	0.43	0	0.04	0								
13:00:00	53.38	0.67	0.5	0.22	0.04	0								
14:00:00	49.8	0.82	0.68	0.07	0.23	0.04								
15:00:00	51.55	0.59	0.43	0.04	0.04	0								
16:00:00	50.85	1.22	0.72	0.1	0.14	0								
17:00:00	36.02	3.49	2	0.39	0.16	0.09								
18:00:00	14.64	3.22	3.84	0.54	0.29	0.15								
19:00:00	8.57	7.99	6.13	1.87	0.99	0.14								
20:00:00		4.1	2.2	0.56	0.38	0.11								
21:00:00	7.68	6.27	2.61	0	0.35	0.21								
22:00:00	6.15	2.23	1.48	0	0.15	0.04								
23:00:00	7.95	2.53	1.44	0	0.24	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	21.71	1.81	1.17	0.17	0.15	0.04								
C50	12.94	0.82	0.53	0.02	0.06	0								
MAX	53.38	7.99	6.13	1.87	0.99	0.21								
MIN	4.91	0.59	0.32	0	0	0								
C99.9	53.34	7.95	6.08	1.84	0.98	0.21								
C98	52.54	7.2	5.08	1.27	0.71	0.18								
C95	51.45	5.95	3.65	0.56	0.38	0.15								

Datum: 2016-10-14

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	4.02	2.41	1.74	0.35	0.43	0.04								
01:00:00	3.39	2.55	1.9	0	0.35	0.04								
02:00:00	5.71	2.05	1.4	0	0.12	0								
03:00:00	4.97	1.72	0.99	0	0.1	0.04								
04:00:00	1.37	1.91	1.1	0.13	0.22	0.09								
05:00:00	0.12	2.08	1.45	0	0.19	0.04								
06:00:00	2.55	2.73	1.66	0	0.25	0.07								
07:00:00	0.9	2.59	1.82	0	0.32	0.17								
08:00:00	4.46	2.31	1.88	0	0.25	0.08								
09:00:00	15.02	1.53	1.41	0.17	0.24	0.04								
10:00:00	31.51	1.53	0.95	0.16	0.13	0.17								
11:00:00	45.76	1.09	0.97	0.17	0.05	0								
12:00:00	64.4	0.76	0.57	0	0.04	0								
13:00:00	70.3	0.77	0.57	0	0.04	0								
14:00:00	70.25	0.84	0.79	0	0.07	0								
15:00:00	70.54	1.16	0.86	0.04	0.07	0								
16:00:00	67.03	1.18	0.81	0	0.06	0								
17:00:00	54.41	2.05	1.46	1.22	1.3	0.87								
18:00:00	41.97	3.33	1.57	0.69	0.59	0.13								
19:00:00	38.86	3.71	1.57	0	0.21	0.06								
20:00:00	29.71	2.06	0.97	0.13	0.16	0.04								
21:00:00		2.06	1.09	0.17	0.25	0								
22:00:00	42.73	0.91	0.64	0.09	0.1	0								
23:00:00	42.73	0.74	0.33	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	30.99	1.84	1.19	0.14	0.23	0.08								
C50	30.61	1.98	1.09	0	0.17	0.04								
MAX	70.54	3.71	1.9	1.22	1.3	0.87								
MIN	0.12	0.74	0.33	0	0	0								
C99.9	70.54	3.71	1.89	1.2	1.29	0.85								
C98	70.43	3.54	1.89	0.98	0.97	0.55								
C95	70.29	3.24	1.87	0.64	0.56	0.17								

Datum: 2016-10-15

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	41.06	1.28	0.54	0	0.04	0								
01:00:00	32.5	1.31	0.5	0.04	0.04	0								
02:00:00	35.31	0.75	0.28	0.04	0	0								
03:00:00	40.08	0.54	0.23	0	0.04	0								
04:00:00	39.94	0.48	0.19	0	0	0								
05:00:00	38.81	0.5	0.17	0	0	0								
06:00:00	36.88	0.49	0.21	0	0	0								
07:00:00	36.5	0.47	0.23	0	0	0								
08:00:00	38.81	0.49	0.26	0.04	0.04	0								
09:00:00	45.45	0.48	0.26	0	0	0								
10:00:00	44.35	0.55	0.57	0.1	0.2	0.04								
11:00:00	44.96	0.57	0.49	0.09	0.09	0								
12:00:00	48.64	0.66	0.34	0	0	0								
13:00:00	53.88	0.63	0.34	0	0	0								
14:00:00	59.83	0.8	0.37	0.04	0.08	0								
15:00:00	60.2	0.52	0.28	0	0	0								
16:00:00	51.88	0.68	0.6	0.11	0.1	0.04								
17:00:00	32.51	1.35	1.33	0	0.19	0.04								
18:00:00	22.06	5.48	5.5	1.12	0.79	0.19								
19:00:00	24.16	6.19	4.73	0.74	0.6	0.16								
20:00:00	24.2	2.23	1.38	0	0.13	0.09								
21:00:00	13.92	1.7	4.11	0.04	0.15	0								
22:00:00		1.13	1.28	0.07	0.07	0								
23:00:00	22.94	1.26	1.22	0.07	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	38.65	1.27	1.06	0.1	0.11	0.02								
C50	38.81	0.67	0.43	0.02	0.04	0								
MAX	60.2	6.19	5.5	1.12	0.79	0.19								
MIN	13.92	0.47	0.17	0	0	0								
C99.9	60.19	6.17	5.49	1.11	0.78	0.19								
C98	60.03	5.86	5.15	0.94	0.7	0.18								
C95	58.94	4.99	4.63	0.64	0.54	0.15								

Datum: 2016-10-16

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	30.36	0.72	0.4	0	0.04	0								
01:00:00	30.32	0.61	0.38	0	0	0								
02:00:00	26.04	0.73	0.6	0	0	0								
03:00:00	25.42	0.59	0.36	0	0.04	0								
04:00:00	15.04	0.74	1.15	0.04	0.1	0.04								
05:00:00	16.53	1.03	1.17	0.04	0.05	0								
06:00:00	14.84	0.78	0.63	0	0	0								
07:00:00	8.95	0.62	0.58	0.04	0.04	0								
08:00:00	15.21	1.39	1.01	0.09	0.05	0								
09:00:00	22.99	0.52	0.29	0	0	0								
10:00:00	22.84	0.65	0.95	0.04	0.04	0.09								
11:00:00	24.33	0.95	0.58	0	0.04	0.04								
12:00:00	23.53	0.86	0.76	0.04	0.04	0								
13:00:00	23.48	1	0.92	0.04	0.04	0								
14:00:00	19.19	1.22	0.71	0	0.04	0								
15:00:00	12.86	1.26	1.18	0	0.06	0								
16:00:00	9.53	2.74	1.51	0.15	0.22	0.04								
17:00:00	3.36	3.04	2.11	0.46	0.51	0.11								
18:00:00	4.63	2.72	1.21	0	0.09	0.06								
19:00:00	3.39	1.88	1.74	0	0.06	0								
20:00:00	11.62	2.36	1.82	0	0.12	0.04								
21:00:00	4.2	4.06	2.04	0.39	0.2	0.04								
22:00:00	1.25	5.76	2.89	0.39	0.35	0.11								
23:00:00		2.94	2.18	0.13	0.14	0.07								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	16.08	1.63	1.13	0.08	0.1	0.03								
C50	15.13	1.02	0.98	0.02	0.05	0								
MAX	30.36	5.76	2.89	0.46	0.51	0.11								
MIN	1.25	0.52	0.29	0	0	0								
C99.9	30.36	5.72	2.88	0.45	0.5	0.11								
C98	30.34	4.98	2.57	0.43	0.43	0.11								
C95	29.68	3.91	2.17	0.39	0.33	0.11								

Datum: 2016-10-17

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.47	0.79	0.46	0.09	0.06	0								
01:00:00	30.68	0.75	0.36	0	0.04	0								
02:00:00	27.82	0.7	0.34	0	0	0								
03:00:00	18.85	0.68	0.35	0	0.04	0								
04:00:00	28.79	0.44	0.24	0	0.04	0								
05:00:00	36.85	0.38	0.23	0	0	0								
06:00:00	36.85	0.34	0.24	0	0	0								
07:00:00	37.05	0.39	0.22	0	0	0								
08:00:00	41.61	0.33	0.2	0	0	0								
09:00:00	45.52	0.31	0.13	0	0	0								
10:00:00	46.33	0.28	0.25	0	0	0								
11:00:00	50.36	0.34	0.15	0	0	0								
12:00:00	50.01	0.26	0.19	0	0	0								
13:00:00	51.24	0.33	0.23	0	0	0								
14:00:00	51.15	0.59	0.45	0	0	0								
15:00:00	52.65	0.33	0.28	0	0	0								
16:00:00	53.52	0.38	0.22	0	0	0								
17:00:00	53.32	0.5	0.31	0	0	0								
18:00:00	52.06	0.41	0.29	0	0	0								
19:00:00	49.46	0.35	0.26	0	0	0								
20:00:00	32.43	1.13	0.6	0	0.04	0								
21:00:00	39.76	0.43	0.24	0	0	0								
22:00:00	36.17	0.45	0.32	0.04	0	0								
23:00:00	44.27	0.38	0.21	0	0	0								

Ras pod	100%	100%	100%	100%	100%	100%								
AVG	41.72	0.47	0.28	0.01	0.01	0								
C50	42.94	0.39	0.25	0	0	0								
MAX	53.52	1.13	0.6	0.09	0.06	0								
MIN	18.85	0.26	0.13	0	0	0								
C99.9	53.52	1.12	0.6	0.09	0.06	0								
C98	53.43	0.98	0.54	0.07	0.05	0								
C95	53.22	0.79	0.46	0.04	0.04	0								

Datum: 2016-10-18

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00		0.38	0.18	0	0	0								
01:00:00	44.9	0.33	0.2	0	0	0								
02:00:00	41.01	0.33	0.23	0	0	0								
03:00:00	40.4	0.31	0.18	0	0	0								
04:00:00	35.58	0.25	0.24	0	0.04	0								
05:00:00	32.8	0.46	0.5	0	0.04	0								
06:00:00	34.04	0.51	0.53	0	0.04	0								
07:00:00	37.27	0.53	0.37	0.04	0.17	0.04								
08:00:00	37.87	0.53	0.32	0	0.04	0								
09:00:00	42.73	0.38	0.24	0	0.04	0								
10:00:00	51.44	0.39	0.36	0	0.04	0								
11:00:00	61.73	0.24	0.15	0	0	0								
12:00:00	65.11	0.29	0.15	0	0.04	0								
13:00:00	66.93	0.26	0.15	0	0	0								
14:00:00	68.27	0.28	0.29	0.06	0.07	0								
15:00:00	67.02	0.28	0.11	0	0	0								
16:00:00	64.65	0.31	0.17	0	0.04	0								
17:00:00	57.1	0.34	0.18	0	0	0								
18:00:00	51.34	0.52	0.23	0	0	0								
19:00:00	54.98	0.59	0.19	0	0.04	0								
20:00:00	52.79	0.5	0.13	0	0	0								
21:00:00	52.71	0.42	0.13	0	0	0								
22:00:00	47.78	0.43	0.26	0	0	0								
23:00:00	47.02	0.28	0.1	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	50.24	0.38	0.23	0	0.03	0								
C50	49.56	0.36	0.19	0	0.02	0								
MAX	68.27	0.59	0.53	0.06	0.17	0.04								
MIN		0.24	0.1	0	0	0								
C99.9	68.24	0.59	0.53	0.06	0.17	0.04								
C98	67.7	0.56	0.51	0.05	0.13	0.02								
C95	67.01	0.53	0.48	0.04	0.07	0								

Datum: 2016-10-19

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	43.04	0.72	0.44	0	0	0								
01:00:00		0.44	0.23	0	0.04	0								
02:00:00	39.76	0.48	0.39	0	0	0								
03:00:00	32.86	0.58	0.41	0	0	0								
04:00:00	33.18	0.44	0.35	0	0.04	0								
05:00:00	42.6	0.33	0.36	0	0	0								
06:00:00	38.51	0.35	0.24	0	0.04	0								
07:00:00	47.67	0.29	0.17	0	0.04	0								
08:00:00	45.26	0.31	0.15	0	0	0								
09:00:00	43.55	0.3	0.14	0	0	0								
10:00:00	44.32	0.33	0.15	0.04	0	0								
11:00:00	48.11	0.33	0.14	0	0	0								
12:00:00	50.74	0.4	0.17	0	0	0								
13:00:00	53.67	0.5	0.38	0	0.04	0								
14:00:00	55.8	0.45	1.37	0.09	0.32	0.04								
15:00:00	57.22	0.3	0.2	0	0.04	0								
16:00:00	54.32	0.43	0.16	0	0	0								
17:00:00	53.76	0.65	0.26	0	0	0								
18:00:00	48.97	0.54	0.18	0	0	0								
19:00:00	40.69	0.63	0.38	0	0	0								
20:00:00	40.07	0.51	0.24	0	0	0								
21:00:00	45.37	0.9	0.52	0.04	0	0								
22:00:00	45.72	0.8	0.51	0.04	0	0								
23:00:00	31.13	0.64	0.37	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	45.06	0.48	0.33	0.01	0.03	0								
C50	44.79	0.44	0.25	0	0	0								
MAX	57.22	0.9	1.37	0.09	0.32	0.04								
MIN	31.13	0.29	0.14	0	0	0								
C99.9	57.19	0.9	1.35	0.09	0.31	0.04								
C98	56.57	0.85	0.98	0.07	0.19	0.02								
C95	55.58	0.79	0.52	0.04	0.04	0								

Datum: 2016-10-20

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	30.01	0.79	0.46	0	0.09	0								
01:00:00	31.74	0.62	0.37	0	0	0								
02:00:00		0.52	0.33	0	0	0								
03:00:00	25.24	0.58	0.42	0	0.04	0								
04:00:00	14.25	0.78	0.74	0	0.06	0								
05:00:00	10.68	0.88	1.22	0	0.1	0								
06:00:00	12.08	1.74	1.07	0.16	0.33	0.06								
07:00:00	10.39	1.39	0.82	0.19	0.07	0								
08:00:00	25.21	0.78	0.72	0	0.07	0								
09:00:00	40.19	0.42	0.32	0.04	0.04	0								
10:00:00	51.53	0.34	0.25	0	0.04	0								
11:00:00	60.61	0.31	0.2	0	0.04	0								
12:00:00	67.4	0.38	0.22	0.04	0	0								
13:00:00	71.85	0.42	0.21	0	0	0								
14:00:00	72.5	0.48	0.25	0	0	0								
15:00:00	61.52	0.49	0.3	0	0.04	0								
16:00:00	54.72	0.59	0.36	0.04	0	0								
17:00:00	48.66	0.72	0.39	0	0	0								
18:00:00	49	0.73	0.45	0.04	0.04	0								
19:00:00	49.43	0.79	0.52	0	0.04	0								
20:00:00	45.57	0.49	0.19	0.04	0	0								
21:00:00	37.63	0.77	0.45	0	0.04	0								
22:00:00	42.79	0.61	0.28	0	0	0								
23:00:00	48.14	0.47	0.29	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	41.79	0.67	0.45	0.02	0.04	0								
C50	44.18	0.6	0.36	0	0.04	0								
MAX	72.5	1.74	1.22	0.19	0.33	0.06								
MIN	10.39	0.31	0.19	0	0	0								
C99.9	72.48	1.74	1.21	0.19	0.32	0.06								
C98	72.2	1.58	1.15	0.18	0.22	0.03								
C95	71.19	1.32	1.03	0.15	0.1	0								

Datum: 2016-10-21

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	43.14	0.44	0.24	0.04	0.04	0								
01:00:00	27.2	0.78	0.6	0.04	0	0								
02:00:00	42.7	0.51	0.33	0	0.04	0								
03:00:00		0.33	0.17	0	0	0								
04:00:00	43.66	0.62	0.36	0	0.04	0								
05:00:00	39.49	0.86	0.3	0	0	0								
06:00:00	30.57	0.65	0.4	0.04	0.09	0								
07:00:00	29.75	0.47	0.27	0	0	0								
08:00:00	22.6	0.6	0.44	0	0.04	0								
09:00:00	31.52	0.66	0.37	0	0	0								
10:00:00	35.27	0.61	0.35	0	0.04	0								
11:00:00	42.12	0.57	0.47	0	0.04	0								
12:00:00	42.88	0.58	0.41	0	0	0								
13:00:00	47.85	0.47	0.32	0	0.04	0								
14:00:00	48.37	0.35	0.17	0	0.04	0								
15:00:00	48.98	0.4	0.18	0	0.04	0								
16:00:00	49.6	0.36	0.22	0	0	0								
17:00:00	42.61	0.69	0.36	0	0	0								
18:00:00	35.74	0.67	0.24	0	0	0								
19:00:00	28.59	0.51	0.23	0	0	0								
20:00:00	26.96	0.94	0.81	0.04	0.04	0.04								
21:00:00	28.89	0.68	1.76	0.04	0.04	0								
22:00:00	28.85	0.7	0.39	0	0.07	0								
23:00:00	31.13	0.67	0.41	0.04	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	36.89	0.59	0.41	0.01	0.03	0								
C50	35.51	0.6	0.35	0	0.04	0								
MAX	49.6	0.94	1.76	0.04	0.09	0.04								
MIN	22.6	0.33	0.17	0	0	0								
C99.9	49.59	0.94	1.74	0.04	0.09	0.04								
C98	49.32	0.91	1.33	0.04	0.08	0.02								
C95	48.89	0.85	0.78	0.04	0.06	0								

Datum: 2016-10-22

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	27.41	1.16	0.87	0.04	0.04	0.04								
01:00:00	26.8	0.57	0.28	0	0.04	0								
02:00:00	4.95	0.88	0.69	0.04	0.04	0								
03:00:00	1.86	1.16	0.81	0.04	0.08	0.04								
04:00:00		1.05	0.71	0.06	0.1	0								
05:00:00	2.93	0.98	0.74	0.11	0.19	0								
06:00:00	6.22	0.92	0.79	0.07	0.11	0.04								
07:00:00	12.45	0.74	0.6	0.04	0.12	0								
08:00:00	18.13	0.68	0.65	0.07	0.09	0.09								
09:00:00	19.58	0.64	0.56	0.09	0.07	0								
10:00:00	27.84	0.65	0.48	0.06	0.07	0.04								
11:00:00	36.01	0.84	0.75	0.09	0.11	0.04								
12:00:00	43.53	0.62	0.39	0.04	0.04	0								
13:00:00	58.63	0.61	0.53	0.04	0.04	0								
14:00:00	64.62	0.58	0.51	0.1	0.06	0								
15:00:00	66.34	0.51	0.47	0.04	0.04	0								
16:00:00	70.11	0.5	0.37	0.04	0.04	0								
17:00:00	48.47	0.69	0.93	0.26	0.23	0.04								
18:00:00	35.34	1.7	1.54	0.04	0.04	0								
19:00:00	13.99	2.11	1.73	0.07	0.1	0								
20:00:00	11.88	2.29	1.85	0.16	0.04	0.04								
21:00:00	12.82	2.02	1.29	0.09	0.22	0.04								
22:00:00	12.31	2.13	1.74	0.08	0.09	0.04								
23:00:00	6.85	1.55	1.04	0.04	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	27.35	1.07	0.85	0.07	0.09	0.02								
C50	18.85	0.86	0.72	0.06	0.07	0								
MAX	70.11	2.29	1.85	0.26	0.23	0.09								
MIN	1.86	0.5	0.28	0	0.04	0								
C99.9	70.03	2.28	1.85	0.26	0.23	0.09								
C98	68.38	2.21	1.8	0.22	0.23	0.07								
C95	66.08	2.12	1.74	0.16	0.22	0.04								

Datum: 2016-10-23

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	6.57	2.83	1.73	0.13	0.11	0.05								
01:00:00	5.69	1.41	0.93	0.09	0.24	0								
02:00:00	10.24	1.17	0.86	0.04	0.05	0								
03:00:00	11.56	0.85	0.57	0.04	0.09	0								
04:00:00	12.9	0.71	0.38	0.04	0.17	0								
05:00:00		1.08	0.76	0.04	0.04	0								
06:00:00	4.58	1.29	1.14	0.09	0.12	0								
07:00:00	4.47	1.93	1.4	0	0.21	0								
08:00:00	9.12	3.29	1.75	0.39	0.2	0.04								
09:00:00	9.8	2.2	1.43	0.3	0.18	0.06								
10:00:00	15.87	1.49	1.22	0.3	0.29	0.04								
11:00:00	25.35	0.86	0.59	0.26	0.18	0.04								
12:00:00	37.75	0.68	0.3	0.04	0.04	0								
13:00:00	42.33	0.78	0.37	0.04	0.04	0								
14:00:00	49.75	0.73	0.43	0	0.04	0								
15:00:00	53.37	0.7	0.39	0	0.04	0								
16:00:00	56.27	0.94	0.59	0	0.04	0								
17:00:00	47.46	4.15	2.58	0	0.09	0								
18:00:00	32.1	1.81	4.42	0	0.05	0								
19:00:00	8.36	1.85	1.91	0	0.36	0								
20:00:00	5.9	3.49	4.35	1.06	1.24	0.28								
21:00:00	2.36	3.15	3.5	0	0.61	0.04								
22:00:00	6.68	6.01	5.85	0.04	0.64	0.17								
23:00:00	5.62	7.78	4.49	0.39	0.73	0.27								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	20.18	2.13	1.75	0.14	0.24	0.04								
C50	10.02	1.45	1.18	0.04	0.14	0								
MAX	56.27	7.78	5.85	1.06	1.24	0.28								
MIN	2.36	0.68	0.3	0	0.04	0								
C99.9	56.2	7.73	5.82	1.05	1.23	0.28								
C98	54.94	6.96	5.22	0.75	1.01	0.28								
C95	52.83	5.73	4.48	0.39	0.71	0.26								

Datum: 2016-10-24

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	3.43	2.63	2.11	0	0.18	0								
01:00:00	3.91	2.16	1.4	0.13	0.19	0.04								
02:00:00	6.43	1.88	1.23	0.12	0.21	0.04								
03:00:00	12.78	1.63	1.02	0.09	0.06	0								
04:00:00	12.25	1.17	0.79	0.04	0.04	0								
05:00:00	9.67	0.94	0.84	0	0.09	0								
06:00:00		0.95	0.72	0	0.07	0								
07:00:00	8.74	1.01	0.78	0	0.04	0								
08:00:00	8.61	1.32	0.88	0	0.05	0								
09:00:00	21.19	0.82	0.61	0.04	0.04	0								
10:00:00	38.21	0.52	0.28	0	0.05	0								
11:00:00	47.27	0.47	0.21	0.04	0.06	0								
12:00:00	57.54	0.45	0.23	0	0.04	0								
13:00:00	62.98	0.49	0.28	0	0	0								
14:00:00	68.65	0.47	0.2	0	0	0								
15:00:00	70.48	0.43	0.2	0	0	0								
16:00:00	68.35	0.5	0.21	0.04	0.09	0.26								
17:00:00	41.39	0.74	0.64	0	0	0								
18:00:00	36.76	0.67	0.42	0	0.04	0								
19:00:00	39.35	0.57	0.33	0	0	0								
20:00:00	38.18	0.45	0.21	0	0	0								
21:00:00	34.28	0.69	0.39	0	0	0								
22:00:00	34.8	0.5	0.27	0	0	0.35								
23:00:00	36.06	0.36	0.18	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	33.1	0.91	0.6	0.02	0.05	0.03								
C50	35.43	0.68	0.41	0	0.04	0								
MAX	70.48	2.63	2.11	0.13	0.21	0.35								
MIN	3.43	0.36	0.18	0	0	0								
C99.9	70.43	2.62	2.09	0.13	0.21	0.35								
C98	69.64	2.42	1.78	0.12	0.2	0.31								
C95	68.6	2.12	1.38	0.11	0.18	0.23								

Datum: 2016-10-25

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.25	0.52	0.34	0	0	0								
01:00:00	34.41	1	0.64	0.04	0.04	0								
02:00:00	37.01	0.38	0.2	0	0	0								
03:00:00	35.6	0.35	0.18	0	0	0								
04:00:00	34.82	0.33	0.17	0	0	0								
05:00:00	33.97	0.35	0.18	0	0	0								
06:00:00	29.39	0.41	0.13	0	0	0								
07:00:00		0.43	0.25	0	0	0								
08:00:00	31.05	0.38	0.24	0	0.07	0								
09:00:00	33.75	0.4	0.2	0.09	0.04	0								
10:00:00	35.94	0.4	0.27	0	0.07	0								
11:00:00	40.42	0.42	0.22	0	0.14	0								
12:00:00	47.95	0.54	0.2	0	0.04	0								
13:00:00	56.85	0.47	0.22	0	0.04	0								
14:00:00	59.46	0.48	0.2	0	0	0								
15:00:00	60.05	0.48	0.24	0	0	0								
16:00:00	55.6	0.55	0.24	0	0	0								
17:00:00	47.28	1.02	0.33	0	0.04	0								
18:00:00	17.46	1.17	0.69	0	0.04	0								
19:00:00	23.91	1.15	0.65	0	0.04	0								
20:00:00	27.81	0.61	0.32	0	0	0								
21:00:00	24.35	0.56	0.26	0	0	0								
22:00:00	26.38	0.42	0.2	0	0	0								
23:00:00	26.52	0.43	0.21	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	37.14	0.55	0.28	0.01	0.02	0								
C50	34.33	0.45	0.23	0	0	0								
MAX	60.05	1.17	0.69	0.09	0.14	0								
MIN	17.46	0.33	0.13	0	0	0								
C99.9	60.04	1.17	0.69	0.09	0.14	0								
C98	59.78	1.16	0.67	0.07	0.11	0								
C95	59.07	1.13	0.65	0.04	0.07	0								

Datum: 2016-10-26

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	25.61	0.4	0.2	0	0	0								
01:00:00	23.11	0.39	0.22	0	0	0								
02:00:00	20.95	0.4	0.18	0	0	0								
03:00:00	16.52	0.33	0.19	0	0	0								
04:00:00	12.36	0.59	0.79	0	0.04	0								
05:00:00	5.75	1.82	1.34	0.26	0.08	0								
06:00:00	5.71	1.24	1.98	0.13	0.15	0								
07:00:00	5.91	1.96	2.22	0.21	0.2	0								
08:00:00		0.97	0.97	0.2	0.08	0								
09:00:00	10.47	1.02	0.73	0	0.04	0								
10:00:00	14.81	1.34	1.36	0.09	0.08	0								
11:00:00	15.7	1.41	0.85	0	0.04	0								
12:00:00	23.94	1.39	0.84	0.04	0.04	0								
13:00:00	35.13	1.34	0.85	0.04	0.07	0								
14:00:00	37.04	1.19	0.79	0	0.06	0								
15:00:00	38.63	1.31	0.8	0.04	0.06	0								
16:00:00	34.52	1.7	0.92	0.09	0.05	0								
17:00:00	37.07	1.64	0.85	0	0.04	0								
18:00:00	41.73	1.84	0.94	0.04	0.06	0								
19:00:00	54.83	1.57	0.62	0.04	0.09	0								
20:00:00	50.62	1.11	0.47	0.04	0	0								
21:00:00	43.32	1.05	0.55	0	0.04	0								
22:00:00	39.61	1.12	0.45	0.09	0.09	0								
23:00:00	40.36	0.93	0.42	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	27.55	1.17	0.81	0.05	0.06	0								
C50	24.78	1.22	0.79	0.04	0.05	0								
MAX	54.83	1.96	2.22	0.26	0.2	0								
MIN	5.71	0.33	0.18	0	0	0								
C99.9	54.74	1.95	2.22	0.26	0.2	0								
C98	52.89	1.9	2.11	0.24	0.18	0								
C95	49.52	1.84	1.89	0.21	0.14	0								

Datum: 2016-10-27

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	41.62	1.01	0.41	0	0.04	0								
01:00:00	42.92	0.78	0.31	0	0	0								
02:00:00	43.11	0.57	0.24	0	0.04	0								
03:00:00	44.24	0.49	0.23	0	0.04	0								
04:00:00	43.77	0.46	0.23	0	0	0								
05:00:00	40.59	2.25	0.67	0.04	0.06	0								
06:00:00	40.84	1.18	0.6	0.04	0.07	0.04								
07:00:00	35.21	1.22	0.76	0	0.04	0								
08:00:00	39.73	1.48	0.92	0	0.04	0								
09:00:00		1.05	0.5	0.04	0.04	0								
10:00:00	44.38	0.97	0.59	0.04	0.04	0								
11:00:00	51.67	0.69	0.44	0	0.07	0								
12:00:00	56.38	0.64	0.43	0	0	0								
13:00:00	61.68	0.61	0.44	0	0.04	0								
14:00:00	66.45	0.71	0.41	0	0.04	0								
15:00:00	69.34	0.74	0.39	0	0.04	0								
16:00:00	67.85	0.69	0.35	0	0.04	0								
17:00:00	57.5	2.39	1.25	0.13	0.17	0.04								
18:00:00	58.34	3.27	1.76	0.09	0.18	0.04								
19:00:00	39.24	4.04	2.15	0	0.28	0.04								
20:00:00	31.84	3.19	1.51	0.17	0.08	0.04								
21:00:00	13.89	3.16	2.04	0	0.12	0.04								
22:00:00	7.56	3.86	3.08	0	0.38	0.04								
23:00:00	15.87	3.64	3.21	0.61	0.04	0.06								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	44.09	1.63	0.95	0.05	0.08	0.02								
C50	43.01	1.03	0.55	0	0.04	0								
MAX	69.34	4.04	3.21	0.61	0.38	0.06								
MIN	7.56	0.46	0.23	0	0	0								
C99.9	69.3	4.04	3.21	0.6	0.38	0.06								
C98	68.66	3.96	3.15	0.41	0.33	0.05								
C95	67.64	3.83	2.94	0.17	0.26	0.04								

Datum: 2016-10-28

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	9.99	2.19	1.31	0.11	0.13	0.74								
01:00:00	10.77	5.55	4.16	0.15	0.15	0.04								
02:00:00	19.97	2.41	1.9	0.06	0.04	0								
03:00:00	20.44	1.4	1.01	0	0.09	0								
04:00:00	11.8	1.48	0.93	0.04	0.04	0								
05:00:00	5.9	2.23	1.75	0.04	0.06	0								
06:00:00	8.24	3.35	2.87	0.08	0.14	0.04								
07:00:00	2.58	7.93	7.54	1.14	0.16	0.09								
08:00:00	5.68	2.87	2.38	0.25	0.34	0.04								
09:00:00	11.43	2.63	1.66	0.22	0.38	0.07								
10:00:00		2.01	1.4	0.19	0.33	0.04								
11:00:00	35.25	1.15	1.97	0	0.08	0								
12:00:00	47.19	0.77	0.8	0.04	0.07	0								
13:00:00	61.87	0.72	0.38	0	0.04	0								
14:00:00	65.86	0.59	0.38	0	0.04	0								
15:00:00	68.92	0.72	0.41	0.09	0.04	0								
16:00:00	66.64	0.91	0.45	0.13	0.06	0								
17:00:00	47.32	1.48	1.87	0.26	0.2	0.04								
18:00:00	32.52	1.32	2.66	0.13	0.09	0								
19:00:00	21.5	1.08	0.63	0	0.04	0								
20:00:00	15.63	1.59	2.25	0.14	0.25	0.04								
21:00:00	12.06	1.82	1.69	0.09	0.08	0								
22:00:00	14.22	1.12	1.11	0.04	0.1	0								
23:00:00	19.4	1.26	2.6	0.11	0.14	0.04								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	26.75	2.02	1.84	0.14	0.13	0.05								
C50	17.52	1.48	1.67	0.09	0.09	0								
MAX	68.92	7.93	7.54	1.14	0.38	0.74								
MIN	2.58	0.59	0.38	0	0.04	0								
C99.9	68.86	7.87	7.46	1.12	0.38	0.72								
C98	67.87	6.83	5.99	0.73	0.36	0.44								
C95	66.53	5.22	3.97	0.26	0.33	0.09								

Datum: 2016-10-29

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	15.14	1.24	1.99	0.07	0.18	0								
01:00:00	12.63	2.26	3.76	0.35	0.26	0.26								
02:00:00	13.06	2.89	1.69	0	0.19	0.22								
03:00:00	5.21	1.77	1.26	0.16	0.12	0.12								
04:00:00	12.02	1.69	0.98	0.09	0.2	0.08								
05:00:00	19.94	1.56	0.85	0.09	0.2	0.04								
06:00:00	18.55	1.67	1.01	0.04	0.06	0								
07:00:00	26.32	1.46	0.85	0	0.04	0								
08:00:00	31.87	1.32	0.78	0.09	0.06	0								
09:00:00	38.24	1.42	0.78	0.04	0.08	0								
10:00:00	40.57	1.47	0.68	0	0.04	0								
11:00:00		1.23	0.93	0.04	0.06	0								
12:00:00	36.48	1.31	0.73	0.04	0.04	0								
13:00:00	39.48	1.31	1.27	0	0.04	0								
14:00:00	43.2	1.16	1.15	0.04	0.12	0								
15:00:00	45.16	1.02	0.7	0.04	0.04	0								
16:00:00	44.28	1.14	2.67	0	0.2	0								
17:00:00	38.36	1.2	2.65	0.33	0.34	0.13								
18:00:00	36.21	1.42	2.01	0.48	0.17	0								
19:00:00	32.41	2.04	1.2	0.12	0.14	0								
20:00:00	31.23	1.47	0.76	0.09	0.04	0								
21:00:00	37.08	0.95	0.67	0.04	0.13	0.04								
22:00:00	39.69	0.56	0.41	0	0.04	0								
23:00:00	37.9	0.52	0.29	0	0	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	30.22	1.42	1.25	0.09	0.12	0.04								
C50	34.31	1.37	0.96	0.04	0.1	0								
MAX	45.16	2.89	3.76	0.48	0.34	0.26								
MIN	5.21	0.52	0.29	0	0	0								
C99.9	45.14	2.87	3.74	0.47	0.34	0.26								
C98	44.76	2.6	3.26	0.42	0.3	0.24								
C95	44.12	2.23	2.67	0.34	0.25	0.2								

Datum: 2016-10-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.69	0.67	0.25	0	0	0								
01:00:00	35.56	0.41	0.21	0	0.04	0								
02:00:00	37.68	0.37	0.23	0	0.04	0								
03:00:00	35.36	0.33	0.17	0	0.04	0								
04:00:00	29.78	0.29	0.24	0	0	0								
05:00:00	30.32	0.31	0.26	0	0.04	0								
06:00:00	25.35	0.32	0.19	0	0.04	0								
07:00:00	34.06	0.37	0.38	0.04	0.1	0								
08:00:00	47.03	0.47	0.32	0	0.04	0.04								
09:00:00	55.69	0.68	0.48	0	0.04	0.04								
10:00:00	64.15	0.61	0.42	0.04	0.04	0								
11:00:00		0.56	0.3	0	0.04	0								
12:00:00	74.36	0.51	0.35	0	0.04	0								
13:00:00	75.81	0.37	0.25	0.04	0.04	0								
14:00:00	70.95	0.25	0.17	0	0.04	0								
15:00:00	63.32	0.27	0.2	0.04	0.04	0								
16:00:00	52.72	0.33	0.18	0.04	0.04	0								
17:00:00	51.95	0.37	0.27	0.04	0.04	0								
18:00:00	46.43	0.33	0.29	0	0.04	0								
19:00:00	44.03	0.59	0.35	0.04	0.04	0								
20:00:00	45.11	0.75	0.27	0.04	0.04	0								
21:00:00	41.62	0.78	0.3	0	0.04	0								
22:00:00	38.03	0.79	0.29	0	0.04	0								
23:00:00	34.46	0.73	0.36	0	0.04	0								

Ras pod	95.83%	100%	100%	100%	100%	100%								
AVG	46.46	0.48	0.28	0.01	0.04	0								
C50	42.82	0.39	0.27	0	0.04	0								
MAX	75.81	0.79	0.48	0.04	0.1	0.04								
MIN	25.35	0.25	0.17	0	0	0								
C99.9	75.78	0.79	0.48	0.04	0.09	0.04								
C98	75.14	0.79	0.45	0.04	0.07	0.04								
C95	73.85	0.78	0.42	0.04	0.04	0.04								

Datum: 2016-10-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3								
00:00:00	34.69	0.67	0.25	0	0	0								
01:00:00	35.56	0.41	0.21	0	0.04	0								
02:00:00	37.68	0.37	0.23	0	0.04	0								
03:00:00	35.36	0.33	0.17	0	0.04	0								
04:00:00	29.78	0.29	0.24	0	0	0								
05:00:00	30.32	0.31	0.26	0	0.04	0								
06:00:00	25.35	0.32	0.19	0	0.04	0								
07:00:00	34.06	0.37	0.38	0.04	0.1	0								
08:00:00	47.03	0.47	0.32	0	0.04	0.04								
09:00:00	55.69	0.68	0.48	0	0.04	0.04								
10:00:00	64.15	0.61	0.42	0.04	0.04	0								
11:00:00		0.56	0.3	0	0.04	0								
12:00:00	74.36	0.51	0.35	0	0.04	0								
13:00:00	75.81	0.37	0.25	0.04	0.04	0								
14:00:00	70.95	0.25	0.17	0	0.04	0								
15:00:00	63.32	0.27	0.2	0.04	0.04	0								
16:00:00	52.72	0.33	0.18	0.04	0.04	0								
17:00:00	51.95	0.37	0.27	0.04	0.04	0								
18:00:00	46.43	0.33	0.29	0	0.04	0								
19:00:00	44.03	0.59	0.35	0.04	0.04	0								
20:00:00	45.11	0.75	0.27	0.04	0.04	0								
21:00:00	41.62	0.78	0.3	0	0.04	0								
22:00:00	38.03	0.79	0.29	0	0.04	0								
23:00:00	34.46	0.73	0.36	0	0.04	0								

Ras pod	191.67%	200%	200%	200%	200%	200%								
AVG	46.46	0.48	0.28	0.01	0.04	0								
C50	42.82	0.39	0.27	0	0.04	0								
MAX	75.81	0.79	0.48	0.04	0.1	0.04								
MIN	25.35	0.25	0.17	0	0	0								
C99.9	75.81	0.79	0.48	0.04	0.1	0.04								
C98	75.81	0.79	0.48	0.04	0.1	0.04								
C95	74.36	0.78	0.42	0.04	0.04	0.04								

Zbirni podaci za period: 2016-10-01 do 2016-10-31[illegible]