



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10006 Sombor - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-10-01 do 2016-10-31

KOD stanice: **RS10006**

EIO klasifikacija: **Traffic/Urban/Residential**

Koordinate XY: **45.769 / 19.115**

Nadmorska visina: **87**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-10-01

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	3.22	0.53	1.67	0.09	0.2	0.17	0.41							
01:00:00	2.45	0.18	0.63	0	0.13	0	0.26							
02:00:00	3.98	0.18	0.88	0	0.13	0	0.32							
03:00:00	2.01	0.3	2.94	0	0.12	0								
04:00:00	1.77	0.4	0.68	0	0.07	0	0.4							
05:00:00	3.03	0.27	1.84	0	0.06	0	0.37							
06:00:00	2.87	0.28	4.2	0	0.22	0	0.46							
07:00:00	2.1	0.38	3.94	0.09	0.35	0.09	0.4							
08:00:00		0.25	0.84	0	0.09	0	0.32							
09:00:00	3.03	0.25	1.13	0.24	0.56	0.29	0.4							
10:00:00	3.81	0.4	1.54	0.12	0.23	0.17	0.42							
11:00:00	4.05	0.35	1.26	0.09	0.15	0	0.39							
12:00:00	3.7	0.13	0.61	0.09	0.13	0.3	0.29							
13:00:00	3.74	0.15	0.49	0	0.09	0	0.26							
14:00:00	3.98	0.09	0.38	0.09	0	0	0.28							
15:00:00	4.21	0.1	0.47	0.09	0	0	0.25							
16:00:00	3.79	0.1	0.36	0.09	0	0	0.28							
17:00:00	3.37	0.19	0.55	0	0.09	0	0.38							
18:00:00	5.98	1.79	10.33	0.39	1.6	0.13	1.02							
19:00:00	3.19	2.68	21	0.73	2.73	0.4	1.24							
20:00:00	5.45	1.88	6.74	0.3	1.62	0.53	0.76							
21:00:00	5.86	1.2	11.13	0.23	0.98	0.13	0.55							
22:00:00	3.3	0.34	1.24	0	0.24	0	0.34							
23:00:00	2.87	0.17	0.57	0.21	0.15	0.09	0.25							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	3.56	0.52	3.14	0.12	0.41	0.1	0.44							
C50	3.33	0.27	1.18	0.09	0.14	0	0.38							
MAX	5.98	2.68	21	0.73	2.73	0.53	1.24							
MIN	1.77	0.09	0.36	0	0	0	0.25							
C99.9	5.97	2.66	20.77	0.73	2.7	0.53	1.23							
C98	5.92	2.32	16.46	0.57	2.22	0.47	1.14							
C95	5.8	1.87	11.01	0.37	1.62	0.39	0.98							

Datum: 2016-10-02

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	4.02	0.45	1.64	0.35	0.15	0.09	0.43							
01:00:00	4.08	0.28	3.11	0.13	0.17	0	0.37							
02:00:00	4.63	0.72	9.28	0.09	0.24	0	0.59							
03:00:00	2.7	0.45	1.95	0.09	0.1	0	0.35							
04:00:00	1.64	0.31	1.38	0	0.09	0								
05:00:00	1.22	0.28	1.84	0	0.15	0	0.32							
06:00:00	2.14	1.25	5.25	0.09	0.28	0	0.46							
07:00:00	1.96	1.24	10.16	0.13	0.9	0.09	0.64							
08:00:00	2.02	1.09	3.6	0.09	0.49	0	0.65							
09:00:00		0.57	2.05	0.13	0.21	0.14	0.5							
10:00:00	3.58	0.16	1.22	0.18	0.2	0.53	0.37							
11:00:00	4.66	0.38	1.25	0.16	0.18	0.67	0.39							
12:00:00	4.36	0.25	0.93	0.36	0.16	0.34	0.34							
13:00:00	4.21	0.09	0.65	0.19	0.7	0.13	0.29							
14:00:00	6.09	0.14	0.8	0.1	0.25	0.25	0.35							
15:00:00	7.99	0.62	1.8	0.17	0.16	0.31	0.34							
16:00:00	3.29	0.52	1.27	0.13	0.18	0.09	0.38							
17:00:00	4.44	0.26	0.79	0.12	0.11	0.22	0.36							
18:00:00	3.75	0.17	0.63	0.09	0.13	0.19	0.37							
19:00:00	4.66	0.33	0.64	0.11	0.1	0.13	0.42							
20:00:00	3.09	0.11	0.2	0.09	0.09	0.09	0.29							
21:00:00	2.76	0.11	0.47	0.09	0.06	0.09	0.31							
22:00:00	3.08	0.23	0.18	0.14	0.09	0.17	0.27							
23:00:00	2.19	0.17	0.13	0.33	0.11	0.27	0.26							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	3.59	0.42	2.14	0.14	0.22	0.16	0.39							
C50	3.43	0.3	1.26	0.12	0.16	0.11	0.36							
MAX	7.99	1.25	10.16	0.36	0.9	0.67	0.65							
MIN	1.22	0.09	0.13	0	0.06	0	0.26							
C99.9	7.95	1.25	10.14	0.36	0.89	0.67	0.65							
C98	7.12	1.24	9.76	0.35	0.8	0.61	0.65							
C95	5.88	1.21	8.68	0.35	0.67	0.5	0.64							

Datum: 2016-10-03

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	2.07	0.11	0.14	0.12	0.17	0.16	0.22							
01:00:00	1.74	0.12	0.17	0.15	0.12	0.27	0.21							
02:00:00	2.17	0.1	0.28	0.31	0.14	0.41	0.22							
03:00:00	1.39	0.26	0.25	0.34	0.3	0.29	0.21							
04:00:00	2.05	0.15	0.51	0.12	0.12	0.26	0.25							
05:00:00	2.49	0.1	0.69	0.11	0.09	0.16								
06:00:00	2.92	0.32	0.83	0.29	0.12	0.5	0.31							
07:00:00	3.5	0.09	0.81	0.21	0.11	0.36	0.37							
08:00:00	4.8	0.44	3.86	0.15	0.54	0.17	0.51							
09:00:00	3.08	0.44	1.85	0.2	0.51	0.71	0.47							
10:00:00		0.43	2.03	0.13	0.17	0	0.53							
11:00:00	3.89	0.37	1.43	0.09	0.15	0	0.43							
12:00:00	3.49	0.18	0.86	0	0.21	0	0.32							
13:00:00	5.5	0.15	0.86	0	0.11	0	0.38							
14:00:00	4.21	0.23	1.11	0	0.15	0.09	0.4							
15:00:00	5.15	0.36	1.38	0	0.22	0.09	0.48							
16:00:00	3.38	0.27	1.42	0.11	0.14	0.09	0.36							
17:00:00	3.93	0.89	1.77	0.13	0.2	0.22	0.58							
18:00:00	2.68	1.41	1.96	0.11	0.48	0.27	0.66							
19:00:00	1.68	0.72	1.69	0.09	0.17	0.09	0.59							
20:00:00	1.56	0.31	0.7	0.23	0.13	0.13	0.41							
21:00:00	1.91	0.17	0.29	0.14	0.16	0.26	0.29							
22:00:00	1.79	0.09	0.16	0	0	0	0.23							
23:00:00	1.29	0.05	0.09	0	0	0	0.21							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	2.9	0.32	1.05	0.13	0.19	0.19	0.38							
C50	2.59	0.25	0.84	0.12	0.15	0.16	0.37							
MAX	5.5	1.41	3.86	0.34	0.54	0.71	0.66							
MIN	1.29	0.05	0.09	0	0	0	0.21							
C99.9	5.5	1.4	3.82	0.34	0.54	0.7	0.66							
C98	5.34	1.17	3.02	0.33	0.52	0.61	0.63							
C95	5.1	0.86	2.02	0.31	0.5	0.49	0.59							

Datum: 2016-10-04

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.17	0.09	0.06	0	0.09	0	0.2							
01:00:00	1.1	0.06	0	0	0.09	0	0.19							
02:00:00	1.26	0	0.08	0	0	0	0.19							
03:00:00	1.08	0	0.08	0	0	0	0.19							
04:00:00	1.11	0	0	0.09	0	0	0.17							
05:00:00	1.13	0.03	0	0	0	0	0.2							
06:00:00	1.41	0.05	0.44	0.14	0.11	0.3								
07:00:00	2.48	0.36	1.5	0.1	0.15	0.11	0.53							
08:00:00	2.89	0.41	1.7	0.09	0.28	0	0.5							
09:00:00	2.75	0.18	1.02	0.09	0.13	0	0.37							
10:00:00	3.51	0.43	1.36	0	0.12	0	0.51							
11:00:00		0.43	1.66	0	0.22	0	0.52							
12:00:00	3.12	0.48	1.85	0.09	0.14	0	0.49							
13:00:00	3.83	0.44	2.46	0	0.35	0	0.52							
14:00:00	4.6	0.32	1.23	0.25	0.21	0	0.49							
15:00:00	4.07	0.39	1.55	0.34	0.4	0.13	0.47							
16:00:00	2.9	0.47	0.89	0.13	0.13	0.13	0.4							
17:00:00	3.19	0.4	0.79	0.15	0.24	0.19	0.35							
18:00:00	2.59	0.51	1.05	0.11	0.1	0.17	0.42							
19:00:00	2.26	0.51	0.78	0.2	0.22	0.17	0.43							
20:00:00	2.34	0.36	0.58	0.21	0.35	0.21	0.42							
21:00:00	2.24	0.28	0.65	0.1	0.21	0.24	0.4							
22:00:00	1.6	0.22	0.61	0.12	0.13	0.38	0.31							
23:00:00	1.56	0.09	0.16	0.26	0.14	0.3	0.21							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	2.36	0.27	0.85	0.1	0.16	0.1	0.37							
C50	2.3	0.34	0.79	0.09	0.14	0	0.4							
MAX	4.6	0.51	2.46	0.34	0.4	0.38	0.53							
MIN	1.08	0	0	0	0	0	0.17							
C99.9	4.59	0.51	2.44	0.34	0.4	0.38	0.53							
C98	4.36	0.51	2.18	0.3	0.38	0.34	0.53							
C95	4.03	0.5	1.83	0.26	0.35	0.3	0.52							

Datum: 2016-10-05

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.07	0.11	0.19	0.27	0.13	0.17	0.2							
01:00:00	1.26	0.06	0.14	0.52	0.09	0.18	0.19							
02:00:00	1.51	0.05	0.09	0.13	0.13	0.17	0.19							
03:00:00	1.2	0.06	0	0.13	0	0	0.16							
04:00:00	1.69	0.03	0	0	0	0	0.17							
05:00:00	1.87	0	0	0	0	0	0.18							
06:00:00	3.34	0.06	0.26	0.1	0.15	0.23	0.27							
07:00:00	3.88	0.23	0.76	0.11	0.22	0.15								
08:00:00	3.08	0.63	1.3	0.15	0.24	0.38	0.43							
09:00:00	3.22	0.24	0.6	0.17	0.12	0.09	0.32							
10:00:00	3.32	0.22	0.79	0.09	0.1	0	0.4							
11:00:00	3.55	0.12	0.55	0.17	0.06	0.13	0.33							
12:00:00		0.42	2.15	0.17	0.69	0.17	0.43							
13:00:00	4.4	0.27	1.29	0.18	0.23	0.21	0.38							
14:00:00	3.55	0.29	0.55	0.32	0.11	0.13	0.32							
15:00:00	3.57	0.36	0.72	0.15	0.16	0.39	0.33							
16:00:00	3.57	0.37	1.16	0.15	0.2	0.41	0.37							
17:00:00	4.29	1.02	0.93	0.19	0.16	0.26	0.46							
18:00:00	3.44	2.77	5.67	0.34	1.24	0.3	0.73							
19:00:00	2.9	1.06	2.85	0.17	0.51	0.15	0.52							
20:00:00	2.39	0.5	0.76	0.11	0.22	0.09	0.46							
21:00:00	1.92	0.43	1.06	0.09	0.14	0	0.53							
22:00:00	1.41	0.32	0.27	0	0.09	0	0.34							
23:00:00	1.52	0.17	0.14	0	0	0	0.34							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	2.69	0.41	0.93	0.15	0.21	0.15	0.35							
C50	2.99	0.26	0.66	0.15	0.14	0.15	0.34							
MAX	4.4	2.77	5.67	0.52	1.24	0.41	0.73							
MIN	1.07	0	0	0	0	0	0.16							
C99.9	4.39	2.73	5.6	0.52	1.23	0.41	0.73							
C98	4.35	1.99	4.37	0.44	0.99	0.4	0.64							
C95	4.23	1.06	2.74	0.34	0.66	0.39	0.52							

Datum: 2016-10-06

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.32	0.1	0.08	0	0	0	0.27							
01:00:00	1.44	0.13	0	0.24	0.09	0.56	0.24							
02:00:00	1.36	0.08	0.08	0.09	0	0.09	0.27							
03:00:00	1.21	0.08	0.06	0	0	0.09	0.24							
04:00:00	1.31	0.13	0.06	0.13	0	0	0.24							
05:00:00	1.71	0.13	0.21	0.22	0	0	0.25							
06:00:00	1.64	0.51	1.86	0.35	2.21	0.17	0.46							
07:00:00	2.22	0.77	2.3	0.35	0.42	0.17	0.67							
08:00:00	1.39	0.93	1.97	0.17	0.32	0.09								
09:00:00	2.35	0.91	1.77	0.3	0.32	0	0.6							
10:00:00	2.4	0.53	1.14	0.17	0.14	0.17	0.54							
11:00:00	2.57	0.45	0.87	0.13	0.08	0.22	0.53							
12:00:00	4.35	0.73	1.08	0.22	0.3	0.32	0.49							
13:00:00		0.58	1.37	0.16	0.12	0.39	0.53							
14:00:00	4.2	1.39	2.45	0.22	0.9	0.5	0.7							
15:00:00	3.76	1.1	2.42	0.47	1	0.28	0.68							
16:00:00	3.43	1.37	1.6	0.33	0.55	0.3	0.54							
17:00:00	3.69	3.41	4.86	0.42	1.79	0.39	1.1							
18:00:00	1.41	6.58	11.14	0.73	3.14	0.15	1.82							
19:00:00	1.25	12.84	13.72	0.25	3.62	0.36	2.24							
20:00:00	1.02	11.08	14.87	0.64	2.52	0.4	2.19							
21:00:00	0.96	13.77	13.9	0.64	2.59	0.3	2.53							
22:00:00	1	7.3	5.44	0.21	0.9	0.33	1.3							
23:00:00	1.06	7.8	4.62	0.22	0.65	0.47	1.53							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	2.05	3.03	3.66	0.28	0.9	0.24	0.87							
C50	1.42	0.84	1.81	0.22	0.37	0.25	0.54							
MAX	4.35	13.77	14.87	0.73	3.62	0.56	2.53							
MIN	0.96	0.08	0	0	0	0	0.24							
C99.9	4.35	13.75	14.85	0.72	3.61	0.56	2.53							
C98	4.28	13.34	14.42	0.69	3.4	0.53	2.4							
C95	4.13	12.57	13.88	0.64	3.06	0.49	2.23							

Datum: 2016-10-07

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	0.9	4.43	5.44	0.26	0.43	0.16	1.13							
01:00:00	1.03	2.27	1.58	0.09	0.14	0	0.76							
02:00:00	0.82	1.96	2.81	0	0.09	0	0.6							
03:00:00	0.93	1.24	2.88	0.14	0.17	0.22	0.52							
04:00:00	0.87	0.96	1.57	0.45	0.39	0.39	0.44							
05:00:00	0.82	1.06	0.98	0.23	0.23	0.44	0.54							
06:00:00	0.93	1.23	1.81	0.28	0.71	0.46	0.69							
07:00:00	0.96	1.43	3.68	0.59	1.46	0.28	1.02							
08:00:00	1.15	2	4.04	0.16	0.84	0.2	0.98							
09:00:00	1.15	1.25	3	0.13	0.8	0.13								
10:00:00	1.94	1.02	2.21	0.19	0.83	0.65	0.65							
11:00:00	2.22	0.46	0.95	0.28	0.15	0.18	0.5							
12:00:00	2.48	0.98	6.74	0.35	1.77	0.18	0.45							
13:00:00	2.77	0.66	2.26	0.21	0.83	0.13	0.46							
14:00:00		0.34	1.09	0.13	0.34	0.21	0.46							
15:00:00	1.75	0.28	0.5	0.24	0.22	0.26	0.4							
16:00:00	1.8	0.38	0.43	0.19	0.18	0.2	0.37							
17:00:00	1.94	0.44	0.39	0.14	0.11	0.16	0.43							
18:00:00	1.78	1.32	1.19	0.09	0.13	0.09	0.61							
19:00:00	2.15	0.91	0.86	0	0.13	0.09	0.5							
20:00:00	2.39	0.61	0.38	0	0.04	0	0.43							
21:00:00	1.54	0.85	1.18	0	0.2	0	0.57							
22:00:00	1.81	0.67	0.8	0	0.09	0	0.5							
23:00:00	2.27	0.41	0.52	0.09	0.09	0	0.45							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.58	1.13	1.97	0.18	0.43	0.18	0.59							
C50	1.65	0.97	1.38	0.15	0.21	0.17	0.5							
MAX	2.77	4.43	6.74	0.59	1.77	0.65	1.13							
MIN	0.82	0.28	0.38	0	0.04	0	0.37							
C99.9	2.76	4.38	6.71	0.58	1.76	0.65	1.13							
C98	2.64	3.44	6.14	0.52	1.63	0.56	1.08							
C95	2.47	2.23	5.23	0.43	1.37	0.46	1.01							

Datum: 2016-10-08

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.23	0.33	0.2	0	0	0.09	0.4							
01:00:00	1.39	0.36	0.25	0.09	0	0.17	0.42							
02:00:00	1.41	0.23	0.12	0.14	0.09	0.13	0.39							
03:00:00	1.02	0.34	0.19	0.09	0.09	0.13	0.41							
04:00:00	1.14	0.26	0.09	0	0	0	0.36							
05:00:00	0.95	0.35	0.12	0.09	0	0	0.38							
06:00:00	0.92	0.51	0.32	0	0.22	0.22	0.44							
07:00:00	1.16	0.87	70.52	0	0.07	0.09	0.51							
08:00:00	1.13	0.7	3.98	0	0	0	0.55							
09:00:00	1.37	0.89	1.94	0	0.09	0	0.56							
10:00:00	1.77	0.88	1.79	0	0.07	0								
11:00:00	2.28	0.49	0.86	0	0.09	0	0.47							
12:00:00	4.23	0.36	1.1	0	0.09	0	0.5							
13:00:00	2.73	0.35	0.53	0	0	0	0.39							
14:00:00	4.17	1.11	2.93	0	0.11	0	0.45							
15:00:00		0.62	0.96	0	0.07	0	0.46							
16:00:00	3.96	0.39	1.02	0	0.09	0	0.5							
17:00:00	3.08	1.66	2.47	0.09	0.17	0.13	0.92							
18:00:00	0.98	6.24	4.8	0.14	0.58	0.13	1.64							
19:00:00	0.84	7.46	12.08	0.52	2.57	0.3	2.26							
20:00:00	1.41	11.43	55.27	1.68	5.29	0.5	3.39							
21:00:00	1.32	15.76	38.8	1.35	5.08	0.56	3.67							
22:00:00	0.92	9.04	13.9	0.49	2.01	0.25	2.37							
23:00:00	1.08	7.38	8.29	0.3	1.37	0.18	2.3							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.76	2.83	9.27	0.21	0.76	0.12	1.03							
C50	1.28	0.66	1.44	0	0.09	0.09	0.48							
MAX	4.23	15.76	70.52	1.68	5.29	0.56	3.67							
MIN	0.84	0.23	0.09	0	0	0	0.36							
C99.9	4.23	15.66	70.17	1.67	5.29	0.56	3.66							
C98	4.2	13.77	63.5	1.53	5.19	0.53	3.54							
C95	4.14	11.07	52.8	1.23	4.7	0.47	3.24							

Datum: 2016-10-09

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	0.92	7.72	10.35	0.24	1.04	0.09	1.97							
01:00:00	0.81	5.31	11.43	0.17	0.66	0.09	1.65							
02:00:00	0.91	5.92	57.98	0.3	1.34	0.15	1.73							
03:00:00	0.85	3	6.44	0.09	0.46	0.13	1.14							
04:00:00	0.8	1.19	1.82	0.09	0.13	0	0.67							
05:00:00	0.88	2.1	13.33	0.13	0.24	0	0.9							
06:00:00	0.83	2.87	8.66	0.24	0.82	0.09	1.06							
07:00:00	0.84	5.13	15.62	0.13	0.72	0.09	1.18							
08:00:00	1.03	5.04	5.85	0.16	0.73	0.1	1.07							
09:00:00	1.88	2.58	2.07	0.15	0.13	0.21	0.71							
10:00:00	4.13	6.25	1.72	0.25	0.22	0.54	0.72							
11:00:00	4.02	0.84	1.38	0.43	0.14	0.3								
12:00:00	2.74	0.56	0.53	0.24	0.1	0	0.4							
13:00:00	3.83	0.24	0.8	0.17	0.2	0.29	0.42							
14:00:00	3.62	0.34	0.24	0.19	0.08	0.26	0.37							
15:00:00	4.51	0.14	0.25	0.3	0.04	0	0.35							
16:00:00		0.43	0.3	0.13	0.09	0.13	0.46							
17:00:00	2.12	1.84	1.67	0	0.23	0	0.79							
18:00:00	1.98	3.68	2.21	0.09	0.16	0.2	1.08							
19:00:00	1.08	5.62	2.49	0.33	0.5	0.22	1.35							
20:00:00	1.21	4.4	1.69	0.13	0.11	0.17	1.21							
21:00:00	1.26	1.93	0.85	0.13	0.05	0.74	0.86							
22:00:00	0.99	1.49	0.62	0	0	0	0.75							
23:00:00	1.03	1.44	0.62	0.13	0.3	0.48	0.73							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.84	2.92	6.2	0.18	0.35	0.18	0.94							
C50	1.05	2.34	1.77	0.16	0.21	0.13	0.82							
MAX	4.51	7.72	57.98	0.43	1.34	0.74	1.97							
MIN	0.8	0.14	0.24	0	0	0	0.35							
C99.9	4.5	7.69	57	0.43	1.33	0.74	1.96							
C98	4.34	7.04	38.49	0.38	1.2	0.65	1.86							
C95	4.11	6.2	15.27	0.32	1.01	0.53	1.72							

Datum: 2016-10-10

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.48	1.79	0.5	0.09	0.3	0.52	0.61							
01:00:00	1.38	0.54	0.33	0.11	0.14	0.28	0.44							
02:00:00	1.32	0.28	0.26	0.13	0.09	0.26	0.4							
03:00:00	1.23	0.3	0.2	0.38	0.09	0.38	0.37							
04:00:00	1.28	0.24	0.08	0	0	0	0.35							
05:00:00	1.47	0.6	0.18	0	0	0.43	0.4							
06:00:00	1.33	0.77	0.83	0.09	0.13	0	0.64							
07:00:00	0.9	4.31	7.05	0.31	1.69	0.1	1.45							
08:00:00	1.9	4.16	4.87	0.21	1.21	0.09	1.16							
09:00:00	2.33	2.07	3.17	0.17	0.72	0.24	0.76							
10:00:00	3.2	1.7	1.6	0.17	0.21	0.1	0.69							
11:00:00	7.06	0.99	1.56	0.1	0.2	0.13	0.68							
12:00:00		1.33	5.91	0.37	1.13	0.21								
13:00:00	7.93	0.85	1.9	0.1	0.37	0.17	0.64							
14:00:00		1.12	1.84	0.11	0.48	0.13	0.76							
15:00:00	7.17	1.23	2.39	0.11	0.49	0.16	0.8							
16:00:00	6.43	1.77	2.39	0	0.47	0.13	0.72							
17:00:00		2.05	2.04	0	0.2	0	0.89							
18:00:00	4.73	2.18	1.85	0.24	0.36	0.43	0.91							
19:00:00	2.29	1.98	2.43	0.17	0.37	0.29	1.07							
20:00:00	3.02	1.56	4.51	0.19	0.38	0.33	0.86							
21:00:00	1.49	1.98	5.86	0.3	0.53	0.41	0.94							
22:00:00	1.39	2.17	2.23	0	0.17	0	1.09							
23:00:00	2.02	1.26	0.98	0.09	0.1	0	0.67							

Ras pod	87.5%	100%	100%	100%	100%	100%	95.83%							
AVG	2.92	1.55	2.29	0.14	0.41	0.2	0.75							
C50	1.49	1.44	1.87	0.11	0.33	0.16	0.71							
MAX	7.93	4.31	7.05	0.38	1.69	0.52	1.45							
MIN	0.9	0.24	0.08	0	0	0	0.35							
C99.9	7.91	4.31	7.02	0.38	1.68	0.52	1.44							
C98	7.58	4.24	6.52	0.38	1.47	0.48	1.32							
C95	7.15	3.86	5.9	0.36	1.19	0.43	1.15							

Datum: 2016-10-11

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.3	0.68	0.85	0.22	0.09	0.35	0.53							
01:00:00	1.24	0.72	0.39	0.56	0.07	0.7	0.53							
02:00:00	1.15	0.34	0.31	0.32	0.19	0.45	0.37							
03:00:00	1.25	0.38	0.22	0.11	0.26	0.51	0.33							
04:00:00	1.1	0.23	0.26	0.23	0.09	0.12	0.32							
05:00:00	1.35	0.24	0.08	0	0	0	0.38							
06:00:00	1.82	0.43	0.14	0	0	0	0.45							
07:00:00	2.03	0.74	0.62	0	0	0	0.55							
08:00:00	1.42	1.31	2.55	0.11	0.29	0	0.84							
09:00:00	1.81	1.5	2.72	0.11	0.48	0	0.88							
10:00:00	2.3	2.32	3.18	0.2	0.57	0.13	0.98							
11:00:00	2.29	1.51	2.49	0.27	0.37	0.43	0.89							
12:00:00	1.73	1.87	2.81	0.09	0.46	0.22	0.87							
13:00:00	1.8	2.51	5.35	0.14	0.39	0.16								
14:00:00	1.84	1.92	3.29	0.19	0.3	0.16	0.88							
15:00:00	2.25	1.56	1.92	0.09	0.27	0.25	0.83							
16:00:00	1.83	1.52	1.82	0.13	0.14	0.26	0.72							
17:00:00	2.12	1.49	1.84	0	0.13	0.09	0.74							
18:00:00		1.72	2.38	0.09	0.26	0	0.88							
19:00:00	1.98	1.6	1.66	0.09	0.18	0	0.75							
20:00:00	1.95	1.23	1.11	0	0.13	0	0.67							
21:00:00	1.73	0.66	0.8	0.09	0.09	0	0.61							
22:00:00	1.68	0.7	0.85	0.09	0.1	0.09	0.58							
23:00:00	1.13	0.28	0.27	0	0.04	0	0.44							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.7	1.15	1.58	0.13	0.2	0.16	0.65							
C50	1.77	1.27	1.39	0.1	0.16	0.1	0.64							
MAX	2.3	2.51	5.35	0.56	0.57	0.7	0.98							
MIN	1.1	0.23	0.08	0	0	0	0.32							
C99.9	2.3	2.51	5.3	0.55	0.57	0.7	0.98							
C98	2.3	2.43	4.4	0.44	0.53	0.62	0.94							
C95	2.29	2.26	3.28	0.31	0.47	0.5	0.89							

Datum: 2016-10-12

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.59	0.24	0.1	0	0	0	0.38							
01:00:00	0.92	0.22	0.2	0.09	0	0.26	0.38							
02:00:00	1.03	0.28	0.09	0.27	0.2	0	0.35							
03:00:00	0.82	0.2	0.11	0.13	0.04	0.09	0.39							
04:00:00	0.99	0.22	0.15	0.12	0.09	0.15	0.37							
05:00:00	1.46	0.38	0.46	0.16	0.13	0.15	0.52							
06:00:00	1.31	0.57	0.55	0.09	0.09	0.24	0.56							
07:00:00	1.41	1.76	2.39	0.09	0.2	0.13	0.93							
08:00:00	1.98	1.41	2.49	0.13	0.37	0	0.81							
09:00:00	1.88	1.42	2.28	0	0.21	0	0.79							
10:00:00	1.98	1.23	2.11	0	0.32	0	0.84							
11:00:00	2.24	1.31	1.82	0.09	0.3	0.09	0.76							
12:00:00	2.3	1.44	1.61	0	0.2	0	0.79							
13:00:00	2.35	1.59	1.91	0	0.19	0	0.84							
14:00:00	1.71	1.44	1.73	0.09	0.27	0								
15:00:00	1.9	1.67	1.55	0.09	0.25	0	0.78							
16:00:00	1.31	1.51	1.13	0	0.1	0	0.73							
17:00:00	1.21	1.5	1.14	0.09	0.13	0.09	0.89							
18:00:00	1.11	1.2	1.01	0	0.17	0.17	0.76							
19:00:00		1.13	0.95	0	0.19	0.09	0.71							
20:00:00	1.11	1.28	1.2	0	0.14	0.09	0.73							
21:00:00	1.14	0.8	0.79	0	0.13	0	0.56							
22:00:00	1.05	0.39	0.23	0	0.09	0.09	0.48							
23:00:00	0.95	0.49	0.21	0	0	0.09	0.46							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.47	0.99	1.09	0.06	0.16	0.07	0.64							
C50	1.31	1.22	1.07	0.04	0.16	0.09	0.72							
MAX	2.35	1.76	2.49	0.27	0.37	0.26	0.93							
MIN	0.82	0.2	0.09	0	0	0	0.35							
C99.9	2.35	1.76	2.48	0.26	0.37	0.26	0.93							
C98	2.33	1.72	2.44	0.22	0.35	0.25	0.91							
C95	2.29	1.66	2.37	0.16	0.32	0.23	0.88							

Datum: 2016-10-13

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	0.98	0.34	0.13	0	0	0	0.43							
01:00:00	1.03	0.27	0.09	0	0	0.09	0.38							
02:00:00	0.88	0.21	0.08	0	0	0	0.37							
03:00:00	0.78	0.23	0.08	0	0	0	0.38							
04:00:00	0.97	0.2	0.08	0.09	0	0	0.4							
05:00:00	0.68	0.3	0.18	0	0.09	0.09	0.44							
06:00:00	1.21	0.67	1.49	0	0.14	0.09	0.72							
07:00:00	0.79	4.49	5.27	0.16	0.8	0.13	1.38							
08:00:00	0.94	2.59	5.59	0.2	0.82	0.13	1.05							
09:00:00	1.1	1.17	2.42	0.09	0.4	0	0.73							
10:00:00	1.31	0.79	0.93	0.09	0.18	0.09	0.62							
11:00:00	2.32	0.77	1.03	0	0.14	0.09	0.61							
12:00:00	2.56	0.8	1.76	0	0.24	0.09	0.68							
13:00:00	3.85	0.75	1.73	0.13	0.27	0.13	0.63							
14:00:00	3.47	0.73	1.29	0	0.31	0.09	0.65							
15:00:00	4.66	0.58	1.35	0.11	0.2	0.09								
16:00:00	4.49	0.82	0.88	0.13	0.22	0.09	0.69							
17:00:00	2.77	4.21	15.04	1.18	3.97	0.83	1.87							
18:00:00	1.4	16.53	50.92	4.35	13.94	2.35	4.12							
19:00:00	1.63	6.16	9.5	0.88	3.88	0.22	1.46							
20:00:00		2.88	2.02	0.13	0.5	0.16	1.02							
21:00:00	1.54	2.67	1.13	0.13	0.28	0.11	0.92							
22:00:00	1.54	1.61	1.06	0	0.17	0.09	0.71							
23:00:00	1.12	1.15	0.32	0.09	0.09	0.11	0.63							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.83	2.12	4.35	0.32	1.11	0.21	0.91							
C50	1.26	0.8	1.21	0.09	0.21	0.09	0.66							
MAX	4.66	16.53	50.92	4.35	13.94	2.35	4.12							
MIN	0.68	0.2	0.08	0	0	0	0.37							
C99.9	4.65	16.29	50.09	4.27	13.72	2.31	4.07							
C98	4.58	11.76	34.41	2.89	9.36	1.65	3.08							
C95	4.4	5.91	14.21	1.13	3.96	0.74	1.81							

Datum: 2016-10-14

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.3	0.95	0.49	0.09	0.09	0.13	0.61							
01:00:00	1.15	0.74	0.19	0.11	0.13	0.1	0.55							
02:00:00	1.22	0.45	0.12	0	0	0.13	0.51							
03:00:00	1.14	0.41	0.16	0.09	0.09	0.13	0.5							
04:00:00	1.22	0.4	0.16	0.09	0	0.13	0.5							
05:00:00	1.26	0.46	0.15	0	0	0	0.5							
06:00:00	1.75	1.08	0.92	0	0.07	0.09	0.7							
07:00:00	1.07	4.89	15.75	1.34	4.36	0.09	1.37							
08:00:00	1.94	2.59	5.75	0.31	1.23	0	1.32							
09:00:00	3.62	1.4	2.67	0.11	0.66	0.09	0.82							
10:00:00	4	0.92	1.93	0.09	0.18	0	0.74							
11:00:00	4.52	0.79	2.55	0.09	0.18	0	0.72							
12:00:00		1.18	3.31	0.09	0.31	0.09	0.83							
13:00:00	7.28	0.99	2.91	0.09	0.44	0.09	0.81							
14:00:00	7.11	1.45	5.7	0.21	0.95	0.09	0.84							
15:00:00	6.84	1.46	3.43	0.13	0.83	0.09	0.83							
16:00:00	4.69	0.87	1.85	0.09	0.17	0								
17:00:00	4.8	1.71	2.88	0.15	0.5	0	0.98							
18:00:00	4.82	2.29	2.72	0.11	0.53	0	1							
19:00:00	3.26	1.1	1.32	0	0.1	0	0.76							
20:00:00	3.08	0.97	0.8	0.09	0.09	0	0.66							
21:00:00		0.88	0.64	0	0.08	0	0.62							
22:00:00	2.63	0.88	0.87	0	0.18	0	0.59							
23:00:00	2.06	0.62	0.47	0	0.04	0	0.52							

Ras pod	91.67%	100%	100%	100%	100%	100%	95.83%							
AVG	3.21	1.23	2.41	0.14	0.47	0.05	0.75							
C50	2.34	0.96	1.59	0.09	0.17	0.04	0.71							
MAX	7.28	4.89	15.75	1.34	4.36	0.13	1.37							
MIN	1.07	0.4	0.12	0	0	0	0.5							
C99.9	7.27	4.84	15.52	1.31	4.29	0.13	1.37							
C98	7.2	3.83	11.15	0.86	2.92	0.13	1.35							
C95	7.07	2.55	5.75	0.29	1.19	0.13	1.28							

Datum: 2016-10-15

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.5	0.19	0.11	0.09	0.07	0	0.45							
01:00:00	1.49	0.2	0.13	0.09	0	0	0.45							
02:00:00	1.48	0.17	0.4	0.13	0.13	0	0.51							
03:00:00	1.54	0.1	0.06	0.09	0.04	0	0.4							
04:00:00	1.44	0.1	0.08	0.09	0	0	0.38							
05:00:00	1.79	0.14	0.15	0	0	0	0.41							
06:00:00	1.52	0.64	0.66	0.09	0.17	0	0.54							
07:00:00	1.68	1.16	2.75	0.09	0.59	0.22	0.7							
08:00:00	1.62	1.39	2.21	0.09	0.35	0.09	0.84							
09:00:00	1.78	1.33	1.89	0.09	0.19	0.09	0.75							
10:00:00	2.76	0.71	0.69	0	0.09	0.09	0.68							
11:00:00	2.09	0.51	0.63	0.13	0.09	0	0.66							
12:00:00	2.8	0.52	1.22	0.09	0.06	0.09	0.62							
13:00:00	3.75	0.84	1.67	0.09	0.17	0.11	0.65							
14:00:00	4.4	0.59	1.09	0	0.12	0.09	0.59							
15:00:00	4.74	1.4	1.69	0.13	0.2	0	0.84							
16:00:00	3.47	2.72	3.44	0.11	0.35	0.13	1.1							
17:00:00	2.28	2.22	1.83	0	0.14	0								
18:00:00	2.37	3.45	2.47	0.13	0.3	0	1.15							
19:00:00	1.26	4.69	3.44	0.13	0.19	0.1	1.45							
20:00:00	1.09	3.57	2.78	0.12	0.35	0.13	1.2							
21:00:00	1.98	1.45	0.99	0.09	0.23	0	0.83							
22:00:00		0.95	1.16	0.11	0.1	0.17	0.66							
23:00:00	1.34	0.59	0.73	0.09	0.09	0.09	0.59							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	2.18	1.24	1.34	0.08	0.17	0.06	0.72							
C50	1.73	0.78	1.13	0.09	0.14	0.04	0.65							
MAX	4.74	4.69	3.44	0.13	0.59	0.22	1.45							
MIN	1.09	0.1	0.06	0	0	0	0.38							
C99.9	4.73	4.66	3.44	0.13	0.59	0.22	1.44							
C98	4.58	4.17	3.44	0.13	0.48	0.2	1.34							
C95	4.3	3.56	3.34	0.13	0.35	0.17	1.2							

Datum: 2016-10-16

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	1.57	0.62	0.36	0.09	0.09	0.11	0.75							
01:00:00	1.55	0.78	0.49	0.09	0.07	0.11	0.81							
02:00:00	1.21	0.88	0.31	0.14	0.07	0.12	0.7							
03:00:00	1.03	0.83	0.28	0	0.07	0.09	0.68							
04:00:00	1.02	0.84	0.39	0.09	0.09	0.09	0.64							
05:00:00	0.96	0.77	0.31	0	0	0.52	0.61							
06:00:00	0.93	1.07	0.4	0.09	0.09	0.13	0.63							
07:00:00	0.95	1.22	0.31	0	0.09	0	0.7							
08:00:00	0.84	1.43	1.91	0.22	0.24	0.38	0.82							
09:00:00	1.81	0.98	2.16	0.18	0.23	0.32	0.81							
10:00:00	2.43	1.55	2.29	0.09	0.47	0.5	0.88							
11:00:00	2.01	1.36	1.57	0.09	0.17	0.22	0.73							
12:00:00	2.25	0.99	0.7	0.09	0.09	0.09	0.68							
13:00:00	2.41	0.98	0.54	0.1	0.13	0.11	0.7							
14:00:00	2.47	0.94	0.56	0.09	0.05	0.17	0.61							
15:00:00	2.68	1.01	0.9	0.09	0.08	0.26	0.66							
16:00:00	2.15	1.07	0.96	0	0.09	0	0.73							
17:00:00	1.65	1.45	1.51	0.13	0.19	0.09	0.9							
18:00:00	1.07	3.11	5.06	0.13	0.7	0.15								
19:00:00	1.25	7.78	5.8	0.19	0.95	0.13	2.16							
20:00:00	1.15	5.24	4.03	0.1	0.46	0.11	1.61							
21:00:00	0.98	2.49	1.61	0.13	0.08	0.11	1.06							
22:00:00	1.19	2.37	3.92	0.13	0.28	0.17	1.31							
23:00:00		2.11	3.13	0.09	0.26	0.14	1.19							

Ras pod	95.83%	100%	100%	100%	100%	100%	95.83%							
AVG	1.55	1.74	1.65	0.1	0.21	0.17	0.89							
C50	1.23	1.07	0.93	0.09	0.09	0.12	0.73							
MAX	2.68	7.78	5.8	0.22	0.95	0.52	2.16							
MIN	0.84	0.62	0.28	0	0	0	0.61							
C99.9	2.68	7.72	5.79	0.22	0.95	0.52	2.15							
C98	2.58	6.61	5.46	0.2	0.84	0.51	1.91							
C95	2.46	4.92	4.91	0.19	0.67	0.48	1.56							

Datum: 2016-10-17

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00	0.83	1.44	8.14	0.15	0.19	0.24	0.97							
01:00:00	0.96	2.2	10.22	0.09	0.53	0	1.01							
02:00:00	1.03	0.91	1.38	0.1	0.14	0.25	0.64							
03:00:00	0.77	0.85	0.93	0.1	0.13	0.12	0.57							
04:00:00	0.82	0.7	0.82	0.13	0	0.09	0.55							
05:00:00	0.84	0.64	1.47	0.22	0.09	0.44	0.97							
06:00:00	0.8	1.01	4.16	0.15	0.17	0.13	0.88							
07:00:00	0.87	1.53	6.7	0.09	0.41	0	0.98							
08:00:00	0.85	1.56	4.97	0.15	0.65	0.2	1.01							
09:00:00	1.25	1.81	3.16	0.1	0.61	0.13	0.97							
10:00:00	0.99	1.85	2.99	0.1	0.5	0.13	1.05							
11:00:00	1.28	1.66	3.25	0.16	0.62	0.09	0.94							
12:00:00	1.67	1.14	1.73	0	0.26	0	0.82							
13:00:00	1.97	1.23	2.11	0.09	0.34	0.09	0.94							
14:00:00		1.86	3.21	0.2	0.75	0								
15:00:00		1.68	2.73	0.11	0.38	0.13								
16:00:00		0.98	1.55	0.09	0.36	0.13								
17:00:00		1.01	1.5	0.24	0.13	0.23								
18:00:00		0.72	1.88	0.18	0.36	0.13								
19:00:00		0.37	0.62	0.12	0.16	0.18								
20:00:00		0.41	0.51	0.17	0.11	0.37								
21:00:00		0.21	0.33	0.22	0.19	0.23								
22:00:00		0.27	0.23	0.16	0.1	0.27								
23:00:00		0.14	0.32	0.24	0.09	0.17								

Ras pod	58.33%	100%	100%	100%	100%	100%	58.33%							
AVG	1.07	1.09	2.7	0.14	0.3	0.16	0.88							
C50	0.81	1.01	1.8	0.14	0.22	0.13	0.61							
MAX	1.97	2.2	10.22	0.24	0.75	0.44	1.05							
MIN	0.77	0.14	0.23	0	0	0	0.55							
C99.9	1.96	2.2	10.18	0.24	0.75	0.44	1.05							
C98	1.83	2.05	9.27	0.24	0.7	0.41	1.03							
C95	1.61	1.86	7.93	0.23	0.65	0.35	1.01							

Datum: 2016-10-18

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.15	0.08	0.09	0	0								
01:00:00		0.06	0.08	0	0	0								
02:00:00		0.07	0.06	0	0	0								
03:00:00		0.06	0	0.09	0	0								
04:00:00		0.08	0	0.09	0	0								
05:00:00		0.07	0.04	0.09	0.09	0.17								
06:00:00		0.15	0.09	0.09	0.07	0.24								
07:00:00		0.31	1.23	0.21	0.21	0.24								
08:00:00		0.8	1.96	0.11	0.22	0.09								
09:00:00		0.57	1.28	0.13	0.15	0.11								
10:00:00		0.54	1.1	0.16	0.17	0.13								
11:00:00		0.44	1.27	0.2	0.1	0.22								
12:00:00		0.67	1.21	0.09	0.09	0.09								
13:00:00		0.59	1.77	0.09	0.1	0.13								
14:00:00		0.44	1.12	0.11	0.12	0.13								
15:00:00		0.78	2.42	0.09	0.23	0.25								
16:00:00		0.84	2.19	0.09	0.18	0.21								
17:00:00		1.46	2.01	0.11	0.16	0.09								
18:00:00		1.55	2.32	0.13	0.21	0								
19:00:00		1.13	1.45	0	0.13	0								
20:00:00		0.72	1.09	0	0.15	0								
21:00:00		0.39	0.47	0.09	0.08	0.13								
22:00:00		0.36	0.15	0	0	0								
23:00:00		0.22	0.08	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	0%							
AVG		0.52	0.98	0.08	0.1	0.09								
C50	0	0.44	1.11	0.09	0.1	0.09	0							
MAX		1.55	2.42	0.21	0.23	0.25								
MIN		0.06	0	0	0	0								
C99.9	0	1.55	2.42	0.21	0.23	0.25	0							
C98	0	1.51	2.37	0.21	0.22	0.25	0							
C95	0	1.41	2.3	0.19	0.22	0.24	0							

Datum: 2016-10-19

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.13	0.09	0.17	0.43	0.15								
01:00:00		0.14	0.11	0.1	0.06	0.1								
02:00:00		0.17	0.09	0.12	0.04	0.2								
03:00:00		0.08	0.15	0.12	0.1	0.25								
04:00:00		0.13	0.15	0.09	0.15	0.19								
05:00:00		0.22	0.22	0.3	0.1	0.3								
06:00:00		0.19	0.14	0.11	0.1	0.29								
07:00:00		1.08	1.38	0.13	0.19	0.2								
08:00:00		1.35	5.19	0.15	0.28	0.16								
09:00:00		0.84	2.31	0.09	0.15	0.13								
10:00:00		1.16	3.14	0.13	0.3	0.34								
11:00:00		0.68	6.13	0.13	0.11	0.39	0.63							
12:00:00		0.83	5.44	0	0.09	0.12	0.27							
13:00:00		1.07	4.56	0.17	0.15	0.48								
14:00:00		0.98	3.55	0	0.21	0								
15:00:00		1.04	4.38	0.13	0.2	0.09								
16:00:00		0.74	4.32	0	0.1	0								
17:00:00		1.23	4	0	0.12	0								
18:00:00		2.21	5.48	0.1	0.56	0	0.35							
19:00:00		2.65	3.87	0.09	0.42	0	0.28							
20:00:00		2.95	4.5	0.1	0.96	0								
21:00:00		0.86	0.8	0	0.28	0								
22:00:00		0.52	0.61	0	0	0								
23:00:00		0.3	0.17	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	16.67%							
AVG		0.9	2.53	0.09	0.21	0.14	0.38							
C50	0	0.83	2.72	0.1	0.15	0.12	0							
MAX		2.95	6.13	0.3	0.96	0.48	0.63							
MIN		0.08	0.09	0	0	0								
C99.9	0	2.95	6.11	0.3	0.96	0.48	0.62							
C98	0	2.81	5.83	0.24	0.78	0.44	0.5							
C95	0	2.58	5.47	0.17	0.54	0.38	0.34							

Datum: 2016-10-20

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.38	0.1	0	0	0								
01:00:00		0.14	0.06	0	0	0.09								
02:00:00		0.14	0	0	0	0								
03:00:00		0.08	0.08	0	0	0								
04:00:00		0.1	0	0	0	0								
05:00:00		0.12	0.08	0	0	0								
06:00:00		0.31	0.42	0	0	0								
07:00:00		1.12	1.84	0	0.14	0								
08:00:00		1.62	3.28	0.17	0.59	0								
09:00:00		1.99	2.26	0.09	0.33	0								
10:00:00		0.98	1.58	0	0.17	0								
11:00:00		0.69	1.34	0	0.21	0								
12:00:00		0.94	2.13	0.17	0.25	0								
13:00:00		1.67	4.43	0.16	1.11	0								
14:00:00		1.47	4.52	0.42	1.25	0.09								
15:00:00		1.27	3.15	0.12	0.59	0								
16:00:00		1.41	2.76	0.09	0.43	0								
17:00:00		1.33	1.68	0.09	0.25	0								
18:00:00		2.45	2.97	0.13	0.46	0								
19:00:00		1.88	2.65	0.16	0.43	0.09								
20:00:00		1.53	1.59	0	0.16	0								
21:00:00		0.68	0.79	0	0.13	0								
22:00:00		0.94	1.64	0	0.26	0								
23:00:00		0.63	0.18	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	0%							
AVG		0.99	1.65	0.07	0.28	0.01								
C50	0	0.96	1.62	0	0.19	0	0							
MAX		2.45	4.52	0.42	1.25	0.09								
MIN		0.08	0	0	0	0								
C99.9	0	2.44	4.52	0.41	1.25	0.09	0							
C98	0	2.24	4.48	0.31	1.19	0.09	0							
C95	0	1.97	4.26	0.17	1.03	0.09	0							

Datum: 2016-10-21

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.47	0.21	0	0	0								
01:00:00		0.7	0.18	0	0	0								
02:00:00		0.74	0.21	0	0	0								
03:00:00		0.62	0.14	0	0	0								
04:00:00		0.29	0.09	0	0	0.13								
05:00:00		0.32	0.23	0	0.09	0								
06:00:00		0.6	0.87	0	0.07	0								
07:00:00		1.51	3.85	0.14	0.56	0								
08:00:00		1.89	4.12	0.18	0.81	0								
09:00:00		2.02	5.19	0.16	1.11	0.13	0.33							
10:00:00		2.85	6.52	0.35	1.91	0.26	0.58							
11:00:00		2.93	6.12	0.23	1.64	0	0.63							
12:00:00		3.92	9.04	0.4	1.67	0.09	0.8							
13:00:00		6.19	9.19	0.58	1.49	0.09	0.97							
14:00:00		4.74	7.19	0.49	1.81	0.24	0.61							
15:00:00		2.95	3.99	0.14	0.93	0								
16:00:00		1.78	2.77	0.11	0.41	0.09								
17:00:00		2.42	3.11	0.09	0.44	0	0.29							
18:00:00		2.25	2.87	0.22	0.54	0								
19:00:00		2.27	3.08	0.1	0.35	0								
20:00:00		2.25	3.64	0.26	0.75	0								
21:00:00		1.14	1.49	0	0.23	0								
22:00:00		0.69	0.8	0	0.12	0								
23:00:00		0.6	0.55	0	0.09	0								

Ras pod	0%	100%	100%	100%	100%	100%	29.17%							
AVG		1.92	3.14	0.14	0.63	0.04	0.6							
C50	0	1.84	2.97	0.11	0.43	0	0							
MAX		6.19	9.19	0.58	1.91	0.26	0.97							
MIN		0.29	0.09	0	0	0								
C99.9	0	6.16	9.19	0.58	1.9	0.26	0.96							
C98	0	5.52	9.12	0.54	1.86	0.25	0.89							
C95	0	4.62	8.77	0.48	1.79	0.22	0.78							

Datum: 2016-10-22

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.32	0.33	0	0	0								
01:00:00		0.33	0.1	0	0	0								
02:00:00		0.33	0.11	0	0	0.09								
03:00:00		0.19	0.1	0	0	0								
04:00:00		0.23	0.14	0	0	0								
05:00:00		0.33	0.26	0	0	0.09								
06:00:00		1.16	0.29	0	0	0								
07:00:00		1.6	0.54	0	0.09	0								
08:00:00		1.26	0.67	0	0.09	0.09								
09:00:00		1.28	1.59	0.13	0.14	0								
10:00:00		0.89	1.23	0	0.1	0								
11:00:00		0.65	1.24	0.09	0.09	0								
12:00:00		0.41	0.65	0	0.08	0								
13:00:00		0.35	0.6	0	0.06	0								
14:00:00		0.33	0.53	0	0	0								
15:00:00		0.23	0.52	0	0	0								
16:00:00		0.46	0.92	0	0.09	0								
17:00:00		3.93	11.57	0.78	2.18	0	1.29							
18:00:00		12.38	33.16	1.85	5.26	0.13	2.68							
19:00:00		16	65.58	2.9	8.78	0.14	2.84							
20:00:00		8.33	19.47	0.9	3.67	0.17	1.31							
21:00:00		6.87	7.73	0.4	1.76	0	1.15							
22:00:00		3.64	11.97	0.39	1.38	0	0.55							
23:00:00		2.43	2.42	0.13	0.34	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	25%							
AVG		2.66	6.74	0.32	1	0.03	1.64							
C50	0	0.77	0.66	0	0.09	0	0							
MAX		16	65.58	2.9	8.78	0.17	2.84							
MIN		0.19	0.1	0	0	0								
C99.9	0	15.92	64.84	2.88	8.7	0.17	2.84							
C98	0	14.33	50.67	2.42	7.16	0.16	2.77							
C95	0	11.77	31.1	1.71	5.02	0.14	2.47							

Datum: 2016-10-23

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		2.08	1.63	0	0.22	0								
01:00:00		2.05	1.2	0.09	0.17	0								
02:00:00		2.35	1.93	0.13	0.22	0.09	0.22							
03:00:00		2.23	1.13	0	0.16	0								
04:00:00		1.29	0.58	0	0	0								
05:00:00		1.05	0.3	0	0	0								
06:00:00		1.05	0.65	0	0.09	0								
07:00:00		1.24	1.03	0	0.1	0								
08:00:00		1.81	1.51	0	0.14	0								
09:00:00		1.95	1.4	0	0.11	0								
10:00:00		2.4	4.02	0.12	0.47	0								
11:00:00		1.49	1.36	0	0.14	0								
12:00:00		1.47	1.5	0	0.14	0								
13:00:00		1.39	1.35	0	0.18	0.09								
14:00:00		1	0.5	0	0.09	0								
15:00:00		1.38	0.71	0	0.09	0								
16:00:00		1.22	0.55	0	0	0.09								
17:00:00		1.03	0.96	0	0.07	0								
18:00:00		1.67	1.58	0.09	0.15	0								
19:00:00		1.94	0.9	0	0.09	0								
20:00:00		0.65	0.57	0	0	0								
21:00:00		1.04	0.53	0	0	0								
22:00:00		0.76	0.41	0	0	0.09								
23:00:00		0.68	0.24	0	0	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	4.17%							
AVG		1.47	1.1	0.02	0.11	0.02	0.22							
C50	0	1.39	1	0	0.1	0	0							
MAX		2.4	4.02	0.13	0.47	0.09	0.22							
MIN		0.65	0.24	0	0	0								
C99.9	0	2.4	3.97	0.13	0.46	0.09	0.22							
C98	0	2.38	3.06	0.13	0.36	0.09	0.12							
C95	0	2.34	1.88	0.12	0.22	0.09	0							

Datum: 2016-10-24

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.56	0.15	0	0	0								
01:00:00		0.58	0.11	0	0	0								
02:00:00		0.7	0.09	0	0	0								
03:00:00		0.81	0.19	0.09	0	0								
04:00:00		0.9	0.34	0	0	0								
05:00:00		0.96	0.19	0	0	0								
06:00:00		1.67	0.75	0	0	0								
07:00:00		3.98	4.3	0.09	0.31	0	0.62							
08:00:00		3.67	5.96	0.17	0.82	0	0.72							
09:00:00		3.48	4.47	0.23	0.94	0	0.36							
10:00:00		1.91	2.9	0	0.19	0								
11:00:00		1.48	2.15	0.13	0.24	0								
12:00:00		1.34	2.18	0.13	0.13	0								
13:00:00		1.13	1.92	0	0.14	0								
14:00:00		1.36	3.6	0.11	0.24	0								
15:00:00		1.67	6.6	0.2	0.46	0								
16:00:00		1.85	5.48	0.13	0.36	0	0.22							
17:00:00		2.97	8.53	0.2	1.25	0	0.64							
18:00:00		5.03	10.26	0.44	2.06	0.09	0.83							
19:00:00		2.88	5.34	0.14	0.91	0	0.25							
20:00:00		1.33	1.16	0	0.11	0								
21:00:00		1.06	0.7	0	0.07	0								
22:00:00		0.87	0.37	0	0	0								
23:00:00		0.52	0.19	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	29.17%							
AVG		1.78	2.83	0.09	0.34	0	0.52							
C50	0	1.35	2.03	0.04	0.13	0	0							
MAX		5.03	10.26	0.44	2.06	0.09	0.83							
MIN		0.52	0.09	0	0	0								
C99.9	0	5.01	10.23	0.44	2.04	0.08	0.83							
C98	0	4.55	9.47	0.35	1.69	0.05	0.78							
C95	0	3.93	8.24	0.23	1.2	0	0.71							

Datum: 2016-10-25

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.29	0.2	0	0.04	0.09								
01:00:00		0.29	0.13	0	0	0								
02:00:00		0.32	0.87	0.09	0	0								
03:00:00		0.28	1.37	0	0	0								
04:00:00		0.38	1.75	0	0.04	0								
05:00:00		0.21	0.2	0	0	0								
06:00:00		3.55	0.52	0	0	0	0.28							
07:00:00		1.65	3.36	0.11	0.28	0	0.39							
08:00:00		1.53	5.61	0.1	0.52	0.09								
09:00:00		0.71	3.62	0	0.12	0								
10:00:00		0.77	2.33	0	0.15	0								
11:00:00		0.81	1.78	0	0.13	0								
12:00:00		1.27	3.02	0.13	0.4	0								
13:00:00		0.86	2.38	0.24	0.27	0								
14:00:00		0.71	1.99	0	0.22	0								
15:00:00		1.01	2.73	0.1	0.32	0								
16:00:00		2.47	5.63	0.26	0.68	0	0.75							
17:00:00		11.38	33.76	3.09	7.61	0.09	2.37							
18:00:00		16.85	69.78	5.07	14.54	0.22	3.64							
19:00:00		18.47	39.5	3.28	6.46	0.17	2.59							
20:00:00		14.76	22.5	2.04	5.94	0.09	2.28							
21:00:00		3.71	3.88	0.26	1.15	0	0.25							
22:00:00		1.68	1.98	0.11	0.27	0								
23:00:00		0.6	0.65	0	0.1	0								

Ras pod	0%	100%	100%	100%	100%	100%	33.33%							
AVG		3.52	8.73	0.62	1.64	0.03	1.57							
C50	0	0.93	2.36	0.09	0.24	0	0							
MAX		18.47	69.78	5.07	14.54	0.22	3.64							
MIN		0.21	0.13	0	0	0								
C99.9	0	18.43	69.08	5.03	14.38	0.22	3.62							
C98	0	17.72	55.85	4.25	11.35	0.2	3.16							
C95	0	16.54	38.64	3.25	7.44	0.16	2.55							

Datum: 2016-10-26

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.37	0.32	0.11	0.07	0.24								
01:00:00		0.39	0.25	0.13	0.09	0.16								
02:00:00		0.36	0.23	0.09	0.09	0.09								
03:00:00		0.4	0.21	0.09	0.09	0.14								
04:00:00		0.52	0.21	0	0.04	0								
05:00:00		0.48	0.33	0.09	0.09	0								
06:00:00		0.66	0.59	0	0.09	0								
07:00:00		2.45	7.1	0.48	1.33	0.17	0.47							
08:00:00		2.12	2.89	0.2	0.44	0.09								
09:00:00		1.8	3.3	0.11	0.7	0								
10:00:00		1.23	2.05	0.11	0.22	0.09								
11:00:00		1.25	2.39	0.09	0.49	0								
12:00:00		1.35	2.33	0.17	0.45	0.09	0.28							
13:00:00		2.12	4.1	0.19	0.74	0.09	0.47							
14:00:00		2.37	3.97	0.16	0.7	0	0.48							
15:00:00		2.46	4.76	0.17	1.02	0	0.55							
16:00:00		2.38	2.9	0.09	0.28	0.09								
17:00:00		3.18	5.9	0.36	0.48	0.1	0.86							
18:00:00		5.14	9.19	0.5	2.48	0.09	0.77							
19:00:00		3.73	3.01	0.12	0.59	0.1	0.45							
20:00:00		1.66	1.56	0.1	0.09	0.09								
21:00:00		0.59	0.86	0.13	0.13	0.14								
22:00:00		0.78	0.75	0.17	0.09	0.16								
23:00:00		0.5	0.44	0.11	0.07	0.29								

Ras pod	0%	100%	100%	100%	100%	100%	33.33%							
AVG		1.59	2.48	0.16	0.45	0.09	0.54							
C50	0	1.3	2.19	0.12	0.25	0.09	0							
MAX		5.14	9.19	0.5	2.48	0.29	0.86							
MIN		0.36	0.21	0	0.04	0								
C99.9	0	5.11	9.15	0.5	2.45	0.29	0.86							
C98	0	4.49	8.23	0.49	1.95	0.26	0.82							
C95	0	3.65	6.92	0.46	1.28	0.23	0.74							

Datum: 2016-10-27

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.17	0.17	0.11	0.13	0.33								
01:00:00		0.16	0.18	0.09	0.06	0.39								
02:00:00		0.15	0.15	0.12	0.13	0.17								
03:00:00		0.27	0.1	0.22	0.22	1.04								
04:00:00		0.2	0	0.09	0	0								
05:00:00		0.13	0.38	0.2	0.11	0.52								
06:00:00		0.27	0.23	0.1	0.11	0.33								
07:00:00		0.75	1.14	0.29	0.4	0.15								
08:00:00		1.12	0.95	0.1	0.13	0.13								
09:00:00		0.64	0.53	0.13	0.06	0.12								
10:00:00		0.79	0.73	0.09	0.07	0.2								
11:00:00		0.81	1.85	0.09	0.46	0.09								
12:00:00		0.42	0.59	0	0.09	0								
13:00:00		0.31	0.57	0.11	0.09	0.1								
14:00:00		0.51	1.04	0.16	0.14	0.24								
15:00:00		0.88	2	0.13	0.17	0.24								
16:00:00		0.73	0.99	0.33	0.08	0.35								
17:00:00		2.1	3.84	0.17	0.1	0.19	0.88							
18:00:00		6.06	9.44	0.65	1.93	0.13	1.13							
19:00:00		11.63	14.11	0.48	1.6	0.26	2.19							
20:00:00		33.61	18.91	1.53	3.49	0.23	4.91							
21:00:00		26.24	11.04	0.24	0.83	0.44	3.55							
22:00:00		14.61	8.1	0.32	1.6	0.16	1.99							
23:00:00		3.28	1.73	0.26	0.17	0.36	0.44							

Ras pod	0%	100%	100%	100%	100%	100%	29.17%							
AVG		4.41	3.28	0.25	0.51	0.26	2.16							
C50	0	0.74	0.97	0.14	0.13	0.22	0							
MAX		33.61	18.91	1.53	3.49	1.04	4.91							
MIN		0.13	0	0	0	0								
C99.9	0	33.44	18.8	1.51	3.45	1.03	4.88							
C98	0	30.22	16.7	1.12	2.77	0.8	4.28							
C95	0	24.49	13.64	0.63	1.88	0.51	3.34							

Datum: 2016-10-28

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		2.03	1.04	0.11	0.16	0.18								
01:00:00		1.19	0.44	0.1	0.09	0.21								
02:00:00		1.11	0.41	0.11	0.09	0.1								
03:00:00		0.89	0.17	0.11	0.1	0.46								
04:00:00		0.59	0.24	0.16	0.11	0.34								
05:00:00		0.78	0.33	0.13	0.26	0.39								
06:00:00		1.33	1.14	0	0.04	0								
07:00:00		2.48	3.12	0.11	0.45	0.22	0.35							
08:00:00		1.54	2.68	0.11	0.13	0.42								
09:00:00		1.81	2.49	0.18	0.24	0.33								
10:00:00		1.66	1.93	0.09	0.1	0.15								
11:00:00		1.03	1.31	0.11	0.18	0.22								
12:00:00		0.57	1.08	0.1	0.14	0.12								
13:00:00		0.67	0.66	0.61	0.25	0.76								
14:00:00		0.68	1.45	0.09	0.14	0.13								
15:00:00		0.43	0.94	0.13	0.11	0.2								
16:00:00		0.84	1.57	0.12	0.12	0.09								
17:00:00		3.08	7.35	0.27	1.22	0.17	0.74							
18:00:00		19.83	22.52	1.89	4.84	0.12	3.17							
19:00:00		32.54	22.86	2.37	5.82	0.19	4.18							
20:00:00		19.03	13.79	1.46	4.49	0.14	2.23							
21:00:00		11.41	9.75	0.3	1.1	0.12	1.87							
22:00:00		6.49	5.18	0.18	0.26	0.28	1.47							
23:00:00		7.97	5.54	0.22	0.34	0.37	1.45							

Ras pod	0%	100%	100%	100%	100%	100%	33.33%							
AVG		5	4.5	0.38	0.87	0.24	1.93							
C50	0	1.43	1.51	0.12	0.17	0.19	0							
MAX		32.54	22.86	2.37	5.82	0.76	4.18							
MIN		0.43	0.17	0	0.04	0								
C99.9	0	32.24	22.85	2.35	5.8	0.75	4.15							
C98	0	26.69	22.7	2.15	5.37	0.62	3.72							
C95	0	19.71	21.21	1.83	4.79	0.45	3.03							

Datum: 2016-10-29

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO						
00:00:00		5.62	4.28	0.13	0.13	0.13	1.19						
01:00:00		5.26	3.67	0.09	0.2	0.13	1.11						
02:00:00		3.29	2.2	0.13	0.2	0.09	0.57						
03:00:00		2.19	1.03	0.11	0.1	0.2	0.16						
04:00:00		1.15	0.65	0.11	0.15	0.19							
05:00:00		0.94	0.46	0.15	0.12	0.43							
06:00:00		0.88	0.36	0.09	0.09	0.2							
07:00:00		1.58	0.5	0.1	0.09	0.14	0.17						
08:00:00		1.53	1.09	0.09	0.12	0.18	0.21						
09:00:00		1.37	0.91	0.12	0.11	0.17	0.16						
10:00:00		1.08	1.22	0.1	0.08	0.15	0.16						
11:00:00		1.53	1.24	0.16	0.13	0.28	0.28						
12:00:00		1.85	1.71	0.11	0.09	0.18	0.21						
13:00:00		0.92	0.71	0.1	0.09	0.09							
14:00:00		0.83	0.56	0.17	0.3	0.47							
15:00:00		1.34	0.68	0.27	0.14	0.52							
16:00:00		1.33	0.54	0.2	0.11	0.21							
17:00:00		1.05	0.92	0.13	0.15	0.19	0.15						
18:00:00		2.63	1.24	0.13	0.11	0.2	0.22						
19:00:00		1.38	0.72	0.12	0.1	0.19	0.14						
20:00:00		1.4	0.71	0.12	0.17	0.19	0.16						
21:00:00		1.33	0.8	0.1	0.17	0.13	0.2						
22:00:00		1.26	1.28	0.13	0.15	0.24	0.15						
23:00:00		0.71	0.52	0.11	0.09	0.15							

Ras pod	0%	100%	100%	100%	100%	100%	66.67%						
AVG		1.77	1.17	0.13	0.13	0.21	0.33						
C50	0	1.36	0.86	0.12	0.12	0.19	0.16						
MAX		5.62	4.28	0.27	0.3	0.52	1.19						
MIN		0.71	0.36	0.09	0.08	0.09	0.14						
C99.9	0	5.61	4.26	0.26	0.3	0.51	1.18						
C98	0	5.45	4	0.24	0.26	0.49	1.15						
C95	0	4.97	3.45	0.2	0.2	0.46	1.02						

Datum: 2016-10-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.27	0.24	0.15	0.08	0.21								
01:00:00		0.16	0.17	0.1	0.09	0.2								
02:00:00		0.16	0.15	0.1	0	0.17								
03:00:00		0.1	0.12	0.1	0.13	0.18								
04:00:00		0.06	0.14	0.11	0.07	0.09								
05:00:00		0.07	0.15	0.1	0.08	0.13								
06:00:00		0.07	0.08	0.15	0.1	0.19								
07:00:00		0.19	0.34	0.1	0.06	0.2								
08:00:00		0.57	0.27	0.12	0.09	0.17								
09:00:00		0.49	0.34	0.19	0.13	0.21								
10:00:00		0.15	0.26	0.09	0.13	0.1								
11:00:00		0.22	0.31	0.12	0.08	0.15								
12:00:00		0.15	0.28	0.11	0.17	0.11								
13:00:00		0.21	0.28	0.1	0.11	0.15								
14:00:00		0.17	0.46	0.1	0.09	0.14								
15:00:00		0.22	0.25	0.1	0.15	0.15								
16:00:00		0.28	0.39	0.12	0.14	0.2								
17:00:00		0.5	1.17	0.15	0.11	0.21	0.53							
18:00:00		4.43	2.59	0.14	0.24	0.13								
19:00:00		2.05	2.19	0.14	0.2	0.21	0.36							
20:00:00		1.69	0.78	0.19	0.19	0.52	0.27							
21:00:00		2.29	1.08	0.12	0.15	0.19								
22:00:00		1.04	0.43	0.1	0.1	0.26								
23:00:00		0.48	0.19	0.11	0.09	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	12.5%							
AVG		0.67	0.53	0.12	0.12	0.18	0.39							
C50	0	0.22	0.28	0.11	0.11	0.17	0							
MAX		4.43	2.59	0.19	0.24	0.52	0.53							
MIN		0.06	0.08	0.09	0	0.09								
C99.9	0	4.38	2.58	0.19	0.24	0.51	0.53							
C98	0	3.45	2.41	0.19	0.22	0.4	0.45							
C95	0	2.25	2.04	0.18	0.2	0.25	0.35							

Datum: 2016-10-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.27	0.24	0.15	0.08	0.21								
01:00:00		0.16	0.17	0.1	0.09	0.2								
02:00:00		0.16	0.15	0.1	0	0.17								
03:00:00		0.1	0.12	0.1	0.13	0.18								
04:00:00		0.06	0.14	0.11	0.07	0.09								
05:00:00		0.07	0.15	0.1	0.08	0.13								
06:00:00		0.07	0.08	0.15	0.1	0.19								
07:00:00		0.19	0.34	0.1	0.06	0.2								
08:00:00		0.57	0.27	0.12	0.09	0.17								
09:00:00		0.49	0.34	0.19	0.13	0.21								
10:00:00		0.15	0.26	0.09	0.13	0.1								
11:00:00		0.22	0.31	0.12	0.08	0.15								
12:00:00		0.15	0.28	0.11	0.17	0.11								
13:00:00		0.21	0.28	0.1	0.11	0.15								
14:00:00		0.17	0.46	0.1	0.09	0.14								
15:00:00		0.22	0.25	0.1	0.15	0.15								
16:00:00		0.28	0.39	0.12	0.14	0.2								
17:00:00		0.5	1.17	0.15	0.11	0.21	0.53							
18:00:00		4.43	2.59	0.14	0.24	0.13								
19:00:00		2.05	2.19	0.14	0.2	0.21	0.36							
20:00:00		1.69	0.78	0.19	0.19	0.52	0.27							
21:00:00		2.29	1.08	0.12	0.15	0.19								
22:00:00		1.04	0.43	0.1	0.1	0.26								
23:00:00		0.48	0.19	0.11	0.09	0.09								

Ras pod	0%	200%	200%	200%	200%	200%	25%							
AVG		0.67	0.53	0.12	0.12	0.18	0.39							
C50	0	0.22	0.28	0.11	0.11	0.17	0							
MAX		4.43	2.59	0.19	0.24	0.52	0.53							
MIN		0.06	0.08	0.09	0	0.09								
C99.9	0	4.43	2.59	0.19	0.24	0.52	0.53							
C98	0	4.43	2.59	0.19	0.24	0.52	0.53							
C95	0	2.29	2.19	0.19	0.2	0.26	0.36							

Zbirni podaci za period: 2016-10-01 do 2016-10-31[illegible]