



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10006 Sombor - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-08-01 do 2016-08-31

KOD stanice: **RS10006**

EIO klasifikacija: **Traffic/Urban/Residential**

Koordinate XY: **45.769 / 19.115**

Nadmorska visina: **87**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-08-01

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.15	0.47	0	0.07	0	0.28							
01:00:00		0.14	0.5	0	0.09	0.17	0.28							
02:00:00		0.06	0.08	0	0	0	0.22							
03:00:00		0	0	0	0	0	0.19							
04:00:00		0	0	0	0	0	0.22							
05:00:00		0.1	0.11	0	0	0	0.23							
06:00:00		0.08	0.24	0	0	0	0.29							
07:00:00		0.26	1.1	0	0.09	0	0.4							
08:00:00		0.5	2.52	0	0.09	0.13	0.45							
09:00:00		0.52	2.15	0.13	0.12	0	0.43							
10:00:00		0.45	2.03	0.09	0.29	0	0.43							
11:00:00		0.4	1.62	0	0.11	0	0.44							
12:00:00		0.29	1.16	0	0.28	0	0.33							
13:00:00		0.21	1.34	0	0.17	0	0.38							
14:00:00		0.23	1.19	0	0.11	0	0.33							
15:00:00		0.19	1.07	0	0.09	0	0.35							
16:00:00		0.17	0.5	0	0.09	0	0.29							
17:00:00		0.11	0.77	0	0	0								
18:00:00		0.56	2.47	0	0.21	0.09	0.51							
19:00:00		0.45	2.16	0	0.19	0	0.52							
20:00:00		0.24	1.19	0	0.12	0	0.42							
21:00:00		0.12	0.65	0	0.09	0	0.31							
22:00:00		0.25	0.32	0	0	0	0.31							
23:00:00		0.06	0.17	0	0	0	0.24							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.23	0.99	0.01	0.09	0.02	0.34							
C50	0	0.2	0.92	0	0.09	0	0.32							
MAX		0.56	2.52	0.13	0.29	0.17	0.52							
MIN		0	0	0	0	0	0.19							
C99.9	0	0.56	2.51	0.13	0.29	0.17	0.52							
C98	0	0.55	2.5	0.11	0.29	0.15	0.51							
C95	0	0.52	2.43	0.07	0.27	0.12	0.5							

Datum: 2016-08-02

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.03	0.1	0	0	0.09	0.22							
01:00:00		0	0.1	0	0	0	0.22							
02:00:00		0	0.08	0	0	0	0.2							
03:00:00		0.18	0.08	0	0	0	0.23							
04:00:00		0.03	0	0	0	0	0.18							
05:00:00		0.06	0.3	0	0	0	0.25							
06:00:00		0.1	0.48	0	0	0	0.28							
07:00:00		0.38	1.65	0	0.13	0	0.46							
08:00:00		0.67	2.71	0	0.35	0	0.55							
09:00:00		0.52	2.35	0.09	0.14	0	0.45							
10:00:00		0.27	1.02	0	0.07	0	0.45							
11:00:00		0.24	1.05	0	0.15	0	0.38							
12:00:00		0.23	0.87	0	0.17	0	0.38							
13:00:00		0.16	0.92	0	0.09	0	0.33							
14:00:00		0.24	1	0	0.06	0	0.34							
15:00:00		0.18	1.09	0.09	0.15	0	0.3							
16:00:00		1.01	3.12	0	0.12	0	0.27							
17:00:00		0.12	0.98	0	0.17	0	0.28							
18:00:00		0.2	1.17	0	0.09	0								
19:00:00		0.43	2.27	0	0.11	0	0.37							
20:00:00		0.46	2.72	0	0.23	0	0.43							
21:00:00		0.27	1.45	0	0.13	0.09	0.3							
22:00:00		0.11	1.02	0	0.25	0	0.27							
23:00:00		0.07	0.82	0.13	0.1	0.09	0.25							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.25	1.14	0.01	0.1	0.01	0.32							
C50	0	0.19	1.01	0	0.11	0	0.29							
MAX		1.01	3.12	0.13	0.35	0.09	0.55							
MIN		0	0	0	0	0	0.18							
C99.9	0	1	3.11	0.13	0.34	0.09	0.55							
C98	0	0.85	2.94	0.11	0.3	0.09	0.51							
C95	0	0.64	2.72	0.09	0.24	0.09	0.46							

Datum: 2016-08-03

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.09	0.86	0	0.1	0	0.23							
01:00:00		0.13	0.47	0	0.09	0	0.21							
02:00:00		0.13	0.28	0	0.09	0	0.23							
03:00:00		0.12	0.43	0	0.09	0	0.21							
04:00:00		0.39	0.66	0.13	0.13	0.22	0.22							
05:00:00		0.31	0.6	0	0	0	0.23							
06:00:00		0.26	1.16	0	0.09	0	0.34							
07:00:00		0.64	1.76	0	0.1	0.09	0.44							
08:00:00		0.56	2.38	0	0.17	0	0.47							
09:00:00		0.64	2.69	0.14	0.28	0.13	0.43							
10:00:00		0.45	1.94	0	0.14	0.09	0.4							
11:00:00		0.23	1.14	0	0.16	0	0.31							
12:00:00		0.28	1.04	0.13	0.17	0	0.35							
13:00:00		0.15	0.94	0	0.14	0	0.3							
14:00:00		0.13	0.63	0	0.11	0	0.29							
15:00:00		0.11	0.84	0	0.11	0	0.28							
16:00:00		0.16	0.72	0	0.09	0	0.29							
17:00:00		0.18	1.27	0	0.17	0	0.3							
18:00:00		0.31	1.53	0	0.18	0.09	0.42							
19:00:00		0.76	3.94	0.14	0.59	0.13								
20:00:00		0.97	4.2	0.17	0.72	0.09	0.68							
21:00:00		1.09	6.16	0.16	1.12	0.11	0.61							
22:00:00		1.4	10	0.38	1.56	0.12	0.62							
23:00:00		0.75	5.09	0.22	0.94	0.09	0.42							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.43	2.11	0.06	0.3	0.05	0.36							
C50	0	0.29	1.15	0	0.14	0	0.31							
MAX		1.4	10	0.38	1.56	0.22	0.68							
MIN		0.09	0.28	0	0	0	0.21							
C99.9	0	1.39	9.91	0.37	1.55	0.22	0.68							
C98	0	1.26	8.23	0.3	1.36	0.18	0.65							
C95	0	1.08	6	0.21	1.1	0.13	0.62							

Datum: 2016-08-04

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.71	6.39	0.17	0.94	0.13	0.41							
01:00:00		0.43	1.99	0	0.14	0	0.26							
02:00:00		0.22	0.55	0	0.09	0	0.23							
03:00:00		0.08	0.57	0	0	0	0.22							
04:00:00		0.41	1.23	0	0.09	0.17	0.27							
05:00:00		0.73	8.58	0.1	0.56	0	0.37							
06:00:00		1.09	5.47	0.16	0.82	0	0.69							
07:00:00		0.65	2.66	0.21	0.44	0.09	0.46							
08:00:00		0.24	2.47	0.09	0.26	0.14	0.35							
09:00:00		0.15	1.39	0	0.09	0	0.29							
10:00:00		0.13	1.08	0	0.09	0	0.34							
11:00:00		0.24	2.46	0	0.21	0	0.36							
12:00:00		0.24	1.84	0.09	0.25	0	0.33							
13:00:00		0.24	3.02	0.09	0.28	0	0.36							
14:00:00		0.12	1.42	0	0.17	0	0.27							
15:00:00		0.11	1.44	0.22	0.25	0.24	0.29							
16:00:00		0.23	1.69	0.11	0.21	0.13	0.31							
17:00:00		0.2	1.3	0.13	0.25	0.3	0.29							
18:00:00		0.35	1.65	0.09	0.3	0.21	0.37							
19:00:00		0.52	3.51	0.16	0.66	0.16	0.38							
20:00:00		0.47	3.54	0.11	0.54	0.15								
21:00:00		0.36	1.91	0.09	0.24	0.13	0.32							
22:00:00		0.16	1.18	0	0.12	0	0.29							
23:00:00		0.3	1.57	0	0.13	0	0.26							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.35	2.46	0.07	0.3	0.08	0.34							
C50	0	0.24	1.77	0.09	0.24	0	0.32							
MAX		1.09	8.58	0.22	0.94	0.3	0.69							
MIN		0.08	0.55	0	0	0	0.22							
C99.9	0	1.08	8.53	0.22	0.94	0.3	0.69							
C98	0	0.92	7.58	0.21	0.88	0.27	0.58							
C95	0	0.72	6.25	0.2	0.79	0.24	0.45							

Datum: 2016-08-05

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.09	0.91	0	0.09	0	0.23							
01:00:00		0.31	0.58	0	0.09	0.09	0.24							
02:00:00		0.1	0.37	0	0.09	0.26	0.22							
03:00:00		0.08	0.21	0.09	0.09	0.26	0.2							
04:00:00		0.18	0.23	0	0	0	0.22							
05:00:00		0.16	0.19	0.09	0.09	0.26	0.25							
06:00:00		0.31	0.45	0.12	0.07	0.09	0.34							
07:00:00		0.45	1.05	0.43	0.87	0.09	0.42							
08:00:00		0.66	2.35	0.13	0.32	0.13	0.48							
09:00:00		0.61	2.24	0.09	0.29	0	0.48							
10:00:00		0.45	2.41	0.16	0.27	0.11	0.44							
11:00:00		0.56	2.45	0	0.29	0.13	0.5							
12:00:00		0.69	3.67	0.12	0.47	0.09	0.73							
13:00:00		1.01	10.9	0.56	2.68	0.41	0.49							
14:00:00		0.4	4.2	0.09	0.79	0	0.35							
15:00:00		0.71	3.61	0.11	0.72	0.23	0.41							
16:00:00		0.34	3.36	0	0.49	0.26	0.32							
17:00:00		0.35	2.4	0.09	0.31	0.13	0.36							
18:00:00		0.66	3.04	0.13	0.45	0	0.46							
19:00:00		0.87	7.55	0.2	0.95	0.09	0.55							
20:00:00		0.7	4.32	0.15	0.78	0.1	0.5							
21:00:00		0.4	2.07	0	0.31	0.09								
22:00:00		0.53	1.98	0.09	0.2	0	0.43							
23:00:00		0.31	1.08	0.09	0.12	0	0.37							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.46	2.57	0.11	0.45	0.12	0.39							
C50	0	0.42	2.3	0.09	0.3	0.09	0.39							
MAX		1.01	10.9	0.56	2.68	0.41	0.73							
MIN		0.08	0.19	0	0	0	0.2							
C99.9	0	1.01	10.82	0.55	2.64	0.4	0.72							
C98	0	0.95	9.36	0.5	1.88	0.34	0.65							
C95	0	0.85	7.06	0.4	0.94	0.26	0.54							

Datum: 2016-08-06

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.17	0.87	0	0.14	0	0.22							
01:00:00		0.05	0.14	0	0.04	0	0.17							
02:00:00		0.05	0.21	0	0	0	0.18							
03:00:00		0	0.12	0	0	0	0.15							
04:00:00		0	0.13	0	0	0	0.12							
05:00:00		0.03	0.17	0	0	0	0.15							
06:00:00		0.06	0.08	0	0	0	0.16							
07:00:00		0.11	0.26	0.09	0.07	0.09	0.27							
08:00:00		0.31	1.16	0	0.13	0	0.32							
09:00:00		0.32	1.28	0.13	0.14	0.26	0.33							
10:00:00		0.29	1.43	0	0.07	0	0.33							
11:00:00		0.44	1.98	0.13	0.1	0.26	0.37							
12:00:00		0.18	1.08	0	0.11	0	0.28							
13:00:00		0.17	0.73	0	0	0.13	0.28							
14:00:00		0.1	0.72	0	0.07	0	0.26							
15:00:00		0.18	0.75	0	0	0	0.24							
16:00:00		0.15	0.54	0.13	0.09	0	0.29							
17:00:00		0.19	1.18	0	0.1	0	0.29							
18:00:00		0.22	1.18	0	0.06	0	0.29							
19:00:00		0.18	1.27	0	0.12	0	0.29							
20:00:00		0.21	1.1	0	0.11	0	0.27							
21:00:00		0.15	0.63	0.11	0.09	0	0.22							
22:00:00		0.1	0.5	0	0	0								
23:00:00		0.09	0.19	0	0	0	0.23							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.16	0.74	0.02	0.06	0.03	0.25							
C50	0	0.16	0.72	0	0.07	0	0.26							
MAX		0.44	1.98	0.13	0.14	0.26	0.37							
MIN		0	0.08	0	0	0	0.12							
C99.9	0	0.44	1.96	0.13	0.14	0.26	0.37							
C98	0	0.38	1.72	0.13	0.14	0.26	0.35							
C95	0	0.32	1.41	0.13	0.13	0.24	0.33							

Datum: 2016-08-07

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.14	0.33	0.13	0.13	0	0.19							
01:00:00		0.03	0.12	0	0	0	0.19							
02:00:00		0.21	0.5	0	0.17	0	0.2							
03:00:00		0.03	0.09	1	0.52	0.33	0.18							
04:00:00		0.32	0.48	0.43	0.24	0.56	0.15							
05:00:00		0.04	0.33	0.09	0.39	0.74	0.19							
06:00:00		0.14	0.52	0.69	0.09	0.95	0.18							
07:00:00		0.11	0.37	0	0	0	0.23							
08:00:00		0.12	0.45	0	0	0	0.27							
09:00:00		0.24	1.03	0	0.33	0	0.29							
10:00:00		0.24	1.31	0	0.09	0	0.29							
11:00:00		0.05	0.18	0.52	0.43	0.26	0.15							
12:00:00		0.21	0.41	0.39	0.09	0.26	0.16							
13:00:00		0.13	0.35	0	0.09	0	0.19							
14:00:00		0.08	0.41	0	0	0	0.15							
15:00:00		0.04	0.16	0	0	0	0.13							
16:00:00		0.03	0.15	0	0.09	0.22	0.14							
17:00:00		0.03	0.09	0	0	0.13	0.12							
18:00:00		0.08	0.55	0	0	0	0.18							
19:00:00		0.45	1.43	0.26	0.13	0.26	0.29							
20:00:00		0.3	1.07	0.11	0.16	0.22	0.26							
21:00:00		0.1	0.65	0	0	0.26	0.21							
22:00:00		0.06	0.27	0	0	0	0.15							
23:00:00		0.06	0.27	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.14	0.48	0.15	0.12	0.17	0.2							
C50	0	0.1	0.39	0	0.09	0	0.19							
MAX		0.45	1.43	1	0.52	0.95	0.29							
MIN		0.03	0.09	0	0	0	0.12							
C99.9	0	0.45	1.43	0.99	0.52	0.95	0.29							
C98	0	0.39	1.38	0.86	0.48	0.86	0.29							
C95	0	0.32	1.28	0.67	0.43	0.71	0.29							

Datum: 2016-08-08

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0	0.16	0	0	0	0.11							
01:00:00		0.06	0.06	0	0	0	0.14							
02:00:00		0.06	0.04	0	0	0	0.11							
03:00:00		0.03	0.09	0	0	0	0.11							
04:00:00		0	0.1	0	0	0	0.13							
05:00:00		0.1	0.12	0.13	0	0	0.12							
06:00:00		0.09	0.83	0	0	0.17	0.28							
07:00:00		0.53	1.9	0.11	0.19	0.43	0.42							
08:00:00		0.51	1.79	0.09	0.31	0	0.31							
09:00:00		0.6	2.65	0.17	0.44	0.09	0.3							
10:00:00		0.24	1.35	0	0.16	0	0.26							
11:00:00		0.15	0.96	0	0.12	0	0.29							
12:00:00		0.12	1.3	0	0.13	0	0.25							
13:00:00		0.13	1.28	0	0.13	0	0.26							
14:00:00		0.43	3.09	0.22	0.44	0.09	0.26							
15:00:00		0.12	1.62	0	0.13	0	0.22							
16:00:00		0.1	1.25	0	0.1	0	0.17							
17:00:00		0.08	0.81	0	0.09	0.13	0.18							
18:00:00		0.26	1.31	0	0.14	0	0.28							
19:00:00		0.28	2.4	0.09	0.33	0	0.32							
20:00:00		0.84	4.05	0.14	0.71	0.09	0.5							
21:00:00		0.86	4.19	0.15	0.88	0.09	0.45							
22:00:00		1.56	9.41	0.34	1.62	0.2	0.69							
23:00:00		0.47	2.44	0.14	0.3	0	0.3							

Ras pod	0%	100%	100%	100%	100%	100%	100%							
AVG		0.32	1.8	0.07	0.26	0.05	0.27							
C50	0	0.14	1.3	0	0.13	0	0.26							
MAX		1.56	9.41	0.34	1.62	0.43	0.69							
MIN		0	0.04	0	0	0	0.11							
C99.9	0	1.54	9.29	0.34	1.61	0.43	0.69							
C98	0	1.23	7.01	0.28	1.28	0.33	0.6							
C95	0	0.85	4.17	0.21	0.86	0.2	0.49							

Datum: 2016-08-09

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.26	0.75	0.09	0.11	0								
01:00:00		0.26	1.26	0	0.14	0.09	0.17							
02:00:00		0.13	1.14	0	0.11	0	0.17							
03:00:00		0.13	0.12	0	0	0	0.1							
04:00:00		0.05	0.25	0	0	0	0.11							
05:00:00		0.09	0.25	0	0	0	0.14							
06:00:00		0.19	1.18	0	0.09	0	0.35							
07:00:00		0.96	2.3	0.09	0.26	0.09	0.41							
08:00:00		0.9	2.16	0.09	0.33	0.09	0.5							
09:00:00		0.81	4.17	0.17	1.1	0.13	0.47							
10:00:00		0.8	3.58	0.17	0.47	0	0.45							
11:00:00		0.45	3.28	0.18	0.39	0	0.34							
12:00:00		0.46	1.99	0.09	0.22	0	0.29							
13:00:00		0.35	2.39	0.13	0.29	0	0.28							
14:00:00		0.42	1.62	0	0.12	0	0.24							
15:00:00		0.28	1.17	0	0.13	0	0.28							
16:00:00		0.23	1.27	0	0.13	0.09	0.27							
17:00:00		0.29	1.66	0.09	0.34	0.09	0.32							
18:00:00		0.71	3.16	0.13	0.62	0.09	0.4							
19:00:00		0.33	1.6	0	0.2	0	0.32							
20:00:00		1.02	4.2	0.1	0.72	0.42	0.53							
21:00:00		0.62	3.98	0.13	0.58	0	0.5							
22:00:00		0.7	2.42	0.13	0.5	0	0.28							
23:00:00		0.27	1.75	0.13	0.2	0	0.23							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.45	1.99	0.07	0.29	0.04	0.31							
C50	0	0.34	1.7	0.09	0.21	0	0.28							
MAX		1.02	4.2	0.18	1.1	0.42	0.53							
MIN		0.05	0.12	0	0	0								
C99.9	0	1.02	4.2	0.18	1.09	0.41	0.53							
C98	0	0.99	4.19	0.17	0.93	0.28	0.52							
C95	0	0.95	4.14	0.17	0.71	0.12	0.5							

Datum: 2016-08-10

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.13	0.47	0	0.11	0	0.15							
01:00:00		0.03	0.16	0	0	0								
02:00:00		0.09	0.08	0	0.09	0.13	0.13							
03:00:00		0.18	0.09	0.09	0.05	0.82	0.12							
04:00:00		0.06	0.08	0	0.04	0	0.11							
05:00:00		0	0.08	0	0.09	0	0.13							
06:00:00		0.14	0.78	0	0.09	0.09	0.3							
07:00:00		0.52	2.17	0.11	0.32	0.14	0.37							
08:00:00		0.21	1.34	0.13	0.16	0	0.35							
09:00:00		0.34	1.44	0	0.21	0	0.28							
10:00:00		0.23	0.76	0	0.07	0.13	0.25							
11:00:00		0.55	2.75	0.13	0.85	0.21	0.33							
12:00:00		0.22	0.91	0	0.17	0	0.28							
13:00:00		0.16	1.04	0	0.14	0.22	0.3							
14:00:00		0.25	1.1	0	0.1	0	0.27							
15:00:00		0.21	0.7	0	0.09	0	0.28							
16:00:00		0.29	1.04	0.09	0.16	0.09	0.21							
17:00:00		0.13	0.76	0	0.13	0.09	0.17							
18:00:00		0.2	1.06	0	0.09	0	0.2							
19:00:00		0.1	0.33	0	0.11	0	0.14							
20:00:00		0.2	0.76	0	0.09	0	0.17							
21:00:00		1.78	4.32	0	0.22	0	0.16							
22:00:00		0.05	0.3	0.11	0.21	0.09	0.1							
23:00:00		0.25	0.13	0.13	0	0	0.08							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.26	0.94	0.03	0.15	0.08	0.21							
C50	0	0.2	0.76	0	0.1	0	0.19							
MAX		1.78	4.32	0.13	0.85	0.82	0.37							
MIN		0	0.08	0	0	0	0.08							
C99.9	0	1.76	4.29	0.13	0.84	0.81	0.37							
C98	0	1.22	3.6	0.13	0.61	0.55	0.36							
C95	0	0.55	2.66	0.13	0.31	0.22	0.35							

Datum: 2016-08-11

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0	0.08	0	0	0	0.08							
01:00:00		0	0	0	0	0	0.06							
02:00:00		0	0	0	0	0								
03:00:00		0	0	0	0	0								
04:00:00		0	0	0	0	0	0.06							
05:00:00		0.03	0	0	0	0	0.08							
06:00:00		0.08	0.45	0	0.22	0	0.2							
07:00:00		0.17	1.24	0	0.09	0	0.27							
08:00:00		0.2	0.7	0	0.09	0.09	0.18							
09:00:00		0.37	1.05	0	0.13	0	0.27							
10:00:00		0.46	1.72	0	0.26	0	0.34							
11:00:00		0.5	2.35	0.09	0.19	0	0.34							
12:00:00		0.56	2	0.09	0.18	0	0.31							
13:00:00		0.44	1.95	0.11	0.17	0	0.32							
14:00:00		0.62	2.08	0	0.33	0	0.29							
15:00:00		0.34	1.1	0	0.14	0.09	0.21							
16:00:00		0.19	0.9	0	0.13	0.09	0.17							
17:00:00		0.29	1.11	0	0.09	0	0.17							
18:00:00		0.6	2.34	0.09	0.21	0.09	0.27							
19:00:00		0.22	1.24	0	0.09	0	0.2							
20:00:00		0.29	0.99	0	0.1	0	0.19							
21:00:00		0.25	0.85	0	0.1	0	0.13							
22:00:00		0.13	0.58	0	0.09	0	0.12							
23:00:00		0.13	0.5	0	0.13	0								

Ras pod	0%	100%	100%	100%	100%	100%	87.5%							
AVG		0.24	0.97	0.02	0.11	0.01	0.2							
C50	0	0.21	0.95	0	0.1	0	0.18							
MAX		0.62	2.35	0.11	0.33	0.09	0.34							
MIN		0	0	0	0	0	0.06							
C99.9	0	0.62	2.35	0.11	0.33	0.09	0.34							
C98	0	0.61	2.34	0.1	0.3	0.09	0.34							
C95	0	0.6	2.3	0.09	0.25	0.09	0.33							

Datum: 2016-08-12

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.05	0.13	0	0.04	0								
01:00:00		0	0.15	0	0	0								
02:00:00		0	0.08	0	0	0								
03:00:00		0	0.11	0	0	0								
04:00:00		0	0.08	0	0	0								
05:00:00		0	0.37	0	0	0								
06:00:00		0.19	0.63	0	0.17	0								
07:00:00		0.78	2.35	0	0.35	0	0.36							
08:00:00		0.23	1.13	0.09	0.2	0	0.21							
09:00:00		0.48	1.77	0.09	0.27	0	0.22							
10:00:00		0.41	1.46	0	0.15	0	0.22							
11:00:00		0.34	1.24	0	0.15	0	0.15							
12:00:00		0.35	1.63	0.09	0.47	0								
13:00:00		0.18	0.73	0	0.11	0	0.13							
14:00:00		0.22	1.46	0	0.1	0								
15:00:00		0.18	0.83	0	0.09	0								
16:00:00		0.11	0.69	0	0.05	0								
17:00:00		0.19	0.8	0	0	0								
18:00:00		0.13	1.16	0	0.13	0								
19:00:00		0.32	2.3	0.13	0.31	0	0.24							
20:00:00		1.44	6.45	0.43	1.55	0.3	0.54							
21:00:00		0.59	3.31	0.17	0.47	0	0.24							
22:00:00		0.45	2.33	0.09	0.49	0	0.21							
23:00:00		0.33	1.53	0	0.19	0	0.18							

Ras pod	0%	100%	100%	100%	100%	100%	45.83%							
AVG		0.29	1.36	0.05	0.22	0.01	0.24							
C50	0	0.21	1.14	0	0.14	0	0							
MAX		1.44	6.45	0.43	1.55	0.3	0.54							
MIN		0	0.08	0	0	0								
C99.9	0	1.42	6.38	0.43	1.52	0.3	0.53							
C98	0	1.14	5.01	0.31	1.06	0.16	0.45							
C95	0	0.75	3.17	0.16	0.48	0	0.34							

Datum: 2016-08-13

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.13	0.52	0	0.07	0	0.1							
01:00:00		0.14	0.76	0	0.09	0	0.08							
02:00:00		0.09	0.47	0	0	0	0.17							
03:00:00		0.21	1.16	0	0.09	0								
04:00:00		0.1	0.18	0	0	0								
05:00:00		0.06	0.15	0	0	0								
06:00:00		0.11	0.66	0	0.04	0								
07:00:00		0.17	0.76	0	0.09	0								
08:00:00		0.21	1.39	0	0.13	0	0.17							
09:00:00		0.54	2.12	0.09	0.38	0	0.23							
10:00:00		0.3	1.01	0	0.1	0	0.14							
11:00:00		0.1	0.52	0	0.07	0								
12:00:00		0.06	0.32	0	0.04	0								
13:00:00		0.06	0.74	0	0	0								
14:00:00		0.09	0.43	0	0	0								
15:00:00		0.18	0.34	0	0	0								
16:00:00		0.23	0.62	0	0.11	0								
17:00:00		0.13	0.48	0	0.13	0								
18:00:00		0.18	0.8	0.13	0.09	0								
19:00:00		0.12	1.17	0.09	0.04	0.22	0.24							
20:00:00		1.94	8.67	0.39	2.06	0.17	0.49							
21:00:00		1.11	6.61	0.33	1.49	0.2	0.36							
22:00:00		0.59	3.53	0.19	0.8	0.13	0.21							
23:00:00		0.22	1.25	0.09	0.15	0	0.11							

Ras pod	0%	100%	100%	100%	100%	100%	45.83%							
AVG		0.29	1.44	0.05	0.25	0.03	0.21							
C50	0	0.15	0.75	0	0.09	0	0							
MAX		1.94	8.67	0.39	2.06	0.22	0.49							
MIN		0.06	0.15	0	0	0	0.08							
C99.9	0	1.92	8.62	0.39	2.04	0.22	0.48							
C98	0	1.56	7.72	0.36	1.79	0.21	0.43							
C95	0	1.03	6.15	0.31	1.38	0.2	0.34							

Datum: 2016-08-14

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.22	1.18	0	0.2	0	0.13							
01:00:00		0.36	1.24	0	0.12	0								
02:00:00		0.31	1.53	0.09	0.18	0	0.09							
03:00:00		0.71	1.7	0	0.12	0	0.12							
04:00:00		0.41	2.67	0	0.14	0	0.11							
05:00:00		0.34	1.04	0	0.04	0								
06:00:00		0.62	2.61	0.11	0.45	0	0.17							
07:00:00		0.43	1.32	0	0.13	0	0.09							
08:00:00		0.13	0.47	0	0.09	0								
09:00:00		0.19	0.65	0	0	0								
10:00:00		0.09	0.45	0	0.07	0								
11:00:00		0.11	1.38	0	0.11	0								
12:00:00		0.06	0.21	0	0	0								
13:00:00		0.03	0.32	0	0	0								
14:00:00		0.08	0.38	0	0	0								
15:00:00		0.06	0.08	0	0	0								
16:00:00		0.06	0.3	0	0	0								
17:00:00		0.06	0.35	0	0	0								
18:00:00		0.13	0.66	0	0.13	0								
19:00:00		0.13	1.5	0	0	0								
20:00:00		0.37	2.41	0	0.24	0	0.17							
21:00:00		0.26	2.69	0	0.23	0	0.14							
22:00:00		0.16	1.31	0	0.1	0	0.12							
23:00:00		1.88	9.46	1.09	2.22	1.26	0.22							

Ras pod	0%	100%	100%	100%	100%	100%	41.67%							
AVG		0.3	1.5	0.05	0.19	0.05	0.14							
C50	0	0.18	1.21	0	0.1	0	0							
MAX		1.88	9.46	1.09	2.22	1.26	0.22							
MIN		0.03	0.08	0	0	0	0.09							
C99.9	0	1.86	9.31	1.06	2.18	1.23	0.22							
C98	0	1.34	6.35	0.64	1.41	0.68	0.2							
C95	0	0.7	2.69	0.11	0.42	0	0.17							

Datum: 2016-08-15

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.21	3.5	0.09	0.31	0	0.11							
01:00:00		0.42	7.72	0.09	0.47	0	0.08							
02:00:00		0.35	7.93	0.09	0.57	0	0.07							
03:00:00		0.36	4.71	0.09	0.27	0	0.11							
04:00:00		1.95	5.97	0.17	0.93	0.09	0.16							
05:00:00		2.85	15.17	0.29	1.41	0.17	0.2							
06:00:00		1.79	8.38	0.39	1.23	0.7								
07:00:00		1.3	8.45	0.21	1.38	0.22	0.45							
08:00:00		0.63	4.24	0.11	0.64	0.13	0.27							
09:00:00		0.54	3.53	0.1	0.68	0	0.29							
10:00:00		0.56	3.03	0.09	0.68	0.13	0.25							
11:00:00		0.43	2.12	0.15	0.45	0	0.15							
12:00:00		0.31	1.76	0.22	0.3	0	0.11							
13:00:00		0.16	1.28	0	0.19	0	0.17							
14:00:00		0.42	1.2	0	0.17	0								
15:00:00		0.23	1.24	0	0.2	0								
16:00:00		0.25	1.64	0	0.09	0								
17:00:00		0.21	1.01	0	0.12	0	0.12							
18:00:00		0.52	2.17	0	0.34	0	0.31							
19:00:00		1.13	4.95	0.24	0.98	0	0.55							
20:00:00		1.84	6.78	0.48	2.19	0.2	0.59							
21:00:00		0.85	3.96	0.22	1.12	0.13	0.21							
22:00:00		0.22	1.17	0.09	0.23	0	0.15							
23:00:00		0.14	0.7	0	0.12	0								

Ras pod	0%	100%	100%	100%	100%	100%	79.17%							
AVG		0.74	4.28	0.13	0.63	0.07	0.23							
C50	0	0.43	3.51	0.09	0.46	0	0.15							
MAX		2.85	15.17	0.48	2.19	0.7	0.59							
MIN		0.14	0.7	0	0.09	0	0.07							
C99.9	0	2.83	15.02	0.48	2.18	0.69	0.59							
C98	0	2.43	12.08	0.44	1.84	0.48	0.57							
C95	0	1.93	8.44	0.37	1.41	0.22	0.53							

Datum: 2016-08-16

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.08	0.3	0	0.09	0								
01:00:00		0	0.08	0	0	0								
02:00:00		0	0.04	0	0	0								
03:00:00		0.56	0.07	0	0	0								
04:00:00		0.28	0.08	0	0	0								
05:00:00		0.03	0.37	0	0	0								
06:00:00		0.58	1.46	0	0.13	0								
07:00:00		0.54	2.26	0.17	0.39	0								
08:00:00		0.31	1.39	0.13	0.14	0	0.21							
09:00:00		0.41	2	0.09	0.2	0								
10:00:00		0.44	1.82	0	0.31	0								
11:00:00		0.21	1.19	0	0.21	0	0.18							
12:00:00		0.16	0.76	0	0.09	0								
13:00:00		0.23	0.88	0	0.11	0								
14:00:00		0.14	0.76	0	0.11	0.09								
15:00:00		0.16	0.71	0	0.09	0								
16:00:00		0.14	0.82	0	0.11	0								
17:00:00		0.17	0.84	0	0.1	0								
18:00:00		1.1	3.29	0.22	0.28	0	0.14							
19:00:00		1.31	5.19	0.18	0.62	0	0.24							
20:00:00		1.36	7.56	0.3	1.14	0.17	0.47							
21:00:00		2.03	12.04	0.77	2.45	0.26	0.57							
22:00:00		1.54	9.65	0.64	2.69	0.31	0.4							
23:00:00		3.34	34.63	0.79	3.5	0.48	0.4							

Ras pod	0%	100%	100%	100%	100%	100%	33.33%							
AVG		0.63	3.67	0.14	0.53	0.05	0.32							
C50	0	0.3	1.04	0	0.12	0	0							
MAX		3.34	34.63	0.79	3.5	0.48	0.57							
MIN		0	0.04	0	0	0								
C99.9	0	3.31	34.11	0.79	3.48	0.47	0.56							
C98	0	2.74	24.24	0.78	3.13	0.4	0.52							
C95	0	1.96	11.68	0.75	2.65	0.3	0.46							

Datum: 2016-08-17

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.27	1.92	0.14	0.34	0.09								
01:00:00		0.1	0.75	0	0.11	0								
02:00:00		0.1	0.31	0	0.09	0								
03:00:00		0.11	0.19	0	0.09	0								
04:00:00		0.14	0.25	0	0	0								
05:00:00		0.24	0.63	0	0	0								
06:00:00		0.57	1.49	0	0.19	0	0.2							
07:00:00		1.03	3.54	0.11	0.56	0	0.33							
08:00:00		0.94	3.96	0.21	0.76	0								
09:00:00		0.94	2.97	0.11	0.72	0	0.38							
10:00:00		0.56	2.22	0.13	0.64	0	0.26							
11:00:00		0.29	1.58	0.09	0.32	0.09	0.24							
12:00:00		0.54	2.49	0.09	0.22	0	0.27							
13:00:00		0.18	1.07	0.09	0.1	0.09								
14:00:00		0.52	1.97	0.09	0.35	0	0.25							
15:00:00		0.35	1.46	0.13	0.23	0	0.2							
16:00:00		0.32	1.26	0.35	0.1	0.2	0.16							
17:00:00		0.26	1.68	0.11	0.28	0.09	0.14							
18:00:00		0.18	0.94	0.13	0.16	0	0.21							
19:00:00		0.75	2.95	0.09	0.43	0.09	0.25							
20:00:00		1.23	8.3	0.33	1.15	0.48	0.49							
21:00:00		1.07	5.12	0.23	1.18	0.11	0.38							
22:00:00		0.48	3.09	0.13	0.69	0.09	0.17							
23:00:00		0.26	1.64	0.17	0.29	0	0.2							

Ras pod	0%	100%	100%	100%	100%	100%	66.67%							
AVG		0.48	2.16	0.11	0.37	0.05	0.26							
C50	0	0.34	1.66	0.11	0.28	0	0.2							
MAX		1.23	8.3	0.35	1.18	0.48	0.49							
MIN		0.1	0.19	0	0	0								
C99.9	0	1.23	8.22	0.35	1.18	0.47	0.49							
C98	0	1.16	6.83	0.34	1.17	0.35	0.44							
C95	0	1.06	4.94	0.32	1.09	0.18	0.38							

Datum: 2016-08-18

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.5	2.65	0.09	0.44	0.13	0.13							
01:00:00		0.2	1.13	0.09	0.14	0.09								
02:00:00		0.22	3.35	0	0.21	0								
03:00:00		0.81	4.46	0	0.42	0	0.08							
04:00:00		0.57	2.15	0	0.19	0								
05:00:00		0.11	1.77	0	0.09	0								
06:00:00		0.19	1.22	0	0.09	0								
07:00:00		0.8	2.8	0.09	0.47	0	0.42							
08:00:00		1.19	5.16	0.16	1.13	0.09	0.57							
09:00:00		1.02	3.46	0.23	0.85	0.13								
10:00:00		0.82	2.74	0.13	0.66	0.09	0.29							
11:00:00		1.05	4.43	0.22	0.65	0.09	0.32							
12:00:00		0.42	2.18	0.09	0.52	0	0.21							
13:00:00		0.24	2.52	0	0.27	0								
14:00:00		0.54	2.58	0.09	0.28	0	0.34							
15:00:00		0.64	2.45	0.09	0.37	0.13	0.23							
16:00:00		0.16	1.85	0	0.2	0								
17:00:00		0.59	1.7	0.09	0.33	0								
18:00:00		0.6	8.68	0.3	0.41	0.09	0.25							
19:00:00		0.76	4.24	0.16	0.83	0.09	0.19							
20:00:00		0.43	1.71	0.09	0.41	0	0.18							
21:00:00		0.75	1.33	0	0.17	0.09								
22:00:00		0.31	1.03	0	0.17	0.09	0.13							
23:00:00		0.43	1.2	0	0.09	0								

Ras pod	0%	100%	100%	100%	100%	100%	54.17%							
AVG		0.56	2.78	0.08	0.39	0.05	0.26							
C50	0	0.55	2.48	0.09	0.35	0	0.1							
MAX		1.19	8.68	0.3	1.13	0.13	0.57							
MIN		0.11	1.03	0	0.09	0	0.08							
C99.9	0	1.18	8.6	0.3	1.13	0.13	0.56							
C98	0	1.12	7.06	0.27	1	0.13	0.5							
C95	0	1.05	5.06	0.23	0.84	0.13	0.41							

Datum: 2016-08-19

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		2.65	37.16	0.72	2.28	0.09								
01:00:00		0.19	0.34	0	0.09	0								
02:00:00		0.23	0.51	0	0.04	0								
03:00:00		0.34	0.34	0	0.04	0								
04:00:00		0.1	0.18	0	0	0								
05:00:00		0.1	0.19	0	0.17	0								
06:00:00		0.41	1.36	0	0.17	0	0.22							
07:00:00		0.92	2.81	0.11	0.62	0	0.4							
08:00:00		1.19	3.89	0.17	0.96	0.09	0.48							
09:00:00		0.87	2.64	0.15	0.46	0.09	0.29							
10:00:00		0.52	1.92	0.11	0.43	0								
11:00:00		0.41	2.81	0.18	0.43	0	0.25							
12:00:00		0.35	1.87	0.09	0.49	0	0.24							
13:00:00		0.54	2.91	0.61	0.57	0								
14:00:00		0.14	1	0	0.16	0								
15:00:00		0.43	2.72	0	0.26	0								
16:00:00		0.43	2.34	0.13	0.29	0	0.16							
17:00:00		0.19	1.36	0	0.14	0	0.16							
18:00:00		0.41	3.12	0	0.17	0	0.21							
19:00:00		0.31	1.25	0	0.26	0								
20:00:00		0.42	1.91	0.09	0.33	0	0.22							
21:00:00		0.37	1.15	0	0.13	0	0.16							
22:00:00		0.16	1.28	0	0.11	0	0.17							
23:00:00		0.24	1.37	0	0.11	0	0.12							

Ras pod	0%	100%	100%	100%	100%	100%	54.17%							
AVG		0.5	3.18	0.1	0.36	0.01	0.24							
C50	0	0.39	1.62	0	0.22	0	0.14							
MAX		2.65	37.16	0.72	2.28	0.09	0.48							
MIN		0.1	0.18	0	0	0								
C99.9	0	2.61	36.4	0.72	2.25	0.09	0.48							
C98	0	1.98	21.86	0.67	1.67	0.09	0.45							
C95	0	1.15	3.78	0.54	0.91	0.09	0.39							

Datum: 2016-08-20

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.1	0.22	0.09	0.09	0								
01:00:00		0.24	1.61	0.09	0	0.09								
02:00:00		0.1	0.41	0	0	0								
03:00:00		0.45	0.12	0	0	0								
04:00:00		0	0.17	0	0	0								
05:00:00		0.03	0.13	0	0	0								
06:00:00		0.08	0.76	0	0.09	0								
07:00:00		0.22	0.97	0	0.09	0	0.22							
08:00:00		0.67	4.45	0.31	0.94	0	0.34							
09:00:00		0.47	2.4	0.12	0.5	0								
10:00:00		0.38	1.74	0	0.26	0	0.23							
11:00:00		0.45	1.61	0.09	0.24	0								
12:00:00		0.3	1.59	0	0.13	0.09	0.26							
13:00:00		0.18	1.31	0	0.12	0								
14:00:00		0.07	0.58	0	0.09	0								
15:00:00		0.11	0.63	0	0.09	0.09								
16:00:00		0.13	1.25	0	0	0								
17:00:00		0.18	1.13	0	0.09	0								
18:00:00		0.48	2.09	0	0.22	0								
19:00:00		0.69	3.89	0.16	0.76	0.09	0.32							
20:00:00		0.47	3.02	0.17	0.37	0.09	0.25							
21:00:00		0.61	2.77	0.13	0.27	0	0.18							
22:00:00		0.29	1.85	0.09	0.29	0.09	0.16							
23:00:00		0.54	1.86	0.09	0.38	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	33.33%							
AVG		0.3	1.52	0.06	0.21	0.03	0.25							
C50	0	0.27	1.45	0	0.1	0	0							
MAX		0.69	4.45	0.31	0.94	0.09	0.34							
MIN		0	0.12	0	0	0								
C99.9	0	0.69	4.44	0.31	0.93	0.09	0.34							
C98	0	0.68	4.19	0.25	0.86	0.09	0.33							
C95	0	0.66	3.76	0.17	0.72	0.09	0.31							

Datum: 2016-08-21

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.14	0.58	0.09	0.09	0								
01:00:00		0.21	0.58	0	0.09	0								
02:00:00		0.25	0.76	0	0.17	0								
03:00:00		0.12	0.54	0	0	0								
04:00:00		0.38	0.86	0	0.09	0								
05:00:00		0.24	0.63	0	0.13	0								
06:00:00		0.42	0.37	0	0.09	0								
07:00:00		0.25	0.69	0.09	0.05	0								
08:00:00		0.16	0.37	0	0.04	0								
09:00:00		0.2	0.65	0.09	0.09	0								
10:00:00		0.16	0.73	0.09	0.09	0								
11:00:00		0.11	0.51	0	0.09	0								
12:00:00		0.08	0.36	0	0	0								
13:00:00		0.11	0.51	0.09	0	0.09								
14:00:00		0.05	0.18	0	0	0								
15:00:00		0.06	0.15	0	0	0								
16:00:00		0.11	0.44	0	0.09	0.09								
17:00:00		0.13	0.8	0.09	0.07	0								
18:00:00		0.33	1.5	0.17	0.16	0.14	0.15							
19:00:00		0.23	1.08	0.09	0.13	0.13	0.22							
20:00:00		0.19	1.13	0.11	0.15	0.2								
21:00:00		0.13	0.54	0.11	0.09	0.16								
22:00:00		0.16	0.21	0.22	0.11	0.37								
23:00:00		0.09	0.39	0.22	0.34	0.51								

Ras pod	0%	100%	100%	100%	100%	100%	8.33%							
AVG		0.18	0.61	0.06	0.09	0.07	0.19							
C50	0	0.16	0.56	0.04	0.09	0	0							
MAX		0.42	1.5	0.22	0.34	0.51	0.22							
MIN		0.05	0.15	0	0	0								
C99.9	0	0.42	1.49	0.22	0.34	0.5	0.22							
C98	0	0.4	1.33	0.22	0.27	0.44	0.19							
C95	0	0.37	1.12	0.21	0.17	0.34	0.13							

Datum: 2016-08-22

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0	0.08	0	0	0								
01:00:00		0.06	0.08	0	0	0								
02:00:00		0	0	0	0	0								
03:00:00		0.03	0	0	0	0								
04:00:00		0	0.06	0.15	0	0								
05:00:00		0	0.15	0.17	0	0								
06:00:00		0.1	0.76	0	0.04	0								
07:00:00		0.14	0.62	0	0.13	0	0.16							
08:00:00		0.29	1.52	0.09	0.26	0.09	0.18							
09:00:00		0.37	1.69	0	0.19	0	0.2							
10:00:00		0.47	1.68	0	0.18	0	0.2							
11:00:00		0.32	1.59	0	0.12	0	0.22							
12:00:00		0.4	1.81	0	0.34	0	0.28							
13:00:00		0.47	1.68	0.09	0.31	0.22								
14:00:00		0.3	1.22	0	0.16	0	0.17							
15:00:00		0.36	1.8	0	0.44	0	0.15							
16:00:00		0.15	0.79	0.21	0.09	0.09								
17:00:00		0.32	1.5	0.09	0.13	0								
18:00:00		0.22	1.17	0.09	0.1	0	0.13							
19:00:00		0.42	1.99	0	0.1	0.09	0.14							
20:00:00		0.27	1.04	0	0.1	0	0.12							
21:00:00		0.11	0.73	0.09	0.17	0.09								
22:00:00		0.03	0.25	0	0.04	0.26								
23:00:00		0.08	0.12	0.09	0	0.13								

Ras pod	0%	100%	100%	100%	100%	100%	45.83%							
AVG		0.2	0.93	0.04	0.12	0.04	0.18							
C50	0	0.19	0.91	0	0.1	0	0							
MAX		0.47	1.99	0.21	0.44	0.26	0.28							
MIN		0	0	0	0	0								
C99.9	0	0.47	1.99	0.21	0.44	0.26	0.28							
C98	0	0.47	1.91	0.19	0.39	0.24	0.25							
C95	0	0.46	1.81	0.17	0.34	0.2	0.22							

Datum: 2016-08-23

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.03	0.11	0	0.04	0								
01:00:00		0.03	0	0.09	0	0								
02:00:00		0	0	0.13	0.17	0								
03:00:00		0.03	0.11	0	0	0								
04:00:00		0.03	0	0	0	0								
05:00:00		0.21	0.43	0.09	0	0								
06:00:00		0.42	1.23	0	0.24	0	0.24							
07:00:00		1.04	3.61	0.15	0.72	0.22	0.44							
08:00:00		1.17	3.59	0.11	0.9	0	0.56							
09:00:00		1.22	4.01	0.16	1.05	0.12	0.38							
10:00:00		1.02	2.47	0.13	0.6	0.13	0.3							
11:00:00		0.84	2.7	0.09	0.23	0	0.36							
12:00:00		0.7	2.43	0.17	0.5	0.09	0.28							
13:00:00		0.75	2.37	0.09	0.23	0	0.37							
14:00:00		0.28	1.91	0.13	0.42	0								
15:00:00		0.54	2.33	0.09	0.3	0	0.28							
16:00:00		0.43	1.89	0.17	0.35	0								
17:00:00		0.19	1.34	0	0.16	0								
18:00:00		0.33	2.32	0.09	0.21	0	0.33							
19:00:00		0.67	3.99	0.21	0.75	0	0.2							
20:00:00		0.62	2.62	0.09	0.32	0	0.28							
21:00:00		0.83	4.14	0.2	0.6	0	0.31							
22:00:00		0.32	1.76	0.14	0.25	0	0.12							
23:00:00		0.17	0.91	0	0.08	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	58.33%							
AVG		0.49	1.93	0.1	0.34	0.03	0.32							
C50	0	0.42	2.12	0.09	0.25	0	0.22							
MAX		1.22	4.14	0.21	1.05	0.22	0.56							
MIN		0	0	0	0	0								
C99.9	0	1.22	4.14	0.21	1.04	0.22	0.56							
C98	0	1.2	4.08	0.21	0.98	0.18	0.51							
C95	0	1.15	4.01	0.19	0.88	0.13	0.43							

Datum: 2016-08-24

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.06	0.28	0	0.04	0								
01:00:00		0.06	0.24	0.11	0.05	0.15								
02:00:00		0.05	0.11	0.13	0.09	0.3								
03:00:00		0.06	0.22	0.13	0.11	0.28								
04:00:00		0.16	0.09	0.16	0.09	0.29								
05:00:00		0.08	0.2	0.23	0.21	0.2								
06:00:00		0.22	0.48	0.43	0.16	0.25								
07:00:00		0.38	1.65	0.11	0.23	0.64	0.33							
08:00:00		0.3	2.03	0.09	0.52	0.76								
09:00:00		0.44	1.73	0.13	0.25	0.46								
10:00:00		0.41	1.02	0.17	0.32	0.43								
11:00:00		0.24	1.4	0.09	0.32	0.13								
12:00:00		0.19	1.07	0	0.11	0								
13:00:00		0.1	0.56	0.15	0.09	0.24								
14:00:00		0.13	0.79	0.15	0.07	0.21								
15:00:00		0.16	0.75	0.11	0.11	0.15								
16:00:00		0.09	0.32	0.09	0.1	0.09								
17:00:00		0.14	0.27	0.23	0.13	0.69								
18:00:00		0.11	0.8	0	0.06	0	0.09							
19:00:00		0.22	1.36	0	0.15	0								
20:00:00		1.3	6.4	0.1	1.62	0.15	0.5							
21:00:00		0.65	3.46	0.18	0.67	0.1	0.26							
22:00:00		0.5	2.39	0.1	0.39	0.09	0.13							
23:00:00		0.53	2.42	0	0.38	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	20.83%							
AVG		0.27	1.25	0.12	0.26	0.24	0.26							
C50	0	0.18	0.8	0.11	0.14	0.17	0							
MAX		1.3	6.4	0.43	1.62	0.76	0.5							
MIN		0.05	0.09	0	0.04	0								
C99.9	0	1.28	6.34	0.43	1.59	0.76	0.49							
C98	0	1	5.05	0.34	1.18	0.73	0.42							
C95	0	0.64	3.31	0.23	0.65	0.69	0.32							

Datum: 2016-08-25

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.24	2.19	0.09	0.33	0.09								
01:00:00		0.06	0.43	0	0	0								
02:00:00		0.05	0.14	0	0.04	0								
03:00:00		0	0.09	0.09	0.09	0								
04:00:00		0.03	0.12	0	0.09	0								
05:00:00		0.05	0.22	0	0	0								
06:00:00		0.13	0.56	0	0	0								
07:00:00		0.63	2.43	0.09	0.29	0.09	0.24							
08:00:00		0.19	0.97	0.13	0.15	0.13								
09:00:00		0.19	0.63	0	0.12	0								
10:00:00		0.35	1.28	0	0.15	0								
11:00:00		0.12	0.83	0.09	0.17	0.13								
12:00:00		0.14	0.76	0.09	0.07	0								
13:00:00		0.16	0.97	0.09	0.13	0								
14:00:00		0.17	0.67	0	0.13	0.13								
15:00:00		0.33	1.37	0.09	0.21	0								
16:00:00		0.09	0.59	0.09	0.08	0.09								
17:00:00		0.1	0.96	0	0.11	0								
18:00:00		0.25	1.02	0.15	0.15	0.13								
19:00:00		0.61	3	0.13	0.5	0	0.37							
20:00:00		0.32	1.04	0.09	0.14	0.09	0.08							
21:00:00		0.14	0.52	0	0.08	0								
22:00:00		0.06	0.43	0	0.08	0								
23:00:00		0.06	0.19	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	12.5%							
AVG		0.19	0.89	0.05	0.13	0.04	0.23							
C50	0	0.14	0.71	0.04	0.12	0	0							
MAX		0.63	3	0.15	0.5	0.13	0.37							
MIN		0	0.09	0	0	0								
C99.9	0	0.63	2.98	0.15	0.49	0.13	0.36							
C98	0	0.62	2.74	0.14	0.42	0.13	0.31							
C95	0	0.57	2.4	0.13	0.33	0.13	0.22							

Datum: 2016-08-26

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.05	0.18	0	0.04	0.13								
01:00:00		0.06	0.56	0	0	0.09								
02:00:00		0.06	0.17	0	0	0								
03:00:00		0.03	0.13	0.17	0	0								
04:00:00		0.06	0.19	0	0	0								
05:00:00		0.1	0.32	0	0	0								
06:00:00		0.48	1.46	0.11	0.15	0.11								
07:00:00		0.32	1.31	0.09	0.21	0.13								
08:00:00		0.43	1.71	0.11	0.33	0.13								
09:00:00		0.44	1.84	0.13	0.17	0.09	0.31							
10:00:00		0.31	1.09	0.09	0.21	0.69								
11:00:00		0.38	1.47	0	0.2	0	0.19							
12:00:00		0.26	1.17	0.13	0.15	0	0.16							
13:00:00		0.44	1.73	0.09	0.25	0.09								
14:00:00		0.54	2.31	0.11	0.26	0	0.34							
15:00:00		0.38	2.08	0	0.33	0								
16:00:00		0.35	2.64	0	0.22	0								
17:00:00		0.16	3.17	0.13	0.18	0								
18:00:00		1.23	6.2	0.29	0.78	0	0.57							
19:00:00		0.95	3.3	0.18	0.85	0	0.42							
20:00:00		1.36	5.42	0.33	1.27	0	0.54							
21:00:00		2.78	10.99	0.72	2.84	0	0.96							
22:00:00		1.49	9.34	0.33	2.11	0	0.56							
23:00:00		1.31	10.18	0.48	2.35	0.17	0.44							

Ras pod	0%	100%	100%	100%	100%	100%	41.67%							
AVG		0.58	2.87	0.14	0.54	0.07	0.45							
C50	0	0.38	1.72	0.11	0.21	0	0							
MAX		2.78	10.99	0.72	2.84	0.69	0.96							
MIN		0.03	0.13	0	0	0								
C99.9	0	2.75	10.97	0.72	2.83	0.68	0.95							
C98	0	2.19	10.62	0.61	2.62	0.45	0.78							
C95	0	1.47	10.05	0.45	2.32	0.17	0.56							

Datum: 2016-08-27

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.25	1.4	0.13	0.37	0								
01:00:00		0.2	0.65	0	0.13	0								
02:00:00		0.2	0.62	0	0.09	0								
03:00:00		0.1	0.28	0.09	0	0								
04:00:00		0.51	0.39	0	0	0								
05:00:00		0.18	0.36	0	0	0								
06:00:00		0.29	0.54	0	0	0								
07:00:00		0.62	3.4	0.09	0.35	0.09	0.27							
08:00:00		0.7	2.62	0	0.24	0.09	0.2							
09:00:00		0.52	2.01	0.11	0.24	0	0.24							
10:00:00		0.87	3.78	0.13	0.32	0.09	0.35							
11:00:00		0.24	1.33	0.09	0.16	0.18								
12:00:00		0.24	1.14	0.09	0.14	0.13								
13:00:00		0.18	2.25	0	0.12	0								
14:00:00		0.21	1.03	0.09	0.07	0.09								
15:00:00		0.07	0.51	0.13	0.07	0.36								
16:00:00		0.08	0.78	0	0.05	0								
17:00:00		0.16	0.95	0	0	0								
18:00:00		0.25	2.81	0.09	0.31	0								
19:00:00		2.62	14.71	0.65	3.14	0	1.22							
20:00:00		2.37	12.8	1.02	3.68	0.54	0.84							
21:00:00		3.39	44.6	1.1	4.15	0.48	1.03							
22:00:00		3.69	26.06	1.45	4.74	0.1	1.09							
23:00:00		2.53	14.46	0.54	2.95	0.09	0.76							

Ras pod	0%	100%	100%	100%	100%	100%	37.5%							
AVG		0.85	5.81	0.24	0.89	0.09	0.67							
C50	0	0.25	1.36	0.09	0.15	0	0							
MAX		3.69	44.6	1.45	4.74	0.54	1.22							
MIN		0.07	0.28	0	0	0								
C99.9	0	3.68	44.17	1.44	4.73	0.54	1.22							
C98	0	3.55	36.07	1.29	4.47	0.51	1.16							
C95	0	3.28	24.36	1.09	4.08	0.46	1.08							

Datum: 2016-08-28

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		2.79	8.51	0.43	2	0.13	0.29							
01:00:00		2.19	2.77	0.09	0.5	0.22	0.23							
02:00:00		2.02	2.44	0.09	0.44	0	0.32							
03:00:00		1.02	3.64	0.09	0.25	0.09	0.21							
04:00:00		0.69	8.57	0.09	0.67	0.09	0.21							
05:00:00		0.68	9.66	0.21	0.55	0	0.16							
06:00:00		1.32	19.39	0.56	2.26	0.35	0.28							
07:00:00		0.86	8.3	0.2	1.42	0.26	0.19							
08:00:00		0.68	2.87	0.12	0.27	0.11	0.18							
09:00:00		0.26	1.81	0.09	0.19	0.09	0.1							
10:00:00		0.22	1.31	0	0.13	0								
11:00:00		0.2	1.28	0.13	0.14	0.09								
12:00:00		0.19	0.6	0.13	0.13	0.59								
13:00:00		0.09	0.73	0.18	0.08	0.24								
14:00:00		0.1	0.42	0	0.08	0								
15:00:00		0.13	0.52	0	0.05	0.09								
16:00:00		0.12	0.58	0	0.09	0.09								
17:00:00		0.25	1.21	0.09	0.16	0.09								
18:00:00		0.17	0.95	0.13	0.09	0.13								
19:00:00		0.48	2.13	0.11	0.39	0.09								
20:00:00		0.39	1.63	0.09	0.15	0	0.08							
21:00:00		0.51	1.64	0	0.24	0	0.08							
22:00:00		0.18	1.12	0	0.12	0								
23:00:00		0.29	0.76	0.09	0.09	0								

Ras pod	0%	100%	100%	100%	100%	100%	50%							
AVG		0.66	3.45	0.12	0.44	0.11	0.2							
C50	0	0.34	1.63	0.09	0.18	0.09	0.04							
MAX		2.79	19.39	0.56	2.26	0.59	0.32							
MIN		0.09	0.42	0	0.05	0	0.08							
C99.9	0	2.78	19.17	0.55	2.26	0.58	0.32							
C98	0	2.51	14.92	0.5	2.14	0.48	0.31							
C95	0	2.16	9.5	0.4	1.91	0.34	0.29							

Datum: 2016-08-29

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.29	1.47	0	0.11	0								
01:00:00		0.47	1.75	0.13	0.17	0.13								
02:00:00		0.43	2.65	0.09	0.1	0								
03:00:00		0.57	4.42	0.09	0.28	0								
04:00:00		0.82	4	0.1	0.55	0								
05:00:00		0.4	1.41	0	0.11	0								
06:00:00		0.33	0.75	0	0.04	0								
07:00:00		1.65	6.55	0.28	1	0.15	0.55							
08:00:00		1.21	10.17	0.16	0.84	0.17	0.39							
09:00:00		0.8	4.57	0.11	0.49	0.23	0.28							
10:00:00		0.71	3.2	0.09	0.2	0.1	0.42							
11:00:00		0.39	3.36	0.09	0.33	0.26	0.23							
12:00:00		0.49	2.92	0.13	0.31	0.09	0.31							
13:00:00		0.13	1.51	0	0.11	0								
14:00:00		0.12	0.88	0	0.16	0								
15:00:00		0.16	0.93	0	0.12	0								
16:00:00		0.6	2.83	0.13	0.37	0.13								
17:00:00		0.4	1.97	0	0.3	0								
18:00:00		0.42	2.73	0.13	0.41	0.09	0.2							
19:00:00		1.6	6.85	0.23	1.15	0.13	0.52							
20:00:00		0.86	3.87	0.13	0.78	0								
21:00:00		0.45	2.14	0.09	0.16	0	0.16							
22:00:00		0.29	1.15	0	0.11	0								
23:00:00		0.11	0.29	0	0.09	0								

Ras pod	0%	100%	100%	100%	100%	100%	37.5%							
AVG		0.57	3.02	0.08	0.35	0.06	0.34							
C50	0	0.44	2.69	0.09	0.24	0	0							
MAX		1.65	10.17	0.28	1.15	0.26	0.55							
MIN		0.11	0.29	0	0.04	0								
C99.9	0	1.65	10.1	0.28	1.14	0.26	0.55							
C98	0	1.63	8.64	0.26	1.08	0.25	0.54							
C95	0	1.54	6.81	0.22	0.98	0.22	0.5							

Datum: 2016-08-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.14	0.23	0	0	0								
01:00:00		0.12	0.21	0	0	0								
02:00:00		0.06	0.11	0.1	0.11	0.13								
03:00:00		0.05	0.09	0.09	0	0								
04:00:00		0.05	0.09	0	0	0.09								
05:00:00		0.19	0.33	0	0	0.09								
06:00:00		0.19	0.94	0	0.09	0								
07:00:00		0.18	1.27	0	0.11	0	0.11							
08:00:00		0.28	1.36	0.09	0.17	0.09	0.15							
09:00:00		0.34	2.9	0.13	0.26	0.09	0.19							
10:00:00		0.46	2.15	0	0.35	0	0.21							
11:00:00		0.22	1.07	0	0.13	0	0.09							
12:00:00		0.79	2.16	0.09	0.16	0								
13:00:00		0.23	1.26	0.09	0.15	0	0.12							
14:00:00		0.24	1.54	0.17	0.11	0.09								
15:00:00		0.34	1.23	0.09	0.22	0.09	0.2							
16:00:00		0.22	1.07	0.09	0.1	0.13	0.18							
17:00:00		0.41	1.42	0.15	0.31	0.09								
18:00:00		0.49	1.45	0.17	0.16	0.09	0.2							
19:00:00		0.94	3.33	0.13	0.35	0.13	0.32							
20:00:00		0.58	2.11	0.09	0.45	0	0.2							
21:00:00		0.46	1.94	0.09	0.26	0								
22:00:00		0.4	1.23	0.09	0.15	0								
23:00:00		0.07	0.54	0.13	0.09	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	45.83%							
AVG		0.31	1.25	0.07	0.15	0.05	0.18							
C50	0	0.24	1.24	0.09	0.14	0.04	0							
MAX		0.94	3.33	0.17	0.45	0.13	0.32							
MIN		0.05	0.09	0	0	0								
C99.9	0	0.93	3.32	0.17	0.45	0.13	0.32							
C98	0	0.87	3.13	0.17	0.4	0.13	0.27							
C95	0	0.76	2.79	0.17	0.35	0.13	0.21							

Datum: 2016-08-31

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.13	0.17	0.09	0	0								
01:00:00		0.1	0.2	0.09	0.13	0.09								
02:00:00		0.06	0.08	0.09	0.21	0								
03:00:00		0.06	0.11	0	0	0								
04:00:00		0.1	0.08	0.09	0.09	0								
05:00:00		0.05	0.22	0.09	0	0.09								
06:00:00		0.19	0.65	0.11	0.15	0.13								
07:00:00		0.81	3.29	0.15	0.78	0.09	0.28							
08:00:00		0.27	1.07	0.13	0.21	0.13								
09:00:00		0.17	0.85	0.09	0.12	0								
10:00:00		0.32	1.58	0.13	0.17	0.09								
11:00:00		0.11	0.64	0	0.2	0								
12:00:00		0.14	1.11	0.09	0.13	0.09								
13:00:00		0.14	0.97	0.09	0.1	0.09								
14:00:00		0.27	2.54	0.17	0.75	0.09								
15:00:00		0.16	0.78	0.13	0.14	0.09								
16:00:00		0.14	0.85	0	0.15	0								
17:00:00		0.1	0.57	0.13	0.11	0.11								
18:00:00		0.5	2.79	0.09	0.27	0.16								
19:00:00		1.07	5.35	0.09	0.47	0.59	0.49							
20:00:00		0.91	4.48	0.24	1.1	0.27								
21:00:00		0.11	0.96	0.11	0.2	0.1								
22:00:00		0.14	0.71	0.12	0.17	0.32								
23:00:00		0.09	0.38	0.09	0.05	0								

Ras pod	0%	100%	100%	100%	100%	100%	8.33%							
AVG		0.25	1.27	0.1	0.24	0.1	0.38							
C50	0	0.14	0.81	0.09	0.15	0.09	0							
MAX		1.07	5.35	0.24	1.1	0.59	0.49							
MIN		0.05	0.08	0	0	0								
C99.9	0	1.06	5.33	0.24	1.09	0.58	0.48							
C98	0	1	4.95	0.21	0.95	0.47	0.39							
C95	0	0.9	4.3	0.17	0.78	0.31	0.24							

Zbirni podaci za period: 2016-08-01 do 2016-08-31[illegible]