



REPUBLIKA SRBIJA - AUTONOMNA POKRAJINA VOJVODINA
POKRAJINSKI SEKRETARIJAT ZA URBANIZAM, GRADITELJSTVO I ZAŠTITU ŽIVOTNE SREDINE
Bulevar Mihajla Pupina 16, 21000 Novi Sad, +381 21 487-4719, Faks: +381 21 456 - 238
WEB: www.ekourb.vojvodina.gov.rs, www.eko.vojvodina.gov.rs
E-mail: ekolog@vojvodina.gov.rs, ekourb@vojvodina.gov.rs

DNEVNI IZVEŠTAJ ZA STANICU RS10006 Sombor - AUTOMATSKI KORIGOVANI PODACI

Period: 2016-11-01 do 2016-11-30

KOD stanice: **RS10006**

EIO klasifikacija: **Traffic/Urban/Residential**

Koordinate XY: **45.769 / 19.115**

Nadmorska visina: **87**

Metod mjerenja: **R - Referent method**

Naziv uređaja: .

Merna nesigurnost: .

Granica detekcije: .

KOŠAVA v.1.0

Datum: 2016-11-01

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.29	0.58	0.23	0.12	0.23								
01:00:00		0.86	0.36	0.12	0.12	0.48								
02:00:00		0.61	0.3	0.31	0.12	0.43								
03:00:00		0.31	0.34	0.25	0.12	0.44								
04:00:00		0.28	0.21	0.2	0.09	0.32								
05:00:00		0.32	0.21	0.16	0.08	0.48								
06:00:00		0.21	0.2	0.12	0.12	0.37								
07:00:00		1.36	0.86	0.19	0.18	0.43								
08:00:00		4.2	5.15	0.19	0.59	0.4	0.65							
09:00:00		2.81	7.65	0.32	1.64	0.23	0.32							
10:00:00		1.77	2.86	0.15	0.34	0.34	0.31							
11:00:00		1.78	2.5	0.15	0.27	0.18								
12:00:00		0.8	1.5	0.12	0.18	0.16								
13:00:00		0.4	0.64	0.18	0.09	0.4								
14:00:00		0.52	1.14	0.13	0.16	0.58								
15:00:00		0.67	1.35	0.2	0.09	0.21	0.47							
16:00:00		1.78	5.97	0.13	0.29	0.23	1.7							
17:00:00		6.79	18.49	0.1	0.67	0.12	1.52							
18:00:00		5.75	24.12	0.26	1.1	0.37	1.02							
19:00:00		4.02	20.97	0.47	0.93	0.36	0.9							
20:00:00		4.1	14.42	0.2	0.74	0.26	0.46							
21:00:00		3.44	5.95	0.12	0.18	0.29								
22:00:00		0.94	2.13	0.11	0.1	0.24	0.32							
23:00:00		1.15	3.73	0.17	0.21	0.27								

Ras pod	0%	100%	100%	100%	100%	100%	41.67%							
AVG		1.92	5.07	0.19	0.36	0.33	0.77							
C50	0	1.22	1.81	0.18	0.18	0.33	0							
MAX		6.79	24.12	0.47	1.64	0.58	1.7							
MIN		0.21	0.2	0.1	0.08	0.12								
C99.9	0	6.77	24.05	0.47	1.63	0.57	1.7							
C98	0	6.31	22.67	0.4	1.39	0.53	1.62							
C95	0	5.52	20.59	0.32	1.08	0.48	1.44							

Datum: 2016-11-02

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.15	2.74	0.2	0.11	0.47								
01:00:00		0.7	2.39	0.2	0.18	0.29								
02:00:00		0.57	1.75	0.24	0.09	0.39								
03:00:00		0.87	0.64	0.27	0.08	0.16								
04:00:00		1.13	0.86	0.14	0.1	0.3								
05:00:00		0.73	0.64	0.11	0.13	0.18								
06:00:00		2.33	0.23	0.11	0.12	0.21	0.44							
07:00:00		4.11	2.06	0.22	0.13	0.37	0.95							
08:00:00		7.5	4.99	0.22	0.23	0.33								
09:00:00		3.56	4.22	0.13	0.21	0.26								
10:00:00		1.25	1.82	0.12	0.25	0.3								
11:00:00		0.94	1.54	0.13	0.12	0.22								
12:00:00		0.38	0.71	0.12	0.11	0.24	0.39							
13:00:00		0.82	1.94	0.11	0.18	0.22	0.69							
14:00:00		3.08	12.6	0.17	0.95	0.15	1.61							
15:00:00		6.96	37.06	1.02	4.2	0.13	2.44							
16:00:00		9.35	56.61	2.73	7.47	0.1	2.25							
17:00:00		11.96	27.08	1.89	5	0.1	1.7							
18:00:00		9.85	11.21	0.41	1.52	0.1	2.63							
19:00:00		18.55	18.55	1.16	3.47	0.22	0.99							
20:00:00		6.63	10.05	1.02	2.14	0.19								
21:00:00		2.09	2.41	0.25	0.47	0.16								
22:00:00		0.63	0.91	0	0.13	0								
23:00:00		0.18	0.26	0	0.09	0								

Ras pod	0%	100%	100%	100%	100%	100%	41.67%							
AVG		3.97	8.47	0.46	1.14	0.21	1.41							
C50	0	1.67	2.22	0.2	0.18	0.21	0							
MAX		18.55	56.61	2.73	7.47	0.47	2.63							
MIN		0.18	0.23	0	0.08	0								
C99.9	0	18.4	56.16	2.71	7.41	0.47	2.63							
C98	0	15.52	47.62	2.35	6.33	0.43	2.55							
C95	0	11.65	35.56	1.78	4.88	0.39	2.41							

Datum: 2016-11-03

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.23	0.28	0	0.09	0								
01:00:00		0.24	0.23	0.09	0	0								
02:00:00		0.13	0.15	0	0	0.1								
03:00:00		0.19	0.23	0.13	0.09	0.16								
04:00:00		0.09	0.15	0.19	0.17	0.21								
05:00:00		0.22	0.54	0.17	0.09	0.49								
06:00:00		0.13	0.17	0.19	0.09	0.16								
07:00:00		1.24	0.44	0.2	0.19	0.23	0.5							
08:00:00		2.92	3.41	0.18	0.21	0.14	0.52							
09:00:00		2.37	3.07	0.21	0.26	0.13								
10:00:00		2.27	3.86	0.17	0.39	0.12	0.23							
11:00:00		0.9	2.7	0.13	0.28	0.24	0.31							
12:00:00		1.07	2.31	0.12	0.32	0.14								
13:00:00		1.08	1.59	0.1	0.28	0.65								
14:00:00		1.04	2.09	0.1	0.42	0.65	0.25							
15:00:00		1.28	2.11	0.12	0.31	0.09	0.33							
16:00:00		1.74	2.92	0.13	0.49	0	0.54							
17:00:00		3.25	3.53	0.19	0.8	0	0.88							
18:00:00		5.24	2.84	0.15	0.36	0.09	1.09							
19:00:00		5.93	4.12	0.29	1.6	0.09	1.46							
20:00:00		7.16	5.35	0.73	2.77	0.09	1.93							
21:00:00		9.32	6.89	0.59	2.48	0.15	1.28							
22:00:00		6.56	4.78	0.13	0.72	0.43	1.7							
23:00:00		9.44	2.83	0.11	0.23	0.16	0.88							

Ras pod	0%	100%	100%	100%	100%	100%	58.33%							
AVG		2.67	2.36	0.18	0.53	0.19	0.85							
C50	0	1.26	2.5	0.14	0.28	0.14	0.28							
MAX		9.44	6.89	0.73	2.77	0.65	1.93							
MIN		0.09	0.15	0	0	0								
C99.9	0	9.44	6.85	0.73	2.76	0.65	1.93							
C98	0	9.38	6.18	0.67	2.64	0.65	1.82							
C95	0	8.99	5.26	0.55	2.35	0.63	1.66							

Datum: 2016-11-04

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		4.6	1.53	0.11	0.14	0.15	0.93							
01:00:00		3.45	1.89	0.19	0.18	0.17	1.71							
02:00:00		8.69	3.71	0.17	0.46	0.28	1.24							
03:00:00		5.13	4.96	0.12	0.26	0.24	0.86							
04:00:00		4.05	6.52	0.09	0.2	0.32	0.23							
05:00:00		1.47	5.54	0.11	0.1	0.21	0.51							
06:00:00		1.88	16.36	0.1	0.44	0	0.65							
07:00:00		2.75	3.97	0.15	0.26	0	1.1							
08:00:00		5.1	7.1	0.3	1.09	0	1.19							
09:00:00		8.26	8.09	0.41	1.1	0	0.67							
10:00:00		3.66	4.13	0.19	0.75	0.13								
11:00:00		1.33	3.43	0.16	0.28	0								
12:00:00		0.72	3.48	0.29	0.3	0.27								
13:00:00		0.89	4.05	0.38	0.44	0.27								
14:00:00		0.71	3.1	0.22	0.46	1.74								
15:00:00		1.04	2.67	0.31	0.44	0.95								
16:00:00		1.24	3.35	0.1	0.51	0.3	0.19							
17:00:00		2.58	3.48	0.11	0.82	0.27	0.19							
18:00:00		1.84	1.3	0.32	0.2	0.2	0.63							
19:00:00		2.39	3.09	0.22	0.18	0.17	0.35							
20:00:00		2.98	1.55	0.11	0.18	0.52	0.23							
21:00:00		2.67	1.16	0.09	0.12	0	0.14							
22:00:00		2.11	0.74	0	0.18	0	0.09							
23:00:00		1.4	0.43	0.09	0.11	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	70.83%							
AVG		2.96	3.99	0.18	0.38	0.26	0.64							
C50	0	2.49	3.45	0.16	0.27	0.19	0.23							
MAX		8.69	16.36	0.41	1.1	1.74	1.71							
MIN		0.71	0.43	0	0.1	0	0.09							
C99.9	0	8.68	16.17	0.41	1.1	1.72	1.7							
C98	0	8.49	12.56	0.4	1.1	1.37	1.49							
C95	0	7.79	7.94	0.37	1.05	0.89	1.23							

Datum: 2016-11-05

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.33	0.42	0.09	0	0.09								
01:00:00		1.07	0.26	0.09	0.07	0.11								
02:00:00		1.04	0.27	0	0.09	0								
03:00:00		0.82	0.42	0	0.09	0								
04:00:00		0.61	0.15	0	0.07	0.09								
05:00:00		0.56	0.31	0.13	0.07	0.09								
06:00:00		0.82	0.67	0.09	0.07	0.09								
07:00:00		0.79	0.42	0.1	0	0.09	0.24							
08:00:00		1.43	1.34	0.14	0.25	0.12	0.23							
09:00:00		1.78	2.69	0.23	0.29	0.13	0.46							
10:00:00		2.89	3.18	0.12	0.47	0.13	0.33							
11:00:00		2.5	2.69	0.11	0.26	0.15								
12:00:00		1.87	2.15	0.11	0.14	0.17	0.29							
13:00:00		1.88	1.72	0.1	0.13	0.12								
14:00:00		1.09	3.09	0.12	0.18	0.19								
15:00:00		0.94	2.18	0.13	0.15	0.43								
16:00:00		0.78	1.63	0.14	0.12	0.3	0.2							
17:00:00		1.89	1.28	0.35	0.23	0.34	0.14							
18:00:00		1.8	1.24	0.1	0.09	0.44								
19:00:00		1.49	1.51	0	0	0.13								
20:00:00		1.39	2.56	0.09	0	0								
21:00:00		0.67	1.97	0.09	0.09	0								
22:00:00		0.43	0.99	0	0	0								
23:00:00		0.6	1.07	0	0	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	29.17%							
AVG		1.27	1.42	0.1	0.12	0.14	0.27							
C50	0	1.08	1.31	0.1	0.09	0.12	0							
MAX		2.89	3.18	0.35	0.47	0.44	0.46							
MIN		0.43	0.15	0	0	0								
C99.9	0	2.89	3.18	0.35	0.47	0.44	0.46							
C98	0	2.71	3.14	0.29	0.39	0.44	0.4							
C95	0	2.41	3.03	0.21	0.28	0.42	0.33							

Datum: 2016-11-06

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.23	0.58	0	0.13	0.09								
01:00:00		0.26	0.52	0	0.13	0								
02:00:00		0.12	0.31	0	0	0.13								
03:00:00		0.08	0.34	0	0.09	0.1								
04:00:00		0.12	0.12	0	0.09	0.25								
05:00:00		0.21	0.11	0.13	0.13	0.44								
06:00:00		0.19	0.1	0	0	0								
07:00:00		0.18	0.36	0	0	0.09								
08:00:00		0.28	1.14	0	0.04	0.09								
09:00:00		0.32	1.24	0.09	0.06	0								
10:00:00		0.71	1.29	0.09	0.09	0.15	0.44							
11:00:00		2.83	2.4	0.1	0.16	0.19	0.63							
12:00:00		3.52	5.16	0.13	0.22	0.2								
13:00:00		3.36	3.66	0.15	0.52	0.16	0.41							
14:00:00		2.82	5.06	0.31	0.63	0.27	0.63							
15:00:00		3.52	3.68	0.21	0.53	0.09	0.38							
16:00:00		2.67	3.54	0.25	0.56	0	0.49							
17:00:00		3.15	1.86	0.22	0.45	0.09	0.6							
18:00:00		4.61	1.94	0.11	0.09	0.13								
19:00:00		0.39	1.07	0	0.04	0								
20:00:00		0.23	0.77	0	0	0								
21:00:00		0.33	1.09	0	0	0								
22:00:00		0.2	0.71	0	0	0								
23:00:00		0.08	0.21	0	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	29.17%							
AVG		1.27	1.55	0.07	0.16	0.1	0.51							
C50	0	0.3	1.08	0	0.09	0.09	0							
MAX		4.61	5.16	0.31	0.63	0.44	0.63							
MIN		0.08	0.1	0	0	0								
C99.9	0	4.58	5.16	0.31	0.63	0.44	0.63							
C98	0	4.11	5.12	0.28	0.6	0.37	0.63							
C95	0	3.52	4.86	0.24	0.56	0.27	0.63							

Datum: 2016-11-07

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.14	0.25	0	0	0								
01:00:00		0.28	0.09	0	0	0								
02:00:00		0.24	0.09	0	0	0								
03:00:00		0.19	0.08	0.09	0	0								
04:00:00		0.15	0.08	0	0	0								
05:00:00		0.09	0.07	0	0	0								
06:00:00		0.31	0.11	0.09	0	0								
07:00:00		1.78	0.63	0	0	0	0.34							
08:00:00		2.67	1.84	0.22	0.17	0								
09:00:00		1.04	1.91	0.22	0.28	0								
10:00:00		0.53	1.14	0.09	0.13	0								
11:00:00		0.35	0.56	0	0.11	0								
12:00:00		0.45	0.88	0	0.09	0								
13:00:00		0.61	1.61	0	0.2	0								
14:00:00		0.4	1.25	0.15	0.1	0								
15:00:00		1.09	2.94	0.12	0.21	0.09	0.86							
16:00:00		2.99	9.88	0.53	1.76	0	0.83							
17:00:00		4.38	6.02	0.34	1.28	0								
18:00:00		1.61	5.76	0.18	0.98	0.09	0.52							
19:00:00		3.46	8.27	0.28	1.11	0.13	0.8							
20:00:00		6.8	5.03	0.21	0.73	0	1.49							
21:00:00		8.18	3.68	0.22	0.58	0	0.5							
22:00:00		3.23	1.37	0	0.09	0	0.36							
23:00:00		2.51	0.84	0.09	0.12	0.09								

Ras pod	0%	100%	100%	100%	100%	100%	33.33%							
AVG		1.81	2.27	0.12	0.33	0.02	0.71							
C50	0	0.83	1.19	0.09	0.12	0	0							
MAX		8.18	9.88	0.53	1.76	0.13	1.49							
MIN		0.09	0.07	0	0	0								
C99.9	0	8.15	9.84	0.53	1.75	0.13	1.48							
C98	0	7.55	9.14	0.44	1.54	0.11	1.2							
C95	0	6.44	7.93	0.33	1.26	0.09	0.85							

Datum: 2016-11-08

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1	0.32	0.09	0	0.09								
01:00:00		0.6	0.23	0	0	0.09								
02:00:00		0.39	0.1	0	0.13	0.3								
03:00:00		0.45	0.1	0	0.09	0								
04:00:00		0.27	0	0	0.13	0								
05:00:00		0.27	0.08	0.09	0	0								
06:00:00		0.31	0.13	0.09	0	0								
07:00:00		0.62	0.38	0	0.04	0	0.33							
08:00:00		2.09	1.88	0.26	0.29	0	0.28							
09:00:00		1.88	2.11	0.15	0.35	0	0.27							
10:00:00		1.83	1.84	0.17	0.23	0.09	0.37							
11:00:00		2.97	2.17	0.12	0.22	0	0.18							
12:00:00		1.84	2.23	0.1	0.42	0								
13:00:00		1.13	0.83	0	0.1	0								
14:00:00		1.69	1.05	0	0.09	0.09								
15:00:00		1.2	0.91	0	0.16	0	0.33							
16:00:00		1.84	2.13	0.1	0.34	0	0.3							
17:00:00		1.88	2.02	0.1	0.41	0.26	0.25							
18:00:00		2.01	1.49	0.13	0.27	0.13	0.21							
19:00:00		1.5	1.15	0.09	0.14	0	0.23							
20:00:00		1.24	1	0.09	0.12	0	0.19							
21:00:00		1.07	1.15	0	0.1	0								
22:00:00		0.85	1.14	0.13	0.09	0								
23:00:00		0.64	0.46	0.13	0	0								

Ras pod	0%	100%	100%	100%	100%	100%	45.83%							
AVG		1.23	1.04	0.08	0.16	0.04	0.27							
C50	0	1.16	1.02	0.09	0.13	0	0							
MAX		2.97	2.23	0.26	0.42	0.3	0.37							
MIN		0.27	0	0	0	0								
C99.9	0	2.95	2.23	0.26	0.42	0.3	0.37							
C98	0	2.57	2.2	0.22	0.41	0.28	0.35							
C95	0	2.07	2.16	0.17	0.4	0.24	0.33							

Datum: 2016-11-09

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.64	0.48	0	0.04	0								
01:00:00		0.37	0.18	0	0.09	0								
02:00:00		0.24	0.07	0.09	0	0.13								
03:00:00		0.24	0.07	0.09	0	0.13								
04:00:00		0.11	0.04	0.09	0.04	0.12								
05:00:00		0.15	0	0.11	0.04	0.09								
06:00:00		0.16	0.12	0	0	0								
07:00:00		0.47	0.54	0.1	0.13	0	0.39							
08:00:00		1.86	2.9	0.11	0.6	0	0.38							
09:00:00		2.02	3.26	0.13	0.58	0								
10:00:00		1.16	2.12	0.11	0.41	0	0.23							
11:00:00		1.18	2.13	0.13	0.3	0								
12:00:00		1.02	1.71	0.14	0.2	0	0.29							
13:00:00		1.34	2.29	0.17	0.24	0.09	0.24							
14:00:00		1.37	1.74	0.16	0.43	0.09	0.37							
15:00:00		1.78	2.45	0.16	0.43	0								
16:00:00		1.97	2.7	0.2	0.77	0.13	0.79							
17:00:00		3.47	2.39	0.1	0.29	0	0.9							
18:00:00		4.07	3.51	0.11	0.79	0.11	1.27							
19:00:00		7.17	4.83	0.11	0.55	0.21	1.12							
20:00:00		5.82	4.38	0.3	0.89	0.38	0.96							
21:00:00		4.41	3.71	0.16	0.55	0.09	0.74							
22:00:00		4.06	1.84	0.1	0.13	0.49	0.26							
23:00:00		1.56	0.8	0	0.09	0.09	0.43							

Ras pod	0%	100%	100%	100%	100%	100%	58.33%							
AVG		1.94	1.84	0.11	0.32	0.09	0.6							
C50	0	1.35	1.98	0.11	0.27	0.09	0.25							
MAX		7.17	4.83	0.3	0.89	0.49	1.27							
MIN		0.11	0	0	0	0								
C99.9	0	7.14	4.82	0.29	0.89	0.49	1.27							
C98	0	6.55	4.62	0.25	0.85	0.44	1.2							
C95	0	5.61	4.28	0.19	0.79	0.35	1.1							

Datum: 2016-11-10

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.95	0.76	0.09	0.09	0.13	0.74							
01:00:00		2.77	1.07	0.11	0.09	0	0.66							
02:00:00		2.63	1.09	0.09	0.09	0.1	0.32							
03:00:00		1.52	1.35	0.65	0.25	0.18	0.55							
04:00:00		2.53	3.18	0.09	0.09	0.13	0.44							
05:00:00		1.61	1.98	0.22	0	0.09	0.23							
06:00:00		1.37	1.18	0.13	0.04	0.1	0.33							
07:00:00		2.13	1.35	0	0.08	0.09	0.91							
08:00:00		5.48	4.77	0.14	0.81	0	0.86							
09:00:00		5.51	4.07	0.26	0.9	0	0.53							
10:00:00		3.69	2.67	0.23	0.44	0.18	0.3							
11:00:00		1.81	2.05	0.15	0.16	0.3	0.25							
12:00:00		1.54	1.74	0.09	0.23	0.77								
13:00:00		1.01	1.43	0.14	0.33	0.09								
14:00:00		0.86	1.16	0	0.15	0	0.21							
15:00:00		1.19	2.4	0.09	0.22	0	0.24							
16:00:00		1.35	5.56	0.12	0.4	0								
17:00:00		2.43	13.08	0.29	1.21	0	0.92							
18:00:00		6.21	7.45	0.36	1.3	0.43	1.2							
19:00:00		5.15	15.41	0.38	1.05	0	0.7							
20:00:00		5.17	7.86	0.28	0.79	0	0.45							
21:00:00		4.98	6.52	0.22	0.23	0	0.26							
22:00:00		2.56	5.16	0.17	0.22	0	0.45							
23:00:00		2.64	4.22	0	0.28	0	0.59							

Ras pod	0%	100%	100%	100%	100%	100%	87.5%							
AVG		2.84	4.06	0.18	0.39	0.11	0.53							
C50	0	2.48	2.53	0.14	0.23	0.04	0.45							
MAX		6.21	15.41	0.65	1.3	0.77	1.2							
MIN		0.86	0.76	0	0	0	0.21							
C99.9	0	6.2	15.36	0.64	1.3	0.76	1.2							
C98	0	5.89	14.34	0.53	1.26	0.61	1.07							
C95	0	5.51	12.29	0.38	1.19	0.41	0.92							

Datum: 2016-11-11

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		3.12	7.98	0.11	0.25	0	0.48							
01:00:00		3.32	1.14	0	0.13	0	0.44							
02:00:00		2.96	3.37	0.09	0.09	0	0.63							
03:00:00		2.77	1.94	0	0.09	0	0.15							
04:00:00		1.76	2.15	0	0	0.09	0.41							
05:00:00		1.57	1.33	0	0	0.09	0.54							
06:00:00		1.32	1.61	0	0	0	0.41							
07:00:00		4.22	1.52	0	0.11	0	0.8							
08:00:00		4.54	2.67	0.13	0.37	0	0.7							
09:00:00		3.26	7.26	0.16	0.36	0	0.4							
10:00:00		2.08	6.38	0.21	0.42	0	0.3							
11:00:00		1.77	3.6	0.13	0.29	0.09	0.39							
12:00:00		3.31	5.47	0.09	0.18	0	0.23							
13:00:00		1.16	6.43	0.12	0.27	0	0.3							
14:00:00		1.16	10.56	0.1	0.29	0.09	0.43							
15:00:00		1.69	3.75	0.26	0.23	0	0.6							
16:00:00		2.74	3.56	0.16	0.49	0.13	0.53							
17:00:00		3.56	2.81	0.14	0.3	0.13								
18:00:00		2.78	1.68	0.09	0.2	0	0.48							
19:00:00		2.42	1.35	0	0.13	0	0.35							
20:00:00		2.24	1.5	0.09	0.14	0	0.22							
21:00:00		1.6	0.92	0.09	0.09	0								
22:00:00		1.03	0.63	0.09	0.09	0								
23:00:00		0.46	0.28	0	0.09	0								

Ras pod	0%	100%	100%	100%	100%	100%	83.33%							
AVG		2.37	3.33	0.09	0.19	0.03	0.44							
C50	0	2.33	2.41	0.09	0.16	0	0.4							
MAX		4.54	10.56	0.26	0.49	0.13	0.8							
MIN		0.46	0.28	0	0	0	0.15							
C99.9	0	4.53	10.5	0.26	0.49	0.13	0.8							
C98	0	4.4	9.37	0.24	0.46	0.13	0.75							
C95	0	4.12	7.87	0.21	0.41	0.12	0.69							

Datum: 2016-11-12

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.34	0.15	0.09	0	0								
01:00:00		0.26	0.14	0.09	0	0								
02:00:00		0.16	0.09	0	0	0								
03:00:00		0.13	0.1	0	0	0								
04:00:00		0.08	0.08	0	0	0								
05:00:00		0.1	0.17	0.09	0	0								
06:00:00		0.08	0.11	0.09	0	0								
07:00:00		0.14	0.08	0	0	0								
08:00:00		0.2	0.09	0.09	0	0.13								
09:00:00		1.11	0.4	0	0.09	0	0.22							
10:00:00		1.26	1.24	0	0.12	0.13	0.34							
11:00:00		1.69	1.51	0	0.11	0.11	0.41							
12:00:00		2.55	2.34	0.29	0.5	0.09	0.32							
13:00:00		1.77	1.17	0.1	0.23	0	0.2							
14:00:00		1.44	0.82	0	0.07	0								
15:00:00		1.14	1.13	0.09	0.2	0								
16:00:00		1.06	1.04	0.09	0.1	0								
17:00:00		1	0.98	0	0.14	0.09								
18:00:00		1.01	0.97	0	0.13	0								
19:00:00		0.81	1.05	0	0.09	0								
20:00:00		0.71	0.44	0	0.09	0								
21:00:00		1.05	0.58	0.09	0.09	0	0.09							
22:00:00		0.96	0.47	0.09	0.07	0.23								
23:00:00		0.85	0.27	0.09	0.1	0.11								

Ras pod	0%	100%	100%	100%	100%	100%	25%							
AVG		0.83	0.64	0.05	0.09	0.04	0.26							
C50	0	0.91	0.45	0.04	0.09	0	0							
MAX		2.55	2.34	0.29	0.5	0.23	0.41							
MIN		0.08	0.08	0	0	0								
C99.9	0	2.53	2.32	0.28	0.5	0.23	0.41							
C98	0	2.19	1.96	0.2	0.38	0.18	0.38							
C95	0	1.75	1.47	0.1	0.22	0.13	0.33							

Datum: 2016-11-13

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.59	0.14	0	0	0								
01:00:00		0.61	0.14	0.09	0.09	0.13								
02:00:00		0.55	0.15	0.09	0.09	0.13								
03:00:00		0.54	0.15	0	0	0								
04:00:00		0.43	0.09	0	0	0								
05:00:00		0.23	0.08	0	0	0								
06:00:00		0.17	0.08	0	0	0								
07:00:00		0.26	0.11	0	0	0								
08:00:00		0.47	0.12	0	0	0								
09:00:00		0.99	0.23	0	0	0								
10:00:00		0.91	0.4	0	0	0								
11:00:00		0.92	0.52	0	0	0	0.13							
12:00:00		0.86	0.5	0	0.09	0								
13:00:00		0.93	0.63	0	0	0								
14:00:00		0.84	0.47	0	0	0								
15:00:00		0.79	0.5	0.09	0.09	0.09	0.16							
16:00:00		1.07	0.87	0	0.09	0	0.21							
17:00:00		1.36	0.84	0	0.1	0	0.33							
18:00:00		1.87	1.01	0	0.11	0	0.78							
19:00:00		4.79	2.49	0.09	0.13	0.09								
20:00:00		5.11	2.02	0	0.12	0	0.86							
21:00:00		5.81	2.22	0	0.15	0	0.34							
22:00:00		1.98	0.69	0	0.07	0	0.35							
23:00:00		2.44	0.91	0.09	0.11	0.34	0.32							

Ras pod	0%	100%	100%	100%	100%	100%	37.5%							
AVG		1.44	0.64	0.02	0.05	0.03	0.39							
C50	0	0.89	0.48	0	0.04	0	0							
MAX		5.81	2.49	0.09	0.15	0.34	0.86							
MIN		0.17	0.08	0	0	0								
C99.9	0	5.8	2.48	0.09	0.15	0.34	0.86							
C98	0	5.49	2.37	0.09	0.14	0.24	0.83							
C95	0	5.06	2.19	0.09	0.13	0.13	0.72							

Datum: 2016-11-14

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.75	0.77	0.09	0.16	0.22	0.23							
01:00:00		1.35	0.22	0	0.09	0	0.2							
02:00:00		1.17	0.26	0.52	0.3	0.17	0.11							
03:00:00		0.48	0.1	0	0.09	0.09	0.1							
04:00:00		0.45	0.08	0	0.06	0.09	0.25							
05:00:00		0.56	0.11	0.09	0	0.09	0.46							
06:00:00		1.1	0.52	0	0.17	0.17	0.76							
07:00:00		3.18	2.87	0.3	0.25	0.16	1							
08:00:00		6.47	2.42	0.22	0.23	0.09	1.59							
09:00:00		10.5	7.31	0.49	0.92	0.13	0.72							
10:00:00		4.7	4.12	0.28	0.86	0.13	0.55							
11:00:00		2.56	1.98	0	0.27	0	0.39							
12:00:00		2.43	1.4	0.09	0.15	0.09	0.42							
13:00:00		1.83	1.8	0.1	0.24	0.09	0.23							
14:00:00		1.19	1.64	0	0.15	0	0.62							
15:00:00		1.83	4.32	0.23	0.66	0.09	0.83							
16:00:00		3.12	4.59	0.31	1.32	0.09	1							
17:00:00		5.46	4.32	0.27	0.91	0	1.46							
18:00:00		10.24	7.59	0.37	0.78	0	1.75							
19:00:00		9.52	6.5	0.49	1.2	0.09	1.46							
20:00:00		8	5.45	0.5	1.65	0.3								
21:00:00		6.58	2.89	0.12	0.52	0.14	1.3							
22:00:00		6.46	1.93	0.15	0.16	0	1.63							
23:00:00		8.06	2.85	0.19	0.39	0	1.12							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		4.13	2.75	0.2	0.48	0.09	0.79							
C50	0	2.84	2.2	0.17	0.26	0.09	0.67							
MAX		10.5	7.59	0.52	1.65	0.3	1.75							
MIN		0.45	0.08	0	0	0	0.1							
C99.9	0	10.5	7.58	0.52	1.64	0.3	1.74							
C98	0	10.38	7.46	0.51	1.5	0.26	1.69							
C95	0	10.13	7.19	0.5	1.3	0.21	1.63							

Datum: 2016-11-15

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		6.82	2.99	0.12	0.33	0	0.54							
01:00:00		3.57	1.28	0.09	0.1	0	0.36							
02:00:00		2.45	1.69	0	0.09	0	0.35							
03:00:00		1.47	0.61	0.27	0.14	0.7	0.27							
04:00:00		1.22	0.25	0.19	0.25	0.25	0.25							
05:00:00		1.16	0.31	0.3	0.18	0.59	0.18							
06:00:00		0.64	0.45	0.15	0.23	0.27	0.38							
07:00:00		1.18	0.5	0.35	0.23	0.52	0.99							
08:00:00		3.76	2.59	0.28	0.36	0.45	0.74							
09:00:00		2.39	3.06	0.09	0.38	0.25	0.62							
10:00:00		1.93	3.74	0.18	0.54	0.48	0.38							
11:00:00		1.29	2.26	0.2	0.35	0.18	0.67							
12:00:00		0.69	2.42	0.43	1.07	0.11	0.66							
13:00:00		0.91	1.9	0.19	1.04	0.24	0.73							
14:00:00		1.35	3.07	0.1	0.49	0.13	1.02							
15:00:00		2.25	4.3	0.25	0.63	0.35	1.24							
16:00:00		3.53	4.78	0.23	0.48	0.4	2.63							
17:00:00		11.98	18.9	0.65	1.08	0.18	4.33							
18:00:00		20.68	48.32	1.81	6.75	0.42	3.74							
19:00:00		15.79	48.42	3.17	8.39	0.21	3.28							
20:00:00		14.82	38.61	2.16	3.55	0.35	2.82							
21:00:00		12.66	41.23	2.57	1.39	0.5								
22:00:00		5.47	16.67	0.7	2.26	0.54	0.8							
23:00:00		2.92	9.84	0.27	1.21	0.43	0.86							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		5.04	10.76	0.61	1.31	0.31	1.21							
C50	0	2.42	3.03	0.26	0.48	0.31	0.7							
MAX		20.68	48.42	3.17	8.39	0.7	4.33							
MIN		0.64	0.25	0	0.09	0	0.18							
C99.9	0	20.56	48.42	3.15	8.35	0.7	4.32							
C98	0	18.43	48.38	2.89	7.63	0.65	4.06							
C95	0	15.65	47.26	2.51	6.27	0.59	3.67							

Datum: 2016-11-16

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		5.98	5.62	0.17	0.28	0.13	0.62							
01:00:00		2.58	4.71	0.1	0.31	0	0.59							
02:00:00		2.43	1.89	0	0.06	0	0.65							
03:00:00		2.36	1.15	0	0.09	0	0.56							
04:00:00		1.92	0.63	0	0	0.09	0.76							
05:00:00		1.41	0.73	0.09	0.04	0	0.95							
06:00:00		1.34	0.91	0	0.06	0.39	0.85							
07:00:00		1.54	2.24	0	0.09	0	0.99							
08:00:00		1.8	2.75	0.09	0.23	0	0.74							
09:00:00		1.97	2.16	0.28	0.24	0.41	0.57							
10:00:00		1.54	1.71	0.09	0.28	0.09	0.6							
11:00:00		1.32	1.93	0	0.11	0.12	0.51							
12:00:00		1.03	1.92	0.09	0.26	0.09	0.46							
13:00:00		0.71	1.72	0.16	0.19	0.09	0.64							
14:00:00		1.2	2.72	0.09	0.16	0.3	0.73							
15:00:00		2.71	5.95	0.09	0.16	0.2	1.38							
16:00:00		4.69	10.77	0.12	0.09	0.19	0.81							
17:00:00		2.86	4.79	0.15	0.2	0.21	0.8							
18:00:00		3.02	2.97	0.2	0.23	0.15	0.91							
19:00:00		3.25	3.07	0.21	0.35	1.24	0.77							
20:00:00		2.23	1.48	0.44	0.11	0.15	0.7							
21:00:00		1.62	0.65	0.42	0.15	0.59	0.59							
22:00:00		1.56	0.94	0.48	0.18	0.42								
23:00:00		1.83	0.95	0.16	0.22	0.36	0.44							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		2.2	2.68	0.14	0.17	0.22	0.72							
C50	0	1.88	1.93	0.1	0.17	0.14	0.68							
MAX		5.98	10.77	0.48	0.35	1.24	1.38							
MIN		0.71	0.63	0	0	0	0.44							
C99.9	0	5.95	10.66	0.47	0.35	1.23	1.37							
C98	0	5.39	8.55	0.46	0.33	0.94	1.2							
C95	0	4.47	5.9	0.44	0.31	0.56	0.99							

Datum: 2016-11-17

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.07	0.38	0.18	0.14	0.37	0.44							
01:00:00		1.24	0.43	0.16	0.1	0.16	0.4							
02:00:00		1.06	0.27	0.15	0.12	0.16	0.45							
03:00:00		1.33	0.29	0.29	0.09	0.38	0.4							
04:00:00		1.26	0.28	0.11	0.13	0.32	0.34							
05:00:00		1.14	0.2	0.11	0.1	0.25	0.34							
06:00:00		1.02	0.55	0.26	0.22	0.41	0.56							
07:00:00		2.29	1.37	0.15	0.08	0.2	0.91							
08:00:00		2.41	4.56	0.32	0.2	0.48	1.12							
09:00:00		3.83	5.17	0.28	0.17	0.37	0.93							
10:00:00		2.96	3.9	0.16	0.17	0.12	0.86							
11:00:00		3.52	3.07	0.21	0.51	0.26	0.79							
12:00:00		3.63	3.79	0.22	0.66	0.48	0.77							
13:00:00		2.18	4.6	0.31	0.36	0.57	0.71							
14:00:00		2.47	5.84	0.27	0.24	0.33	0.69							
15:00:00		2.43	6.13	0.1	0.42	0.16	1.04							
16:00:00		3.06	8.15	0.26	0.41	0.77	1.3							
17:00:00		5.62	9.55	0.3	0.41	0.34	1.07							
18:00:00		4.61	5.2	0.25	0.55	0.22	0.91							
19:00:00		3.84	7.25	0.16	0.39	0.14	1.53							
20:00:00		5.04	11.28	0.16	0.42	0.13	1.79							
21:00:00		9.05	10.42	0.49	0.97	0.95	1.73							
22:00:00		9.2	9.89	0.15	0.69	0	1.18							
23:00:00		6.6	5.39	0.11	0.4	0								

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		3.37	4.5	0.21	0.33	0.32	0.88							
C50	0	2.72	4.58	0.19	0.3	0.29	0.83							
MAX		9.2	11.28	0.49	0.97	0.95	1.79							
MIN		1.02	0.2	0.1	0.08	0	0.34							
C99.9	0	9.19	11.26	0.48	0.96	0.95	1.79							
C98	0	9.13	10.88	0.41	0.84	0.87	1.77							
C95	0	8.69	10.34	0.32	0.69	0.74	1.7							

Datum: 2016-11-18

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		4.36	5.89	0.13	0.13	0.1	0.96							
01:00:00		3.57	4.61	0.33	0.28	0.25	0.77							
02:00:00		3.05	9.43	0.1	0.15	0.21	0.63							
03:00:00		2.44	3.96	0.3	0.11	0.56	0.5							
04:00:00		1.71	2.32	0.22	0.38	0.3	0.9							
05:00:00		2.16	1.24	0.09	0.09	0.24	1.11							
06:00:00		2.05	2.63	0.13	0.21	0.33	1.17							
07:00:00		3.87	5.71	0.24	0.21	0.34	1.28							
08:00:00		3.83	9.77	0.19	1.39	0.2	0.88							
09:00:00		2.34	5.61	0.16	0.67	0.23	0.52							
10:00:00		1.51	2.68	0.09	0.16	0.26	0.43							
11:00:00		1.19	1.68	0.19	0.18	0.47	0.4							
12:00:00		0.64	2.89	0.17	0.15	0.3	0.36							
13:00:00		0.7	2.39	0.24	0.11	0.37	0.33							
14:00:00		0.79	2	0.15	0.18	0.27	0.54							
15:00:00		0.86	3.96	0.14	0.13	0.21	0.97							
16:00:00		2.54	7.26	0.18	0.16	0.19	0.83							
17:00:00		2.65	5.96	0.15	0.21	0.27	1.11							
18:00:00		3.86	1.92	0.13	0.17	0.13	1.09							
19:00:00		3.55	2.79	0.16	0.23	0.32	1.13							
20:00:00		4	2.35	0.16	0.28	0.16	1.24							
21:00:00		4.58	3.36	0.12	0.61	0.32	0.84							
22:00:00		3.57	4.24	0.13	0.21	0.2	0.67							
23:00:00		2.6	2.97	0.26	0.1	0.2	0.57							

Ras pod	0%	100%	100%	100%	100%	100%	100%							
AVG		2.6	4.07	0.17	0.27	0.27	0.8							
C50	0	2.57	3.17	0.16	0.18	0.25	0.83							
MAX		4.58	9.77	0.33	1.39	0.56	1.28							
MIN		0.64	1.24	0.09	0.09	0.1	0.33							
C99.9	0	4.58	9.76	0.33	1.38	0.56	1.28							
C98	0	4.48	9.62	0.32	1.06	0.52	1.26							
C95	0	4.31	9.11	0.3	0.66	0.46	1.23							

Datum: 2016-11-19

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.6	2.72	0.09	0.09	0.25								
01:00:00		1.75	2.78	0.17	0.11	0.18	0.56							
02:00:00		1.54	0.97	0.22	0.1	0.27	0.52							
03:00:00		1.86	1.31	0.17	0.13	0.13	0.39							
04:00:00		0.99	0.46	0.12	0.07	0.28	0.35							
05:00:00		0.76	0.35	0.12	0.13	0.17	0.34							
06:00:00		0.67	0.17	0.17	0.09	0.23	0.29							
07:00:00		0.72	0.25	0.19	0.12	0.18	0.34							
08:00:00		1.07	0.44	0.11	0.1	0.13	0.49							
09:00:00		1.96	0.99	0.17	0.1	0.22	0.5							
10:00:00		0.82	0.67	0.11	0.09	0.2	0.55							
11:00:00		0.92	1.07	0.12	0.1	0.1	0.54							
12:00:00		1.42	1.27	0.11	0.15	0.21	0.73							
13:00:00		1.54	1.33	0.09	0.12	0.36	0.65							
14:00:00		1.93	5.73	0.12	0.71	0.19	0.73							
15:00:00		1.77	1.08	0.1	0.16	0.16	0.84							
16:00:00		1.92	1.33	0.17	0.17	0.2	0.77							
17:00:00		1.48	1.22	0.13	0.17	0.14	0.73							
18:00:00		1.4	0.81	0.15	0.09	0.14	0.7							
19:00:00		1.71	1.42	0.09	0.16	0.18	0.64							
20:00:00		1.56	0.87	0.13	0.08	0.29	0.63							
21:00:00		2.33	0.66	0.17	0.07	0	0.59							
22:00:00		1.23	0.6	0.1	0.09	0.12	0.61							
23:00:00		1.12	0.78	0.12	0.09	0.15	0.49							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		1.42	1.22	0.13	0.14	0.19	0.56							
C50	0	1.51	0.98	0.12	0.1	0.18	0.55							
MAX		2.33	5.73	0.22	0.71	0.36	0.84							
MIN		0.67	0.17	0.09	0.07	0								
C99.9	0	2.32	5.66	0.22	0.7	0.36	0.84							
C98	0	2.16	4.37	0.21	0.46	0.33	0.81							
C95	0	1.95	2.77	0.19	0.17	0.29	0.76							

Datum: 2016-11-20

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.94	0.56	0.13	0.22	0.53	0.49							
01:00:00		0.88	0.44	0.09	0.2	0.47								
02:00:00		0.69	0.36	0.12	0.09	0.34	0.4							
03:00:00		0.48	0.27	0.09	0.09	0.11	0.33							
04:00:00		0.72	0.27	0.1	0.09	0.23	0.34							
05:00:00		0.42	0.21	0.21	0.13	0.22	0.32							
06:00:00		1.01	0.35	0.28	0.16	0.41	0.38							
07:00:00		0.57	0.44	0.09	0.12	0.15	0.51							
08:00:00		1.12	1.44	0.15	0.21	0.2	0.32							
09:00:00		0.42	0.34	0.12	0.16	0.34	0.5							
10:00:00		1.33	0.76	0.16	0.11	0.16	0.44							
11:00:00		0.68	0.63	0.12	0.09	0.18	0.5							
12:00:00		0.85	1.12	0.09	0.13	0.15	0.4							
13:00:00		1.06	1.44	0.09	0.06	0.16	0.37							
14:00:00		0.64	1.26	0.22	0.12	0.12	0.52							
15:00:00		1.06	1.75	0.16	0.15	0.29	0.66							
16:00:00		2.28	1.88	0.14	0.11	0.39	0.56							
17:00:00		1.02	0.92	0.12	0.13	0.41	0.52							
18:00:00		0.96	0.46	0.11	0.09	0.2	0.53							
19:00:00		1.25	0.76	0.17	0.1	0.28	0.44							
20:00:00		0.76	0.69	0.48	0.2	0.39	0.34							
21:00:00		0.67	0.58	0.22	0.15	0.31	0.33							
22:00:00		0.48	0.22	0.15	0.06	0.13	0.28							
23:00:00		0.35	0.17	0.09	0.16	0.12	0.22							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.86	0.72	0.15	0.13	0.26	0.42							
C50	0	0.8	0.57	0.13	0.13	0.23	0.4							
MAX		2.28	1.88	0.48	0.22	0.53	0.66							
MIN		0.35	0.17	0.09	0.06	0.11	0.22							
C99.9	0	2.26	1.88	0.48	0.22	0.52	0.66							
C98	0	1.84	1.82	0.39	0.21	0.5	0.61							
C95	0	1.32	1.71	0.27	0.2	0.46	0.55							

Datum: 2016-11-21

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.33	0.23	0.32	0.15	0.39	0.18							
01:00:00		0.32	0.27	0.17	0.07	0.16	0.16							
02:00:00		0.21	0.3	0.12	0.14	0.22								
03:00:00		0.23	0.24	0.16	0.09	0.35	0.13							
04:00:00		0.19	0.11	0.14	0.12	0.21	0.17							
05:00:00		0.11	0.22	0.13	0.08	0.13	0.28							
06:00:00		0.41	0.32	0.16	0.13	0.22	0.32							
07:00:00		0.61	0.42	0.09	0.13	0.2	0.5							
08:00:00		0.94	1.22	0.1	0.1	0.2	0.68							
09:00:00		1.36	2.13	0.12	0.35	0.17	0.53							
10:00:00		0.82	2.8	0.13	0.15	0.14	0.67							
11:00:00		0.97	2.76	0.14	0.08	0.15	0.55							
12:00:00		0.81	2.61	0.2	0.3	0.38	0.78							
13:00:00		0.75	3.58	0.18	0.26	0.3	0.57							
14:00:00		0.86	3.41	0.26	0.81	0.45	0.7							
15:00:00		1.29	1.78	0.14	0.31	0.28	0.98							
16:00:00		1.66	3.92	0.22	0.49	0.19	0.73							
17:00:00		1.79	2.49	0.28	0.35	0.34	0.65							
18:00:00		1.08	2.09	0.19	0.19	0.37	0.43							
19:00:00		0.77	0.71	0.22	0.16	0.27	0.45							
20:00:00		1.02	0.63	0.28	0.2	0.28	0.39							
21:00:00		0.74	0.53	0.12	0.13	0.32	0.33							
22:00:00		0.44	0.4	0.22	0.16	0.23	0.36							
23:00:00		0.36	0.34	0.22	0.18	0.41	0.27							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		0.75	1.4	0.18	0.21	0.27	0.47							
C50	0	0.76	0.67	0.16	0.16	0.25	0.44							
MAX		1.79	3.92	0.32	0.81	0.45	0.98							
MIN		0.11	0.11	0.09	0.07	0.13	0.13							
C99.9	0	1.79	3.91	0.31	0.8	0.45	0.98							
C98	0	1.73	3.76	0.3	0.66	0.44	0.89							
C95	0	1.62	3.55	0.28	0.47	0.41	0.78							

Datum: 2016-11-22

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.32	0.35	0.09	0.13	0.44	0.22							
01:00:00		0.29	0.19	0.14	0.11	0.28	0.18							
02:00:00		0.22	0.31	0.15	0.15	0.37	0.16							
03:00:00		0.22	0.21	0.21	0.08	0.3								
04:00:00		0.12	0.17	0.16	0.1	0.24	0.19							
05:00:00		0.27	0.27	0.15	0.16	0.31	0.24							
06:00:00		0.32	0.32	0.22	0.26	0.28	0.35							
07:00:00		0.42	0.25	0.12	0.11	0.2	0.63							
08:00:00		0.92	1.63	0.15	0.22	0.31	0.6							
09:00:00		1.02	1.95	0.19	0.22	0.41	0.78							
10:00:00		1.27	2.56	0.11	0.18	0.23	0.75							
11:00:00		1.05	2.78	0.42	0.97	0.24	0.52							
12:00:00		1.08	2.78	0.14	0.81	0.2	0.61							
13:00:00		1.26	2.66	0.19	0.37	0.09	0.76							
14:00:00		1.46	2.1	0.12	0.46	0.17	0.8							
15:00:00		1.82	2.63	0.15	0.36	0.24	1.25							
16:00:00		2.72	4.75	0.13	0.36	0.34	1.45							
17:00:00		4.12	5.44	0.17	0.45	0.19	1.19							
18:00:00		4.06	4.33	0.17	0.64	0.19	0.91							
19:00:00		2.4	2.03	0.13	0.13	0.21	0.59							
20:00:00		1.43	0.86	0.23	0.12	0.16	0.39							
21:00:00		0.69	0.6	0.1	0.1	0.18	0.36							
22:00:00		0.43	0.44	0.09	0.09	0.19	0.26							
23:00:00		0.29	0.26	0.14	0.17	0.27	0.19							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		1.17	1.66	0.16	0.28	0.25	0.58							
C50	0	0.97	1.25	0.15	0.18	0.24	0.55							
MAX		4.12	5.44	0.42	0.97	0.44	1.45							
MIN		0.12	0.17	0.09	0.08	0.09	0.16							
C99.9	0	4.12	5.43	0.41	0.97	0.44	1.44							
C98	0	4.09	5.13	0.33	0.9	0.42	1.35							
C95	0	3.86	4.69	0.23	0.79	0.4	1.24							

Datum: 2016-11-23

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.75	0.6	0.38	0.14	0.37	0.17							
01:00:00		0.23	0.22	0.14	0.09	0.29	0.21							
02:00:00		0.23	0.14	0.13	0.04	0.15	0.21							
03:00:00		0.22	0.11	0.09	0	0.15	0.18							
04:00:00		0.22	0.08	0.11	0.09	0.12								
05:00:00		0.11	0.05	0.13	0	0.12	0.21							
06:00:00		0.2	0.14	0.09	0.09	0.09	0.35							
07:00:00		0.36	0.29	0.1	0.12	0.1	0.71							
08:00:00		1.14	1.99	0.13	0.27	0.13	0.86							
09:00:00		1.68	3.22	0.21	0.55	0.1	0.63							
10:00:00		1.7	2.69	0.23	0.53	0.1	0.59							
11:00:00		1.08	1.89	0.1	0.23	0	0.61							
12:00:00		0.85	1.8	0.21	0.21	0.38	0.61							
13:00:00		1.33	1.93	0.09	0.32	0.09	0.67							
14:00:00		1.18	2.16	0.1	0.26	0	0.84							
15:00:00		1.79	3.15	0.21	0.57	0.14	1.19							
16:00:00		2.67	4.14	0.23	0.74	0.12	1.23							
17:00:00		3.92	4.44	0.3	0.93	0.14	1.11							
18:00:00		3.69	3.06	0.21	0.66	0.12	1.05							
19:00:00		2.78	4.22	0.23	0.86	0.2	0.75							
20:00:00		2.12	2.27	0.17	0.43	0.13	0.76							
21:00:00		1.86	1.61	0.11	0.26	0.09	0.53							
22:00:00		1.4	0.91	0.1	0.06	0.11	0.47							
23:00:00		1.12	0.7	0.13	0.08	0.09	0.5							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		1.36	1.74	0.16	0.31	0.14	0.63							
C50	0	1.16	1.84	0.13	0.24	0.12	0.61							
MAX		3.92	4.44	0.38	0.93	0.38	1.23							
MIN		0.11	0.05	0.09	0	0	0.17							
C99.9	0	3.91	4.44	0.38	0.93	0.38	1.23							
C98	0	3.81	4.34	0.34	0.9	0.38	1.21							
C95	0	3.55	4.21	0.29	0.84	0.36	1.18							

Datum: 2016-11-24

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.02	0.64	0.12	0.12	0.09	0.37							
01:00:00		0.77	0.2	0.09	0	0.09	0.34							
02:00:00		0.52	0.16	0.09	0.13	0.09	0.33							
03:00:00		0.45	0.14	0.13	0.13	0.09	0.25							
04:00:00		0.36	0.12	0.11	0	0.09	0.25							
05:00:00		0.27	0.12	0.09	0	0.09								
06:00:00		0.37	0.28	0	0.09	0	0.67							
07:00:00		1.17	1.24	0.12	0.09	0	1.01							
08:00:00		3.07	4.05	0.16	0.5	0	0.99							
09:00:00		2.34	4.14	0.22	1.13	0	0.76							
10:00:00		1.86	2.58	0.12	0.56	0.13	0.82							
11:00:00		1.97	2.82	0.18	0.56	0	0.85							
12:00:00		2.04	4.46	0.27	0.86	0.13	1.04							
13:00:00		2.11	38.27	0.15	0.75	0.11	0.98							
14:00:00		2.2	11.86	0.31	1.07	0.13	0.92							
15:00:00		2.14	3.93	0.18	0.61	0.13	1.51							
16:00:00		4.47	8.97	0.55	2.16	0.1	1.59							
17:00:00		6.87	8.57	0.75	1.32	0.11	1.21							
18:00:00		6.16	6.9	0.76	1.05	0.12	0.96							
19:00:00		2.69	3.35	0.17	0.53	0.35	0.86							
20:00:00		2.47	2.5	0.12	0.18	0.33	0.99							
21:00:00		2.86	2.74	0.14	0.36	0.17	0.92							
22:00:00		2.51	1.58	0.09	0.18	0.09	0.91							
23:00:00		2.38	1.23	0.13	0.1	0.15	0.85							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		2.21	4.62	0.21	0.52	0.11	0.84							
C50	0	2.13	2.66	0.14	0.43	0.09	0.89							
MAX		6.87	38.27	0.76	2.16	0.35	1.59							
MIN		0.27	0.12	0	0	0	0.25							
C99.9	0	6.85	37.66	0.76	2.14	0.35	1.59							
C98	0	6.55	26.12	0.75	1.77	0.34	1.55							
C95	0	5.91	11.43	0.72	1.29	0.3	1.46							

Datum: 2016-11-25

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		2.27	1.37	0.09	0.1	0.11	0.55							
01:00:00		1.4	0.46	0.26	0.11	0	0.48							
02:00:00		0.93	0.36	0.09	0.09	0	0.49							
03:00:00		1.05	0.24	0.09	0.09	0	0.37							
04:00:00		0.9	0.25	0.09	0.07	0.09	0.43							
05:00:00		1	0.29	0.09	0.09	0.09	0.6							
06:00:00		1.23	0.52	0.19	0.1	0.1								
07:00:00		1.67	1.02	0.11	0.11	0.17	1.3							
08:00:00		3.14	4.08	0.17	0.15	0.14	0.92							
09:00:00		2.55	4.91	0.17	0.56	0.11	0.99							
10:00:00		2.42	3.56	0.11	0.28	0.2	0.9							
11:00:00		2.47	2.76	0.14	0.3	0.22	0.87							
12:00:00		2.22	2.14	0.11	0.2	0.09	0.77							
13:00:00		1.79	1.94	0.1	0.17	0.09	0.87							
14:00:00		2	2.29	0.12	0.33	0.17	1.06							
15:00:00		2.61	3.16	0.19	0.66	0.12	1.17							
16:00:00		3.55	4	0.17	0.6	0.28	1.27							
17:00:00		4.26	3.08	0.23	0.57	0.15	1.94							
18:00:00		9.57	6.5	0.36	0.83	0.12	1.16							
19:00:00		4.28	3.74	0.21	0.47	0.09	0.89							
20:00:00		2.96	1.75	0.13	0.23	0.09	1.17							
21:00:00		3.7	2.79	0.17	0.41	0.09	1.19							
22:00:00		3.9	3.15	0.12	0.18	0.24	0.89							
23:00:00		2.46	1.13	0.23	0.11	0.64	0.86							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		2.68	2.31	0.16	0.28	0.14	0.92							
C50	0	2.44	2.21	0.13	0.19	0.11	0.89							
MAX		9.57	6.5	0.36	0.83	0.64	1.94							
MIN		0.9	0.24	0.09	0.07	0	0.37							
C99.9	0	9.45	6.46	0.36	0.83	0.64	1.92							
C98	0	7.13	5.77	0.32	0.75	0.48	1.64							
C95	0	4.28	4.78	0.26	0.65	0.27	1.29							

Datum: 2016-11-26

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		2.94	0.83	0.17	0.27	0.25	0.77							
01:00:00		2.22	0.68	0.1	0.09	0.14	0.7							
02:00:00		1.98	0.7	0.22	0.09	0.36	0.7							
03:00:00		1.91	0.52	0.17	0.13	0.22	0.54							
04:00:00		1.69	0.4	0.12	0.17	0.41	0.6							
05:00:00		1.73	0.42	0.2	0.56	0.37	0.55							
06:00:00		1.77	0.43	0	0	0	0.81							
07:00:00		5.81	1.2	0.43	0.5	0.9								
08:00:00		8.74	1.5	0.26	0.16	0.31	1.16							
09:00:00		6.27	2.18	0.22	0.17	0.13	0.93							
10:00:00		4.19	2.01	0.16	0.21	0	0.97							
11:00:00		3.17	2.46	0.09	0.3	0	1							
12:00:00		3.06	2.94	0.19	0.41	0	1.08							
13:00:00		2.87	2.57	0.14	0.31	0.3	0.94							
14:00:00		2.87	2.55	0.22	0.32	0	1.12							
15:00:00		3.58	3.13	0.3	0.33	0	1.61							
16:00:00		5.93	5.22	0.39	0.64	0	1.93							
17:00:00		8.91	4.99	0.44	1.25	0	1.55							
18:00:00		7.1	3.46	0.21	0.49	0.09	1.21							
19:00:00		4.69	2.62	0.14	0.39	0.39	1.2							
20:00:00		3.18	3.29	0.15	0.26	0	0.95							
21:00:00		3.11	3.2	0.17	0.2	0	1.07							
22:00:00		3.56	1.48	0.09	0.15	0	1.07							
23:00:00		3.27	1.29	0.09	0.1	0	0.97							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		3.94	2.09	0.19	0.31	0.16	1.02							
C50	0	3.18	2.09	0.17	0.26	0.04	0.97							
MAX		8.91	5.22	0.44	1.25	0.9	1.93							
MIN		1.69	0.4	0	0	0	0.54							
C99.9	0	8.91	5.22	0.44	1.24	0.89	1.93							
C98	0	8.83	5.12	0.44	0.97	0.67	1.78							
C95	0	8.49	4.76	0.42	0.63	0.41	1.6							

Datum: 2016-11-27

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		3.28	0.98	0	0.1	0	0.83							
01:00:00		2.32	0.65	0	0	0	0.71							
02:00:00		2.05	0.86	0	0.04	0	0.76							
03:00:00		1.95	1.08	0	0.09	0	0.63							
04:00:00		1.79	0.76	0	0.11	0	0.6							
05:00:00		1.55	0.36	0	0	0	0.61							
06:00:00		1.59	0.39	0	0	0.39	0.56							
07:00:00		1.67	0.37	0.09	0	0	0.67							
08:00:00		1.97	0.49	0.09	0	0.09								
09:00:00		2.49	0.94	0	0.13	0	0.8							
10:00:00		2.74	1.02	0.13	0.13	0.09	0.8							
11:00:00		2.32	1.29	0	0.1	0	0.72							
12:00:00		2.11	1.13	0.13	0.12	0	0.71							
13:00:00		2.05	1.02	0.09	0.11	0	0.72							
14:00:00		2.06	0.84	0	0.09	0	0.68							
15:00:00		1.99	0.84	0	0.07	0	0.71							
16:00:00		1.81	0.59	0	0.09	0	0.81							
17:00:00		2.31	0.8	0	0.09	0	0.79							
18:00:00		2.33	1.47	0	0.09	0	0.7							
19:00:00		1.58	0.96	0	0.11	0	0.85							
20:00:00		2.26	3.8	0.17	0.21	0	0.69							
21:00:00		1.68	4.59	0.17	0.14	0	0.94							
22:00:00		1.89	1.29	0	0.13	0	0.44							
23:00:00		0.68	0.53	0	0.09	0	0.29							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		2.02	1.13	0.04	0.08	0.02	0.7							
C50	0	2.02	0.9	0	0.09	0	0.71							
MAX		3.28	4.59	0.17	0.21	0.39	0.94							
MIN		0.68	0.36	0	0	0	0.29							
C99.9	0	3.27	4.57	0.17	0.21	0.38	0.94							
C98	0	3.03	4.23	0.17	0.18	0.25	0.9							
C95	0	2.7	3.45	0.17	0.14	0.09	0.85							

Datum: 2016-11-28

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.22	0.29	0	0	0	0.26							
01:00:00		0.23	0.24	0	0	0	0.18							
02:00:00		0.08	0.08	0	0	0	0.18							
03:00:00		0.12	0.06	0	0	0	0.15							
04:00:00		0.06	0.08	0	0	0	0.15							
05:00:00		0.06	0.13	0	0	0	0.29							
06:00:00		0.38	0.23	0	0	0	0.61							
07:00:00		1.85	0.73	0	0.09	0	1.17							
08:00:00		3.01	3.25	0.2	0.38	0	0.98							
09:00:00		2.89	4.23	0.27	0.57	0.09								
10:00:00		0.76	1.3	0.11	0.21	0	0.57							
11:00:00		0.67	1.36	0.09	0.09	0	0.53							
12:00:00		0.6	1.74	0.09	0.21	0	0.68							
13:00:00		1.11	3.21	0.21	0.54	0	0.62							
14:00:00		0.96	1.98	0.1	0.24	0	0.76							
15:00:00		1.79	2.44	0.12	0.43	0	0.69							
16:00:00		1.38	2.48	0.12	0.52	0	0.75							
17:00:00		1.6	2.31	0.13	0.32	0	0.86							
18:00:00		2.09	2.87	0.1	0.25	0	0.66							
19:00:00		1.11	1.49	0.13	0.15	0	0.66							
20:00:00		1.01	1.24	0.09	0.19	0	0.64							
21:00:00		1.09	1.18	0	0.12	0	0.55							
22:00:00		0.83	0.9	0	0.09	0	0.37							
23:00:00		0.41	0.38	0	0	0	0.33							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		1.01	1.43	0.07	0.18	0	0.55							
C50	0	0.9	1.27	0.09	0.13	0	0.59							
MAX		3.01	4.23	0.27	0.57	0.09	1.17							
MIN		0.06	0.06	0	0	0	0.15							
C99.9	0	3	4.21	0.27	0.57	0.08	1.16							
C98	0	2.95	3.78	0.25	0.56	0.05	1.08							
C95	0	2.77	3.25	0.21	0.54	0	0.96							

Datum: 2016-11-29

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		0.31	0.17	0	0	0	0.29							
01:00:00		0.11	0.05	0	0	0	0.28							
02:00:00		0.11	0.04	0	0	0.09	0.29							
03:00:00		0.1	0.04	0	0	0	0.31							
04:00:00		0.16	0.04	0	0	0.09	0.34							
05:00:00		0.18	0.06	0	0	0	0.38							
06:00:00		0.35	0.08	0	0	0	0.54							
07:00:00		0.76	0.53	0	0.09	0	1							
08:00:00		1.71	2.92	0.16	0.3	0	0.92							
09:00:00		1.89	3.17	0.16	0.65	0	0.76							
10:00:00		1.48	1.95	0.09	0.24	0								
11:00:00		0.89	0.94	0	0.09	0	0.61							
12:00:00		0.87	1.26	0	0.13	0	0.48							
13:00:00		0.71	0.96	0	0.12	0	0.59							
14:00:00		1.06	1.37	0	0.09	0	0.57							
15:00:00		0.95	1.23	0.09	0.12	0.09	0.93							
16:00:00		1.83	3.11	0.18	0.32	0.09	1.34							
17:00:00		4.03	4.33	0.2	0.77	0.09	1.36							
18:00:00		4.71	4.19	0.17	0.53	0	1							
19:00:00		2.53	2.58	0.09	0.32	0	1.04							
20:00:00		2.73	2.52	0.12	0.44	0	1.16							
21:00:00		3.32	2.67	0.09	0.25	0	1.01							
22:00:00		3.05	1.5	0.09	0.16	0.09	0.98							
23:00:00		2.86	0.93	0	0.13	0.09	0.85							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		1.53	1.53	0.06	0.2	0.03	0.74							
C50	0	1	1.24	0	0.12	0	0.68							
MAX		4.71	4.33	0.2	0.77	0.09	1.36							
MIN		0.1	0.04	0	0	0	0.28							
C99.9	0	4.69	4.33	0.2	0.77	0.09	1.36							
C98	0	4.4	4.27	0.19	0.72	0.09	1.35							
C95	0	3.93	4.04	0.18	0.63	0.09	1.31							

Datum: 2016-11-30

VREME	O3 ug/m3	B ug/m3	T ug/m3	E ug/m3	MPX	OX ug/m3	CO							
00:00:00		1.51	0.63	0	0.07	0	0.7							
01:00:00		1.02	0.25	0.09	0	0	0.69							
02:00:00		0.78	0.23	0.09	0.04	0	0.51							
03:00:00		0.46	0.12	0	0.04	0	0.54							
04:00:00		1.25	0.14	0	0	0	0.58							
05:00:00		0.57	0.24	0	0	0	0.71							
06:00:00		1.17	0.2	0	0	0	1.11							
07:00:00		2.93	1.33	0.09	0.2	0	1.78							
08:00:00		5.59	7.48	0.36	0.89	0.13	1.32							
09:00:00		4.94	4.24	0.38	0.85	0.1	0.95							
10:00:00		1.45	1.75	0	0.23	0	0.82							
11:00:00		1.03	1.85	0	0.24	0								
12:00:00		0.78	1.27	0.09	0.19	0	0.58							
13:00:00		0.78	1.08	0	0.16	0	0.62							
14:00:00		0.9	1.19	0.09	0.14	0	0.71							
15:00:00		1.26	1.84	0.12	0.33	0	1.12							
16:00:00		3.74	3.54	0.14	0.46	0	1.63							
17:00:00		8.2	4.59	0.28	0.69	0	1.39							
18:00:00		6.05	4.52	0.23	1.12	0	1.25							
19:00:00		4.08	3.27	0.18	0.43	0	1.53							
20:00:00		5.53	4.41	0.31	0.6	0	0.99							
21:00:00		2.74	1.57	0.11	0.27	0	0.78							
22:00:00		1.55	0.84	0.09	0.09	0	0.82							
23:00:00		1.72	0.6	0	0	0.09	0.8							

Ras pod	0%	100%	100%	100%	100%	100%	95.83%							
AVG		2.5	1.97	0.11	0.29	0.01	0.95							
C50	0	1.48	1.3	0.09	0.19	0	0.81							
MAX		8.2	7.48	0.38	1.12	0.13	1.78							
MIN		0.46	0.12	0	0	0	0.51							
C99.9	0	8.15	7.42	0.38	1.11	0.13	1.78							
C98	0	7.22	6.15	0.37	1.01	0.12	1.71							
C95	0	5.99	4.58	0.35	0.88	0.1	1.61							

Zbirni podaci za period: 2016-11-01 do 2016-11-30[illegible]